



<b>EAN:</b>	4013288220950	<b>Size:</b>	230x60x12 mm
<b>Part number:</b>	05004431001	<b>Weight:</b>	25 g
<b>Article number:</b>	Kraftform Kompakt VDE 67 i TORX® SB	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Kraftform Kompakt VDE interchangeable blade for TORX® screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- For rapid exchange without any special tools

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

**Web link**

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_67\\_i\\_torx\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_67_i_torx_sb.html)

Wera - Kraftform Kompakt VDE 67 i TORX® SB  
05004431001 - 4013288220950

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

# Kraftform Kompakt VDE 67 i TORX® SB, TX 10 x 154 mm

## Kraftform Kompakt VDE



### Set contents:

#### Kraftform Kompakt VDE 67 i TORX®, TX 10 x 154 mm



05003431001

1x TX 10 x 154 mm



### Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_67\\_i\\_torx\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_67_i_torx_sb.html)

Wera - Kraftform Kompakt VDE 67 i TORX® SB  
05004431001 - 4013288220950

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)



<b>EAN:</b>	4013288220967	<b>Size:</b>	230x60x12 mm
<b>Part number:</b>	05004432001	<b>Weight:</b>	34 g
<b>Article number:</b>	Kraftform Kompakt VDE 67 i TORX® SB	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Kraftform Kompakt VDE interchangeable blade for TORX® screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- For rapid exchange without any special tools

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

**Web link**

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_67\\_i\\_torx\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_67_i_torx_sb.html)

Wera - Kraftform Kompakt VDE 67 i TORX® SB  
05004432001 - 4013288220967

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

# Kraftform Kompakt VDE 67 i TORX® SB, TX 15 x 154 mm

## Kraftform Kompakt VDE



### Set contents:

#### Kraftform Kompakt VDE 67 i TORX®, TX 15 x 154 mm



05003432001

1x TX 15 x 154 mm



### Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_67\\_i\\_torx\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_67_i_torx_sb.html)

Wera - Kraftform Kompakt VDE 67 i TORX® SB  
05004432001 - 4013288220967

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)



<b>EAN:</b>	4013288220974	<b>Size:</b>	230x60x12 mm
<b>Part number:</b>	05004433001	<b>Weight:</b>	35 g
<b>Article number:</b>	Kraftform Kompakt VDE 67 i TORX® SB	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Kraftform Kompakt VDE interchangeable blade for TORX® screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- For rapid exchange without any special tools

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

**Web link**

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_67\\_i\\_torx\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_67_i_torx_sb.html)

Wera - Kraftform Kompakt VDE 67 i TORX® SB  
05004433001 - 4013288220974

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

# Kraftform Kompakt VDE 67 i TORX® SB, TX 20 x 154 mm

## Kraftform Kompakt VDE



### Set contents:

#### Kraftform Kompakt VDE 67 i TORX®, TX 20 x 154 mm



05003433001

1x TX 20 x 154 mm



### Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_67\\_i\\_torx\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_67_i_torx_sb.html)

Wera - Kraftform Kompakt VDE 67 i TORX® SB  
05004433001 - 4013288220974

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)



<b>EAN:</b>	4013288220981	<b>Size:</b>	230x60x12 mm
<b>Part number:</b>	05004434001	<b>Weight:</b>	46 g
<b>Article number:</b>	Kraftform Kompakt VDE 67 i TORX® SB	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Kraftform Kompakt VDE interchangeable blade for TORX® screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- For rapid exchange without any special tools

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

**Web link**

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_67\\_i\\_torx\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_67_i_torx_sb.html)

Wera - Kraftform Kompakt VDE 67 i TORX® SB  
05004434001 - 4013288220981

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

Kraftform Kompakt VDE 67 i TORX® SB, TX 25 x 154 mm

Kraftform Kompakt VDE



Set contents:

Kraftform Kompakt VDE 67 i TORX®, TX 25 x 154 mm



05003434001

1x TX 25 x 154 mm



Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_67\\_i\\_torx\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_67_i_torx_sb.html)

Wera - Kraftform Kompakt VDE 67 i TORX® SB  
05004434001 - 4013288220981

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)





<b>EAN:</b>	4013288220998	<b>Size:</b>	230x60x13 mm
<b>Part number:</b>	05004436001	<b>Weight:</b>	46 g
<b>Article number:</b>	Kraftform Kompakt VDE 67 i TORX® SB	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Kraftform Kompakt VDE interchangeable blade for TORX® screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- For rapid exchange without any special tools

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

**Web link**

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_67\\_i\\_torx\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_67_i_torx_sb.html)

Wera - Kraftform Kompakt VDE 67 i TORX® SB  
05004436001 - 4013288220998

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

# Kraftform Kompakt VDE 67 i TORX® SB, TX 30 x 154 mm

## Kraftform Kompakt VDE



### Set contents:

#### Kraftform Kompakt VDE 67 i TORX®, TX 30 x 154 mm



05003436001

1x TX 30 x 154 mm



### Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_67\\_i\\_torx\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_67_i_torx_sb.html)

Wera - Kraftform Kompakt VDE 67 i TORX® SB  
05004436001 - 4013288220998

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

**Individually tested**



Why is the right tool so often missing at the workplace? The reason: too many tools and overly-heavy tool bags can make it bothersome to carry keep them with you. So for us it was a clear challenge: to develop a tool that is suitable for a whole host of applications and can be easily taken along to the workplace. Our solution: Kraftform Kompakt tools. A handle into which blades with a range of different profiles can be inserted. Compactly and protectively housed in a light and robust textile pouch - and they are even VDE-tested, too.




Our screwdrivers are tested for dielectric strength under a 10,000 volt load to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.

**VDE interchangeable blades 154 mm long**



Suitable for Kraftform handles 7400 VDE, 827 T i and 817 VDE .

**Handle/interchangeable blade system – Kraftform Kompakt VDE**



The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.