



# Conductivity Calibrator 1,000-100,000 micromho/cm

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 09/11/2013

Supersedes: 04/04/2011

Version: 2.0

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### Product Identifier

**Product name:** Conductivity Calibrator 1,000-100,000 micromho/cm

**Product code:** 3160, 3161, 3163, 3165, 3167, 3168, 3169

#### Intended Use Of The Product

**Use of the substance/preparation:** Calibration of YSI Analytical equipment

#### Name, Address, And Telephone Of The Responsible Party

YSI  
1700/1725 Brannum Lane  
Yellow Springs, OH 45387

T 937-767-7241

[www.ysi.com](http://www.ysi.com)

[MSDSinfo@ysi.com](mailto:MSDSinfo@ysi.com)

#### Emergency Telephone Number

**Emergency number** : Within USA and Canada: 1-800-424-9300 - Outside USA and Canada: +1 703-527-3887  
(collect calls accepted) CHEMTREC

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification Of The Substance Or Mixture

**Classification (GHS-US)**

Not classified

#### Label Elements

**GHS-US labeling** No labeling applicable

**Other Hazards** Not available

**Unknown acute toxicity (GHS US)** Not available

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

#### Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No.) 7732-18-5	93 - 100	Not classified
Potassium chloride	(CAS No.) 7447-40-7	0.1 - 7	Eye Irrit. 2B, H320

Full text of H-phrases: see section 16

### SECTION 4: FIRST AID MEASURES

#### Description Of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

**Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# Conductivity Calibrator 1,000-100,000 micromho/cm

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Ingestion:** Rinse mouth. Do NOT induce vomiting

### **Most Important Symptoms And Effects Both Acute and Delayed**

**General:** Not available

**Inhalation:** None expected under normal conditions of use..

**Skin Contact:** May cause mild skin irritation..

**Eye Contact:** May cause eye irritation..

**Ingestion:** If a large quantity has been ingested: Diarrhea. Abdominal pain..

**Chronic symptoms:** Not available

### **Indication Of Any Immediate Medical Attention And Special Treatment Needed**

If exposed or concerned, get medical advice and attention.

## **SECTION 5: FIREFIGHTING MEASURES**

### **Extinguishing Media**

**Suitable extinguishing media:** Alcohol foam, polymer foam, dry chemical powder, carbon dioxide, water spray, fog.

**Unsuitable extinguishing media:** None known.

### **Special Hazards Arising From The Substance Or Mixture**

**Fire hazard:** Not flammable.

**Explosion hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### **Advice For Firefighters**

**Precautionary measures fire:** Not available

**Firefighting instructions:** Exercise caution when fighting any chemical fire.

**Protection during firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection..

**Hazardous Combustion Products:** Upon heating, toxic fumes are formed. (chlorine). Potassium oxides.

### **Reference To Other Sections**

Refer to section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment And Emergency Procedures**

**General measures:** Handle in accordance with good industrial hygiene and safety practice.

#### **For Non-Emergency Personnel**

**Protective equipment:** Use appropriate personal protection equipment (PPE).

**Emergency procedures:** Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective equipment:** Equip cleanup crew with proper protection.

**Emergency procedures:** Ventilate area.

### **Environmental Precautions**

Prevent entry to sewers and public waters.

### **Methods And Material For Containment And Cleaning Up**

**For containment:** Absorb and/or contain spill with inert material, then place in suitable container.

**Methods for cleaning up:** Clear up spills immediately and dispose of waste safely.

### **Reference To Other Sections**

See heading 8, Exposure Controls and Personal Protection.

## **SECTION 7: HANDLING AND STORAGE**

### **Precautions For Safe Handling**

**Hygiene measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

### **Conditions For Safe Storage, Including Any Incompatibilities**

**Storage conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

# Conductivity Calibrator 1,000-100,000 micromho/cm

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Incompatible materials:** Strong acids. Strong oxidizers.

### **Specific End Use(s)**

Calibration of YSI Analytical equipment

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

### **Exposure Controls**

**Appropriate engineering controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

**Personal protective equipment:** Safety glasses. Gloves.



**Materials for protective clothing:** Not available

**Hand protection:** Wear chemically resistant protective gloves.

**Eye protection:** Chemical goggles or safety glasses.

**Skin and body protection:** Not available

**Respiratory protection:** Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of vapor or mist are expected to exceed exposure limits.

**Other information:** When using, do not eat, drink or smoke.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **Information On Basic Physical And Chemical Properties**

Physical state	: Liquid
Appearance	: Clear
Odor	: Not available
Odor threshold	: Not available
pH	: 6.5 - 7.5
Relative evaporation rate (butyl acetate=1)	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 100 °C (212 °F)
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower flammable limit	: Not available
Upper flammable limit	: Not available
Vapor pressure	: Not available
Relative vapor density at 20 °C	: Not available
Relative density	: Not available
Specific gravity density	: 1 g/ml
Solubility	: Not available
Log Pow	: Not available
Log Kow	: Not available
Viscosity, kinematic	: Not available
Viscosity, dynamic	: Not available

# Conductivity Calibrator 1,000-100,000 micromho/cm

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Explosion data - sensitivity to mechanical impact** : Not available

**Explosion data - sensitivity to static discharge** : Not available

### SECTION 10: STABILITY AND REACTIVITY

**Reactivity** Hazardous reactions will not occur under normal conditions.

**Chemical Stability** Stable under normal conditions.

**Possibility Of Hazardous Reactions** Hazardous polymerization will not occur.

**Conditions To Avoid** Direct sunlight. Extremely high or low temperatures.

**Incompatible Materials** Strong acids. Strong oxidizers

**Hazardous Decomposition Products** Potassium oxides. Upon heating, toxic fumes are formed. (chlorine)

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information On Toxicological Effects - Product

**Acute toxicity** : Not classified

**LD50 and LC50 Data** Not available

**Skin corrosion/irritation:** Not classified pH: 6.5 - 7.5

**Serious eye damage/irritation:** Not classified pH: 6.5 - 7.5

**Respiratory or skin sensitization:** Not classified

**Germ cell mutagenicity:** Not classified

**Teratogenicity:** Not available

**Carcinogenicity:** Not classified

**Specific target organ toxicity (repeated exposure):** Not classified

**Reproductive toxicity:** Not classified

**Specific target organ toxicity (single exposure):** Not classified

**Aspiration hazard:** Not classified

**Symptoms/injuries after inhalation:** None expected under normal conditions of use.

**Symptoms/injuries after skin contact:** May cause mild skin irritation.

**Symptoms/injuries after eye contact:** May cause eye irritation.

**Symptoms/injuries after ingestion:** If a large quantity has been ingested: Diarrhea. Abdominal pain.

#### Information On Toxicological Effects - Ingredient(s)

##### LD50 and LC50 Data

Potassium chloride (7447-40-7)	
LD50 oral rat	2600 mg/kg

### SECTION 12: ECOLOGICAL INFORMATION

#### Toxicity

Potassium chloride (7447-40-7)	
LC50 fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC50 fish 2	750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

#### Persistence And Degradability

Conductivity Calibrator 1,000-100,000 micromho/cm	
Persistence and degradability	Not established.

#### Bioaccumulative Potential

Conductivity Calibrator 1,000-100,000 micromho/cm	
Bioaccumulative potential	Not established.

# Conductivity Calibrator 1,000-100,000 micromho/cm

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Mobility In Soil** Not available

### **Other Adverse Effects**

**Other information:** Avoid release to the environment.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste disposal recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

## **SECTION 14: TRANSPORT INFORMATION**

**In accordance with ICAO/IATA/DOT/TDG**

**UN Number** Not regulated for transport

**UN Proper Shipping Name** Not regulated for transport

**Additional information** Not regulated for transport

**Overland transport** Not regulated for transport

**Transport by sea** Not regulated for transport

**Air transport** Not regulated for transport

## **SECTION 15: REGULATORY INFORMATION**

### **US Federal regulations**

#### **Potassium chloride (7447-40-7)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **Water (7732-18-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **US State regulations**

#### **Potassium chloride (7447-40-7)**

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

### **Canadian regulations**

#### **Conductivity Calibrator 1,000-100,000 micromho/cm**

Uncontrolled product according to WHMIS classification criteria

#### **Potassium chloride (7447-40-7)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
----------------------	---

#### **Water (7732-18-5)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
----------------------	---

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

## **SECTION 16: OTHER INFORMATION**

**Indication of changes** : 04/04/2013

**Other information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### **GHS Full Text Phrases:**

Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
---------------	---

# Conductivity Calibrator 1,000-100,000 micromho/cm

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

### Party Responsible For The Preparation Of This Document:

YSI, EHS Manager  
1700/1725 Brannum Lane  
Dayton, OH 45387  
937-767-7241 x433

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

North America GHS US 2012 & WHMIS