

SHL200-Ex

RUGGED AND POWERFUL HAND LAMP FOR INDUSTRIAL APPLICATION IN POTENTIALLY EXPLOSIVE ZONE 1 AND 21 AREAS.

The lamp features a main light, ambient light and flashing light mode, which can easily be activated via the main switch. The main light has a 3W LED which generates a light intensity of 24,000 cd that can also be dimmed.

The ergonomic design enables perfect handling and allows the lamp to be held securely in your hand whilst working.

If the main light fails or the battery capacity falls below 10% during operation, the lamp automatically switches to its ambient lighting mode.

The high performance battery enables continuous operation of up to 7 hours in the main lighting mode (approx. 18 hours in flashing operation).

An emergency lighting function is naturally also integrated.

The housing is manufactured from impact-resistant polyamide and offers a high level of robustness giving it an IP66 protection rating. The long-life bulb (LED) and the ability to replace the battery ensures maintenance costs are very low.

SHL 200-Ex

HAND LAMP FOR ZONE 1 / 21

FEATURES

- Zone 1 / 21
- High light intensity
- State-of-the-art LED technology
- Pivoting lamp head
- Long battery life
- Dimmable main light
- Low weight

SCOPE OF DELIVERY

- SHL 200-Ex
- Battery (integrated in the unit)
- Clear diffusing filter
- User manual
- Ex-certificate
- EC Declaration of Conformity



PERFECT HANDLING



TECHNICAL DATA

Ambient temperature	-20 °C ...+50 °C
Storage temperature	-25 °C ...+60 °C
Power supply	Lead-fleece battery 6V; 4.5 Ah
Bulb	3W LED
Light intensity	24,000 cd
Luminous flux	211 lumens
Operating time (main light)	approx. 7 hrs (continuous operation)
Charging time	approx. 11 hrs
Dimensions	279 x 143 x 92 mm
Weight	1.45 kg (without charging station)
IP protection class	IP66
Charging station	12 V / 24 V & 230 V / AC
Dimensions of charging station	154 x 140 x 79 mm
CE-designation	CE 0102

EX DATA

ATEX



⊕ II 2G Ex ib IIC T4 Gb

⊕ II 2D Ex tb IIIC T75°C Db

SHL 200-Ex

The charging station is suitable for use with common supply voltages, such as 12 V / 24 V and 230 V AC.

The package is rounded off by a comprehensive range of accessories, such as coloured diffusing filters and wall brackets.

SHL 200-Ex

HAND LAMP FOR ZONE 1 / 21



PERFECT HANDLING

ACCESSORIES

	ARTICLE NO.	PRODUCT DESCRIPTION
	A0002143	Charging station
	A0002144	Spare battery
	A0002145	Car charging cable
	A0002146	Wall bracket
	A0002147 - 2150 	Diffusing filters
	A0002151 	Shoulder strap
	A0002152	charging cable



EMEA

Germany (Headquarters) ¹

ecom instruments GmbH
Industriestraße 2
97959 Assamstadt
Phone +49 62 94 42 24-0
Fax +49 62 94 42 24-100
sales@ecom-ex.com

¹ also covering Austria

ecom Benelux ²

ecom instruments BV
Watertoren 45c
3247 CL Dirksland, Netherlands
Phone +31 1 87 60 59 16
Fax +31 1 87 60 33 47
info.nl@ecom-ex.com

² also covering Belgium and Luxembourg

France ³

ecom Nied sarl
4 Rue Ettore Bugatti
67201 Eckbolsheim
Phone +33 3 88 76 46 84
Fax +33 3 88 76 02 85
info.fr@ecom-ex.com

³ also covering Algeria, Egypt, Morocco, Tunisia and Libya

Italy

ecom instruments srl
Via Gandhi, 15 Galleria
20017 Rho (MI)
Phone +39 02 93 90 92 16
Fax +39 02 93 90 62 97
info.it@ecom-ex.com

Switzerland

ecom instruments GmbH
Merkurstraße 2
6210 Sursee
Phone +41 4 19 21 60 00
Fax +41 4 19 22 00 08
info.ch@ecom-ex.com

United Kingdom

ecom instruments ltd
A310, The Wilton Centre,
Redcar, TS10 4RF,
United Kingdom
Phone +44 1642 46 54 00
Fax +44 1642 46 54 02
info.uk@ecom-ex.com

Nordics

ecom instruments GmbH
Postbox 304
2970 Hørsholm
Denmark
Phone +45 28 252 575
info.nordics@ecom-ex.com

Middle East

ecom instruments fze
P.O. Box 8918
Saif-Zone, Sharjah, UAE
Phone +971 6 5 57 34 30
Fax +971 6 5 57 34 31
info.uae@ecom-ex.com

Americas

USA Headquarters

ecom instruments Inc.
1779 Westborough Drive, Suite 102
Katy, Texas 77449
Phone +1 281 496 59 30
Fax +1 281 496 23 21
sales.us@ecom-ex.com

Asia

South East Asia

ecom instruments (SEA) Pte Ltd.
12 Arumugam Road
#05-11 Lion Building B
Singapore 409958
Phone +65 61 00 33 29
Fax +65 63 99 33 29
info.sg@ecom-ex.com

