



i3BOARD A size for every space.



ENTREPRISE CERTIFIED



ISO 9001

ENTREPRISE CERTIFIED



ISO 14001



77", 87",
100", 135"

Compared to traditional whiteboards, the i3BOARD includes several unique features. Other than stylus and finger touch recognition, the precise and reliable V-Sense touch technology design allows multi-user interaction with 20 simultaneous touches.

ENTREPRISE CERTIFIED



ISO 18001



The ultra-narrow aluminium frame gives the i3BOARD a sleek appearance and makes maintenance easy, lowering the long term total cost of ownership.

Top features



Touch recognition

Finger, stylus or any other pen or finger shaped object



Touch Points

Up to 20 touch points



Sleek

Ultrathin 24mm frame



Platform independent

a perfect match for any education software



V-Sense

Dust resistant V-Sense touch technology



Specifications

77"

87"

100"

135"

PRODUCT SPECIFICATIONS

Model name	i3BOARD 7705	i3BOARD 8705 DUO	i3BOARD 10005 DUO	i3BOARD 13505 DUO
Display Aspect Ratio	4:3	16 : 10	16 : 9	16 : 6

PHYSICAL SPECIFICATIONS

Dimensions i3BOARD	1624 x 1234 x 37 mm - 63.9" x 48.6" x 1.5" (WxHxD)	1948 x 1224 x 37 mm - 76.7" x 48.6" x 1.5" (WxHxD)	2200 x 1235 x 37 mm - 86.6" x 48.6" x 1.5" (WxHxD)	3213 mm x 1235 mm x 37 mm - 126.2" x 48.6" x 1.5" (WxHxD)
Dimensions active area	1577 x 1186 mm 62" x 46.7" (WxH)	1899 x 1186 mm 74.8" x 46.7" (WxH)	2152 x 1186 mm 84.7" x 46.7" (WxH)	3152 mm x 1182 mm 124" x 46.6" (WxH)
Writing surface	White Enameled steel - anti reflection	i3 Duo Surface The optimized whiteboard surface with superior projection, writing & dry erasing capabilities. Minimize hotspot, less reflectivity from natural light & minimal ghosting	i3 Duo Surface The optimized whiteboard surface with superior projection, writing & dry erasing capabilities. Minimize hotspot, less reflectivity from natural light & minimal ghosting	i3 Duo Surface The optimized whiteboard surface with superior projection, writing & dry erasing capabilities. Minimize hotspot, less reflectivity from natural light & minimal ghosting
Touch technology	V-Sense ^{FC} Multi-touch			
Touch operation	Any opaque object, including finger, stylus...			
Touch point	20 simultaneous touches (Depending on Operating System)			
Resolution	32767*32767			
Bezel Color	Black			
Power supply	USB			
Install method	Wall mount included			
Weight net	21 kg	24 kg	27 kg	44 kg
Weight packed	26 kg	30 kg	32 kg	55 kg
Packaging size	1780 x 1345 x 120 mm (WxHxD)	2085 x 1355 x 120 mm (WxHxD)	2315 x 1355 x 120 mm (WxHxD)	3370 mm x 1370 x 120 mm (WxHxD)
Operating temperature	-15 ~ 50 °C (5~122F)			
Operating humidity	20 ~ 90 %			
Storage temperature	-40 ~ 50 °C (-40 ~ 122 F)			
Storage humidity	10 ~ 95 %			
Power consumption	≤ 350mA			

RECOMMENDED COMPUTER CONFIGURATION

CPU	> 3.4GHz . X86			
RAM	> 4GB			
Hard disk	> 100GB			
Interface	USB 2.0 or above			
Screen resolution	1024 x 768	1280 x 800	1280 x 720	1920 x 720

ACCESSORIES

Standard accessories	USB cable, pens, pen tray			
Annotation software	i3LEARNHUB Free licence - registration on i3learnhub.com			

WARRANTY

Standard	3 years			
after registration	5 years			

Optional accessories



i3HAWM
height adjustable wall mount system



i3PROJECTOR
Lamp or Laser projectors



i3COMPUTER
Compact 24/7 PC




i3ADD-ON Whiteboard Extensions
whiteboards wings for extra writing surface




i3SPEAKERS
active speaker system

Technical drawings


i3BOARD 7705



i3BOARD 8705 DUO



i3BOARD 10005 DUO



i3BOARD 13505 DUO

