

PELICAN™

WATCH YOUR STEP

YOU'LL SEE WITH DOWNCAST LEDs

Introducing the Pelican

**3765 LED
RECHARGEABLE
RIGHT ANGLE LIGHT**



Pelican Products, Inc.
23215 Early Avenue
Torrance, CA 90505
Tel 310-326-4700
Fax 310-326-3311
Toll Free 800-473-5422

Free postcards with your logo imprint at:

Pelican.com/dealers

Pre-Sorted
First Class
U.S. Postage
PAID
Permit # 234
Torrance, CA




THE NEW PELICAN™ 3765 LED RECHARGEABLE RIGHT ANGLE LIGHT

WITH DOWNCAST LEDs

Pelican leads the way yet again with its new safety approved right angle **3765 LED Rechargeable** flashlight.

Features:

- **4 mode LED technology**
(high, low, downcast, signalling)
-  **NFPA 1901 Compliant**
(National Fire Protection Association) 1901
- **Rechargeable NiMH Pack -Also Operates on 4 Standard AA Alkaline Batteries**
- **Safety Approved (Class I Division 2)**
- **Battery Level Indicating Switch**
- **Lifetime Guarantee of Excellence**
- **Compact, Rugged, and Light Weight**



The new **3765 LED Rechargeable** -
Now you can **WATCH YOUR STEP.**



Downcast LEDs illuminate pathways and other close quarter applications. (Photoluminescent shroud also available)



Available Accessories:
-Bank Charger (shown- lights not included)
-12V Vehicle Charger Cord
-Direct Wire Rig

SPECIFICATIONS	Light Output (Lumens)	172 (H), 94 (L)
	Run Time	3h 15m(H), 5h 15m(L)
	Length	5.36" (13.6 cm)
	Colors	 
	Approvals	Class I Division 2

WWW.PELICAN.COM

All trademarks are registered and/or
unregistered trademarks of Pelican Products,
Inc., its subsidiaries and/or affiliates.



Pelican Products, Inc.
23215 Early Avenue
Torrance, CA 90505
Tel 310-326-4700
Fax 310-326-3311
Toll Free 800-473-5422

Free postcards with your logo imprint at:
Pelican.com/dealers




THE NEW PELICAN™ 3765 LED RECHARGEABLE RIGHT ANGLE LIGHT

WITH DOWNCAST LEDs

Pelican leads the way yet again with its new safety approved right angle **3765 LED Rechargeable** flashlight.

Features:

- **4 mode LED technology**
(high, low, downcast, signalling)
-  **NFPA 1901 Compliant**
(National Fire Protection Association) 1901
- **Rechargeable NiMH Pack -Also Operates on 4 Standard AA Alkaline Batteries**
- **Safety Approved (Class I Division 2)**
- **Battery Level Indicating Switch**
- **Lifetime Guarantee of Excellence**
- **Compact, Rugged, and Light Weight**



The new **3765 LED Rechargeable** -
Now you can **WATCH YOUR STEP.**



Downcast LEDs illuminate pathways and other close quarter applications. (Photoluminescent shroud also available)



Available Accessories:
-Bank Charger (shown- lights not included)
-12V Vehicle Charger Cord
-Direct Wire Rig

SPECIFICATIONS	Light Output (Lumens)	172 (H), 94 (L)
	Run Time	3h 15m(H), 5h 15m(L)
	Length	5.36" (13.6 cm)
	Colors	 
	Approvals	Class I Division 2

WWW.PELICAN.COM

All trademarks are registered and/or
unregistered trademarks of Pelican Products,
Inc., its subsidiaries and/or affiliates.



Pelican Products ULC
10221-184th St.
Edmonton, Alberta T5S 2J4
Tel 780-481-6076
Fax 780-481-9586
Toll Free 866-273-5422

Free postcards with your logo imprint at:
Pelican.com/dealers

Pre-Sorted
First Class
U.S. Postage
PAID
Permit # 234
Torrance, CA




THE NEW PELICAN™ 3765 LED RECHARGEABLE RIGHT ANGLE LIGHT

WITH DOWNCAST LEDs

Pelican leads the way yet again with its new safety approved right angle **3765 LED Rechargeable** flashlight.

Features:

- **4 mode LED technology**
(high, low, downcast, signalling)
-  **NFPA 1901 Compliant**
(National Fire Protection Association) 1901
- **Rechargeable NiMH Pack -Also Operates on 4 Standard AA Alkaline Batteries**
- **Safety Approved (Class I Division 2)**
- **Battery Level Indicating Switch**
- **Lifetime Guarantee of Excellence**
- **Compact, Rugged, and Light Weight**



The new **3765 LED Rechargeable** -
Now you can **WATCH YOUR STEP.**



Downcast LEDs illuminate pathways and other close quarter applications. (Photoluminescent shroud also available)



Available Accessories:
-Bank Charger (shown- lights not included)
-12V Vehicle Charger Cord
-Direct Wire Rig

SPECIFICATIONS	Light Output (Lumens)	172 (H), 94 (L)
	Run Time	3h 15m(H), 5h 15m(L)
	Length	5.36" (13.6 cm)
	Colors	 
	Approvals	Class I Division 2

WWW.PELICAN.CA

All trademarks are registered and/or
unregistered trademarks of Pelican Products,
Inc., its subsidiaries and/or affiliates.



Pelican Products ULC
10221-184th St.
Edmonton, Alberta T5S 2J4
Tel 780-481-6076
Fax 780-481-9586
Toll Free 866-273-5422

Free postcards with your logo imprint at:
Pelican.com/dealers




THE NEW PELICAN™ 3765 LED RECHARGEABLE RIGHT ANGLE LIGHT

WITH DOWNCAST LEDs

Pelican leads the way yet again with its new safety approved right angle **3765 LED Rechargeable** flashlight.

Features:

- **4 mode LED technology**
(high, low, downcast, signalling)
-  **NFPA 1901 Compliant**
(National Fire Protection Association) 1901
- **Rechargeable NiMH Pack -Also Operates on 4 Standard AA Alkaline Batteries**
- **Safety Approved (Class I Division 2)**
- **Battery Level Indicating Switch**
- **Lifetime Guarantee of Excellence**
- **Compact, Rugged, and Light Weight**



The new **3765 LED Rechargeable** -
Now you can **WATCH YOUR STEP.**



Downcast LEDs illuminate pathways and other close quarter applications. (Photoluminescent shroud also available)



Available Accessories:
-Bank Charger (shown- lights not included)
-12V Vehicle Charger Cord
-Direct Wire Rig

SPECIFICATIONS	Light Output (Lumens)	172 (H), 94 (L)
	Run Time	3h 15m(H), 5h 15m(L)
	Length	5.36" (13.6 cm)
	Colors	 
	Approvals	Class I Division 2

WWW.PELICAN.CA

All trademarks are registered and/or
unregistered trademarks of Pelican Products,
Inc., its subsidiaries and/or affiliates.



Free postcards with your logo imprint at:
Pelican.com/dealers




THE NEW PELICAN™ 3765 LED RECHARGEABLE RIGHT ANGLE LIGHT

WITH DOWNCAST LEDs

Pelican leads the way yet again with its new safety approved right angle **3765 LED Rechargeable** flashlight.

Features:

- **4 mode LED technology**
(high, low, downcast, signalling)
-  **NFPA 1901 Compliant**
(National Fire Protection Association) 1901
- **Rechargeable NiMH Pack -Also Operates on 4 Standard AA Alkaline Batteries**
- **Safety Approved (Class I Division 2)**
- **Battery Level Indicating Switch**
- **Lifetime Guarantee of Excellence**
- **Compact, Rugged, and Light Weight**



The new **3765 LED Rechargeable** -
Now you can **WATCH YOUR STEP.**



Downcast LEDs illuminate pathways and other close quarter applications. (Photoluminescent shroud also available)



Available Accessories:
-Bank Charger (shown- lights not included)
-12V Vehicle Charger Cord
-Direct Wire Rig

SPECIFICATIONS	Light Output (Lumens)	172 (H), 94 (L)
	Run Time	3h 15m(H), 5h 15m(L)
	Length	5.36" (13.6 cm)
	Colors	 
	Approvals	Class I Division 2

Free postcards with your logo imprint at:
Pelican.com/dealers




THE NEW PELICAN™ 3765 LED RECHARGEABLE RIGHT ANGLE LIGHT

WITH DOWNCAST LEDs

Pelican leads the way yet again with its new safety approved right angle **3765 LED Rechargeable** flashlight.

Features:

- **4 mode LED technology**
(high, low, downcast, signalling)
-  **NFPA 1901 Compliant**
(National Fire Protection Association) 1901
- **Rechargeable NiMH Pack -Also Operates on 4 Standard AA Alkaline Batteries**
- **Safety Approved (Class I Division 2)**
- **Battery Level Indicating Switch**
- **Lifetime Guarantee of Excellence**
- **Compact, Rugged, and Light Weight**

The new **3765 LED Rechargeable** -
Now you can **WATCH YOUR STEP.**





Downcast LEDs illuminate pathways and other close quarter applications. (Photoluminescent shroud also available)



Available Accessories:

- Bank Charger (shown - lights not included)
- 12V Vehicle Charger Cord
- Direct Wire Rig

SPECIFICATIONS	Light Output (Lumens)	172 (H), 94 (L)
	Run Time	3h 15m(H), 5h 15m(L)
	Length	5.36" (13.6 cm)
	Colors	 
	Approvals	Class I Division 2