



Tambour Door Cabinets 843-O 843-C BLT-28060 BLT-25010


Enclosed magnetic marker board



Assembly Instructions

Tambour Door Cabinet (Enclosed marker surface)





Missing Parts or UPS Damaged Parts
For Your Convenience you can
EMAIL us at
boards@bestrite.com
24HOURS 7 DAYS A WEEK


Should you require assistance during assembly, please call our Customer Service Department Monday - Friday 8 a.m. - 5 p.m.
Central Standard Time
Toll-Free Customer Service
1-800-749-2258

Tambour Door Cabinet Assembly Instructions

READ THROUGH INSTRUCTIONS FROM BEGINNING TO END BEFORE STARTING TO ASSEMBLE UNIT.

To Assemble:

- Identify and Separate all the Parts and Hardware.
- Find the desired location for this unit on wall.
 Use dimensions showing in illustration # 1 to
 drill holes for Anchor Screws (B) Suggested
 location for these holes are in wall studs.
 Insert the Anchor Screws in to the holes and
 insert the Long Screws (C) in to only four of
 the Anchor Screws with head of the screws be
 approximate 1/4" a way from the wall. See
 illustration 1.






Illustration #2

of the four Long Screws on the wall. To secure the this unit Use the Bracket (A) over the Anchor Screw you have already inserted in the wall at the bottom and fasten the Bracket (A) with Long Screw (C). To secure the this unit use the Small Screw (D) to fasten the Bracket (A) to the bottom of Enclosed Marker Board Cabinet (P-1). See illustrations # 2.