# C470 Cartridge Range

Chisel Cartridge

4 x 1.3 mm S2

0.157 x 0.051 in

Chisel Cartridge

4 x 2.5 mm

0.157 x 0.098 in

C470040

C470035



Station: HDU

Tools: T470, T470S, T470F, T470M, T470Z, T470N

Station: HDU

Tools:

T470, T470S, T470F,

T470M, T470Z, T470N

General use

General use



# C470 Cartridge Range for T470 HD Handles and HT470 HD Thermal Tweezers

Ref.	Description	Image and dimensions	Suggested components	Compatible with
C470017	Chisel Cartridge 5 x 1.2 mm 0.197 x 0.047 in	13 (0.512) (0.512) (mm (m)	General use	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470009	Chisel Cartridge 5.5 x 1.5 mm 0.216 x 0.059 in	18.4 (0.724) (0.724) (6.600 t x 9.12 t	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470002	Chisel Cartridge 6 x 1.5 mm 0.236 x 0.059 in	10.4 (0.409) (6.909 x 9.62 0) (6.909 x 9.62 0) (6.909 x 9.62 0)	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470015	Chisel Cartridge 6 x 1.7 mm 0.236 x 0.067 in	13 (0.512) (0.512) (0.512)	General use	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470004	Chisel Cartridge 7.5 x 1.5 mm 0.295 x 0.059 in	10.3 (0.406) (0.406) (0.406) (0.406) (0.406) (0.406)	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470016	Chisel Cartridge 7.5 x 1.7 mm 0.295 x 0.067 in	133 — (0.512) — (1.50 ° × × × × × × × × × × × × × × × × × ×	General use	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470058	Chisel Cartridge 8 x 2.5 mm 0.315 x 0.098 in	16.6 (0.650) 98 x 5 2 2 (0.650) (0.650)	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470039	Chisel Cartridge 8.5 x 2.5 mm 0.335 x 0.098 in	10.4 (0.405) (0.405) (0.405) (0.405) (m)	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N

# C470 Cartridge Range for T470 HD Handles and HT470 HD Thermal Tweezers

Ref.	Description	Image and dimensions	Suggested components	Compatible with
C470006	Chisel Cartridge 10 x 2.5 mm 0.394 x 0.098 in	10.4 (0.409) \$2.5 x 0.0000 \$3.5 x 0.0000 (m)	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470007	Chisel Cartridge 15.5 x 2.5 mm 0.610 x 0.098 in	15 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470021	Chisel Cartridge 12 x 4 mm 0.472 x 0.157 in	15 (0.591) 19 (0.748)	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470067	Chisel Cartridge 15.5 X 2.5 mm 0.610 x 0.098 in	\$6000000000000000000000000000000000000	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N, HT470
C470022	Chisel Cartridge 28 x 4 mm 1.102 x 0.157 in	15 (0.591) (0.591) (0.591) (0.591) (0.591)	Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470034	Chisel Bent Cartridge 3.5 x 1.5 mm 0.138 x 0.059 in	18 (0.709)   mm (m)	General use	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470018	Chisel Bent Cartridge 8.9 x 1.7 mm 0.350 x 0.067 in	23.5 (0.925)	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470019	Bevel Cartridge Ø 3.5 mm Ø 0.138 in	14 (0.551)	General use	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N



### C470 Cartridges for T470 HD Handles and HT470 HD Thermal Tweezers

Ref.	Description	Image and dimensions	Suggested components	Compatible with
C470003	Bevel Cartridge Ø 7.5 mm Ø 0.295 in	10 (0.394) (0.394) (0.394) (0.394)	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470056	Bevel Cartridge Ø 10 mm Ø 0.394 in	12 (0.472) 0160 0160 0160 0160 0160 0160 0160 016	Wide area Shield desoldering Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470005	Flat Cartridge Ø 15 mm Ø 0.591 in	4.5 (0.177)	Shield desoldering Metal PCB Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470044	Flat Cartridge 10 x 15 mm 0.394 x 0.591 in	51 x 01 (0.197) (0.197) (in)	Shield desoldering Metal PCB Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470057	Flat Cartridge 20 x 30 mm 0.787 x 1.181 in	The second secon	Shield desoldering Metal PCB Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470027	Shield Cartridge 43 x 20 mm 1.693 x 0.787 in	288 (0.173) (0.787) mm (m)	Shield desoldering	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470031	Pin/Connector Cartridge Ø 3.3 mm Ø 0.126 in	(0.067) (0.067) (0.067) (0.067) (0.060) (0.000) (0.000) (0.000)	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470050	Pin/Connector Cartridge Ø 3.8 mm Ø 0.150 in	2.5 (0.098) (0.256)	Cable Connectors	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N, HT470

### C470 Cartridges for T470 HD Handles and HT470 HD Thermal Tweezers

Ref.	Description	Image and dimensions	Suggested components	Compatible with
C470042	Pin/Connector Cartridge Ø 4.8 mm Ø 0.189 in	10.5 10.413 7.5 10.295) 10.295) 10.295) 10.295) 10.295) 10.295) 10.295) 10.295)	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N, HT470
C470066	Pin/Connector Cartridge Ø 5.5 mm Ø 0.216 in	13.7 (0.539) 93.0 (0.539) (0.539) (0.539) (0.539) (0.539) (0.539)	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470065	Pin/Connector Cartridge Ø 8.5 mm Ø 0.335 in	12.7 (0.500) (0.500) (0.500) (0.500) (0.500) (0.500) (0.500)	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470047	Pin/Connector Cartridge Ø 14 mm Ø 0.551 in	120 0 14 (0 0.551)	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470012	Pin/Connector Cartridge R. 6 mm S1 R. 0.236 in	22 (0.366)	Cables Connectors	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470038	Pin/Connector Cartridge R. 6 mm S2 R. 0.236 in	22 (0.866) TINNED	Wide area Cables Connectors	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470010	Pin/Connector Cartridge R. 8 mm R. 0.315 in	11 (0.433) (M0.375)-11 (M)	Cables connectors	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470052	Pin/Connector Cartridge R. 8.5 mm R. 0.335 in	14 (0.551) 10 (0.551)	Cables connectors	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N



# C470 Cartridge Range for T470 HD Handles and HT470 HD Thermal Tweezers

Ref.	Description	Image and dimensions	Suggested components	Compatible with
C470029	Pin/Connector Cartridge R. 31 mm R. 1.220 in	15.2 (0.596) 18 (0.709) 18 (0.709) (n)	Connectors	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470028	Pin/Connector Cartridge Ø 1.2 mm Ø 0.047 in	(1.19. x 0.07.1) (1.19. x 0.07.1) (1.19. x 0.07.1) (1.19. x 0.07.1) (1.19. x 0.07.1) (1.19. x 0.07.1) (1.19. x 0.07.1)	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470020	Pin Cartridge Ø 2.4 mm Ø 0.094 in	35 (1.378) (1.378) (1.378) (1.378) (1.378)	Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470048	Pin/Connector Cartridge Ø 3.4 mm Ø 0.134 in	The state of the s	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470033	Pin/Connector Cartridge Ø 3.65 mm Ø 0.144 in	3.66 (0.781.8 (0.275 x 0.0071)	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470055	Pin/Connector Cartridge Ø 4 mm Ø 0.157 in	B, 2000 NEW A NEW B (in)	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470049	Pin/Connector Cartridge Ø 5.2 mm Ø 0.205 in	The state of the s	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
C470030	Pin/Connector Cartridge Ø 5 mm Ø 0.197 in	10.197 7.9 x 1.8 7.9 x 1.8 10.197 10.	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N

# C470 Cartridge Range for T470 HD Handles and HT470 HD Thermal Tweezers

	Ref.	Description	Image and dimensions	Suggested components	Compatible with
	C470037	Pin/Connector Cartridge Ø 8 mm Ø 0.315 in	12.11.9 12.11.	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
	C470041	Pin/Connector Cartridge Ø 12.5 mm Ø 0.492 in	0.500	Cable Through-hole	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
	C470064	Blade Cartridge 10 mm 0.394 in	12 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1	Pad cleaning Connector desoldering	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N, HT470
	C470059	Blade Cartridge 20 mm 0.787 in	(man) (man) (man)	Pad cleaning Connector desoldering	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N, HT470
	C470023	Blade Cartridge 32 mm 1.260 in	Para Marian San Control of the Contr	Pad cleaning Connector desoldering	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N, HT470
	C470063	Blade Cartridge 37 mm 1.457 in	25. (C. C. C	Pad cleaning Connector desoldering	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N, HT470
	C470046	Single Flat Cartridge 7.5 mm 0.295 in	See A	General use Sheet metal	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N, HT470
9	C470025	Cartridge for Plastics Ø 1.7 mm Ø 0.067 in	123 123 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000	Plastics	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
	C470026	Cartridge for Plastics Ø 3.5 mm Ø 0.138 in	14.6 10.53/9	Plastics	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
		C470037         C470041         C470064         C470059         C470023         C470046         C470046	C470041 Pin/Connector Cartridge	C470037  C470037  C470037  CARridge O 8 mm O 0.315 in  Pin/Connector Carridge O 12.5 mm O 0.492 in  C470064  Blade Cartridge 10 mm O 0.394 in  C470059  Blade Cartridge 20 mm O 0.787 in  C470023  Blade Cartridge 32 mm 1.250 in  C470064  C470065  C470066  C	C470037 PinConnector Carridge O 8 mm O 0.315 in C470041 PinConnector Carridge O 12.5 mm O 0.492 in C470044 Pad cleaning Connector desoldsring Connector desoldsring Connector desoldsring Connector desoldsring Connector desoldsring Connector desoldsring Carridge O 12.5 mm O 0.394 in C470059 Pad cleaning Connector desoldsring O 1.200 in C470046 Single Flat Carridge O 1.7 mm O 235 in C470046 Carridge O 1.7 mm O 235 in C470046 Plastics O 1.7 mm O 235 in Plastics O 1.3 mm O 0.338 in Plastics

C470 Cartridge Range for T470 HD Handles and HT470 HD Thermal Tweezers

	Ref.	Description	Image and dimensions	Suggested components	Compatible with
9	C470032	Cartridge for Plastics Ø 9 mm Ø 0.354 in	(0.945) (0.945)	Plastics	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
	C470043	Groove Cartridge 1.1 x 10 mm 0.043 x 0.394 in	1.9 (0.075) 10.5 (0.415) 0.415) 0.415	Wire soldering	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
	C470061	Knife Cartridge 10.6 mm 0.417 in	200 200 0.823 0.823	Drag Soldering	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
Y	C470051	Blade Split Cartridge 21 mm 0.827 in	10,200 mm	Connectors	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
	C470070	Faston Terminal Cartridge 21 mm 0.827 in	14.6 10.5500 10.550	Connectors	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
	C470045	Pin Cartridge Ø 3.5 mm Ø 0.138 in	26.00 St. 10 St.	Through-hole Male connector	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
	C470011	Hook Cartridge Ø 4.2 mm Ø 0.165 in	042 (00.169	Difficult to reach	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
	C470SP01	Solder Pot Cartridge 15 x 18 mm 0.591 x 0.709 in	15 (aux.rg) (b.567)	Tinnig wires Desoldering Through- hole Multipin components	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N
	C470SP42	Solder Pot Cartridge 40 x 40 mm 1.575 x 1.575 in	01 (1.575) 01 (1.575)	Tinnig wires Desoldering Through- hole Multipin components	Station: HDU Tools: T470, T470S, T470F, T470M, T470Z, T470N