General Pipe Cleaners Drain Cleaning Cables, Cutters, and Accessories

/4" Diameter Cables		
Catalog No.	Diameter and Length	Description
5HE1	1/4" x 25 ft.	Flexicore® with EL Basin Plug head
0HE1	1/4* x 50 ft.	Flexicore® with EL Basin Plug head
5HE1-DH 0HE1-DH	1/4" x 25 ft. 1/4" x 50 ft.	Flexicore® with Down head Elexicore® with Down head
5HE1-DDH	1/4 x 50 ft. 1/4" x 25 ft.	Flexicore® with Double Down Head
0HE1-DDH	1/4 x 25 ft. 1/4* x 50 ft.	Flexicore® with Double Down Head
OHE I-DDH	1/4 X301L	FieldCores with Double Down Head
/16" Diameter Cables		
atalog No.	Diameter and Length	Description
5HE1A	5/16" x 25 ft.	Flexicore® with EL Basin Plug head
0HE1A	5/16" x 50 ft.	Flexicore® with EL Basin Plug head
5HE1A-DH	5/16" x 25 ft.	Flexicore® with Down head
DHE1A-DH	5/16" x 50 ft.	Flexicore® with Down head
5HE1AC	5/16" x 25 ft.	Flexicore® with Female Connector
DHE1AC	5/16* x 50 ft.	Flexicore® with Female Connector
/8" Diameter Cables for Supe	er-Vee, Power-Vee, Handylectric, & Drain Rooter	
atalog No.	Diameter and Length	Description
5HE2	3/8" x 25 ft.	Flexicore® with Female Connector
5HE2	3/8" x 35 ft.	Flexicore® with Female Connector
/8" Diameter Cables for Floo	r Model Machines	
atalog No.	Diameter and Length	Description
5EM2	3/8" x 25 ft.	Flexicore® with Male & Female Connector
0EM2	3/8" x 50 ft.	Flexicore® with Male & Female Connector
5EM2	3/8" x 75 ft.	Flexicore® with Male & Female Connector
00EM2	3/8" x 100 ft.	Flexicore® with Male & Female Connector
/2" Diameter Cables		
atalog No.	Diameter and Length	Description
5EM3	1/2" x 25 ft.	Flexicore® with Male & Female Connector
0EM3	1/2" x 50 ft.	Flexicore® with Male & Female Connector
5EM3	1/2" x 75 ft.	Flexicore® with Male & Female Connector
00EM3	1/2" x 100 ft.	Flexicore® with Male & Female Connector
/16" Diameter Cables		
atalog No.	Diameter and Length	Description
5EM3A	9/16" x 25 ft.	Flexicore® with Male & Female Connector
0EM3A	9/16" x 50 ft.	Flexicore® with Male & Female Connector
5EM3A	9/16" x 75 ft.	Flexicore® with Male & Female Connector
00EM3A	9/16" x 100 ft.	Flexicore® with Male & Female Connector
i/8" Diameter Cables		
atalog No.	Diameter and Length	Description
5EM4	5/8" x 25 ft.	Flexicore® with Male & Female Connector
0EM4	5/8" x 50 ft.	Flexicore® with Male & Female Connector
5EM4	5/8" x 75 ft.	Flexicore® with Male & Female Connector
00EM4	5/8" x 100 ft.	Flexicore® with Male & Female Connector
/4" Diameter Cables		
atalog No.	Diameter and Length	Description
5EM5	3/4" x 25 ft.	Flexicore® with Male & Female Connector
0EM5	3/4" x 50 ft.	Elexicore® with Male & Female Connector
5EM5	3/4" x 75 ft.	Flexicore® with Male & Female Connector
00EM5	3/4" x 100 ft	Elexicore® with Male & Eemale Connector

Sectional Drain Cleaning Cables with General® Connectors



Sections for I-95, Root 66, Model 88, Hot-Rodder and Rodrunner come in the all purpose Flexichain which has a chain center, a stiffer Proflex which has a spring center, and a hollow style. Proflex is also available with a heavier duty 370 spring center. Choose from three coupling styles. They snap together in a second and are taken apart quickly with a spanner wrench or uncoupling key. With the more recently developed "G" connector, no torque is put on the locking pin when running in reverse, making it a durable coupling.

Catalog No.	Description
10GF	1-1/4" x 10 ft. Flexichain
10GP	1-1/4" x 10 ft. Proflex

Sectional Drain Cleaning Cables Compatible with Electric Eel® Connectors



Catalog No.	Description
4LPS	1-1/4" x 4 ft. 1/2" Proflex/Extra Space
8LF	1-1/4" x 8 ft. Flexichain
8LP	1-1/4" x 8 ft. 1/2" Proflex
8LPS	1-1/4" x 8 ft. 1/2" Proflex/Extra Space
10LF	1-1/4" x 10 ft. Flexichain
10LP	1-1/4" x 10 ft. 1/2" Proflex
10LHD	1-1/4" x 10 ft. 5/8" Proflex
6L78	7/8" x 6 ft. 7/16" Proflex

Sectional Drain Cleaning Cables Compatible with Ridgid® Cables



Catalog No.	Description
7.5R-7	5/8" x 7-1/2 ft. Close-Wound
7.5R-8	5/8" x 7-1/2 ft. Open-Wound
5R-10	7/8" x 5 ft. Open-Wound
15R-10	7/8" x 15 ft. Open-Wound
15R-10-P	7/8" x 15 ft. Proflex
15R-11	1-1/4" x 15 ft. Standard Duty
15R-14	1-1/4" x 15 ft. Heavy Duty
25R1-A	5/16" x 25 ft. Hollow

CUTTERS

For 3/8" Cables		
Cutter Name	Part Number	Application Picture
Arrow Head	АН	Starting Drill (Gets water flowing)
Flexible Arrow Head	FAH	Starting Drill (For sharp turns in small lines)
Boring Gimlet	BG	For removing losse objects
Downhead Boring Gimlet	DHBG	For removing loose objects (Goes down waste, not up stack)
Down Head Fitting	DHF	Converts standard cutter to downhead cutter
1-1/4" Side Cutter Blade	1-1/4 SCB	For cutting and scraping
1-1/2* U-Cutter	1-1/2 UC	For cutting and scraping
ClogChopper ®	1CG, 1-1/2 CG	Clears debris, scale, and crystallized urine. For 5/16" and 3/8" cable.
Small Retrieving Tool	RTR-1	For removing loose objects and broken cables

For 1/2" and 9/16" Cables			
Cutter Name	Part Number	Application	Picture
Arrow Head	АН	Starting Drill (Gets water flowing)	
Boring Gimlet	BG	For removing loose objects	
Down Head Fitting	DHF	Converts standard cutter to downhead cutter	510
2*, 3* & 4* Side Cutter Blades	2SCB, 3SCB, 4SCB	For cutting and scraping	>
1-1/2" & 2" U-Cutter	1-1/2, UC 2UC	For cutting and scraping	3
3* & 4* Rotary Saw Blades	3RSB, 4RSB	For cutting and scraping	G
ClogChopper®	2CG	Clears debris, scale, and crystallized urine. For 1/2", 9/16", 5/8" and 3/4" cable.	@ ••
Small Retrieving Tool	RTR-1	For removing loose objects and broken cables	
13* Flexible Leader	LE-1	Helps cable get around tight bends and traps	
For 5/8" and 3/4" Cables			
Cutter Name	Part Number	Application	Picture
Spear Head	SHD	Starting Drill (Gets water flowing)	*
2*, 3* & 4* Side Cutter Blades	2SCB, 3SCB, 4SCB	For cutting and scraping	\rightarrow
2*, 3*, & 4* U-Cutter	2UC, 3UC, 4UC	For cutting and scraping	A
3" & 4" Spider™ Double U-Cutter	3DUC or 4DUC	For cutting and scraping going into and out of the pipe	\sim
3* & 4* Heavy Duty Side Cutter	3HDSC and 4HDSC	For cutting and scraping	Э
3* & 4* Spider™ Double Heavy Duty Side Cutter	3DHDSC or 4DHDSC	For cutting and scraping going into and out of the pipe)))
3* & 4* Rotary Saw Blades	3RSB, 4RSB	For roots and other stoppages	6
3* & 4* Heavy Duty Saw Blade	3HDB, 4HDB	For roots and other stoppages	
Self Adjusting 4* to 6* Side Cutter Blades	4-6SAC	Can pass through 4* pipe to reach and clean 6* pipe.	\rightarrow
Heavy Duty 3" to 6" Expansion Cutter	3-6HDEC	Can pass through 3" pipe to reach and clean 6" pipe. Can be put through 4" P-traps.) •
Root Ripper™	RP-2	Heavy spring screws into root mass, while front hook tears into stoppage. Passes through 4" P- traps.	dille-
ClogChopper ®	2CG, 2-1/2CG, 3CG, 4CG	Maneuverable cutter clears roots, debris and scale. Available with connector to match General or other brands.	-
Large Retrieving Tool	RTR-2	For removing loose objects and broken cables	
33" Flexible Leader	LE-2	Helps cable get around tight bends and traps	
26* Flexible Leader	LE-3	Helps cable get around tight bends and traps	Demonstration and an entering of the Million and Annual States and Annual States and Annual States and Annual St

For 5/8" Sectional Cables			
Cutter Name	Part Number	Application	Picture
Arrow Head	R-AH	Starting Drill (Gets water flowing)	
Boring Gimlet	R-BG	For removing loose objects	
1-1/2* U-Cutter	R-1-1/2 UC	For cutting and scraping	3
Retrieving Tool	R-RTR-1	For removing loose objects and broken cables	1000000
Coupling Key	RCK-8	To disconnect cables and cutters	
For 7/8" Sectional Cables Cutter Name	Part Number	Application	Picture
Hook Auger	R-HA-10	For removing loose objects	
Spear Head	R-SHD-10	Starting Drill (Gets water flowing)	**
2* & 3* U-Cutter	R-2UC-10, R-3UC-10	For cutting and scraping	3-
Retrieving Tool	R-RTR-10	For removing loose objects and broken cables	
Coupling Key	RCK-10	To disconnect cables and cutters	0
1-1/4" Sectional Cable			
Cutter Name	Part Number	Application	Picture
Spear Head	G-SHD	Starting Drill (Gets water flowing)	
Spade Cutter	G-SC	Starting Drill (Gets water flowing)	Control of the second secon
Flex-Spear	G-FSH	Helps cable get around tight bends and traps	
Hook Auger	G-HA	For removing loose objects and broken cables	
Bulb Auger	G-BA	For removing loose objects	VNNNNNE
2* U-Cutter	G-2UC	For cutting and scraping	
3" & 4" Heavy Duty Side Cutter Blades	G-3HDSC, G-4HDSC	For cutting and scraping) m
3* & 4* Rotary Saw Blades	G-3RSB, G-4RSB	For roots and other stoppages	Mar .
3" & 4" Heavy Duty Saw Blade	G-3HDB, G-4HDB	For roots and other stoppages	
Root Ripper™	G-RP-2	Heavy spring screws into root mass, while front hook tears into stoppage. Passes through 4" P- traps.	AND:
ClogChopper ®	G-2CG, G-2-1/2CG, G-3CG, G-4CG	Maneuverable cutter clears roots, debris and scale. Available with connector to match General or other brands.	- All
Retrieving Tool	G-RTR-2	For removing loose objects and broken cables	
Cutter Adapter	G-CA, L-CA, R-CA, S-CA	Converts standard cutters to 'G', 'L', 'R', or 'S' connectors.	패비
Coupling Wrench	CW	To disconnect 'G' and 'L' cables and cutters	`
Coupling Key	RCK-11	Coupling Key for R Cables	0

Part Numbe

Name	Part Number	Application	Picture
Female Connector - Cup Type	5/16H-FC, 3/8H-FC, 1/2FC, 5/8FC-O, 3/4FC-O	Sheath fits over cable for easier repairs. For 5/16", 3/8", 1/2", 5/8", and 3/4" cables.	()) ×
Male Connector - Cup Type	3/8H-MC, 1/2MC, 5/8MC-O, 3/4MC-O	Sheath fits over cable for easier repairs. For 3/8", $1/2^{\ast},5/8^{\ast},$ and 3/4" cables.	
Female Connector - Butt-Weld	5/8FC, 3/4FC	Passes through automatic feeds. No need to adjust feed. For 5/8" and 3/4" cables.	10
Male Connector - Butt-Weld	5/8MC, 3/4MC	Passes through automatic feeds. No need to adjust feed. For 5/8" and 3/4" cables.	
Quick-Fix with Female Connector	1/2QF, 9/16QF, 5/8QF, 3/4QF	Just screw on tightly and it won't come off. For 1/2", 9/16" 5/8", and 3/4" cables.	SHIID &
Quick-Fix with Male Connector	1/2MQF, 9/16MQF, 5/8MQF	Just screw on tightly and it won't come off. For 1/2", 9/16", and 5/8" cables.	
Repair Sleeve	1/2RS, 5/8RS, 3/4RS	For 1/2", 5/8" and 3/4" cables.	
Connecting Screws	3/8CS, 1/2CS, 5/8CS, 3/4CS	For 5/16", 3/8", 1/2", 5/8" and 3/4" cables. Sold in 5 packs.	
Name	Part Number	Application	Picture
1-1/4" Male G Connector	G-5	1-1/4" G Cables	
1-1/4" Female G Connector	G-6	1-1/4" G Cables	
7/8" Male L Connector	L-3	7/8" L Cables	¢mm.
7/8" Female L Connector	L-4	7/8" L Cables	
1-1/4" Male L Connector	L-5	1-1/4" L Cables	
1-1/4" Female L Connector	L-6	1-1/4" L Cables	
5/8" Male R Connector	R-1	5/8" R Cables	
5/8" Female R Connector	R-2	5/8" R Cables	23GHIIDAAAA
7/8" Male R Connector	R-3	7/8" R Cables	AMMIIIIIis
7/8" Female R Connector	R-4	7/8" R Cables	
1-1/4" Male R Connector	R-5	1-1/4" R Cables	ANNOHIIIIS->-
1-1/4" Female R Connector	R-6	1-1/4" R Cables	
10 ft. Outer Spring	10G1	For G or L Cables	
8 ft. Outer Spring	8G1	For G or L Cables	
10 ft. Inner Spring	10P2	For G or L Cables	
8 ft. Inner Spring	8P2	For G or L Cables	