

## MAC3 Preconfigured Complete System Packages

Package number	Included parts	Description
MAC3-PK1-R3	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-R3, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) extended post stand, 1080p HD camera and 12" LCD monitor combination with NEW high intensity LED ring light with polarizer (IL-LED-R3). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software
MAC3-PK1-DM	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-R2D, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on extended post stand, 1080p HD camera and 12" LCD monitor combination with diffused LED dome light (IL-LED-R2D). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software
MAC3-PK1-E2D	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-E2D, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on extended post stand, 1080p HD camera and 12" LCD monitor combination with diffused compact LED ring light. (IL-LED-E2D). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.
MAC3-PK3-R3	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-R3, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on heavy duty articulating arm with vertical post and clamp, 1080p HD camera and 12" LCD monitor combination with NEW high intensity LED ring light with polarizer (IL-LED-R3). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.
MAC3-PK3-DM	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-R2D, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on heavy duty articulating arm with vertical post and clamp, 1080p HD camera and 12" LCD monitor combination with diffused LED dome light (IL-LED-R2D). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software
MAC3-PK3-E2D	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-E2D, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on heavy duty articulating arm with vertical post and clamp, 1080p HD camera and 12" LCD monitor combination with diffused compact LED ring light. (IL-LED-E2D). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.
MAC3-PK5-R3	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-R3, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on gliding arm boom stand, 1080p HD camera and 12" LCD monitor combination with NEW high intensity LED ring light with polarizer (IL-LED-R3). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.

<b>MAC3-PK5D-R3</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-R3, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on dual arm boom stand, 1080p HD camera and 12" LCD monitor combination with NEW high intensity LED ring light with polarizer (IL-LED-R3). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software
<b>MAC3-PK5S-R3</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-S0, IL-LED-R3, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on single arm boom stand, 1080p HD camera and 12" LCD monitor combination with NEW high intensity LED ring light with polarizer (IL-LED-R3). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.
<b>MAC3-PK5D-DM</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-R2D, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on gliding arm boom stand, 1080p HD camera and 12" LCD monitor combination with diffused LED dome light (IL-LED-R2D). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.
<b>MAC3-PK5D-DM</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-R2D, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on dual arm boom stand, 1080p HD camera and 12" LCD monitor combination diffused LED dome light (IL-LED-R2D). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software
<b>MAC3-PK5S-DM</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-S0, IL-LED-R2D, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on single arm boom stand, 1080p HD camera and 12" LCD monitor combination with diffused LED dome light. All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.
<b>MAC3-PK5-E2D</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-E2D, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on gliding arm boom stand, 1080p HD camera and 12" LCD monitor combination with diffused compact LED ring light. (IL-LED-E2D). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.
<b>MAC3-PK5D-E2D</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-E2D, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on dual arm boom stand, 1080p HD camera and 12" LCD monitor combination with diffused compact LED ring light. (IL-LED-E2D). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.
<b>MAC3-PK5S-E2D</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-S0, IL-LED-E2D, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on single arm boom stand, 1080p HD camera and 12" LCD monitor combination with diffused compact LED ring light. (IL-LED-E2D). All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.
<b>MAC3-PK3-E1Q</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-R3, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on heavy duty articulating arm with vertical post and clamp, 1080p HD camera and 12" LCD monitor combination with quadrant controlled LED ring light. All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.

<b>MAC3-PK5-E1Q</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-E1Q, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on gliding arm boom stand, 1080p HD camera and 12" LCD monitor combination with quadrant controlled LED ring light. All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.
<b>MAC3-PK5D-E1Q</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-E1Q, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on dual arm boom stand, 1080p HD camera and 12" LCD monitor combination with quadrant controlled LED ring light. All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.
<b>MAC3-PK5S-E1Q</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-S0, IL-LED-E1Q, CC-CMC-12H	MACRO video zoom optics (up to 40x magnification with 8" working distance) on single arm boom stand, 1080p HD camera and 12" LCD monitor combination with quadrant controlled LED ring light. All systems include camera/monitor combo with 8GB SD card, wireless mouse, USB cable, power supply, and image capture software.

## Macro w/ Auto-Focus Complete System Packages

<b>Package number</b>	<b>Included parts</b>	<b>Description</b>
<b>MAC-PK1-R3-AF</b>	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-R3, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK1-DM-AF</b>	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-R2D, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with NEW diffused LED dome light (IL-LED-R2D). New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK1-E2D-AF</b>	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-E2D, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with diffused compact LED ring light. (IL-LED-E2D) New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK3-R3-AF</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-R3, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with NEW high intensity LED ring light with polarizer (IL-LED-R3). New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.

<b>MAC-PK3-DM-AF</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-R2D, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with NEW diffused LED dome light (IL-LED-R2D). New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK3-E2D-AF</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-E2D, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with diffused compact LED ring light (IL-LED-E2D). New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5-R3-AF</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-R3, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5D-R3-AF</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-R3, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5-DM-AF</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-R2D, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with NEW diffused LED dome light. New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5D-DM-AF</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-R2D, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with NEW diffused LED dome light. New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5-E2D-AF</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-E2D, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with diffused compact LED ring light (IL-LED-E2D) New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5D-E2D-AF</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-E2D, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with diffused compact LED ring light (IL-LED-E2D). New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5-E1Q-AF</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-E1Q, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 90x magnification with 8" working distance) on gliding arm boom stand with quadrant controlled LED ring light. New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.

<b>MAC-PK5D-E1Q-AF</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-E1Q, CC-LCD-23H, CC-HDMI-AF2	MACRO video zoom optics (up to 90x magnification with 8" working distance) on dual arm boom stand with quadrant controlled LED ring light. New 1080p Auto-focus camera (Includes SD Card, HDMI cable, and mouse) with 23" HD LCD monitor and capture software.
------------------------	-------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## MACRO w/ VersaCam Series Complete Video System Packages

<b>Package number</b>	<b>Included parts</b>	<b>Description</b>
<b>MAC-PK1-R3</b>	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-R3, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK1-DM</b>	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-R2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with NEW diffused LED dome light (IL-LED-R2D). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK1-E2D</b>	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-E2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with diffused compact LED ring light. (IL-LED-E2D) Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK3-R3</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-R3, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with NEW high intensity LED ring light with polarizer (IL-LED-R3). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK3-DM</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-R2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with NEW diffused LED dome light (IL-LED-R2D). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK3-E2D</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-E2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with diffused compact LED ring light (IL-LED-E2D).Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.

<b>MAC-PK5-R3</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-R3, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5D-R3</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-R3, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5-DM</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-R2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with NEW diffused LED dome light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5D-DM</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-R2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with NEW diffused LED dome light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5-E2D</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-E2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with diffused compact LED ring light (IL-LED-E2D) Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5D-E2D</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-E2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with diffused compact LED ring light (IL-LED-E2D). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK1-E1Q</b>	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-E1Q, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 90x magnification with 8" working distance) on an extended post stand with quadrant controlled LED ring light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK3-E1Q</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-E1Q, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 90x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with quadrant controlled LED ring light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
<b>MAC-PK5-E1Q</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-E1Q, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 90x magnification with 8" working distance) on gliding arm boom stand with quadrant controlled LED ring light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.

<b>MAC-PK5D-E1Q</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-E1Q, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 90x magnification with 8" working distance) on dual arm boom stand with quadrant controlled LED ring light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
---------------------	-------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Macro w/ 4k Complete System Packages

<b>Package number</b>	<b>Included parts</b>	<b>Description</b>
<b>MAC-PK1-R3-4K</b>	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-R3, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK1-DM-4K</b>	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-R2D, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with NEW diffused LED dome light (IL-LED-R2D). New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK1-E2D-4K</b>	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-E2D, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with diffused compact LED ring light. (IL-LED-E2D) New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK3-R3-4K</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-R3, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with NEW high intensity LED ring light with polarizer (IL-LED-R3). New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK3-DM-4K</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-R2D, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with NEW diffused LED dome light (IL-LED-R2D). New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK3-E2D-4K</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-E2D, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with diffused compact LED ring light (IL-LED-E2D). New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!

<b>MAC-PK5-R3-4K</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-R3, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK5D-R3-4K</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-R3, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK5-DM-4K</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-R2D, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with NEW diffused LED dome light. New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK5D-DM-4K</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-R2D, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with NEW diffused LED dome light. New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK5-E2D-4K</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-E2D, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with diffused compact LED ring light (IL-LED-E2D) New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK5D-E2D-4K</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-E2D, CC-HDMI-4K	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with diffused compact LED ring light (IL-LED-E2D). New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK5-E1Q-4K</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-E1Q, CC-HDMI-4K	MACRO video zoom optics (up to 90x magnification with 8" working distance) on gliding arm boom stand with quadrant controlled LED ring light. New 4K UHD Camera (3840 x 2160 pixels) (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!
<b>MAC-PK5D-E1Q-4K</b>	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-E1Q, CC-HDMI-4K	MACRO video zoom optics (up to 90x magnification with 8" working distance) on dual arm boom stand with quadrant controlled LED ring light. New 4K UHD Camera (Includes Micro SD card, SD adapter, HDMI cable, and remote) Monitor not included!