



# Anthology

---


price list

## Table of Contents


<b>Statement of Line</b>	3 - 4
<b>Product Construction and Finish Information</b>	
Laminate Tops	14 - 16
Veneer Tops	17 - 19
Premier Tops: Glass, Solid Surface, Custom	20
Bases	21
Credenzas and Ancillary	22
<b>Tops and Bases</b>	
Product Specifications	5 - 8
Top to Base Matrix	9
Base Placement: Dimensions	10 - 13
Base Specifications and Features	24 - 47
<b>Power</b>	
Overview	48
Unit Features Comparison	49 - 51
Options by Base Style	52 - 71
Cutout and Mounting Guide: Dimensions	72 - 79
Power and Data Specifications and Features	80 - 89
<b>Wire Management Accessories</b>	90
<b>Credenzas and Ancillary - Product Specifications:</b>	
Model Types and Features	91 - 94
Accessory Models	96
Interior: Dimensions	97 - 99
<b>How to Specify and Order:</b>	
Tops, Bases and Power	23
Credenzas and Ancillary	95 - 96

## Anthology Statement of Line


### Table Tops




### Table Base Kits




### Single Table Bases



### Media Table Tops



### Media Table Bases




## Anthology Statement of Line

### Power Units




**Node**




**Electrolite**




**MHO**




**Ellora**



**Vault Z23**




**M2X**



**Ellora Double**



**Oasis**




**Vault BTC**




**Undermount**

### Credenzas




**Buffet Credenza with Base**

20"D x 35 7/8"H  
36", 60", 72", 90" W




**Conference Credenza with Base**

20"D x 28 3/8"H  
36", 60", 72", 90" W




**Low Height Credenza with Base**

20"D x 17"H  
36", 60", 72", 90" W




**Buffet Credenza**

20"D x 35 7/8"H  
36", 60", 72", 90" W




**Conference Credenza**

20"D x 28 3/8"H  
36", 60", 72", 90" W




**Low Height Credenza**

20"D x 17"H  
36", 60", 72", 90" W



**Wall Mount Credenza**


20"D x 24"H  
36", 60", 72", 90" W



**Equipment Credenza**


24"D x 35 7/8"H  
48", 72" W

### Power Credenzas




**Glenbeigh**

### Ancillary




**Hospitality Cart**




**Waste Credenza**



**Lectern Open**



**Lectern Door**



**Electrolite Lectern Power**

## Product Specifications

### Table Top Construction Specification

Top shapes are available in rectangular, soft rectangular, arc rectangular, boat, arc boat, racetrack, ellipse, view, square, soft square and round.

Sizes range from 36" – 60" depth and 72" – 240" width in 6" increments.

### Tops Are Balanced Construction Available In:

- TFL (thermally fused laminate) 1 1/8" thick particle board core with 3mm PVC Eased (R3) rim.
- HPL (high pressure laminate) 1 3/16" thick particle board core with 3mm PVC Eased (R3) rim.
- HPL (high pressure laminate) 1 3/16" thick MDF core with 1mm PVC Reverse Bevel (K9) rim. Underside of bevel is painted to coordinate with HPL.
- Veneer 1 3/16" thick particle board core with 3mm veneer edge band in Eased (R3), Reeded (H3), or Transitional (C3) rims.
- Veneer 1 3/16" thick MDF with 1mm edge band Reverse Bevel (K9). Underside of bevel is finished to match surface and edge band.
- Tops are rimmed on all sides.
- TFL and HPL tops are standard with PVC rim to match the top color
- Veneer tops are standard with edge band stained to match top.
- HPL tops are available with an extended laminate offering (Tier 2) from Formica and Wilsonart. Customer will select the PVC edge color
- Grain direction for TFL, HPL, and Veneer runs with the width of the top (left to right).
- Great care is taken to align multi-piece laminate woodgrain tops as closely as possible at the seams. However; due to the natural pattern variations and manufacturing tolerances, a perfect grain match cannot be guaranteed.
- Glass 1/4" thick surface on top of 1" thick MDF undercut bevel profile edge subtop painted to match glass color for 1 5/16" total thickness.  
  
Glass is low iron, tempered - ANSI Z97.1 / SGCC certified, flat polished with 1/16" arris edge, and back painted.  
  
Matte white, black and espresso colors have a velour finish and are not compatible with dry erase markers.  
  
Gloss white finish is polished and is compatible with dry erase markers.
- Solid Surface material 7/16" thick surface on top of 1" thick MDF undercut bevel profile edge subtop painted coordinate color to match solid surface for 1 7/16" total thickness.  
  
Solid Surface is an acrylic resin-based material known for its durability and surface finish repairability.
- Customer Choice top is 1" thick MDF undercut bevel profile edge subtop painted black to support materials not to exceed 12.5 lbs per square foot of customer supplied material.
- Multiple piece tops ship with joint connectors and biscuits to align and draw table sections together at the seams. Hardware to attach -tops to bases, ship with the base or base kits.

### Table Base Construction Specification

Base styles are available in Aspect, Bevel, Bridge, Conical, Cylinder, Disc, Fluted Cylinder, Frame, Half Cylinder, Lok Y, X, X4, Oblique, Outline, Panel, Racetrack, Rectangle, Square, Square Disc, Truss.

### Bases Are Balanced Construction Available In:

#### Aspect, bases:

- TFL (thermally fused laminate) 3/4" thick particle board core with .5mm PVC band.
- Veneer 3/4" thick particle board core with 1mm veneer edge band.
- Aluminum extruded end caps.

#### Rectangle, Square bases:

- TFL (thermally fused laminate) 3/4" thick particle board core with .5mm PVC band.
- Veneer 3/4" thick particle board core with 1mm veneer edge band.

#### Conical, Cylinder, Half Cylinder, Panel, Racetrack bases:

- HPL (high pressure laminate) particle board and ply wrap core.
- Veneer particle board and ply wrap core.

#### Panel bases:

- HPL (high pressure laminate) 1 1/8" thick particle board core with .5mm PVC band.
- Veneer 1 1/8" thick particle board core with 1mm veneer edge band.

#### Bevel, Bridge, Fluted Cylinder, Truss bases:

- Solid Wood in Maple, Walnut or Oak.

#### Disc, Square Disc bases:

- Metal welded tubular steel column with laser cut flat steel disc.

#### Frame, Oblique bases:

- Metal welded tubular steel frame.


#### Lok Y, X, X4 bases:

- Metal welded tubular steel column to top plate with cast aluminum feet.

#### Outline bases:

- TFL (thermally fused laminate) 1 1/8" thick particle board core.
- Veneer 1 1/8" thick particle board core.
- Metal welded channel steel frame.
- TFL and HPL tops are standard with PVC rim to match the top color
- Veneer bases are standard with edge band stained to match.
- Grain direction for TFL, HPL, and Veneer runs vertical.

### Technical Specifications



### Available Standard Shapes & Sizes

**Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat, Racetrack**

**Ellipse**  
sizes limited to maintain integrity of shape

**View**  
sizes limited to maintain viewing visual line

Width	Depth				
	36"	42"	48"	54"	60"
72"	x	x	x		
78"	x	x	x		
84"	x	x	x		
90"	x	x	x		
96"	x	x	x		
102"		x	x		
108"		x	x		
114"		x	x		
120"		x	x	x	x
126"			x	x	x
132"			x	x	x
138"			x	x	x
144"			x	x	x
150"			x	x	x
156"			x	x	x
162"			x	x	x
168"			x	x	x
174"			x	x	x
180"			x	x	x
186"			x	x	x
192"			x	x	x
198"			x	x	x
204"			x	x	x
210"			x	x	x
216"			x	x	x
222"			x	x	x
228"			x	x	x
234"			x	x	x
240"			x	x	x

Width	Depth				
	36"	42"	48"	54"	60"
72"	x				
78"		x			
84"		x			
90"			x		
96"			x		
102"				x	
108"				x	
114"					x
120"					x
126"					
132"					
138"					
144"					
150"					
156"					
162"					
168"					
174"					
180"					
186"					
192"					
198"					
204"					
210"					
216"					
222"					
228"					
234"					
240"					

Width	Depth		
	48"	54"	60"
72"	48" - 36"		
78"	48" - 36"		
84"		54" - 42"	
90"		54" - 42"	
96"		54" - 42"	
102"			60" - 42"
108"			60" - 42"
114"			60" - 42"
120"			60" - 42"
126"			60" - 42"
132"			60" - 42"
138"			60" - 42"
144"			60" - 42"
150"			60" - 42"
156"			60" - 42"
162"			60" - 42"
168"			60" - 42"
174"			60" - 42"
180"			60" - 42"
186"			60" - 42"
192"			60" - 42"
198"			60" - 42"
204"			60" - 42"
210"			60" - 42"
216"			60" - 42"
222"			60" - 42"
228"			60" - 42"
234"			60" - 42"
240"			60" - 42"

**Technical Specifications**

**Recommended Seating Capacity**

Applies to rectangular, soft rectangular, arc rectangular, boat, arc boat, racetrack, ellipse, view, square, soft square and round.

Top Width	Depth						
	24"	30"	36"	42"	48"	54"	60"
24	2						
30		2					
36			3				
42				4			
48					4		
54						6	
60							8
72 - 90			6	6	6		
96			8	8	8		
102 - 114				8	8		
120				8	8	8	10
126 - 132					8	8	10
138 - 144					10	10	10
150 - 162					10	10	12
168 - 174					12	12	12
180 - 186					12	12	14
192 - 216					14	14	16
222					16	16	16
228 - 240					16	16	18

Note: View shape tops of equal width will typically have one to two less seat positions.

**Multi Segment Tops**

See **TOP** pricing pages for top sections by model.  
see **BASE** pricing pages for number of bases per top

**72" – 96" widths**

one piece top



**102" – 120" widths**

one- and two-piece tops



**126" – 192"**

two-piece tops



**198 – 240"**

3 equal piece tops




## Technical Specifications

### Top and Base Grain Direction

Grain direction runs the width of the table top with veneer end grain and match and within .25 on multi segment TFL tops.

Grain direction runs vertically on table bases.



Laminate Grain




Essentials & Artisan  
Grain Direction

### Top Grain Example:



### Base Grain Example:



### Top To Base Matrix

BASE HEIGHT				TOPSHAPES										
Seated	Bridge/Line Seated	Counter	Bar											
				Rectangular	Soft Rectangular	Arc Rectangular	Boat	Arc Boat	Racetrack	Ellipse	View	Round	Square	Soft Square

TOP SHAPE:															
	Aspect	X	X			X	X	X	X	X	X		X		
	Bevel	X				X	X	X	X	X					
	Bridge	X		X	X	X	X	X	X	X	X				
	Conical	X				X	X	X	X	X			X		
	Cylinder	X				X	X	X	X	X			X		
	Disc	X		X	X								X		
	Fluted	X				X	X	X	X	X			X		
	Frame	X	X			X	X	X	X	X			X		
	Half Cylinder	X				X	X	X	X	X					
	Lok Y	X		X	X	X	X	X	X	X	X				
	Oblique	X		X	X	X	X	X	X	X	X				
	Outline	X				X	X	X	X	X					
	Panel	X				X	X	X	X	X					
	Racetrack	X	X			X	X	X	X	X			X		
	Rectangle	X	X	X	X	X	X	X	X	X			X		
	Square	X				X	X	X	X	X				X	X
	Square Disc	X		X	X								X	X	X
	Truss	X				X	X	X	X	X	X				
	X and X4	X		X	X								X	X	X

## Base Placement Dimensions

### Base Locations





Base Type: Aspect, Aspect BridgeLine, Aspect View, Bevel, Bridge, Frame, Frame BridgeLine, Half Cylinder, Oblique, Outline, Panel, Racetrack, Racetrack BridgeLine, Racetrack View, Rectangle, Rectangle BridgeLine, Rectangle View, Truss

Applies to all top shapes and depths.

1—, Left and Right End base dimension are from the outside end of top to the outside end of base.

2—, 3—, and 4— base dimensions are to the center of the base.

	Top Width	Base Quantity	1 - Left and Right to Outside Edge of End Bases	2 - Center of Center Base	3 - Center of Mid Base	4 - Center of Mid Base
	72	2	12			
	78	2	12			
	84	2	15			
	90	2	15			
	96	2	18			
	102	2	18			
	108	2	18			
	114	2	18			
BridgeLine Bases	120	2	18			
	126	2	18			
	132	2	18			
	138	2	18			
	144	2	18			
	150	2	18			
	156	2	18			
	162	2	18			
	168	2	18			
	174	2	18			
	180	2	18			
	186	2	18			
192	2	18				
	120	3	18	60		
	126	3	18	63		
	132	3	18	66		
	138	3	18	69		
	144	3	18	72		
	150	3	18	75		
	156	3	18	78		
	162	3	18	81		
	168	3	18	84		
	174	3	18	87		
	180	3	18	90		
	186	3	18	93		
	192	3	18	96		
	198	4	18		66	132
	204	4	18		68	136
	210	4	18		70	140
	216	4	18		72	144
	222	4	18		74	148
	228	4	18		76	152
	234	4	18		78	156
	240	4	18		80	160



## Base Placement Dimensions

### Base Locations




Base Type: Conical, Cylinder, Fluted Cylinder, Square

Applies to all top shapes and depths.

1—, Left and Right End base dimension are from the outside end of top to the outside end of base.

2—, 3—, and 4— base dimensions are to the center of the base.

Top Width	Base Quantity	1 - Left and Right to Center of Bases	2 - Center of Center Base	3 - Center of Mid Base	4 - Center of Mid Base
102	2	27			
108	2	27			
114	2	27			
120	2	27			
126	2	27			
132	2	27			
138	2	27			
144	2	27			
150	2	27	75		
156	3	27	78		
162	3	27	81		
168	3	27	84		
174	3	27	87		
180	3	27	90		
186	3	27	93		
192	3	27	96		
198	4	27		75	123
204	4	27		77	127
210	4	27		79	131
216	4	27		81	135
222	4	27		83	139
228	4	27		85	143
234	4	27		87	147
240	4	27		89	151



## Base Placement Dimensions

### Base Locations

**Base Type: Lok Y**







NOTE: due to Lok Y Base angled feet design, location of upright columns will vary by top width as well as top depth

Applies to all top shapes and depths.

1—, Left and Right End base dimension are from the outside end of top to the outside end of base.

2—, 3—, and 4— base dimensions are to the center of the base.

Top Width	Base Quantity	1 - Left and Right to Outside Edge of End Base Column	2 - Center of Center Base	3 - Center of Mid Base	4 - Center of Mid Base
<b>36" depth top</b>					
72	2	15			
78	2	15			
84	2	15			
90	2	15			
96	2	15			
<b>42" depth top</b>					
72	2	18			
78	2	18			
84	2	18			
90	2	18			
96	2	18			
102	3	19	51		
108	3	19	54		
114	3	19	57		
120	3	19	60		
<b>48" depth top</b>					
72	2	18			
78	2	18			
84	2	18			
90	2	18			
96	2	18			
102	3	19	51		
108	3	19	54		
114	3	19	57		
120	3	19	60		
126	3	19	63		
132	3	19	66		
138	3	19	69		
144	3	19	72		
150	3	19	75		
156	3	19	78		
162	3	19	81		
168	3	19	84		
174	3	19	87		
180	3	19	90		
186	3	19	93		
192	3	19	96		
198	4	19		66	132
204	4	19		68	136
210	4	19		70	140
216	4	19		72	144
222	4	19		74	148
228	4	19		76	152
234	4	19		78	156
240	4	19		80	160



## Base Placement Dimensions

### Base Locations

**Base Type: Lok Y**





NOTE: due to Lok Y Base angled feet design, location of upright columns will vary by top width as well as top depth

Applies to all top shapes and depths.

1—, Left and Right End base dimension are from the outside end of top to the outside end of base.

2—, 3—, and 4— base dimensions are to the center of the base.

Top Width	Base Quantity	1 - Left and Right to Outside Edge of End Base Column	2 - Center of Center Base	3 - Center of Mid Base	4 - Center of Mid Base
<b>54" depth top</b>					
120	3	23	60		
126	3	23	63		
132	3	23	66		
138	3	23	69		
144	3	23	72		
150	3	23	75		
156	3	23	78		
162	3	23	81		
168	3	23	84		
174	3	23	87		
180	3	23	90		
186	3	23	93		
192	3	23	96		
198	4	21		66	132
204	4	21		68	136
210	4	21		70	140
216	4	21		72	144
222	4	21		74	148
228	4	21		76	152
234	4	21		78	156
240	4	21		80	160
<b>60" depth top</b>					
120	3	23	60		
126	3	23	63		
132	3	23	66		
138	3	23	69		
144	3	23	72		
150	3	23	75		
156	3	23	78		
162	3	23	81		
168	3	23	84		
174	3	23	87		
180	3	23	90		
186	3	23	93		
192	3	23	96		
198	4	24		66	132
204	4	24		68	136
210	4	24		70	140
216	4	24		72	144
222	4	24		74	148
228	4	24		76	152
234	4	24		78	156
240	4	24		80	160



## Product & Finish Information

### Laminate




#### Table Top Models

The Anthology suffix T, H or KH is used to designate laminate material.

#### Laminate Tops

Anthology features 1½" thick TFL (thermally fused laminate) and 1¾" thick HPL (high pressure laminate) table top surfaces with banded rim; see table top specification page 5.

### Top Profile



#### Eased (R3)

suffix **T**

#### TFL Laminates

- BBL Bridal Blanco
- BEL Belair
- BLK Black
- BRK Brickdust
- CSK Cask
- CLY Clay
- DWH Designer White
- EGR Egret
- FAW Fawn
- FLN Flint
- FLO Florence Walnut
- LOF Loft
- MES Mesa
- MIN Mineral
- MCH Mocha
- OBK Outback
- PIL Pilsner
- PIN Pinnacle Walnut
- SHD Shadow
- SLG Slate Grey
- UMB Umber
- VAL Valley
- WLH Walnut Heights
- WEA Weathered Ash
- ZEN Zen Grey

#### Eased (R3)

suffix **H**

#### Tier 1 - HPL Laminates

- BBL Bridal Blanco
- BEL Belair
- BLK Black
- BRK Brickdust
- CSK Cask
- CLY Clay
- DWH Designer White
- EGR Egret
- FAW Fawn
- FLN Flint
- FLO Florence Walnut
- LOF Loft
- MES Mesa
- MIN Mineral
- MCH Mocha
- OBK Outback
- PIL Pilsner
- PIN Pinnacle Walnut
- SHD Shadow
- SLG Slate Grey
- UMB Umber
- VAL Valley
- WLH Walnut Heights
- WEA Weathered Ash
- ZEN Zen Grey

#### Tier 2 Formica

see page 15

#### Tier 2 Wilsonart

see page 16

#### Reverse Bevel (K9)

suffix **KH**

#### Tier 1 - HPL Laminates

- BBL Bridal Blanco
- BEL Belair
- BLK Black
- BRK Brickdust
- CSK Cask
- CLY Clay
- DWH Designer White
- EGR Egret
- FAW Fawn
- FLN Flint
- FLO Florence Walnut
- LOF Loft
- MES Mesa
- MIN Mineral
- MCH Mocha
- OBK Outback
- PIL Pilsner
- PIN Pinnacle Walnut
- SHD Shadow
- SLG Slate Grey
- UMB Umber
- VAL Valley
- WLH Walnut Heights
- WEA Weathered Ash
- ZEN Zen Grey

#### Tier 2 Formica

see page 15

#### Tier 2 Wilsonart

see page 16

Tier 2 Laminates require the additional specification of an edge band. Choose from one of the JSI standard options, see page 16.

## Product & Finish Information

### Formica Laminate

Anthology Table Tops offer an extensive program for laminates beyond our Standard Program. Always reference below the most current listing and tier pricing when using a Graded-In Laminate; on page 16 select the color of the edge band.

Acajou Mahogany	7008-58	2	Dark Chocolate	2200-58	2	Mineral Spa	6920-58	2	Slate Noir	3711-58	2
Aged Ash	8844-58	2	Denim	8822-58	2	Mission White	933-58	2	Smoke	3245-58	2
Algae	8796-58	2	Desert Beige	899-58	2	Mocha Travertine	3456-58	2	Smoke Onyx	3710-58	2
Almond	920-58	2	Dover White	7197-58	2	Mojave	8751-58	2	Smoke Quarstone	6220-58	2
Aluminum	9318-58	2	Earth	5342-58	2	Moystone	7872-58	2	Smokey Brown Pear	5488-58	2
Amber Kashmir	6227-58	2	Earth Wash	7213-58	2	Mouse	928-58	2	Solar Orange	8235-58	2
Amber Maple	7012-58	2	Earthen Twill	8828-58	2	Muslin Fabric	6127-58	2	Sorrel Cherry	5886-58	2
Antique White	932-58	2	Earthen Warp	5880-58	2	Natural Ash	8843-58	2	Spectrum Blue	851-58	2
Argento Romano	6697-58	2	Earthenware	8241-58	2	Natural Birch	7481-58	2	Spectrum Green	7897-58	2
Artichoke	800-58	2	Earthenware Brush-stroke	6999-58	2	Natural Canvas	7022-58	2	Spectrum Red	845-58	2
Ashwood Beige	5785-58	2				Natural Gray Felt	4971-58	2	Stainless	9319-58	2
Ashwood Bone	5784-58	2	Ebony	9012-58	2	Natural Maple	756-58	2	Star Dune	9309-58	2
Ashwood Oak	5786-58	2	Ebony Oxide	299-58	2	Natural Oak	346-58	2	Starched Paperfold	8678-58	2
Basalt Slate	3690-58	2	Elemental Concrete	8830-58	2	Natural Recycled Kraft	9684-58	2	Stone Grafix	503-58	2
Beige Elm	5794-58	2	Elemental Stone	8831-58	2	Natural Riftwood	9282-58	2	Stop Red	839-58	2
Belmonte Granite	3496-58	2	Espresso Pear	5489-58	2	Natural Teak	8849-58	2	Storm	912-58	2
Birchbark	8684-58	2	Finnish Oak	118-58	2	Navy Blue	969-58	2	Storm Solidz	3505-58	2
Black	909-58	2	Flax Gauze	7708-58	2	Navy Grafix	7018-58	2	Storm Teakwood	8908-58	2
Black Bardiglio	5019-58	2	Flint Crystal	3518-58	2	Neo Cloud	6314-58	2	Sugar Glass	3705-58	2
Black Birchply	8552-58	2	Fog	961-58	2	Neutral Twill	8826-58	2	Surf	923-58	2
Black Recycled Kraft	9685-58	2	Folkstone	927-58	2	Neutral Weft	5875-58	2	Swede Rift Oak	8676-58	2
Black Riftwood	6414-58	2	Folkstone Celesta	692-58	2	Neutral White	918-58	2	Taupe Walnut	5787-58	2
Black Shalestone	9527-58	2	Folkstone Grafix	507-58	2	New Burgundy	7966-58	2	Terril	2297-58	2
Black Walnut	3485-58	2	Formal Walnut	5782-58	2	Night Forest	8244-58	2	Thermo Walnut	6402-58	2
Blackened Fiberwood	8916-58	2	Fossil	5349-58	2	Night Shade	8243-58	2	Travertine	3526-58	2
Blackened Legno	8848-58	2	Fox Teakwood	8907-58	2	Noble Mahogany	9236-58	2	Tula Oak	8589-58	2
Blackened Steel	8918-58	2	Geriba Gray	9308-58	2	Nocturne	5323-58	2	Venetian Gold Granite	6223-58	2
Blackstone	271-58	2	Ginger Root Maple	7288-58	2	Noir Cedar	1547-58	2	Vibrant Green	6901-58	2
Bleached Legno	8845-58	2	Glamour Cherry	6208-58	2	Noir Envision	7500-58	2	Walnut Butcherblock	3712-58	2
Blond Cedar	8576-58	2	Glass Cloth	8683-58	2	Nut Brown Cherry	5790-58	2	Walnut Fiberwood	8915-58	2
Blossom Cherrywood	758-58	2	Gold Braze	1193-58	2	Oiled Legno	8846-58	2	Walnut Riftwood	9283-58	2
Blue Felt	9320-58	2	Graphite	837-58	2	Oiled Walnut	5487-58	2	Walnut Softwood	4925-58	2
Blush	8238-58	2	Graphite Elm	5796-58	2	Orange Felt	4973-58	2	Washi Paperfold	8680-58	2
Brazilian Brown Granite	6222-58	2	Graphite Grafix	515-58	2	Origami Paperfold	8679-58	2	Waxed Maple	8905-58	2
Brite White	459-58	2	Graphite Twill	8829-58	2	Otter	3202-58	2	Weathered Ash	8842-58	2
Bronzed Steel	8919-58	2	Gray Fabric	6129-58	2	Oxidized Beamwood	9484-58	2	Weathered Fiberwood	8914-58	2
Bubble Art	8958-58	2	Gray Grafix	9300-58	2	Oyster Grey	929-58	2	Wenge Strand	6306-58	2
Buff Elm	5793-58	2	Gray Onyx	7409-58	2	Pale Brushstroke	6997-58	2	Wheat Strand	6212-58	2
Burnished Coin	3708-58	2	Grayed Oak	5791-58	2	Paloma Polar	6698-58	2	White	949-58	2
Burnished Iron	3709-58	2	Graystone	464-58	2	Patine Bronze	3707-58	2	White Ash	8841-58	2
Burnt Strand	6307-58	2	Green Felt	4974-58	2	Patine Concrete	3706-58	2	White Bardiglio	9306-58	2
Butterum Granite	7732-58	2	Green Slate	8793-58	2	Pearl	934-58	2	White Drops	8824-58	2
Camel Elm	5795-58	2	Greige Softwood	4924-58	2	Pecan Walnut	6996-58	2	White Ice Granite	9476-58	2
Cardboard Solidz	7813-58	2	Gull Grey	9242-58	2	Pecan Woodline	5883-58	2	White Marble Her-ringbone	9310-58	2
Carrara Bianco	6696-58	2	Hard Rock Maple	86992-58	2	Pencil Wood	7747-58	2	White Onyx	827-58	2
Carrara Envision	7494-58	2	Hazel Walnut	5788-58	2	Perlato Granite	3522-58	2	White Painted Wood	8902-58	2
Cascara Teakwood	8909-58	2	Ice Onyx	7408-58	2	Planked Coffee Oak	7413-58	2	White Pearl Cascade	3720-58	2
Cassis	6903-58	2	Inked Oak	5792-58	2	Planked Deluxe Pear	6206-58	2	White Shalestone	9525-58	2
Ceruse Gray Walnut	6994-58	2	Ivory Kashmir	6226-58	2	Planked Raw Oak	7412-58	2	White Twill	9285-58	2
Chambray Fabric	6130-58	2	Jadeite	1198-58	2	Planked Urban Oak	9312-58	2	White Washed Birchply	6372-58	2
Charcoal Boomerang	6942-58	2	Jamocho Granite	7734-58	2	Platinum	902-58	2	Wild Cherry	5904-58	2
Chelsea Maple	9238-58	2	Just Rose	8858-58	2	Portico Marble	7735-58	2	Winter Sky	8792-58	2
Cherry Heartwood	9240-58	2	Labrador Granite	3692-58	2	Prestige Walnut	6209-58	2	Winter Brushstroke	6998-58	2
Cherry Walnut	6995-58	2	Layered Black Sand	9510-58	2	Pumice	858-58	2	Woolen Cloth	8682-58	2
Chestnut Woodline	5884-58	2	Layered Sand	9511-58	2	Purple Dye	1196-58	2	Yellow Felt	4972-58	2
Chrome Yellow	1485-58	2	Layered White Sand	9512-58	2	Raw Birchply	8910-58	2			
Cinnamon Cherry	8955-58	2	Lime Stone	7264-58	2	Raw Cedar	1545-58	2			
Citadel	1097-58	2	Liquid Glass	8240-58	2	Sail White	463-58	2			
Citadel Warp	5882-58	2	Luxe Mango	8685-58	2	Sand Crystal	3517-58	2			
Classic White	9244-58	2	Macchiato Walnut	6932-58	2	Sand Maple	9237-58	2			
Clementine	2962-58	2	Maple Woodline	6925-58	2	Sarum Grey	2770-58	2			
Clove Spice Cherry	5789-58	2	Marine Blue	914-58	2	Sarum Twill	8827-58	2			
Cocoa Maple	7739-58	2	Marmara Beige	7406-58	2	Scandi Rift Oak	8677-58	2			
Cocoa Oak	9374-58	2	Marmara Gray	7407-58	2	Sea Salt	9529-58	2			
Cognac Maple	7738-58	2	Matrix Blue	8795-58	2	Seasoned Planked Elm	6477-58	2			
Concrete Formwood	6362-58	2	Mdf Solidz	7812-58	2	Select Cherry	7759-58	2			
Concrete Stone	7267-58	2	Midnight Stone	6280-58	2	Sheer Fabric	6126-58	2			
Cotton Cloth	8681-58	2	Milk	9634-58	2	Silver Quartzite	9497-58	2			
Cream Softwood	4923-58	2	Millennium Oak	5887-58	2	Silver Riftwood	6413-58	2			
Danish Maple	8906-58	2	Mineral Jet	3450-58	2	Silver Shalestone	9307-58	2			

## Product & Finish Information

### Wilsonart Laminate

Anthology Table Tops offer an extensive program for laminates beyond our Standard Program. Always reference below the most current listing and tier pricing when using a Graded-In Laminate; see below for edge and selection.

Almond Leather	2932-60	2	Florence Walnut	7993-38	2	Lowell Ash	7994-38	2	Port	D14-60	2
Anitque White	1572-60	2	Fonthill Pear	10745-60	2	Mangalore Mango	7984-38	2	Pressed Linen	4991-38	2
Anzio Marble	5037-38	2	Forged Steel	4995-60	2	Manitoba Maple	7911-60	2	Raw Cotton	4947-38	2
Atlantis	D25-60	2	Fossil Shale	D504-60	2	Midnight	D505-60	2	River Cherry	7937-38	2
Bannister Oak	7806-60	2	French Linen	5016-38	2	Mission Maple	7990-38	2	Rustic Slate	4888-38	2
Beige	1530-60	2	French Pear	8220-38	2	Misted Zephyr	4843-60	2	Sable Soapstone	4883-38	2
Beigewood	7850-60	2	Frosty White	1573-60	2	Monticello Maple	7925-38	2	Sap Walnut	8221-38	2
Boardwalk Oak	7983-38	2	Fusion Maple	7909-60	2	Morelia Maple	7985-38	2	Shadow Zephyr	4857-60	2
Brazilwood	7946-38	2	Graphite	10657-60	2	Morro Zephyr	4846-60	2	Sheer Mesh	4876-38	2
Brittany Blue	D321-60	2	Graphite Nebula	4623-60	2	Natural Almond	D30-60	2	Sierra Cascade	5005-38	2
Bronze Legacy	4656-60	2	Green Tigris	4667-60	2	Natural Cotton	4946-38	2	Silicon Ev	4811-60	2
Buka Bark	7982-38	2	Grey	1500-60	2	Natural Recon	7996-38	2	Solar Oak	7816-60	2
Burnished Chestnut	4796-60	2	Grey Glace	4142-60	2	Natural Rift	7954-38	2	Steel Mesh	4879-38	2
Candy Apple	13096-60	2	Grey Mesh	4877-38	2	Natural Tigris	4669-60	2	Sterling Ash	7995-38	2
Canyon Zephyr	4842-60	2	Grey Nebula	4622-60	2	Navy Legacy	4651-60	2	Sunny Side Up	13089-60	2
Carbon Ev	4820-60	2	Grey Pampas	4168-60	2	Neo Walnut	7991-38	2	Tailored Linen	4992-38	2
Carbon Mesh	4880-60	2	Gumball	13102-60	2	Neutral Glace	4143-60	2	Titanium EV	4810-60	2
Castle Oak	7928-38	2	Handspun Chestnut	5036-38	2	New Age Oak	7938-38	2	Tungsten EV	4814-60	2
Casual Linen	4944-38	2	Handspun Dove	5034-38	2	Nordic Linen	5015-38	2	Tuscan Walnut	7921-38	2
Catalina	13092-60	2	Handspun Pearl	5033-38	2	Nori	13091-60	2	Twilight Zephyr	4845-60	2
Cement	D503-60	2	Hanspun Slate	5035-38	2	North Sea	D90-60	2	Wallaby	D439-60	2
Centizo Cherry	8239-38	2	Harvest Maple	7953-38	2	Norwegian Ash	8241-38	2	Washi Crystal	5017-38	2
Classic Linen	4843-38	2	high Rise	4996-38	2	Oiled Soapstone	4882-38	2	Washi Pewter	5018-38	2
Cloud Nebula	4830-60	2	Hollyberry	D307-60	2	Orange Grove	D501-60	2	White	1570-60	2
Cloud Zephyr	4856-60	2	Huntington Mplae	7929-38	2	Organic Cotton	4945-38	2	White Carrara	4924-38	2
Coffee Bean	D495-60	2	Indigo	D379-60	2	Palisades Oak	7987-38	2	White Cascade	5003-38	2
Crisp Linen	4942-38	2	Invory Birch	8219-38	2	Pampas	4170-60	2	White Nebula	4621-60	2
Crystal	D388-60	2	Jubilee Oak	8242-38	2	Pasadena Oak	7966-38	2	White Sand	D403-60	2
Desert Zephyr	4841-60	2	Kensington Maple	10776-60	2	Pearl Soapstone	4886-38	2	White Tigris	4783-60	2
Dove Grey	D92-60	2	Khaki Brown	D50-60	2	Pepperdust	D327-60	2	Wild Cherry	7054-60	2
Dragon Fly	13088-60	2	Kingswood Walnut	8218-38	2	Pewter	D73-60	2	Windswept Pewter	4795-60	2
Ebony Recon	7997-38	2	Lapis Blue	D417-60	2	Pewter Brush	4779-60	2	Woolamai Brush	4746-60	2
Evening Tigris	4674-60	2	Limber Maple	10734-60	2	Pewter Mesh	4878-38	2			
Fashion Grey	D381-60	2	Linen	D427-60	2	Pinnacle Walnut	7992-38	2			
Flax Linen	4930-38	2	Loden Zephyr	4844-60	2	Platinum	D315-60	2			

### Edge Band Selection

Tier 2 Laminates require the additional specification of an edge band. Choose from one of the following JSI standard options.

BEL	Belair	MES	Mesa
BLK	Black	MIN	Mineral
BRK	Brickdust	MCH	Mocha
BBL	Bridal Blanco	OBK	Outback
CSK	Cask	PIL	Pilsner
CLY	Clay	PIN	Pinnacle Walnut
DWH	Designer White	SHD	Shadow
EGR	Egret	SLG	Slate Grey
FAW	Fawn	UMB	Umber
FLN	Flint	VAL	Valley
FLO	Florence Walnut	WLH	Walnut Heights
LOF	Loft	WEA	Weathered Ash
		ZEN	Zen Grey

## Product & Finish Information

### Veneer


#### Table Models

The Anthology suffix V or KV is used to designate veneer material.


#### Veneer Tops

Anthology features 1 $\frac{1}{16}$ " thick veneer table top surfaces in several rim and finish options; see table top specification page 15.


#### Top Profile



**Eased (R3)**




**Reeded (H3)**




**Transitional (C3)**


suffix V



**Eased (R3)**




**Reeded (H3)**




**Transitional (C3)**

suffix V



**Reverse Bevel (K9)**

suffix KV



**Reverse Bevel (K9)**

suffix KV

#### ESS Essentials Veneer

BRK Brickdust  
 CSK Cask  
 CLY Clay  
 FAW Fawn  
 FLX Flax  
 FLN Flint  
 LOF Loft  
 MES Mesa  
 MIN Mineral  
 MCH Mocha  
 OBK Outback  
 PIL Pilsner  
 SIE Sienna  
 TRF Truffle  
 UMB Umber  
 VAL Valley

#### ART Artisan Veneer

BAR Barrel  
 BUF Buff  
 CND Cinder  
 EGR Egret  
 RAV Raven  
 RYE Rye  
 SAB Sable  
 SAD Saddle

#### ESS Essentials Veneer

BRK Brickdust  
 CSK Cask  
 CLY Clay  
 FAW Fawn  
 FLX Flax  
 FLN Flint  
 LOF Loft  
 MES Mesa  
 MIN Mineral  
 MCH Mocha  
 OBK Outback  
 PIL Pilsner  
 SIE Sienna  
 TRF Truffle  
 UMB Umber  
 VAL Valley

#### ART Artisan Veneer

BAR Barrel  
 BUF Buff  
 CND Cinder  
 EGR Egret  
 RAV Raven  
 RYE Rye  
 SAB Sable  
 SAD Saddle

**Product & Finish Information - Veneer & Solid Woods:**


**Exterior Wood Materials**

Exterior surfaces are made from the finest selected veneers to achieve clarity and consistency in the Anthology Veneer product line.


To attain a pleasing, symmetrical pattern, all cherry, maple, walnut veneers in Anthology Veneer are book-matched. All exterior solid lumber is matched to coordinate with the veneer.

Alternating pieces of veneer are flipped over so they face each other like the pages within a book.

Anthology Veneer is available in flat cut cherry, maple, walnut and black oak veneer. A wide range of wood stains have been formulated to enhance the beauty of the veneer.



Book-Matched Veneer Example



Double Cut Veneer Example

Double Cut veneer is another choice on Anthology Veneer product. This veneer is a processed product that has at least two cuttings to create the final veneers. These cuts of veneer strands are dyed and layered into a block to create variation of patterns from a very tight grain pattern to an exotic figure grain pattern. The diagram above shows the tight pattern used on Anthology Veneer. Use the appropriate pricing column when specifying Double Cut veneer.

**Protective Top Coat**

DuraTex™ offers exceptional hardness along with abrasion and impact resistance, it has been formulated to eliminate hazardous and harmful gases that are normally associated with wood finish.

**DuraTex™ Features**

Safety - Significantly reduces hazardous formaldehyde emissions which help improve the quality of the of the indoor air we breathe.

Quality - Developed to be tough and durable with special attention to appearance. The DuraTex™ finish preserves the natural beauty of wood.

Durability - Designed to meet a wide range of demanding performance and environmental standards to withstand even the highest wear and tear.

**Finish Sheen**

All veneer finishes except Raven are standard 35-sheen, with 15-sheen available. Raven is only available 15-sheen for best visual and functional performance.

**Custom/Special Finishes**

JSI, upon request, will accommodate special finishes. A written request is required to proceed with custom finish orders. A sample reference is required for first-time matches and must be included with the written request.

There is a one-time charge per order for any non-standard wood finish.

Every effort will be made to create the requested match; however, an acceptable match may not be possible because of natural variations of wood. These natural variations can also cause minor differences in the final finished product.

## Product & Finish Information - Veneer & Solid Woods:

### JSI Core Materials

For projects requiring similar finishes across multiple series, JSI recommends using our Core Materials program. Finishes in this group are offered throughout the vast majority\* of JSI products in the three main material categories. Essentials and Artisan Veneer, Laminate and Solid Maple, in a spectrum of light to dark.

\*note: not applicable to all series, for example BeSpace only offers clear veneer finish.

When selecting a JSI finish / designator, the veneer and wood solid species are automatically selected for the best finish color quality.

Designator	Finish	Veneer Collection	Veneer Species	Solid Wood Species	Laminate	Core Program
BAR	Barrel	Artisan	White Oak - Double Cut	White Oak	N/A	N
BRK	Brickdust	Essentials	Cherry	Maple	HPL & TFL	Y
BUF	Buff	Artisan	White Oak - Double Cut	White Oak	N/A	N
CSK	Cask	Essentials	Walnut	Walnut	HPL & TFL	Y
CND	Cinder	Artisan	White Oak - Double Cut	White Oak	N/A	N
CLY	Clay	Essentials	Cherry	Maple	HPL & TFL	Y
EGR	Egret	Artisan	White Oak - Double Cut	White Oak	HPL & TFL	N
FAW	Fawn	Essentials	Linear - Double Cut	Maple	HPL & TFL	Y
FLX	Flax	Essentials	Maple	Maple	N/A	N
FLN	Flint	Essentials	Linear - Double Cut	White Oak	HPL & TFL	Y
LOF	Loft	Essentials	Linear - Double Cut	Maple	HPL & TFL	Y
MES	Mesa	Essentials	Cherry	Maple	HPL & TFL	Y
MIN	Mineral	Essentials	White Oak - Double Cut	White Oak	HPL & TFL	Y
MCH	Mocha	Essentials	Walnut	Walnut	HPL & TFL	Y
OBK	Outback	Essentials	Cherry	Maple	HPL & TFL	Y
PIL	Pilsner	Essentials	Maple	Maple	HPL & TFL	Y
RAV	Raven	Artisan	Black Oak	White Oak	N/A	N
RYE	Rye	Artisan	White Oak - Double Cut	White Oak	N/A	N
SAB	Sable	Artisan	White Oak - Double Cut	White Oak	N/A	N
SAD	Saddle	Artisan	White Oak - Double Cut	White Oak	N/A	N
SIE	Sienna	Essentials	Walnut	Walnut	N/A	N
TRF	Truffle	Essentials	Walnut	Walnut	N/A	N
UMB	Umber	Essentials	Walnut	Walnut	HPL & TFL	Y
VAL	Valley	Essentials	Linear - Double Cut	Maple	HPL & TFL	Y

**Product & Finish Information - Table Tops:**

**Premier Tops**


**Table Top Models**

The Anthology top models have suffix G,S or B used to designate Premier material tops.  
 example: 65T48120TTG, 65T48120TTS or 65T48120TTB

**Glass Tops**

Anthology glass tops are 1 5/16" thick constructed of 1/4" thick back painted glass surface on top of a 1" thick MDF sub top.  
 Sub top has an undercut bevel profile and painted to match the back painted glass surface. See table top specification page 5.

Glass Top Profile



**Glass Tops**

suffix G


**Glass**

- WHM White Matte
- WHG White Gloss
- ESM Espresso Matte
- BLM Black Matte

**Customer Choice Tops**

Anthology customer choice tops are 1" thick and have an under cut bevel profile painted black.  
 Customer is responsible for determining the best attachment method for their custom top. See specification page 5.  
 Weight of customer choice top material not to exceed 12.5 lbs per square foot of customer supplied material.

Customer Choice Profile




**Customer Choice**

suffix B  
 Sub top is always painted black.

**Solid Surface Tops**

Anthology solid surface tops are 1 7/16" thick constructed of 7/16" thick solid surface on top of a 1" thick MDF sub top.  
 Sub top has an undercut bevel profile and painted in a coordinated color to match the solid surface. See table top specification page 5.

Solid Surface Profile



**Solid Surface Tops**

suffix S

**Solid Surface**

- ONX Black Onyx Mirage
- DWH Designer White
- HST Hot Stone
- SOG Soothing Grey

**Product & Finish Information - Table Bases:**

**Base Finishes**

**TFL/HPL Laminates**

BEL	Belair
BLK	Black
BRK	Brickdust
BBL	Bridal Blanco
CSK	Cask
CLY	Clay
DWH	Designer White
EGR	Egret
FAW	Fawn
FLN	Flint
FLO	Florence Walnut
LOF	Loft
MES	Mesa
MIN	Mineral
MCH	Mocha
OBK	Outback
PIL	Pilsner
PIN	Pinnacle Walnut
SHD	Shadow
SLG	Slate Grey
UMB	Umber
VAL	Valley
WLH	Walnut Heights
WEA	Weathered Ash
ZEN	Zen Grey

**Veneer**

**ESS Essentials Veneer**

BRK	Brickdust
CSK	Cask
CLY	Clay
FAW	Fawn
FLX	Flax
FLN	Flint
LOF	Loft
MES	Mesa
MIN	Mineral
MCH	Mocha
OBK	Outback
PIL	Pilsner
SIE	Sienna
TRF	Truffle
UMB	Umber
VAL	Valley

**ART Artisan Veneer**

BAR	Barrel
BUF	Buff
CND	Cinder
EGR	Egret
RAV	Raven
RYE	Rye
SAB	Sable
SAD	Saddle

**Solid Wood**

BAR	Barrel
BRK	Brickdust
BUF	Buff
CSK	Cask
CND	Cinder
CLY	Clay
EGR	Egret
FAW	Fawn
FLX	Flax
FLN	Flint
FLO	Florence Walnut
LOF	Loft
MES	Mesa
MIN	Mineral
MCH	Mocha
OBK	Outback
PIL	Pilsner
PIN	Pinnacle Walnut
RAV	Raven
RYE	Rye
SAB	Sable
SAD	Saddle
SIE	Sienna
TRF	Truffle
UMB	Umber
VAL	Valley
WLH	Walnut Heights

**Metal Finish Standard**

ABZ	Aged Bronze
ASL	Arctic Silver
BWH	Bright White
GLD	Gold
MBK	Matte Black
PEW	Pewter
SBZ	Soft Bronze
SNK	Soft Nickel

**Metal Finish Upcharge Applies**

ANL	Antique Linen
BLJ	Blue Jean
CAP	Candy Apple
CAB	Cashmere Beige
CDU	Copper Dust
DST	Desert Stone
DUP	Dusty Petal
EBL	Electric Blue
EMC	Emerald City
EVP	Evergreen Pine
GOH	Golden Honey
MWH	Midnight Whisper
MUS	Mustard Seed
OLV	Olive Fog
POW	Porcelain White
SPA	Space Cadet
SPP	Sparkling Peach
SPR	Spiced Raisin
SMK	Stormy Sky
TFB	Toffee Brown
VMA	Vintage Mahogany

**Frame and Outline Metal Bases**

CHR	Chrome - upcharge applies -see pricing pages
-----	--

**Product & Finish Information - Credenzas:**
**Credenza Finishes**
**TFL Laminates**

BEL	Belair
BLK	Black
BRK	Brickdust
BBL	Bridal Blanco
CSK	Cask
CLY	Clay
DWH	Designer White
EGR	Egret
FAW	Fawn
FLN	Flint
FLO	Florence Walnut
LOF	Loft
MES	Mesa
MIN	Mineral
MCH	Mocha
OBK	Outback
PIL	Pilsner
PIN	Pinnacle Walnut
SHD	Shadow
SLG	Slate Grey
UMB	Umber
VAL	Valley
WLH	Walnut Heights
WEA	Weathered Ash
ZEN	Zen Grey

**Veneer**
**ESS Essentials Veneer**

BRK	Brickdust
CSK	Cask
CLY	Clay
FAW	Fawn
FLX	Flax
FLN	Flint
LOF	Loft
MES	Mesa
MIN	Mineral
MCH	Mocha
OBK	Outback
PIL	Pilsner
SIE	Sienna
TRF	Truffle
UMB	Umber
VAL	Valley

**ART Artisan Veneer**

BAR	Barrel
BUF	Buff
CND	Cinder
EGR	Egret
RAV	Raven
RYE	Rye
SAB	Sable
SAD	Saddle

**Paint Door Fronts ONLY**

BKD	Backdrop
BFX	Black Fox
BRV	Bravado Red
BWH	Bright White
BRF	Broccoflower
BTT	Butternut
CCY	Canyon Clay
CHT	Chatroom
DEN	Denim
GAL	Gale Force
GRV	Greek Villa
KGR	Kendal Green
NWH	Nonchalant White
NVL	Novel Lilac
PPL	Patchwork Plum
PGR	Pewter Green
QAL	Queen Anne Lilac
RPT	Redend Point
ROS	Rose Tan
SAU	Saucy Gold
SVP	Silverplate
SKS	Skyline Steel
STM	Storm
TRC	Tricorn Black
UKH	Universal Khaki
WBL	Windy Blue

**Solid Wood Inset Base**

BAR	Barrel
BRK	Brickdust
BUF	Buff
CSK	Cask
CND	Cinder
CLY	Clay
EGR	Egret
FAW	Fawn
FLX	Flax
FLN	Flint
FLO	Florence Walnut
LOF	Loft
MES	Mesa
MIN	Mineral
MCH	Mocha
OBK	Outback
PIL	Pilsner
PIN	Pinnacle Walnut
RAV	Raven
RYE	Rye
SAB	Sable
SAD	Saddle
SIE	Sienna
TRF	Truffle
UMB	Umber
VAL	Valley
WLH	Walnut Heights

**Glass Top**

WHM	White Matte
WHG	White Gloss
ESM	Espresso Matte
BLM	Black Matte

**Solid Surface Top**

ONX	Black Onyx Mirage
DWH	Designer White
HST	Hot Stone
SOG	Soothing Grey

**Metal Inset Base**
**Metal Finish Standard**

ABZ	Aged Bronze
ASL	Arctic Silver
BWH	Bright White
CHR	Chrome - upcharge applies -
GLD	Gold
MBK	Matte Black
PEW	Pewter
SBZ	Soft Bronze
SNK	Soft Nickel

**Metal Finish Upcharge**

ANL	Antique Linen
BLJ	Blue Jean
CAP	Candy Apple
CAB	Cashmere Beige
CDU	Copper Dust
DST	Desert Stone
DUP	Dusty Petal
EBL	Electric Blue
EMC	Emerald City
EVP	Evergreen Pine
GOH	Golden Honey
MWH	Midnight Whisper
MUS	Mustard Seed
OLV	Olive Fog
POW	Porcelain White
SPA	Space Cadet
SPP	Sparkling Peach
SPR	Spiced Raisin
SMK	Stormy Sky
TFB	Toffee Brown
VMA	Vintage Mahogany

## Anthology Specification Overview:

Table tops, bases, and power components are ordered separately

### 1 Select top shape, size and material

Select a top shape and size that best fits the application, room size and function desired.

Select Material choosing between TFL with eased rim, HPL with eased or reverse bevel rim, and Veneer with eased, reeded, transitional, or reverse bevel veneer edge band.

Premier Top materials can be chosen from Glass, Solid Surface or Customer Choice materials.

Glass surface is ¼" thick on top of MDF subtop painted to match glass color with a under cut bevel profile edge.

Solid Surface is 7/16" thick on top of MDF subtop painted in a coordinating color. Customer Choice is a MDF sub top for customer supplied material not to exceed 12.5 lbs per square foot of material.

### 2 Select base style, material and finish

Bevel, Bridge, Truss, and Fluted Cylinder - **Solid Wood bases.**

Conical, Cylinder, Half Cylinder, Panel and Racetrack, Racetrack BridgeLine - **HPL and Veneer bases.**

Outline, Aspect, Aspect BridgeLine - **TFL and Veneer with Metal Powdercoat bases.**

Rectangle, Rectangle BridgeLine, Square - **TFL and Veneer bases.**

Oblique, Disc and Square Disc - **Metal Powdercoat bases.**

Frame and Frame BridgeLine - **Metal Powdercoat and Chrome bases.**

***For ease of specification bases are sold in kits aligned to specific top sizes. The base kit is a complete set of bases, mounting brackets, screws, along with stretcher rails and undersurface metal support as required for applicable top size.***

### 3 Select power modules

**Options for power include:**

Electrolite, Ellora, Ellora Double, M2X, Mho, Node, Oasis, Undermount, Vault Z23, and Vault BTC. A broad selection of performance features support small to large power requirements including USB A+C and Data.

Selected models are available with corded plug, hardwire, or one-, two-, three-, and four-unit kits linked together with a single plug. Kits include power units, jumpers, power infeed, and all applicable parts to simplify specification. Kits are specific to table width.

***Anthology tops and bases are designed and engineered to be specified together as per the application guidelines listed in the pricing tools. They are not designed to be used with tops and bases from other series.***

### 4 Select accessories

**Options for accessories include:**

Wire management for under top or vertically to floor concealment of cords.

For product specification and pricing, visit: [jsifurniture.com/products/jsi-family/anthology/catalog](https://jsifurniture.com/products/jsi-family/anthology/catalog) - Price & Configure section to build your complete JSI Anthology table.


## Anthology Base Specification:

### Aspect Base Kit

- Available in TFL and Veneer surfaces with metal standard and additional powder coat finishes. Grain runs vertical.
- Seated height

### Details

1. Seated base is 27 7/8" high, with 1 1/8" top: 29".
2. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"- 60" depth and 72" – 240" width.
  - See page 9 for top to base matrix for application guidelines.
3. Individual base depths are 21", 27", and 33". Base width is 5"
4. Integrated base interior cord management
  - Interior clearances for cable management are as follows:
  - Top and bottom opening is 2 1/2" wide.
  - Top opening is 14 1/8" and bottom opening is 16 1/2" for 21" base.
  - Top opening is 20 1/8" and bottom opening is 22 1/2" for 27" base.
  - Top opening is 26 1/8" and bottom opening is 28 1/2" for 33" base.
5. View table base widths 18" - 24" and 24" - 30"
  - 18" - 24" with two bases: narrow end base depth 18", and wide end base depth 24".
  - 24" - 30" with two bases: narrow end base depth 24", and wide end base depth 30".
  - 24" - 30" with three bases: narrow end base depth 24", center base depth 24" and wide end base depth 30".
  - 24" - 30" with four bases: narrow end base depth 24", center bases depth 24" and wide end base depth 30".
6. All bases in the kit feature a removable access panel on inside of each base. The center base can have removable access positioned in either direction.
7. Side stretcher rails, 3" high x 1 1/8" deep and match base finish.
8. Attachment hardware for top ships with base.
9. Base includes levelers.
10. Order under top cord management separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Aspect BridgeLine Base Kit

- Available in TFL and Veneer surfaces, with metal standard and additional powder coat finishes. Grain runs vertical.
- Seated height

### Details

1. BridgeLine Base Kits feature a patent-pending 2 base support structure.
2. Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
3. Base kits are specific to top depth and width, and come in 2-base configurations.
  - Supports top sizes 48", 54", 60" depth and 120" –192" width.
  - See page 9 for top to base matrix for application guidelines.
4. Individual base depths are 27" and 33". Base width is 5".
5. Integrated base interior cord management
  - Interior clearances for cable management are as follows:
  - Top and bottom opening is 2 $\frac{1}{2}$ " wide.
  - Top opening is 20 $\frac{1}{8}$ " and bottom opening is 22 $\frac{1}{2}$ " for 27" base.
  - Top opening is 26 $\frac{1}{8}$ " and bottom opening is 28 $\frac{1}{2}$ " for 33" base.
6. Each base in the kit features a removable access door on inside of the base.
7. Mounting pads: metal center support structure and rails are black.
8. Two metal side beams are black 14-gauge tube, 3" high x 1".
9. Base includes levelers.
10. Attachment hardware for top ships with base.
11. Order under top cord management separately.
  - See page 90 for options and details.




**Anthology Base Specification:**

**Bevel Base Kit**

- Available in maple, oak, and walnut solid wood. Wood species aligns with respective finish.
- Seated height

**Details**

1. Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
2. Base kits are specific to top height, depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"-60" depth and 72"-240" width.
  - See page 9 for top to base matrix for application guidelines.
3. Base depths are 18", 24", and 30". Individual base dimensions are 4" wide x 1 $\frac{3}{8}$ " thick.
4. Metal mounting plates, with hardwood end and center rails
5. Center bases have a 2" diameter cord pass through for routing cords base to base under the table top.
6. Veneer side stretcher rails, 3" high x 1 $\frac{1}{8}$ " deep will match base finish.
7. Base includes levelers.
8. Attachment hardware for top ships with base.
9. Order cord management to floor and under top separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Bridge Base Kit

- Available in maple, oak, and walnut solid wood. Wood species aligns with respective finish.
- Seated, counter and bar height

### Details

1. Seated Base is 27 $\frac{7}{8}$ " high, Counter Height Base is 33 $\frac{3}{8}$ " and Bar Height Base is 40 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29", 35" and 42". Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
2. Base kits are specific to top height, depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"-60" depth and 72" –240" width.
  - See page 9 for top to base matrix for application guidelines.
3. Seated Height Base depths are:
  - 24" at bottom, 14 $\frac{3}{8}$ " at top
  - 30" at bottom, 20 $\frac{3}{8}$ " at top
  - 36" at bottom, 26 $\frac{3}{8}$ " at top
4. Counter Height Base depths are:
  - 26" at bottom, 14 $\frac{3}{8}$ " at top with stretcher and angled frame supports
  - 32" at bottom, 20 $\frac{3}{8}$ " at top with stretcher and angled frame supports
5. Bar Height Base depths are:
  - 28 $\frac{1}{2}$ " at bottom, 14 $\frac{3}{8}$ " at top with stretcher and angled frame supports
  - 34 $\frac{1}{2}$ " at bottom, 20 $\frac{3}{8}$ " at top with stretcher and angled frame supports
6. Counter and bar height bases incorporate a wood web-cross support for added stability.
- All Bridge style bases have bevel profile legs with visible end grain tenon cross rail detail.
7. Individual base dimensions are 3" wide x 1  $\frac{7}{16}$ " thick. Horizontal rail is 3" high x 1" thick.
8. Center bases have a 2" diameter cord pass through for routing cords base to base under the table top.
9. Veneer side stretcher rails, 3" high x 1 $\frac{1}{8}$ " deep will match base finish.
10. Metal mounting plates, with hardwood end and center rails.
11. Attachment hardware for top ships with base
12. Base includes levelers.
13. Order cord management to floor and under top separately.
  - See page 90 for options and details.




**Anthology Base Specification:**

**Conical Single Base & Cylinder Base Kit**

- Available in HPL and Veneer surfaces. Grain runs vertical.
- Seated height

**Details**

1. Seated base is 27<sup>7</sup>/<sub>8</sub>" high, with 1<sup>1</sup>/<sub>8</sub>" top: 29".
2. Single bases are for use with round tops from 36" –60". Available with or without access for cable management.
3. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations. Supports top sizes 42"-60" depth and 102" –240" width. Base kits come standard with a combination of access and non access doors. Access base can be in any base location to accommodate floor power.
  - 2 base kits include 1 access and 1 non access base
  - 3 base kits include 1 access and 2 non access bases
  - 4 base kits include 2 access and 2 non access bases
  - See page 9 for top to base matrix for application guidelines.
4. Seated Height Base support tops:
  - 36" - 42" round top - 20" base
  - 48" - 60" round top - 24" base
5. All 20" diameter bases are 20" at bottom and taper to 12" at top. Cable management opening is 6" at top and 9" at bottom.
6. All 24" diameter bases are 24" at bottom and taper to 16" at top. Cable management opening is 9" at the top and bottom.
7. Integrated base interior cord management
  - All models have a cord pass through at upper side of base for routing cords base to base under the table top.
  - Opening is 1<sup>5</sup>/<sub>8</sub>" wide x 2<sup>1</sup>/<sub>4</sub>" high (not visible on line art below.)
8. Quick release removable access panel.
9. The counterweight will be included and will ship with the following bases:
  - Single base for 36" - 60" round tops.
  - Base kits for 42" -48" depth and 102" -240" width tops.
  - Counterweight material bags will limit cord routing through access bases.
10. Black particle board mounting pad with a attachment hardware for top ships with base.
11. Base includes levelers.
12. Selected models ship with metal support that runs with width of base where required.
13. Order under top cord management separately.
  - See page 90 for options and details.




**Anthology Base Specification:**

**Cylinder Single Base & Cylinder Base Kit**

- Available in HPL and Veneer surfaces. Grain runs vertical.
- Seated height

**Details**

1. Seated base is 27<sup>7</sup>/<sub>8</sub>" high, with 1<sup>1</sup>/<sub>8</sub>" top: 29".
2. Single bases are for use with round tops from 36" -60". Available with or without access for cable management.
3. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations. Supports top sizes 42"-60" depth and 102" -240" width. Base kits come standard with a combination of access and non access doors. Access base can be in any base location to accommodate floor power.
  - 2 base kits include 1 access and 1 non access base
  - 3 base kits include 1 access and 2 non access bases
  - 4 base kits include 2 access and 2 non access bases
  - See page 9 for top to base matrix for application guidelines.
4. Seated Height Single Base support tops:
  - 36" - 42" round top - 18" base
  - 48" - 60" round top - 24" base
5. 18" model bases: Cable management opening is 11<sup>1</sup>/<sub>2</sub>" diameter at top 7" diameter at bottom.
6. 24" model bases: Cable management opening is 15" diameter at the top and 9" diameter at bottom.
7. Integrated base interior cord management
  - All models have a cord pass through at upper side of base for routing cords base to base under the table top. Opening is 1<sup>5</sup>/<sub>8</sub>" wide x 2<sup>1</sup>/<sub>4</sub>" height
8. Access base has a 10" x 10" square hinged door.
9. The counterweight will be included and will ship with the following bases:
  - Single base for 36" - 60" round tops.
  - 18" Base kits for 42" - 48" depth and 102" -240" width tops.
  - 24" Base kits for 54" - 60" depth and 102" -240" width tops.
  - Counterweight material bags will limit cord routing through access bases.
10. Black particle board mounting pad with a attachment hardware for top ships with base
11. Base includes levelers.
12. Selected models ship with metal support that runs with width of base where required
13. Order under top cord management separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Disc Single Base

- Available in metal standard and additional powdercoat finishes.
- Seated, counter and bar height

### Details

1. Seated Base is 28" high, Counter Height Base is 35" and Bar Height Base is 41" high, with 1 1/8" top: 29 1/8", 36 1/8" and 42 1/8".
2. Single bases are for use with round tops from 24" – 40". Available with or without access for cable management.
  - See page 9 for top to base matrix for application guidelines.
3. Seated Height Base support tops:
  - 24" - 30" round top - 18" base
  - 36" - 42" round top - 23" base
  - 48" round top - 28" base
4. Counter and Bar Height Base support tops:
  - 24" - 36" round top - 23" base
  - 42" - 48" round top - 28" base
5. Access bases have integrated base interior cord management.
  - Cords pass through top mounting channel into the base column, routing cords to the floor. Column top opening is 2" diameter with 1 5/8" opening at the floor.
  - Metal top access channel covers match the base finish and enclose opening after cords are routed to the floor. Top access covers have cord pass-thru notches.
  - Base levers provide space below disc to allow cord routing
6. Base includes levelers.
7. Order under top cord management separately.
  - See page 90 for options and details.




**Anthology Base Specification:**

**Fluted Cylinder Single Base & Fluted Cylinder Base Kit**

- Available in maple, oak, and walnut fluted solid wood. Wood species will align to respective finish. Grain runs vertical.
- Seated height

**Details**

1. Seated base is 27<sup>7</sup>/<sub>8</sub>" high, with 1<sup>1</sup>/<sub>8</sub>" top: 29".
2. Single bases are for use with round tops from 36" –60". Available with or without access for cable management.
  - See page 9 for top to base matrix for application guidelines.
3. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations. Supports top sizes 42"-60" depth and 102" –240" width. Base kits come standard with a combination of access and non access doors. Access base can be in any base location to accommodate floor power.
  - 2 base kits include 1 access and 1 non access base
  - 3 base kits include 1 access and 2 non access bases
  - 4 base kits include 2 access and 2 non access bases
4. Seated Height Base support tops:
  - 36" - 42" round top - 18" base
  - 48" - 60" round top - 24" base
5. All 18 model bases are 19<sup>1</sup>/<sub>8</sub>" diameter with fluted profile. Cable management opening is 11<sup>1</sup>/<sub>2</sub>" diameter at top 7" diameter at bottom.
6. All 24 model bases are 24<sup>5</sup>/<sub>8</sub>" diameter with fluted profile. Cable management opening is 15" diameter at the top and 9" diameter at bottom.
7. Integrated base interior cord management
  - All models have a cord pass through at upper side of base for routing cords base to base under the table top. Opening is 1 <sup>5</sup>/<sub>8</sub>" wide x 2 <sup>1</sup>/<sub>4</sub>" height.
8. Access base has a 10" x 10" square hinged door.
9. The counterweight will be included and will ship with the following bases:
  - Single base for 36" - 60" round tops.
  - Base kits for 42" - 48" depth and 102" -240" width tops.
  - Counterweight material bags will limit cord routing through access bases.
10. Black particle board mounting pad with a attachment hardware for top ships with base
11. Base includes levelers.
12. Selected models ship with metal support that runs with width of base where required.
13. Order under top cord management separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Frame Base Kit

- Available in metal standard and additional powdercoat paint and chrome finishes.
- Seated height

### Details

1. Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
2. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"-60" depth and 72"-240" width.
  - See page 9 for top to base matrix for application guidelines.
3. The bottom and sides of each base are 14 gauge, 2" x 1" rectangle tube.
4. Bases are tapered in design.
  - 18" depth bottom, tapers to 22 $\frac{7}{8}$ " at top.
  - 24" depth bottom, tapers to 28 $\frac{7}{8}$ " at top.
  - 30" depth bottom, tapers to 34 $\frac{7}{8}$ " at top.
5. Metal mounting plates, and end rails are painted to match base.
6. View table base narrow to wide depths are 18" - 24" and 24" - 30".
  - 18" - 24" with two bases: narrow end base depth 18", and wide end base depth 24".
  - 24" - 30" with two bases: narrow end base depth 24", and wide end base depth 30".
  - 24" - 30" with three bases: narrow end base depth 24", center base depth 24" and wide end base depth 30".
  - 24" - 30" with four bases: narrow end base depth 24", center bases depth 24" and wide end base depth 30".
7. Side stretcher rails, 3" high x 1 $\frac{1}{8}$ " deep Black TFL.
8. Base includes levelers.
9. Attachment hardware for top ships with base.
10. Magnetic Metal Wire Manager sold separately.
  - See page 90 for options and details.
11. Order under top cord management separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Frame BridgeLine Base Kit

- Available in metal standard and additional powdercoat paint and chrome finishes.
- Seated height

### Details

1. BridgeLine Base Kits feature a patent-pending 2 base support structure.
2. Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
3. Base kits are specific to top depth and width, and come in 2-base configurations.
  - Supports top sizes 48", 54", 60" depth and 120" –192" width.
  - See page 9 for top to base matrix for application guidelines.
4. Bottom and sides of each base are 14 gauge, 2" x 1" rectangle tube
5. Bases are tapered in design
  - 24" depth bottom, tapers to 28 $\frac{7}{8}$ " at top.
  - 30" depth bottom, tapers to 34 $\frac{7}{8}$ " at top.
6. Metal mounting plates and center support structure are black. End rails are painted to match the base.
7. Two metal side beams are black 14-gauge tube, 3" high x 1" in.
8. Base includes levelers.
9. Attachment hardware for top ships with base
10. Magnetic metal wire manager sold separately.
  - See page 90 for options and details.
11. Order under top cord management separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Half Cylinder Base Kit

- Available in HPL and Veneer surfaces. Grain runs vertical.
- Seated height

### Details

1. Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
2. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"-60" depth and 72" -240" width.
  - See page 9 for top to base matrix for application guidelines.
3. End half cylinder base depths and widths are: 18" depth x 9" width, 24" depth x 12" width for 24", and 30" depth x 15  $\frac{5}{16}$ " width for 30".
4. Center base depths are 18", 24", and 30". Base width is 5".
5. Integrated base interior cord management
  - Interior clearances for cable management are as follows:
  - End half cylinder base top and bottom opening is:
    - 9" depth top, 6" diameter bottom hole for 18" base.
    - 12" depth top, 6" diameter bottom hole for 24" base.
    - 15 $\frac{5}{16}$ " depth top, 6" diameter bottom hole for 30" base.
  - Center rectangular base top and bottom opening depth and width are:
    - Top and bottom opening is: 14 $\frac{1}{8}$ " depth, 2 $\frac{7}{16}$ " width for 18" base.
    - Top and bottom opening is: 15 $\frac{1}{2}$ " depth, 2 $\frac{7}{16}$ " width for 24" base.
    - Top and bottom opening is: 21 $\frac{1}{2}$ " depth, 2 $\frac{7}{16}$ " width for 30" base
6. All bases in the kit feature a removable access panel on inside of each base. The center base can have removable access positioned in either direction.
7. Side stretcher rails, 3" high x 1 $\frac{1}{8}$ " deep and match base finish.
8. Attachment hardware for top ships with base
9. Base includes levelers.
10. Order under top cord management separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Lok Y Base Kit

- Available in metal standard powdercoat paint or two-tone with polished aluminum foot and cross linking stretcher with contrasting metal powdercoat finish column.
- Seated, counter and bar height

### Details

1. Seated base is 27 $\frac{7}{8}$ " high, Counter Height Base is 34 $\frac{7}{8}$ " and Bar Height Base is 40 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29", 36" and 42".
2. Base kits are specific to top height, depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"- 60" depth and 72" -240" width.
  - Top sizes 36" - 42" depth have a single vertical support column.
  - Top sizes 48" - 60" depth have a two vertical support columns.
  - See page 9 for top to base matrix for application guidelines.
3. Seated, Counter and Bar Height Base depths are:
  - 24" at bottom, 24" base with single vertical column per base.
  - 28" at bottom, 28" base with single vertical column per base.
  - 35" at bottom, 35" base with double vertical column per base.
  - 40" at bottom, 40" base with double vertical column per base.
  - 45" at bottom, 45" base with double vertical column per base.
4. Bases have cross linking 2 $\frac{5}{8}$ " high stretcher at base of vertical column, 3 $\frac{1}{2}$ " to bottom from floor.
5. Attachment hardware for top ships with base.
6. Base includes levelers.
7. Selected models ship with metal support that runs with width of base where required.
8. Order cord management to floor and under top separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Oblique Base Kit

- Available in metal standard and additional powdercoat finishes.
- Seated, counter and bar height

### Details

1. Seated base is 27 $\frac{7}{8}$ " high, Counter Height Base is 34 $\frac{7}{8}$ " and Bar Height Base is 40 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29", 36" and 42".
2. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"-60" depth and 72"-240" width.
  - See page 9 for top to base matrix for application guidelines.
3. Legs are 14 gauge, 3" round tube.
4. Seated Height Base depths are:
  - 24" models are 27" at bottom, 17 $\frac{3}{8}$ " at top.
  - 30" models are 33" at bottom, 23 $\frac{3}{8}$ " at top.
  - 36" models are 39" at bottom, 29 $\frac{3}{8}$ " at top.
5. Counter Height Base depths are:
  - 24" models are 29 $\frac{1}{2}$ " at bottom, 17 $\frac{3}{8}$ " at top.
  - 30" models are 35 $\frac{1}{2}$ " at bottom, 23 $\frac{3}{8}$ " at top.
  - 36" models are 41 $\frac{1}{2}$ " at bottom, 29 $\frac{3}{8}$ " at top.
6. Bar Height Base depths are:
  - 24" models are 31 $\frac{1}{2}$ " at bottom, 17 $\frac{3}{8}$ " at top.
  - 30" models are 37 $\frac{1}{2}$ " at bottom, 23 $\frac{3}{8}$ " at top.
  - 36" models are 43 $\frac{1}{2}$ " at bottom, 29 $\frac{3}{8}$ " at top.
7. Center bases allow cord pass through for routing cords base to base under the table top.
8. All bases have integrated interior leg cord management
  - Cord passes through upper end of legs for routing cords vertically to floor. Column exit opening at the floor is 1 $\frac{1}{2}$ " diameter.
  - Leg top access opening, next to side stretchers routes vertically through the column to the floor with 1/2" cord exit notch.
  - Base levers provide space below legs to allow cord exit.
8. Metal mounting plates, and end rails are painted to match base.
9. Side stretcher rails, 3" high x 1 $\frac{1}{8}$ " deep Black TFL.
10. Base includes levelers.
11. Attachment hardware for top ships with base.
13. Order under top cord management separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Outline Base Kit

- Available in TFL and Veneer surfaces with standard or additional finishes powdercoat or chrome metal accent trim. Grain runs vertical on inset panel.
- Seated height

### Details

1. Base is 27 $\frac{7}{8}$ " high, 29" with 1 $\frac{1}{8}$ " top.
2. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"-60" depth and 72"-240" width.
  - See page 9 for top to base matrix for application guidelines.
3. Individual base depths are 18", 24", and 30. Base width is 1 $\frac{1}{2}$ ".
4. Base design features a 1 $\frac{1}{8}$ " thick panel with a  $\frac{3}{4}$ " x 1 $\frac{1}{2}$ ", 14-gauge metal accent trim at sides and bottom.
5. Metal mounting plates.
6. Side stretcher rails, 3" high x 1 $\frac{1}{8}$ " deep and match base finish.
7. Center bases have a 1 $\frac{5}{8}$ " wide x 2" high cord pass through for routing cords base to base under the table top.
8. Base includes levelers.
9. Attachment hardware for top ships with base
10. Order cord management to floor separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Panel Base Kit

- Available in HPL and Veneer surfaces. Grain runs vertical
- Seated height

### Details

1. Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
2. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"-60" depth and 72"-240" width.
  - See page 9 for top to base matrix for application guidelines.
3. Individual base depths are 18", 24", and 30". Base width is 1 $\frac{1}{2}$ "
4. Base design features a 1 $\frac{1}{2}$ " thick panel
5.  $\frac{3}{4}$ " thick plywood mounting plates.
6. Side stretcher rails, 3" high x 1 $\frac{1}{8}$ " deep and match base finish.
7. Center bases have a 2 $\frac{1}{2}$ " wide x 1 $\frac{5}{8}$ " high cord pass through for routing cords base to base under the table top.
8. Base includes levelers.
9. Attachment hardware for top ships with base
10. Order cord management to floor and under top separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Racetrack Base Kit

- Available in HPL and Veneer surfaces. Grain runs vertical
- Seated height

### Details

1. Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
2. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"-60" depth and 72" -240" width.
  - See page 9 for top to base matrix for application guidelines.
3. Individual base depths are 18", 24", and 30". Base width is 6"
4. Integrated base interior cord management
  - Interior clearances for cable management are as follows:
  - Top opening is 3 $\frac{3}{8}$ " wide, bottom opening is 2 $\frac{1}{2}$ " wide.
  - Top and bottom depth opening is:
    - 8 $\frac{7}{8}$ " for 18" base
    - 14 $\frac{7}{8}$ " for 24" base
    - 20 $\frac{7}{8}$ " for 30" base
5. View table base widths 18" - 24" and 24" - 30"
  - 18" - 24" with two bases: narrow end base depth 18", and wide end base depth 24".
  - 24" - 30" with two bases: narrow end base depth 24", and wide end base depth 30".
  - 24" - 30" with three bases: narrow end base depth 24", center base depth 24" and wide end base depth 30".
  - 24" - 30" with four bases: narrow end base depth 24", center bases depth 24" and wide end base depth 30".
6. All bases in the kit feature a removable access panel on inside of each base. The center base can have removable access positioned in either direction.
7. Side stretcher rails, 3" high x 1 $\frac{1}{8}$ " deep and match base finish.
8. Attachment hardware for top ships with base
9. Base includes levelers.
10. Order under top cord management separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Racetrack BridgeLine Base Kit

- Available in HPL and Veneer surfaces. Grain runs vertical
- Seated height

#### Details

1. BridgeLine Base Kits feature a patent-pending 2 base support structure.
2. Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
3. Base kits are specific to top depth and width, and come in 2-base configurations.
  - Supports top sizes 48", 54", 60" depth and 120" –192" width.
  - See page 9 for top to base matrix for application guidelines.
4. Individual base depths are 24" and 30". Base width is 6".
5. Integrated base interior cord management
  - Interior clearances for cable management are as follows:
    - Top opening is 3 $\frac{3}{8}$ " wide, bottom opening is 2 $\frac{1}{2}$ " wide.
    - Top and bottom depth opening is:
      - 14 $\frac{7}{8}$ " for 24" base
      - 20 $\frac{7}{8}$ " for 30" base
6. Each base in the kit features a removable access door on inside of the base.
7. Mounting pads: metal center support structure and rails are black.
8. Two metal side beams are black 14-gauge tube, 3" high x 1".
9. Base includes levelers.
10. Attachment hardware for top ships with base
  - See page 90 for options and details.




## Anthology Base Specification:

### Rectangle Base Kit

- Available in TFL and Veneer surfaces. Grain runs vertical.
- Seated, counter and bar height

### Details

1. Seated Base is 27 $\frac{7}{8}$ " high, Counter Height Base is 33 $\frac{3}{8}$ " and Bar Height Base is 40 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29", 35" and 42".
2. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"-60" depth and 72" -240" width.
  - See page 9 for top to base matrix for application guidelines.
3. Individual base depths are 18", 24", and 30". Base width is 5"
4. Integrated base interior cord management
  - Interior clearances for cable management are as follows:
  - Top and bottom opening is 2 $\frac{7}{16}$ " wide.
  - Top and bottom depth opening is:
    - 14 $\frac{1}{8}$ " for 18" base
    - 20 $\frac{1}{8}$ " for 24" base
    - 26 $\frac{1}{8}$ " for 30" base
5. View table base widths 18" - 24" and 24" - 30"
  - 18" - 24" with two bases: narrow end base depth 18", and wide end base depth 24".
  - 24" - 30" with two bases: narrow end base depth 24", and wide end base depth 30".
  - 24" - 30" with three bases: narrow end base depth 24", center base depth 24" and wide end base depth 30".
  - 24" - 30" with four bases: narrow end base depth 24", center bases depth 24" and wide end base depth 30".
6. All bases in the kit feature a removable access panel on inside of each base. The center base can have removable access positioned in either direction.
7. Side stretcher rails, 3" high x 1 $\frac{1}{8}$ " deep and match base finish.
8. Attachment hardware for top ships with base
9. Base includes levelers.
10. Order under top cord management separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Rectangle BridgeLine Base Kit

- Available in TFL and Veneer surfaces. Grain runs vertical.
- Seated height

### Details

1. BridgeLine Base Kits feature a patent-pending 2 base support structure.
2. Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
3. Base kits are specific to top depth and width, and come in 2-base configurations.
  - Supports top sizes 48", 54", 60" depth and 120" –192" width.
  - See page 9 for top to base matrix for application guidelines.
4. Individual base depths are 24" and 30". Base width is 5".
5. Integrated base interior cord management
  - Interior clearances for cable management are as follows:
  - Interior clearances for cable management are as follows:
  - Top and bottom opening is 2 $\frac{7}{8}$ " wide.
  - Top and bottom depth opening is:
    - 20 $\frac{1}{8}$ " for 24" base
    - 26 $\frac{1}{8}$ " for 30" base
6. Each base in the kit features a removable access door on inside of the base.
7. Mounting pads: metal center support structure and rails are black.
8. Two metal side beams are black 14-gauge tube, 3" high x 1".
9. Base includes levelers.
10. Attachment hardware for top ships with base.
11. Order under top cord management separately.
  - See page 90 for options and details.




## Anthology Base Specification:

### Square Single Base & Square Base Kit

- Available in TFL and Veneer surfaces. Grain runs vertical.
- Seated height

### Details

1. Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
2. Single bases are for use with square and soft square tops from 36" - 60". Standard with access for cable management.
3. Base kits are specific to top depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 42"-60" depth and 102"-240" width. All Square base kits feature access doors on all bases.
  - See page 9 for top to base matrix for application guidelines.
4. Integrated base interior cord management
  - Interior clearances for cable management are as follows:
    - 18" model bases: Cable management opening is 15 $\frac{1}{2}$ " X 14 $\frac{1}{8}$ " at top 7" diameter at bottom.
    - 24" model bases: Cable management opening is 21 $\frac{1}{8}$ " at top and 9" diameter at bottom.
5. Seated Height Single Base support tops:
  - 36" - 42" square and soft square top - 18" base
  - 48" - 60" square and soft square top - 24" base
6. All models have a cord pass through at upper side of base for routing cords into the base and base-to-base under the table top.
  - 3 $\frac{1}{4}$ " high from top of removable panel to under side of top and:
    - 18" model bases: 16 $\frac{1}{2}$ " width.
    - 24" model bases: 19 $\frac{1}{2}$ " width.
7. Square bases have a removable panel:
  - 18" model bases: 16 $\frac{1}{2}$ " wide X 24 $\frac{5}{8}$ " high
  - 24" model bases: 22 $\frac{1}{2}$ " wide X 24 $\frac{5}{8}$ " high
8. The counterweight will be included and will ship with the following bases:
  - Single base for 36" - 60" square tops.
  - Base kits for 42" - 48" depth and 102" - 240" width tops.
  - Counterweight material bags will limit cord routing through access bases.
9. Side stretcher rails, 3" high x 1 $\frac{1}{8}$ " deep and match base finish.
10. Black particle board mounting pad with a attachment ha
11. Base includes levelers.
12. Order under top cord management separately.
  - See page 90 for options and details.




**Anthology Base Specification:**

**Square Disc Base Kit**

- Available in metal standard and additional powdercoat finishes.
- Seated, counter and bar height

**Details**

1. Seated Base is 28" high, Counter Height Base is 35" and Bar Height Base is 41" high, with 1 1/8" top: 29 1/8", 36 1/8" and 42 1/8".
2. Single bases are for use with round, square, and soft square tops from 24" – 42".
  - Seated Height Base support tops:
    - 24" round top - 18" base
    - 30" - 36" round top - 23" base
    - 42" round top - 28" base
    - 24" - 30" square and soft square top - 18" base
    - 36" square and soft square top - 23" base
    - 42" square and soft square top - 28" base
  - Counter and Bar Height Base support tops:
    - 24" round top - 18" base
    - 30" - 36" round top - 23" base
    - 42" round top - 28" base
    - 24" - 36" square and soft square top - 18" base
    - 30" - 36" square and soft square top - 23" base
    - 42" square and soft square top - 28" base
    - See page 9 for top to base matrix for application guidelines.
5. Base includes levelers.
6. Order cord management to floor and under top separately.
  - See page 90 for options and details.




**Anthology Base Specification:**

**Truss Base Kit**

- Available in maple, oak, and walnut solid wood. Wood species aligns with respective finish.
- Seated height

**Details**

1. Seated base is 27 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29".
2. Base kits are specific to top height, depth and width, and come in two-, three-, and four-base configurations.
  - Supports top sizes 36"-60" depth and 72" -240" width.
  - See page 9 for top to base matrix for application guidelines.
3. Individual base leg dimensions are 2 $\frac{1}{2}$ " wide, 1 $\frac{1}{2}$ " thick.
4. Solid wood stretcher rails, 3" high x 1 $\frac{1}{8}$ " deep will match base finish.
  - Stretcher rails are 4 $\frac{1}{2}$ " to top and 7 $\frac{1}{2}$ " to bottom edge from the underside of the top.
5. Metal mounting plates.
6. Attachment hardware for top ships with base
7. Base includes levelers.
8. Order cord management to floor and under top separately.
  - See page 90 for options and details.






**Anthology Base Specification:**

**X and X4 Base**

- Available in JSI metal standard powdercoat paint or two-tone with polished aluminum foot and cross linking stretcher, with contrasting metal powdercoat finish column.
- Seated, counter and bar height

**Details**

1. Seated base is 27 $\frac{1}{8}$ " high, Counter Height Base is 34 $\frac{1}{8}$ " and Bar Height Base is 40 $\frac{1}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29", 36" and 42".
2. Single bases are for use with round, square and soft square tops.
  - Single vertical support column X base available in standard or access base models.
  - Access X base models provide a vertical cord management.
  - See page 9 for top to base matrix for application guidelines.
3. Access X bases have integrated base interior cord management channel.
  - Cords pass through top mounting channel into the base column, routing cords to the floor. Column top opening is 1 $\frac{1}{2}$ " diameter with exit opening for straight 3-prong plug at the floor.
4. Seated Height Base support tops:
  - 30" round top - 26" X base
  - 36" - 48" round top - 32" X base
  - 54" - 60" round top - 38" X4 base
  - 30" square and soft square top - 26" X base
  - 36" square and soft square top - 32" X base
  - 42" square and soft square top - 38" X base
  - 48" - 60" square and soft square top - 38" X4 base
5. Counter and Bar Height Base support tops:
  - 30" round top - 26" X base
  - 36" - 42" round top - 32" X base
  - 48" round top - 38" X base
  - 54" - 60" round top - 38" X4 base
  - 30" square and soft square top - 26" X base
  - 36" square and soft square top - 32" X base
  - 42" square and soft square top - 38" X base
  - 48" - 60" square and soft square top - 38" X4 base
6. X4 base have four vertical columns with cross linking 2 $\frac{1}{8}$ " high stretcher at base of vertical columns, 3 $\frac{1}{2}$ " to bottom from floor.
7. Attachment hardware for top ships with base.
8. Base includes levelers.
9. Order cord management to floor for non-access bases and under top separately.
  - See page 90 for options and details.



**Anthology Base Specification:**

**Media Base**


- Wall support base available in HPL and Veneer surfaces. Grain runs vertical. Disc support base available in metal standard and additional powdercoat finishes.
- Seated, counter and bar height

**Details**

1. Seated base is 27 $\frac{7}{8}$ " high, Counter Height Base is 34 $\frac{7}{8}$ " and Bar Height Base is 40 $\frac{7}{8}$ " high, with 1 $\frac{1}{8}$ " top: 29", 36" and 42".
2. 36" wall base kit, and 18" diameter seated, counter, and bar height Disc and Square Disc base is specified separately to support the extension end of the top.
3. Individual wall base depth is 35 $\frac{5}{16}$ ", 5" width.
4. Integrated wall base interior cord management
  - Interior clearances for cable management are as follows:
  - Top and bottom opening is 34 $\frac{7}{16}$ " dept, 4 $\frac{1}{2}$ " wide.
  - Top and bottom depth and width opening is:
  - 34 $\frac{7}{16}$ " depth, 4 $\frac{1}{2}$ " width.
5. All wall bases feature a removable access panel.
  - Removing access panel allows cords to be routed to power and data connections in the wall.
  - Wall base provides space to store excess cords for vertical wire management.
7. Attachment hardware for top ships with base
8. Wall support, Disc and Square Disc bases include levelers.
9. Wall base can be replaced with two GPLBRKT20 for 42" depth tops or two GPLBRKT24 for 53" depth tops when cord concealment is not required along the wall supported end.
10. Order under top cord management separately.
  - See page 90 for options and details.
11. Media units are positioned against a wall limiting seating capacity when a display screen is present.
 

Recommended seating capacity:

  - View tops: 48" - 60"w = seating 3 | 72" w = seating 5.
  - D shape tops: 36"w = seating 2 | 48" - 60"w = seating 3 | 72" w = seating 5.



## Table Top Power Overview

Anthology Power Modules offer a broad selection of performance features to support small to large power requirements including USB A+C. Models are available as single specified units. Selected models are available as modular component system kits with a single plug.

Power modules can be integrated into table tops or undermounted to provide convenient electrical access for devices. There are two main ways to connect the power modules to the building's power source:

### Direct Plug-In

Each power module can be connected directly to a floor monument with 15amp three-prong molded plugs. There must be one power outlet per single corded unit.

Dual corded modules require two outlets per unit.

Direct plug-in method requires multiple floor outlets to power multiple units.

Available for in surface and undermount power units.

### Single Plug-In Modular Component Systems


Multiple power modules are linked with a single-circuit modular power system. Multiple power units are linked together and connect to a floor monument outlet with a single 15amp three-prong molded plug connection. System is protected by an integrated circuit breaker with system reset button.

In surface or undermount power solutions, offer linking systems, reducing need for multiple floor outlets, simplifying specification and installation.


Modular component system reduces the need for multiple floor outlets to simplify connection installation.

Available for in surface and undermount power units.



**In Surface Mounted Power  
Direct Plug-In**



**In Surface Mounted Power  
Single Plug-In Modular Component System**



**Undermounted Power  
Single Plug-In Modular Component System**



Cord covers are provided with the power kit to conceal, protect and route cords over the base stretcher rails.


## Power Unit Features Comparison

All Anthology power units offer single unit models with conventional power cord. Most power units offer the ability to connect multiple units to a single infeed power cord provided in the kit. Hardwire units meet Chicago - hardwire code and require field connection to building power source by qualified electrician.

Collection	Individual Power Unit Description	Aesthetic	Power	Tamper Resistant Power Plug	USB-A+C	Data Openings	Data Configurations	Function	User Interaction	Hardwire Chicago	Pattern Modular Component System	Purl Modular Component System	Modular Connection System
	Node one power outlet / one open data port	exposed plug connection while in use	1	no	n/a	1	12 pack data adapter kit (included)	fixed - top full access	intuitive	no	n/a	n/a	n/a
	Node two power outlets	exposed plug connection while in use	2	no	n/a	n/a	n/a	fixed - top full access	intuitive	no	yes	n/a	n/a
	Node one power outlet / one 20 watt USB A+C (10 watt each)	exposed plug connection while in use	1	no	1	n/a	n/a	fixed - top full access	intuitive	no	yes	n/a	n/a
	Electrolite two power outlets / one 72 watt USB A+C (A=12 watt, C=60 watt)	exposed plug connection while in use	2	yes	1	n/a	n/a	fixed - top full access	intuitive	no	n/a	yes	n/a
	Mho two power outlets / one 20 watt USB A+C (10 watt each) / one open data port	tilt up - pivot closure	2	no	1	1	12 pack data adapter kit (included)	tilt up (in use) - one sided	learned	no	yes	n/a	n/a
	Elora two power outlets / one 20 watt USB A+C (10 watt each) / one open data port	user side access door cover w/ cord slot	2	no	1	1	12 pack data adapter kit (included)	lift door - one sided	intuitive	no	yes	n/a	n/a
	Vault Z23 two power outlets / one USB A (10 watt) +C (15 watt)	retractable door closure	2	no	1	n/a	n/a	slide door full access	learned	no	n/a	n/a	yes
	M2X four power outlets / two 20 watt USB A+C (10 watt each) / two open data port	two user facing tilt ups - pivot closure	4	no	2	2	12 pack data adapter kit (2 included)	tilt up (in use) - user facing	learned	yes	yes	n/a	n/a
	Elora Double eight power outlets / two 20 watt USB A+C (10 watt each) / two open data port	two user facing access door covers w/ cord slots	8	no	2	2	12 pack data adapter kit (2 included)	lift door - two sided - user facing	intuitive	yes	yes	n/a	n/a
	Oasis six power outlets / two 72 watt USB A+C (A=12 watt, C=60 watt) / two blank Telecom plate on each end of tray	two center facing lift up access doors w/ cord slot	6	yes	2	2	TCP100 series plates (order seperately)	two lift doors - center facing	intuitive	yes	n/a	yes	n/a
	Oasis eight power outlets / two blank Telecom plate on each end of tray	two center facing lift up access doors w/ cord slot	8	yes	n/a	2	TCP100 series plates (order seperately)	two lift doors - center facing	intuitive	yes	n/a	yes	n/a
	Vault BTC three power outlets / one USB A (15 watt) +C (45 watt), one HDMI, plus one 15-watt USB-A	motorized - pivot open - pivot closed	3	no	1.5	1	integrated HDMI w/ male end patch cord	pivot open - full access	learned	no	n/a	n/a	n/a
	Undermount one power outlet / one open data port	exposed plug connection while in use	1	no	n/a	1	12 pack data adapter kit (included)	fixed - full access	intuitive	no	yes	n/a	n/a
	Undermount two power outlets	exposed plug connection while in use	2	no	n/a	n/a	n/a	fixed - full access	intuitive	no	yes	n/a	n/a
	Undermount one power outlet / one 20 watt USB A+C (10 watt each)	exposed plug connection while in use	1	no	1	n/a	n/a	fixed - full access	intuitive	no	yes	n/a	n/a

## Power Unit Features Comparison

### Power Types



Anthology Power Modules offer a broad selection of performance features to support small to large power requirements including USB A+C. Models are available as single specified units, with selected models available in kits linked together with a single plug. See pages 80 - 89 for power unit specifications.

Pre-determined cutout locations are available based on top size and base style.

#### Cutouts are an upcharge per cutout.

- Two cutouts 2X upcharge
- Three cutouts 3X upcharge
- Four cutouts 4X upcharge

Laminate, veneer and solid surface have one level of cutout upcharges.

NOTE: Glass carries a higher cutout upcharge due to complexity associated to cutting and tempering of the glass material.

#### To order: specify code associated with power module and location.


CD2M = Ellora - 2 cutouts - Mid Location

### Location Codes

One Cutout Center	Two Cutouts Ends (over / next to bases)	Two Cutouts (between bases)	Three Cutouts Center + Ends	Three Cutouts Center + Mid	Four Cutouts Mid + Ends
CA1C	CA2E	CA2M	CA3CE	CA3CM	CA4ME
CB1C	CB2E	CB2M	CB3CE	CB3CM	CB4ME
CC1C	CC2E	CC2M	CC3CE	CC3CM	CC4ME
CD1C	CD2E	CD2M	CD3CE	CD3CM	CD4ME
CE1C	CE2E	CE2M	CE3CE	CE3CM	CE4ME
CF1C	CF2E	CF2M	CF3CE	CF3CM	N/A
CG1C	CG2E	CG2M	CG3CE	CG3CM	N/A
CH1C	N/A	CH2M	CH3CE	CH3CM	N/A
CJ1C	CJ2E	CJ2M	CJ3CE	CJ3CM	N/A

#### Quantity of units to order, for single units or order one kit based on number of cutouts.

Reference pages 52 - 71 for cutout location by top size and base style. Planning location codes see page 72 - 79.



## Power Unit Features Comparison

### Undermount Power


In addition to in surface Power Modules, Anthology offers an undermount power solution with performance features like in surface units. Undermount power is flexible and can be mounted under all top sizes, shapes and with any base style. No cutout locations or base restrictions apply. Pre-determined mounting locations are established based on typical chair widths, mounting between users for shared easy access. Chair size or placement preference requires flexibility when mounting units under the table top. Power cords lengths accommodate positioning unit up to 12" to the right or left during installation or as requirements change.

Aesthetically, undermount power is a great solution for a discrete power solution. Top surfaces no longer require cutouts, maintaining the clean uninterrupted surface detail.


Located under the edge of the table top for easy access by users.

Available in single 10' corded units or preconfigured single circuit modular kits with a single power cord and standard 15 amp plug.



Undermount power is field installed and can be added to existing Anthology tables if power, charging or data requirements change.



Undermount power unit



Undermount power unit



Cord covers are provided with the power kit to conceal, protect and route cords over the base stretcher rails.

## Table Top Power Options


### Base Type: Bevel Base Kit, Bridge Base Kit, Outline Base Kit, Panel Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 48", 54", 60" Bevel, Bridge, Panel and Outline Base Kit

Top Depth: 36", 42" Bevel, Panel and Outline Base Kit

### Base Height: Seated



Top Width	Cutout CA Node	Cutout CB Electrolite	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23 Retractable	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC Rotating
<b>72" - 78"</b>	CA1C	CB1C	CC1C	CD1C	CE1C	CF1C	N/A	N/A	N/A
<b>84" - 96"</b>	CA1C CA2E	CB1C CB2E	CC1C	CD1C	CE1C CE2E	CF1C	N/A	N/A	N/A
<b>102"</b>	CA1C CA2E CA3CE	CB1C CB2E CB3CE	CC1C	CD1C	CE1C CE2E CE3CE	CF1C	CG1C	CH1C	CJ1C
<b>108" - 114"</b>	CA1C CA2E CA3CE	CB1C CB2E CB3CE	CC1C	CD1C	CE1C CE2E CE3CE	CF1C	CG1C	CH1C	CJ1C
<b>120" - 174"</b>	CA2E CA2M	CB1C CB2M	CC2M	CD2M	CE2M	CF2M	CG2M	CH2M	CJ2M
<b>180" - 192"</b>	CA2E CA2M	CB2E CB2M	CC2M	CD2M	N/A	CF2M	CG2M	CH2M	CJ2M
<b>198" - 234"</b>	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2E CB2M CB3CE CB3CM CB4ME	CC1C CC2M CC3CM	CD1C CD2M CD3CM	CE1C CE3CM CE4ME	CF1C CF2M CF3CM	CG1C CG2M CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM
<b>240"</b>	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2E CB2M CB3CE CB3CM CB4ME	CC1C CC2M CC3CM	CD1C CD2M CD3CM	CE1C	CF1C CF2M CF3CM	CG1C CG2M CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM


## Table Top Power Options

### Base Type: Bridge Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 36", 42"

### Base Height: Seated



Top Width	Cutout CA Node	Cutout CB Electrolyte	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CJ Vault BTC
72" - 78"	CA1C	CB1C	CC1C	CD1C	CE1C	N/A
84" - 96"	CA1C CA2E	CB1C CB2E	CC1C	CD1C	CE1C CE2E	N/A
102" - 114"	CA1C CA2E CA3CE	CB1C CB2E CB3CE	CC1C	CD1C	CE1C CE2E CE3CE	CJ1C
120"	CA2E CA2M	CB1C CB2M	CC2M	CD2M	CE2E	CJ2M

## Table Top Power Options

### Base Type: Bridge Counter and Bar Height Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 36", 42", 48"

### Base Height: Counter, Bar



Top Width	Cutout CA Node	Cutout CB Electrolyte	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CJ Vault BTC
72" - 78"	CA1C	CB1C	CC1C	CD1C	CE1C	N/A
84" - 96"	CA1C	CB1C	CC1C	CD1C	CE1C	N/A
102" - 114"	CA1C	CB1C	CC1C	CD1C	CE1C	CJ1C

## Table Top Power Options

### Base Type: Conical

Top Shape: Round

Top Size: 36", 42", 48", 54", 60"

Base Height: Seated




Top Width	Cutout CA Node
36" - 60"	CA1C

### Base Type: X Access, Disc Access

Top Shape: Round, Square, Soft Square

Top Size: 24", 30", 36", 42", 48"

Base Height: Seated, Counter, Bar



Top Width	Cutout CA Node
24" - 48"	CA1C



## Table Top Power Options

### Base Type: Conical Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 42", 48"

### Base Height: Seated



Top Width	Cutout CA Node	Cutout CB Electrolite	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
<b>102" - 114"</b>	CA1C CA2E CA3CE	CB1C	CC1C	CD1C	CE1C	CF1C	CG1C	CH1C	CJ1C
<b>120" - 144"</b>	CA1C CA2E CA2M CA3CE	CB1C	CC1C	CD1C	CE1C	CF1C	CG1C	CH1C	CJ1C
<b>150" - 174"</b>	CA1C CA2E CA2M CA3CE	CB2M	CC2M	CD2M	CE2M	CF2M	CG2M	CH2M	CJ2M
<b>180" - 192"</b>	CA1C CA2E CA2M CA3CE	CB2M	CC2M	CD2M	N/A	CF2M	CG2M	CH2M	CJ2M
<b>198" - 234"</b>	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2M CB3CM	CC1C CC2M CC3CM	CD1C CD2M CD3CM	CE1C CE3CM	CF1C CF2M CF3CM	CG1C CG2M CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM
<b>240"</b>	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2M CB3CM	CC1C CC2M CC3CM	CD1C CD2M CD3CM	CE1C	CF1C CF2M CF3CM	CG1C CG2M CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM



## Table Top Power Options

### Base Type: Conical Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular, View

Top Size: 54", 60"

### Base Height: Seated



Top Width	Cutout CA Node	Cutout CB Electrolite	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
<b>120" - 144"</b>	CA1C CA2E CA2M CA3CE	CB1C	CC1C	CD1C	CE1C	CF1C	CG1C	CH1C	CJ1C
<b>150" - 174"</b>	CA1C CA2E CA2M CA3CE	CB2M	CC2M	CD2M	CE2M	CF2M	CG2M	CH2M	CJ2M
<b>180" - 192"</b>	CA1C CA2E CA2M CA3CE	CB2M	CC2M	CD2M	N/A	CF2M	CG2M	CH2M	CJ2M
<b>198" - 234"</b>	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2M CB3CM	CC1C CC2M CC3CM	CD1C CD2M CD3CM	CE1C CE3CM	CF1C CF2M CF3CM	CG1C CG2M CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM
<b>240"</b>	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2M CB3CM	CC1C CC2M CC3CM	CD1C CD2M CD3CM	CE1C	CF1C CF2M CF3CM	CG1C CG2M CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM

## Table Top Power Options

**Base Type: Fluted Cylinder Base, Cylinder Base, Square Base**

Top Shape: Round or Square with Square Base

Top Size: 36", 42", 48", 54", 60"

**Base Height: Seated**



Top Width	Cutout CA Node	Cutout CB Electrolite	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23 Retractable	Cutout CF M2X	Cutout CG Ellora Double
<b>For 18" Base 36", 42"</b>	CA1C	CB1C	CC1C	N/A	CE1C	N/A	N/A
<b>For 24" Base 48", 54", 60"</b>	CA1C	CB1C	CC1C	CD1C	CE1C	CF1C	CG1C



## Table Top Power Options

### Base Type: Fluted Cylinder Base Kit, Cylinder Base Kit, Square Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 42", 48"

Base Height: Seated



Top Width	Cutout CA Node	Cutout CB Electrolite	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
102" - 114"	CA1C CA2E CA3CE	CB1C CB2E	CC1C CC2E	CD1C CD2E	CE1C CE2E	CF1C CF2E	CG1C	CH1C	CJ1C
120"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CE	CE1C CE2E	CF1C CF2E CF2M CF3CE	CG1C CG2M	CH1C	CJ1C
126" - 144"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CE	CE1C CE2E CE3CE	CF1C CF2E CF2M CF3CE	CG1C CG2M	CH1C	CJ1C
150" - 174"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CE	CE1C CE2E CE3CE	CF1C CF2E CF2M CF3CE	CG2M	CH2M	CJ2M
180" - 192"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CE	CE1C	CF1C CF2E CF2M CF3CE	CG2M	CH2M	CJ2M
198" - 234"	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2E CB2M CB3CE CB3CM	CC1C CC2E CC2M CC3CE CC3CM	CD1C CD2E CD2M CD3CE CD3CM	CE1C CE3CM	CF1C CF2E CF2M CF3CE CF3CM	CG1C CG2M	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM
240"	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB32E CB2M CB3CE CB3CM	CC1C CC2E CC2M CC3CE CC3CM	CD1C CD2E CD2M CD3CE CD3CM	CE1C	CF1C CF2E CF2M CF3CE CF3CM	CG1C CG2M	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM



## Table Top Power Options

### Base Type: Fluted Cylinder Base Kit, Cylinder Base Kit, Square Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 54", 60"

### Base Height: Seated



Top Width	Cutout CA Node	Cutout CB Electrolite	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
<b>120" - 144"</b>	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC3CE	CD1C CD2E CD3CE	CE1C CE3CE	CF1C CF2E	CG1C CG2E	CH1C	CJ1C
<b>150" - 174"</b>	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CE	CE1C CE3CE	CF1C CF2E CF2M CF3CE	CG1C CG2E CG2M CG3CE	CH2M	CJ2M
<b>180" - 192"</b>	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CE	CE1C	CF1C CF2E CF2M CF3CE	CG1C CG2E CG2M CG3CE	CH2M	CJ2M
<b>198" - 234"</b>	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB32E CB2M CB3CE CB3CM	CC1C CC2E CC2M CC3CE CC3CM	CD1C CD2E CD2M CD3CE CD3CM	CE1C CE3CM	CF1C CF2E CF2M CF3CE CF3CM	CG1C CG2E CG2M CG3CE CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM
<b>240"</b>	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB32E CB2M CB3CE CB3CM	CC1C CC2E CC2M CC3CE CC3CM	CD1C CD2E CD2M CD3CE CD3CM	CE1C	CF1C CF2E CF2M CF3CE CF3CM	CG1C CG2E CG2M CG3CE CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM



## Table Top Power Options

### Base Type: Lok Y Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 36", 42", 48", 54", 60"

### Base Height: Seated, Counter, Bar



Top Width	Cutout CA Node	Cutout CB Electrolyte	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
72" - 78"	CA1C	CB1C	CC1C	CD1C	CE1C	CF1C	N/A	N/A	N/A
84" - 96"	CA1C CA2M	CB1C CB2M	CC1C	CD1C	CE1C CE2M	CF1C	N/A	N/A	N/A
102" - 114"	CA2M	CB2M	N/A	N/A	CE2M	N/A	N/A	N/A	N/A
120" - 138"	CA2M	CB2M	CC2M	CD2M	CE2M	CF2M	CG2M	CH2M	CJ2M
144" - 174"	CA2M	CB2M	CC2M	CD2M	CE2M	CF2M	CG2M	CH2M	CJ2M
180" - 192"	CA2M	CB2M	CC2M	CD2M	CE2M	CF2M	CG2M	CH2M	CJ2M
198" - 234"	CA1C CA2M CA3CM	CB1C CB2M CB3CM	CC1C CC2M CC3CM	CD1C CD2M CD3CM	CE1C CE3CM	CF1C CF2M CF3CM	CG1C CG2M CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM
240"	CA1C CA2M CA3CM	CB1C CB2M CB3CM	CC1C CC2M CC3CM	CD1C CD2M CD3CM	CE1C CE3CM	CF1C CF2M CF3CM	CG1C CG2M CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM

## Table Top Power Options


**Base Type: Lok Y - Ellipse Base Kit, Bridge Ellipse Base Kit, Oblique Ellipse Base Kit, Truss Ellipse Base Kit**

Top Shape: Ellipse

Top Depth: 36", 42", 48", 54", 60"

**Base Height: Seated - Lok Y, Bridge, Oblique and Truss Bases**

**Base Height: Counter and Bar - Lok Y and Oblique Bases**



Top Width	Cutout CA Node	Cutout CB Electrolite	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
72"	CA1C	CB1C	CC1C	CD1C	CE1C	CF1C	N/A	N/A	N/A
84" - 96"	CA1C CA2M	CB1C CB2M	CC1C	CD1C	CE1C CE2M	CF1C	N/A	N/A	N/A
102" - 114"	CA2M	CB2M	N/A	N/A	CE2M	N/A	N/A	N/A	N/A
120"	CA2M	CB2M	CC2M	CD2M	CE2M	CF2M	CG2M	CH2M	CJ2M


## Table Top Power Options

### Base Type: Oblique Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 36", 42"

### Base Height: Seated



Top Width	Cutout CA Node	Cutout CB Electrolyte	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CJ Vault BTC
72"	CA1C	CB1C	CC1C	CD1C	CE1C	CF1C	N/A
84" - 96"	CA1C CA2E	CB1C CB2E	CC1C CC2E	CD1C CD2E	CE1C CE2E	CF1C	N/A
102" - 114"	CA1C CA2E CA3CE	CB1C CB2E CB3CE	CC1C CC2E	CD1C CD2E	CE1C CE2E CE3CE	CF1C	CJ1C
120"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CC3CE	CE1C CE2M CE3CE	CF2M	CJ2M


## Table Top Power Options

### Base Type: Oblique Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 36", 42"

Base Height: Counter, Bar



Top Width	Cutout CA Node	Cutout CB Electrolyte	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23
72" - 78"	CA1C	CB1C	CC1C	CD1C	CE1C
84" - 96"	CA1C CA2E	CB1C CB2E	CC1C CC2E	CD1C CD2E	CE1C CE2E
102" - 114"	CA1C CA2E CA3CE	CB1C CB2E CB3CE	CC1C CC2E	CD1C CD2E	CE1C CE2E CE3CE
120"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CC3CE	CE1C CE2E CE3CE


## Table Top Power Options

### Base Type: Oblique Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 48"

### Base Height: Seated



Top Width	Cutout CA Node	Cutout CB Electrolyte	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
72" - 78"	CA1C	CB1C	CC1C	CD1C	CE1C	CF1C	N/A	N/A	N/A
84" - 96"	CA1C CA2E	CB1C CB2E	CC1C CC2E	CD1C CD2E	CE1C CE2E	CF1C	N/A	N/A	N/A
102" - 114"	CA1C CA2E CA3CE	CB1C CB2E CB3CE	CC1C	CD1C	CE1C CE2E CE3CE	CF1C	CG1C	CH1C	N/A
120" - 138"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CC3CE	CE1C CE2M CE3CE	CF1C CF2E CF2M	CG1C CG2E CG2M	CH2M	CJ2M
144" - 174"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CC3CE	CE1C CE2M CE3CE	CF1C CF2E CF2M CF3CE	CG1C CG2E CG2M CG3CE	CH2M	CJ2M
180" - 192"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CC3CE	CE1C	CF1C CF2E CF2M CF3CE	CG1C CG2E CG2M CG3CM	CH2M	CJ2M
198" - 234"	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2E CB2M CB3CE CB3CM CB4ME	CC1C CC2E CC2M CC3CE CC3CM CC4ME	CD1C CD2E CD2M CD3CE CD3CM CD4ME	CE1C CE3CM CE4ME	CF1C CF2E CF2M CF3CE CF3CM	CG1C CG2E CG2M CG3CE CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM
240"	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2E CB2M CB3CE CB3CM CB4ME	CC1C CC2E CC2M CC3CE CC3CM CC4ME	CD1C CD2E CD2M CD3CE CD3CM CD4ME	CE1C	CF1C CF2E CF2M CF3CE CF3CM	CG1C CG2E CG2M CG3CE CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM


## Table Top Power Options

### Base Type: Oblique Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 48"

### Base Height: Counter, Bar



Top Width	Cutout CA Node	Cutout CB Electrolyte	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
72" - 78"	CA1C	CB1C	CC1C	CD1C	CE1C	CF1C	N/A	N/A	N/A
84" - 96"	CA1C CA2E	CB1C CB2E	CC1C CC2E	CD1C CD2E	CE1C CE2E	CF1C	N/A	N/A	N/A
102" - 114"	CA1C CA2E CA3CE	CB1C CB2E CB3CE	CC1C	CD1C	CE1C CE2E CE3CE	CF1C	CG1C	CH1C	CJ1C
120"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CC3CE	CE1C CE2M CE3CE	CF1C CF2E CF2M	CG1C CG2E CG2M	CH2M	CJ2M



## Table Top Power Options

### Base Type: Oblique Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 54", 60"

### Base Height: Seated



Top Width	Cutout CA Node	Cutout CB Electrolyte	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
<b>120" - 138"</b>	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CC3CE	CE1C CE2M CE3CE	CF1C CF2E CF2M	CG1C CG2E CG2M	CH2M	CJ2M
<b>144" - 174"</b>	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CC3CE	CE1C CE2M CE3CE	CF1C CF2E CF2M CF3CE	CG1C CG2E CG2M CG3CE	CH2M	CJ2M
<b>180" - 192"</b>	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CC3CE	CE1C	CF1C CF2E CF2M CF3CM	CG1C CG2E CG2M CG3CM	CH2M	CJ2M
<b>198" - 234"</b>	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2E CB2M CB3CE CB3CM CB4ME	CC1C CC2E CC2M CC3CE CC3CM CC4ME	CD1C CD2E CD2M CD3CE CD3CM CD4ME	CE1C CE3CM CE4ME	CF1C CF2E CF2M CF3CE CF3CM	CG1C CG2E CG2M CG3CE CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM
<b>240"</b>	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2E CB2M CB3CE CB3CM CB4ME	CC1C CC2E CC2M CC3CE CC3CM CC4ME	CD1C CD2E CD2M CD3CE CD3CM CD4ME	CE1C	CF1C CF2E CF2M CF3CE CF3CM	CG1C CG2E CG2M CG3CE CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM


## Table Top Power Options

### Base Type: Oblique Base Kit

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 54", 60"

Base Height: Counter, Bar



Top Width	Cutout CA Node	Cutout CB Electrolyte	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
120"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CC3CE	CE1C CE2M CE3CE	CF1C CF2E CF2M	CG1C CG2E CG2M	CH2M	CJ2M



## Table Top Power Options

**Base Type: Aspect & Aspect View Base Kit, Frame & Frame View Base Kit, Half Cylinder Base Kit, Racetrack Base Kit, Rectangle & Rectangle View Base Kit, Truss Base Kit**

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 36", 42", 48", 54", 60"

**Base Height: Seated**



Top Width	Cutout CA Node	Cutout CB Electrolite	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
72" - 78"	CA1C	CB1C	CC1C	CD1C	CE1C	CF1C	N/A	N/A	N/A
84" - 96"	CA1C CA2E	CB1C CB2E	CC1C CC2E	CD1C CD2E	CE1C	CF1C	N/A	N/A	N/A
102" - 114"	CA1C CA2E CA3CE	CB1C CB2E CB3CE	CC1C CC2E	CD1C CD2E	CE1C CE2E CE3CE	CF1C	CG1C	CH1C	CJ1C
120" - 138"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CM	CE1C CE2M CE3CE	CF1C CF2E CF2M	CG1C CG2E CG2M	CH2M	CJ2M
144" - 174"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CM	CE1C CE2M CE3CE	CF1C CF2E CF2M CF3CE	CG1C CG2E CG2M CG3CE	CH2M	CJ2M
180" - 192"	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CM	CE1C	CF1C CF2E CF2M CF3CM	CG1C CG2E CG2M CG3CE	CH2M	CJ2M
198" - 234"	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2E CB2M CB3CE CB3CM CB4ME	CC1C CC2E CC2M CC3CE CC3CM CC4ME	CD1C CD2E CD2M CD3CE CD3CM CD4ME	CE1C CE3CM CE4ME	CF1C CF2E CF2M CF3CE CF3CM	CG1C CG2E CG2M CG3CE CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM
240"	CA1C CA2E CA2M CA3CE CA3CM CA4ME	CB1C CB2E CB2M CB3CE CB3CM CB4ME	CC1C CC2E CC2M CC3CE CC3CM CC4ME	CD1C CD2E CD2M CD3CE CD3CM CD4ME	CE1C	CF1C CF2E CF2M CF3CE CF3CM	CG1C CG2E CG2M CG3CE CG3CM	CH1C CH2M CH3CM	CJ1C CJ2M CJ3CM


## Table Top Power Options

### Base Type: Rectangle Counter and Bar Height

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular, View

Top Depth: 36", 42", 48", 54", 60"

### Base Height: Counter, Bar





Top Width	Cutout CA Node	Cutout CB Electrolyte	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
<b>72" - 78"</b>	CA1C	CB1C	CC1C	CD1C	CE1C	CF1C	N/A	N/A	N/A
<b>84" - 96"</b>	CA1C CA2E	CB1C CB2E	CC1C CC2E	CD1C CD2E	CE1C	CF1C	N/A	N/A	N/A
<b>102" - 114"</b>	CA1C CA2E CA3CE	CB1C CB2E CB3CE	CC1C CC2E	CD1C CD2E	CE1C CE2E CE3CE	CF1C	CG1C	CH1C	CJ1C
<b>120"</b>	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CM	CE1C CE2M CE3CE	CF1C CF2E CF2M	CG1C CG2E CG2M	CH1C	CJ1C

## Table Top Power Options

**Base Type: Aspect BridgeLine Base Kit, Frame BridgeLine Base Kit, Racetrack BridgeLine Base Kit, Rectangle BridgeLine Base Kit**

Top Shape: Rectangular, Soft Rectangular, Racetrack, Boat, Arc Boat, Arc Rectangular

Top Depth: 48", 54", 60"




Top Width	Cutout CA Node	Cutout CB Electrolyte	Cutout CC Mho	Cutout CD Ellora	Cutout CE Vault Z23	Cutout CF M2X	Cutout CG Ellora Double	Cutout CH Oasis	Cutout CJ Vault BTC
<b>120" - 174"</b>	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CM	CE2M	CF1C CF2E CF2M CF3CE	CG1C CG2E CG2M CG3CE	CJ2M	CJ1C
<b>180" - 192"</b>	CA1C CA2E CA2M CA3CE	CB1C CB2E CB2M CB3CE	CC1C CC2E CC2M CC3CE	CD1C CD2E CD2M CD3CM	N/A	CF1C CF2E CF2M CF3CE	CG1C CG2E CG2M CG3CE	CJ2M	CJ1C


## Cutout and Mounting Guide Dimension to Center of Power Unit

Power Locations For All Top Depths And Power Types.

**Top Mount**




**Undermount**




Top Dimension	Center of Power Unit Top Mounted Unit	One Power Unit from Edge Undermount Unit
24	12	2
30	15	2
36	18	2
42	21	2
48	24	2
54	27	2
60	30	2
Top Dimension	Two Power Units from Edge Undermount Unit	
42	n/a	2
48	n/a	2
54	n/a	2
60	n/a	2
Top Dimension	Four Power Units from Edge Undermount Unit	
54	n/a	2
60	n/a	2

**Top Mount**



**Undermount**




Top Dimension	Center of Power Unit Top Mounted Unit	Center of Power Unit from Corner Undermount Unit
24	12	4
30	15	4
36	18	4
42	21	4
48	24	4
54	27	4
60	30	4
Top Dimension	Center of Power Unit from Corner Undermount Unit	
42	n/a	4
48	n/a	4
54	n/a	4
60	n/a	4
Top Dimension	Center of Power Unit from Corner Undermount Unit	
54	n/a	4
60	n/a	4






## Cutout and Mounting Guide Dimension to Center of Power Unit

Center Power Locations For All Top Depths And Power Types.

**Top Mount**



**Undermount**






Top Width	Center of Power Unit Top and Undermount Units
72	36
78	39
84	42
90	45
96	48
102	51
108	54
114	57
120	60
Top Width	Center of Power Unit Top and Undermount Units
126	63
132	66
138	69
144	72
150	75
156	78
162	81
168	84
174	87
180	90
186	93
192	96
Top Width	Center of Power Unit Top and Undermount Units
198	99
204	102
210	105
216	108
222	111
228	114
234	117
240	120




## Cutout and Mounting Guide Dimension to Center of Power Unit

End Power Locations For All Top Depths And Power Types.

### Top Mount



### Undermount




Top Width	Center of 1st Power Unit Top and Undermount Units	Center of 2nd Power Unit Top and Undermount Units
72	21	51
78	21	57
84	24	60
90	24	66
96	27	69
102	27	75
108	27	81
114	27	87
120	27	93
Top Width	Center of 1st Power Unit Top and Undermount Units	Center of 2nd Power Unit Top and Undermount Units
126	27	99
132	27	105
138	27	111
144	27	117
150	27	123
156	27	129
162	27	135
168	27	141
174	27	147
180	27	153
186	27	159
192	27	165
Top Width	Center of 1st Power Unit Top and Undermount Units	Center of 2nd Power Unit Top and Undermount Units
198	27	171
204	27	177
210	27	183
216	27	189
222	27	195
228	27	201
234	27	207
240	27	213




## Cutout and Mounting Guide Dimension to Center of Power Unit

Center And End Power Locations For All Top Depths And Power Types.

### Top Mount



### Undermount




Top Width	Center of 1st Power Unit Top and Undermount Units	Center of 2nd Power Unit Top and Undermount Units	Center of 3rd Power Unit Top and Undermount Units
102	27	51	75
108	27	54	81
114	27	57	87
120	27	60	93
126	27	63	99
132	27	66	105
138	27	69	111
144	27	72	117
150	27	75	123
156	27	78	129
162	27	81	135
168	27	84	141
174	27	87	147
180	27	90	153
186	27	93	159
192	27	96	165
Top Width	Center of 1st Power Unit Top and Undermount Units	Center of 2nd Power Unit Top and Undermount Units	Center of 3rd Power Unit Top and Undermount Units
198	27	99	171
204	27	102	177
210	27	105	183
216	27	108	189
222	27	111	195
228	27	114	201
234	27	117	207
240	27	120	213




## Cutout and Mounting Guide Dimension to Center of Power Unit

Mid Power Locations For All Top Depths And Power Types.

### Top Mount



### Undermount




Top Width	Center of 1st Power Unit Top and Undermount Units	Center of 2nd Power Unit Top and Undermount Units
120	43.5	76.5
126	45	81
132	46.5	85.5
138	48	90
144	49.5	94.5
150	51	99
156	52.5	103.5
162	54	108
168	55.5	112.5
174	57	117
180	58.5	121.5
186	60	126
192	61.5	130.5
Top Width	Center of 1st Power Unit Top and Undermount Units	Center of 2nd Power Unit Top and Undermount Units
198	51	147
204	52	152
210	53	157
216	54	162
222	55	167
228	56	172
234	57	177
240	58	182

## Cutout and Mounting Guide Dimension to Center of Power Unit


### Center And Mid Power Locations For All Top Depths And Power Types.

#### Top Mount




Top Width	Center of 1st Power Unit Top and Undermount Units	Center of 2nd Power Unit Top and Undermount Units	Center of 3rd Power Unit Top and Undermount Units
198	51	99	147
204	52	102	152
210	53	105	157
216	54	108	162
222	55	111	167
228	56	114	172
234	57	117	177
240	58	120	182

#### Undermount




### Mid And End Power Locations For All Top Depths And Power Types.

#### Top Mount



Top Width	Center of 1st Power Unit Top and Undermount Units	Center of 2nd Power Unit Top and Undermount Units	Center of 3rd Power Unit Top and Undermount Units	Center of 4th Power Unit Top and Undermount Units
198	27	75	123	171
204	27	77	127	177
210	27	79	131	183
216	27	81	135	189
222	27	83	139	195
228	27	85	143	201
234	27	87	147	207
240	27	89	151	213


#### Undermount




## Mounting Guide Dimension to Center of Power Unit

### Plus 1 Undermount Power Locations For All Top Depths.

#### Undermount



Corner Plus 1 - Corner with 6 Center and Mid Kit




Edge Plus 1 - End with 8 mid and ends kit

Top Width	Power unit from Corner	Power unit from Edge
72	4	2
78	4	2
84	4	2
90	4	2
96	4	2
102	4	2
108	4	2
114	4	2
120	4	2
126	4	2
132	4	2
138	4	2
144	4	2
150	4	2
156	4	2
162	4	2
168	4	2
174	4	2
180	4	2
186	4	2
192	4	2
198	4	2
204	4	2
210	4	2
216	4	2
222	4	2
228	4	2
234	4	2
240	4	2


## Mounting Guide Dimension to Center of Power Unit

### Plus 2 Undermount Power Locations For All Top Depths .

#### Undermount



Corner Plus 2 - with 8 Mid and Ends Kit



Edge Plus 2 - with 6 Center and Mid Kit

Top Width	Power Units from Corner	Power Units from Edge
72	4	2
78	4	2
84	4	2
90	4	2
96	4	2
102	4	2
108	4	2
114	4	2
120	4	2
126	4	2
132	4	2
138	4	2
144	4	2
150	4	2
156	4	2
162	4	2
168	4	2
174	4	2
180	4	2
186	4	2
192	4	2
198	4	2
204	4	2
210	4	2
216	4	2
222	4	2
228	4	2
234	4	2
240	4	2


## Power Offering Features: In Surface Mounting

Anthology Power Modules offer a broad selection of performance features to support small to large requirements including USB A+C and interface adapters and plates to receive data and video connections. Models are available as single specified units, or models for kits to provide multiple units connected to a single infeed power cord. In-surface power units are specified to coordinate with table cutouts in pre-determined locations.

### Pre-determined cutout locations are available based on top size and base style.

Cutouts are an upcharge per cutout.

- Two cutouts 2X upcharge
- Three cutouts 3X upcharge
- Four cutouts 4X upcharge



## Node

Single corded - Node individual power unit



### One power outlet / one open data port

- 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- flush mount design
- spill-proof design, black outlet
- 10' cord with 15-amp three-prong molded plug
- silver or black powder coat aluminum faceplate
- UL listed



### Two power outlets

- flush mount design
- spill-proof design, black outlet
- 10' cord with 15-amp three-prong molded plug
- silver or black powder coat aluminum faceplate
- UL listed




### One power outlet / one 20 watt USB A+C (10 watt each)

- flush mount design
- spill-proof design, black outlet
- 10' cord with 15-amp three-prong molded plug
- silver or black powder coat aluminum faceplate
- UL listed

## Node

Pattern modular component system with Node power units



### Individual power unit features: two power outlets

- available in 2, 3, and 4-unit power kit models with single power infeed.
- flush mount design
- spill-proof, black outlet
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10' - 15-amp molded plug infeed.
- infeed power plug has an integrated circuit breaker with reset
- silver or black powder coat aluminum faceplate
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection components, and hardware.
- ETL listed



### Individual power unit features: one power outlet / one 20 watt USB A+C (10 watt each)

- available in 2, 3, and 4-unit power kit models with single power infeed.
- flush mount design
- spill-proof, black outlet
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10' - 15-amp molded plug infeed.
- infeed power plug has an integrated circuit breaker with reset
- silver or black powder coat aluminum faceplate
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection components, and hardware.
- ETL listed

## Power Offering Features: In Surface Mounting

### Electrolite

Single corded - Electrolite individual power unit




#### Two power outlets / one 72 watt USB A+C (A =12 watt, C = 60 watt)

- flush mount design
- tamper resistant outlets
- 9' strain relief cord with 15 amp three-prong molded plug
- silver or black powdercoat metal faceplate
- ETL listed

### Electrolite

PURL Modular Component System with Electrolite Power Units




#### Individual power unit features: two power outlets / one 72 watt USB A+C (A =12 watt, C = 60 watt)

- available in 2, 3, and 4-unit power kit models with single power infeed.
- flush mount design
- tamper resistant outlets
- PURL Single Circuit Linking Power System is non-sequential, connecting multiple units with one 9' - 15-amp molded plug infeed.
- infeed power cord has an integrated circuit breaker with reset
- silver or black powder coat metal faceplate
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection components.
- UL listed

### Mho

Single corded - Mho individual power unit




#### two power outlets / one 20 watt USB A+C (10 watt each) / one open data port

- 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- flush mount design with tilt up / retractable one touch operation
- 10' cord with 15-amp three-prong molded plug
- silver or black powdercoat aluminum frame and lid
- inside face plate and power/data outlets are black
- UL Listed

### Mho

Pattern modular component system with Mho power units




#### Individual power units feature: two power outlets / one 20 watt USB A+C (10 watt each) / one open data port

- 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- available in 2, 3, and 4-unit power kit models with single power infeed.
- flush mount design with tilt up / retractable one touch operation
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10' - 15-amp molded plug infeed.
- infeed power plug has an integrated circuit breaker with reset
- silver or black powdercoat aluminum frame and lid
- power/data outlets are black
- inside face plate and power/data outlets are black
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection components, and hardware.
- ETL listed

## Power Offering Features: In Surface Mounting

### Ellora

Single corded - Ellora individual power unit




#### Two power outlets / one 20 watt USB A+C (10 watt each) / one open data port

- 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- flush mount design aluminum frame with soft closing lid and cord routing slot
- 10' cord with 15 amp three-prong molded plug
- silver or black powdercoat aluminum frame and lid
- inside face plate and power/data outlets are black
- UL Listed

### Ellora

Pattern modular component system with Ellora power units




#### Individual power units feature: two power outlets / one 20 watt USB A+C (10 watt each) / one open data port

- 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- available in 2, 3, and 4-unit power kit models with single power infeed.
- flush mount design aluminum frame with soft closing lid and cord routing slot
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10' - 15-amp molded plug infeed.
- infeed power plug has an integrated circuit breaker with reset
- silver or black powdercoat aluminum frame and lid
- inside face plate and power/data outlets are black
- silver and black powdercoat aluminum frame and lid
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection components, and hardware.
- ETL listed

### Vault Z23

Single corded - Vault Z23 individual power unit




#### Two power outlets / one USB A (10 watt) +C (15 watt)

- flush mount design
- retractable door to access outlets
- 10' cord with 15 amp three-prong molded plug
- black trim with dark gray retractable door and black outlet face
- ETL Listed

### Vault Z23

Modular connection system with Vault Z23 retractable power units




#### Individual power units feature: two power outlets / one USB A (10 watt) +C (15 watt)

- available in 2, 3, and 4-unit power kit models with single power infeed.
- flush mount design
- retractable door to access outlets
- Sequential single circuit, connecting multiple units with one 9' - 15-amp molded plug
- black trim with dark gray retractable door and black outlet face
- specify model for power kit based on, top width range and cutout locations to provide required cord lengths, connection components, and hardware.
- ETL listed

## Power Offering Features: In Surface Mounting

### M2X

Two corded - M2X two-sided individual power unit




**Each side features: two power outlets / one 20 watt USB A+C (10 watt each) / one open data port**

- power unit has total of: four power, two 20 watt USB A+C (10 watt each) and two open data ports
- two - 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- flush mount design with two-sided tilt up / retractable one touch operation
- two 10' cords with 15-amp three-prong molded plug, (one per side)
- silver or black powdercoat aluminum frame and lids
- inside face plate and power/data outlets are black
- UL Listed

### M2X

Two conduit hardwire - M2X two-sided individual power unit - Chicago Hardwire




**Each side features: two power outlets / one 20 watt USB A+C (10 watt each) / one open data port**

- power unit has total of: four power, two 20 watt USB A+C (10 watt each) and two open data ports
- two - 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- flush mount design with two sided tilt up / retractable one touch operation
- two 10' conduit shielded hardwire whips, one per side
- silver or black powdercoat aluminum frame and lids
- inside face plate and power/data outlets are black
- ULL Listed

### M2X

Pattern modular component system with M2X two-sided power units




**Individual power units feature on each side: two power outlets / one 20 watt USB A+C (10 watt each) / one open data port**

- power unit has total of: four power, two 20 watt USB A+C (10 watt each) and two open data ports
- two - 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- available in 1, 2, and 3-unit power kit models with single power infeed.
- flush mount design with tilt up / retractable one touch operation
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10' cord - 15-amp molded plug infeed.
- infeed power plug has an integrated circuit breaker with reset
- silver or black powdercoat aluminum frame and lid
- inside face plate and power/data outlets are black
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection components, and hardware.
- ETL listed

### Ellora Double

Two corded Ellora Double two-sided individual power unit




**Each side features: four power outlets / one 20 watt USB A+C (10 watt each) / one open data port**

- power unit has total of: eight power, two 20 watt USB A+C (10 watt each) and two open data ports
- two - 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- flush mount design aluminum frame with soft closing lids and cord routing slot
- two 10' cord with 15 amp three-prong molded plug
- silver or black powdercoat aluminum frame and lids
- inside face plate and power/data outlets are black
- UL Listed

### Ellora Double

Two conduit hardwire - M2X two-sided individual power unit - Chicago Hardwire




**Each side features: four power outlets / one 20 watt USB A+C (10 watt each) / one open data port**

- power unit has total of: eight power, two 20 watt USB A+C (10 watt each) and two open data ports
- two - 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- flush mount design aluminum frame with soft closing lids and cord routing slot
- two 10' conduit shielded hardwire whips, one per side
- silver or black powdercoat aluminum frame and lids
- inside face plate and power/data outlets are black
- ULL Listed

### Ellora Double

Pattern modular component system with M2X two-sided power units




**Individual power units feature on each side: four power outlets / one 20 watt USB A+C (10 watt each) / one open data port**

- power unit has total of: eight power, two 20 watt USB A+C (10 watt each) and two open data ports
- two - 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- available in 1, 2, and 3-unit power kit models with single power infeed.
- flush mount design with tilt up / retractable one touch operation
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10' cord - 15-amp molded plug infeed.
- infeed power plug has an integrated circuit breaker with reset
- silver or black powdercoat aluminum frame and lids
- inside face plate and power/data outlets are black
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection components, and hardware.
- ETL listed

## Power Offering Features: In Surface Mounting

### Oasis

Two corded Oasis two-sided individual power unit




**Each side features: three power outlets / one 72 watt USB A+C (A = 12 watt, C = 60 watt) / one blank Telecom plate on each end of tray**

- power unit has total of: six power outlets, two 72 watt USB A+C and two blank Telecom plates
- blank Telecom plates can be replaced with TCP100 series punched or configured plates ordered separately, see page 88 for details
- metal hinged tilt lids lift up from center with center cord routing slot when closed
- metal hinged lid available in seven standard JSI metal finishes
- two 9' cords with 15 amp three-prong molded plug, one per side
- tamper resistant outlets
- inside tray, faceplates, outlets and blank Telecom plates are black
- UL Listed

### Oasis

Two conduit hardwire - Oasis two-sided individual power unit - Chicago Hardwire




**Each side features: three power outlets / one 72 watt USB A+C (A = 12 watt, C = 60 watt) / one blank Telecom plate on each end of tray**

- power unit has total of: six power outlets, two 72 watt USB A+C and two blank Telecom plates
- blank Telecom plates can be replaced with TCP100 series punched or configured plates ordered separately, see page 88 for details
- metal hinged tilt lids lift up from center with center cord routing slot when closed
- metal hinged lid available in seven standard JSI metal finishes
- two 9' conduit shielded hardwire whips, one per side
- tamper resistant outlets
- inside tray, faceplates, outlets and blank Telecom plates are black
- UL Listed

### Oasis

PURL Modular Component System with Oasis Power Units




**Individual power units features on each side: three power outlets / one 72 watt USB A+C (A = 12 watt, C = 60 watt) / one blank Telecom plate on each end of tray**

- power unit has total of: six power outlets, two 72 watt USB A+C and two blank Telecom plates
- blank Telecom plates can be replaced with TCP100 series punched or configured plates ordered separately, see page 88 for details
- available in 1, 2, and 3-unit power kit models with single power infeed.
- metal hinged tilt lids lift up from center with center cord routing slot when closed
- metal hinged lid available in seven standard JSI metal finishes
- PURL Single Circuit Linking Power System is non-sequential, connecting multiple units with one 9' - 15-amp molded plug infeed.
- infeed power cord has an integrated circuit breaker with reset
- tamper resistant outlets
- inside tray, faceplates, outlets and blank Telecom plates are black
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection components, and hardware.
- UL listed

## Power Offering Features: In Surface Mounting

### Oasis

Two corded Oasis two-sided individual power unit




#### Each side features: four power outlets / one blank Telecom plate on each end of tray

- power unit has total of: eight power outlets and two blank Telecom plates
- blank Telecom plates can be replaced with TCP100 series punched or configured plates ordered separately, see page 88 for details
- metal hinged tilt lids lift up from center with center cord routing slot when closed
- metal hinged lid available in seven standard JSI metal finishes
- two 9' cords with 15 amp three-prong molded plug, one per side
- tamper resistant outlets
- inside tray, faceplates and outlets are black
- UL Listed

### Oasis

Two conduit hardwire - Oasis two-sided individual power unit - Chicago Hardwire




#### Each side features: four power outlets / one blank Telecom plate on each end of tray

- power unit has total of: eight power outlets and two blank Telecom plates
- blank Telecom plates can be replaced with TCP100 series punched or configured plates ordered separately, see page 88 for details
- metal hinged tilt lids lift up from center with center cord routing slot when closed
- metal hinged lid available in seven standard JSI metal finishes
- two 9' conduit shielded hardwire whips, one per side
- tamper resistant outlets
- inside tray, faceplates, outlets and blank Telecom plates are black
- UL Listed

### Oasis

PURL Modular Component System with Oasis Power Units




#### Individual power unit features on each side: four power outlets / one blank Telecom plate on each end of tray

- power unit has total of: eight power outlets and two blank Telecom plates
- blank Telecom plates can be replaced with TCP100 series punched or configured plates ordered separately, see page 88 for details
- metal hinged tilt lids lift up from center with center cord routing slot when closed
- metal hinged lid available in seven standard JSI metal finishes
- available in 1, 2, and 3-unit power kit models with single power infeed.
- PURL Single Circuit Linking Power System is non-sequential, connecting multiple units with one 9' - 15-amp molded plug infeed.
- infeed power cord has an integrated circuit breaker with reset
- tamper resistant outlets
- inside tray, faceplates, outlets and blank Telecom plates are black
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection components, and hardware.
- UL listed

### Vault BTC

Single corded - Vault BTC individual power unit



#### Three power outlets / one USB A (15 watt) +C (45 watt), one HDMI, plus one 15-watt USB-A

- flush mount design
- motorized one touch to open, one touch to close mechanism, 180 degree pivot rotation
- safety stop rotation sensors prevent closure when outlets in use or obstruction detected
- 12' cord with 15 amp three-prong molded plug
- 6' HDMI patch cord with male connection
- anodized aluminum trim and lid with black outlet face
- UL Listed


## Power Offering Features: Under Surface Mounting

In addition to in surface Power Modules, Anthology offers an undermount power solution with performance features like in surface units. Undermount power is flexible and can be mounted under all top sizes, shapes and with any base style. No cutout locations or base restrictions apply. Pre-determined mounting locations are established based on typical chair widths, mounting between users for shared easy access. Chair size or placement preference requires flexibility when mounting units under the table top. Power cords lengths accommodate positioning unit up to 12" to the right or left during installation or as requirements change.

Aesthetically, undermount power is a great solution for a discrete power. Top surfaces no longer require cutouts, maintaining the clean uninterrupted surface detail.


Located under the edge of the table top for easy access by users. Available in single 10' corded units or preconfigured single circuit modular kits with a single power cord and standard 15 amp plug.

Undermount power is field installed and can be added to existing Anthology tables if power, charging or data requirements change. Cord covers are provided with the power kits to conceal, protect and route cords over the base stretcher rails. Black metal powder coat finish.




### Undermount

Single corded - Undermount individual power unit




#### One power outlet / one open data port

- 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- edge mount design with free-placement
- 10' cord with 15-amp three-prong molded plug
- metal trim faceplate available in metal standard and additional powdercoat finishes
- black outlet face
- UL listed



#### Two power outlets

- edge mount design
- 10' cord with 15-amp three-prong molded plug
- metal trim faceplate available in metal standard and additional powdercoat finishes
- black outlet faces
- UL listed




#### One power outlet / one 20 watt USB A+C (10 watt each)

- edge mount design
- 10' cord with 15-amp three-prong molded plug
- metal trim faceplate available in metal standard and additional powdercoat finishes
- black outlet faces
- UL listed

## Power Offering Features: Under Surface Mounting

### Undermount

Pattern modular component system with Undermount power units



#### Individual power unit features: one power outlet / one open data port

- 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- available in 2, 4, 6, and 8-unit power kit models with single power infeed.
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10' - 15-amp molded plug infeed.
- infeed power plug has an integrated circuit breaker with reset
- metal trim faceplate available in metal standard and additional powdercoat finishes
- specify model for power kit based on, top width range and locations to provide required jumper lengths, cord covers and connection components, and hardware.
- ETL listed

#### Individual power unit features: two power outlets

- available in 2, 4, 6, and 8-unit power kit models with single power infeed.
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10' - 15-amp molded plug infeed.
- infeed power plug has an integrated circuit breaker with reset
- metal trim faceplate available in metal standard and additional powdercoat finishes
- specify model for power kit based on, top width range and locations to provide required jumper lengths, cord covers and connection components, and hardware.
- ETL listed


#### Individual power unit features: one power outlet / one 20 watt USB A+C (10 watt each)

- available in 2, 4, 6, and 8-unit power kit models with single power infeed.
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10' - 15-amp molded plug infeed.
- infeed power plug has an integrated circuit breaker with reset
- metal trim faceplate available in metal standard and additional powdercoat finishes
- specify model for power kit based on, top width range and locations to provide required jumper lengths, cord covers and connection components, and hardware.
- ETL listed

### Undermount Plus

Pattern modular component with Undermount Plus power units.

When additional power units are needed for a table equipped with 2, 4, 6, or 8 unit Undermount kits, Plus 1 and Plus 2 add-on kits are available. The Plus 1 and Plus 2 add-on requires a 2-, 4-, 6-, or 8-unit kit to supply connection to the building power source with single power infeed. Any Plus 1 or Plus 2 kit configurations; one power with open data port / two power / one power with USB-A+C can be connected to any configuration Undermount kit.



#### Individual power unit features: one power outlet / one open data port

- 12 pack data adapter kit included for open port / accepts TCP300 series Telecom ports ordered separately, see page 88 for details
- available in Plus 1 and Plus 2 power kit models
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System, connect Plus 1 or Plus 2 units to existing Undermount Pattern kits
- metal trim faceplate available in metal standard and additional powdercoat finishes
- specify model for power kit based on location to provide required jumper lengths, cord covers and connection components, and hardware.
- ETL listed

#### Individual power unit features: two power outlets

- available in Plus 1 and Plus 2 power kit models
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System, connect Plus 1 or Plus 2 units to existing Undermount Pattern kits
- metal trim faceplate available in metal standard and additional powdercoat finishes
- specify model for power kit based on location to provide required jumper lengths, cord covers and connection components, and hardware.
- ETL listed

#### Individual power unit features: one power outlet / one 20 watt USB A+C (10 watt each)

- available in Plus 1 and Plus 2 power kit models
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System, connect Plus 1 or Plus 2 units to existing Undermount Pattern kits
- metal trim faceplate available in metal standard and additional powdercoat finishes
- specify model for power kit based on location to provide required jumper lengths, cord covers and connection components, and hardware.
- ETL listed


**Power Offering Features: Under Surface Mounting**

**TCP100 Series Telecom Plates: Oasis Power Units**




**Blank Cap Data Plate, Type 1**

- blank data plate
- black
- two ship standard with Oasis power units




**Three Cord Bushing Data Plate, Type 1**

- cord minder - three cord bushing
- black
- for use with Oasis power units




**One Jack Data Plate, Type 1**

- one RJ-45 CAT6 Jack
- black
- for use with Oasis power units




**Two Jack Data Plate, Type 1**

- two RJ-45 CAT6 Jacks
- black
- for use with Oasis power units




**Three Jack Data Plate, Type 1**

- three RJ-45 CAT6 Jacks
- black
- for use with Oasis power units




**Two Open Data Ports, Type 1**

- use with two Type 3 Telecom Jacks
- black
- for use with Oasis power units



**HDMI Data Plate, Type 1**


- one HDMI female to female connection with 36" cord
- black
- for use with Oasis power units



**HDMI and Data Jack Plate, Type 1**


- one HDMI female to female connection with 36" cord one RJ45 CAT6 punch down jack
- black
- for use with Oasis power units

**TCP300 Series Telecom Plates: Node, Mho, Ellora, M2X, Ellora Double, Undermount and Glenbeigh Power Units**



**HDMI Connector Accessory, Type 3**

- one HDMI coupler female to female connection with 18" cord
- use 12 pack data adapter kit CCC adapter trim shaped with unit
- black
- for use with Node, Mho, Ellora, M2X, Ellora Double, Undermount and Glenbeigh power units




**Network Jack Accessory, Type 3**

- one RJ45 CAT6 coupler female to female connection with 10' cord
- use 12 pack data adapter kit FFF adapter trim shipped with unit
- black
- for use with Node, Mho, Ellora, M2X, Ellora Double, Undermount and Glenbeigh power units

## Power Offering Features: Under Surface Mounting

### Type 3 - Data Adapter Applications



#### Type 3 - 12 Pack Data Adapter Kit

- 12 pack data adapter kit included for open port power units: Node, Mho, Ellora, M2X, Ellora Double, Undermount and Glenbeigh, ships in box with power unit.
- black plastic adapter trims are marked on the back surface with letter designators that indicate the data jack manufacturer, series and style.
- data jack manufactures websites are listed below for quick reference to verify data jack series and style.

Adapter	Manufacturer	Website
BBB*	L-Com Keystone Modular	<a href="http://www.L-Com.com">www.L-Com.com</a>
BBB*	NETCONNECT, and 110 Connect Series Modular Jack	<a href="http://www.Anxiter.com">www.Anxiter.com</a>
BBB*	Siemon ZMAX Style	<a href="http://www.Siemon.com">www.Siemon.com</a>
BBB*	Allen Tel Versa Tap Series	<a href="http://www.Graybar.com">www.Graybar.com</a>
BBB*	Leviton Quick Port® Series	<a href="http://www.Leviton.com">www.Leviton.com</a>
BBB	Belden REVConnect	<a href="http://www.Belden.com">www.Belden.com</a>
CCC	HDMI Adapter Cable	<a href="http://www.Byrne.com">www.Byrne.com</a>
CCC	Hubbell Nextspeed™ Keystone Series	<a href="http://www.hubbell-premise.com">www.hubbell-premise.com</a>
CCC	ADC Truenet series	<a href="http://www.Anxiter.com">www.Anxiter.com</a>
DDD	Blank (no coupler/jack)	
EEE	Ortronics TracJack Series	<a href="http://www.Ortronics.com">www.Ortronics.com</a>
FFF	Panduit Mini-Com Series	<a href="http://www.Panduit.com">www.Panduit.com</a>
HHH	Video Monitor Jack/DB-15, panel mount solder style	<a href="http://www.Bryne.com">www.Bryne.com</a>

## Wire Management and Accessories

All Anthology power units include cord loop clips included to secure cords under the table tops. Additional vertical and horizontal cord managers are available to specify for field installation.

### Vertical Cord Management

Wire Management Chase is available in TFL 65T7228WCT or Veneer 65T7228WCV finishes that can be specified between or next to bases to conceal cords to the floor.

#### Wire Chase

- mounts to underside of table top to conceal cords to floor outlet
- can be specified between bases where cord concealment to floor is required
- one side has lift off panel to access interior
- not for structural support
- not intended to be installed under power unit



Frame Base Magnetic Metal Wire Manager attaches to the vertical tube of the base to conceal cords. Available in powder coat of chrome to match the Frame Base.

#### Frame Base Magnetic Metal


- use with Frame and Frame BridgeLine bases only
- magnetic attachment to inside of base frame over cords to floor
- specify metal base colors
- chrome upcharge applies



Vertical fabric cable managers attach under the table top to manage and conceal cords vertically.

#### Vertical Fabric Cable Manager


- use when other integrated cord routing is not available
- felt fabric with full length hook -Loop closure
- available in two neutral colors
- screw attachment through eyelets to under-side of table top
- 3 heights for use with seated, counter and bar height tables



Vertical leather cable managers attach to the vertical surface of the wood table bases to manage and conceal cords vertically. The set of three leather straps can be spaced to support multiple base heights.

#### Vertical Leather Cable Manager

- black or silver color
- flexible plastic
- AVL17 for seated height; Lok Y, X and X4 bases
- AVL20 for counter height; Lok Y, X and X4 and seated height Disc Bases
- AVL25 for bar height; Lok Y, X and X4 and counter height Disc Bases
- AVL33 for bar height; Disc Bases



### Additional vertical cord manager options available in Flux and Lok series accessories:

Flux series accessory: Flexible Floor Manager GP250VWM.

#### Flexible Floor Manager


- black with silver accents
- 50" flexible vertical wire manager with one vertical mounting bracket and one counter weight base
- sections can be removed to shorten length for different table heights



Lok series accessory: Vertical Wire Manager AVL17, AVL20, AVL25, and AVL33.

#### Vertical Wire Manager

- black with silver color flexible plastic
- AVL17 for seated height; Lok Y, X and X4 bases
- AVL20 for counter height; Lok Y, X and X4 and seated height Disc Bases
- AVL25 for bar height; Lok Y, X and X4 and counter height Disc Bases
- AVL33 for bar height; Disc Bases




### Horizontal Cord Management

Flexible wire managers attach to the under-side of the table top to manage cords horizontally. The flex of the plastic loops grip the cords when inserted into them. Tension of the loops hold cords securely in place until you remove them, making cord management simple.

#### Flexible Wire Manager


- black
- mounts to underside of top to support cords



Horizontal cable manager designed to support and secure large volume of cords and wires under the table top. Slots in sides and bottom surfaces provide access for routing wires into channel and when securing bundles in position with straps or ties. Lower side wall of channel allows lay in capability.

#### Horizontal Metal Cable Manager

- black
- mounts to underside of top to support cords
- two sizes: 3" x 20" and 5" x 18"
- access slots in sides and bottom surface
- side opening for easy cord lay in



## Credenza and Ancillary Construction Specification

### Product Specifications:

#### Table Top Construction Specification

Credenza and Ancillary units are available to enhance the meeting space functionality. Wall mounted, low, conference, buffet heights and equipment credenzas provide flexible storage. Hospitality cart, waste credenza and lecterns complete the environment.

### Chassis and base construction :

#### Laminates

Anthology Laminate features TFL (thermally fused laminate) chassis and components

Edges of the top and panels are impact resistant .5mm PVC band on TFL components.

The wood grain laminate features an embossed grain to hide finger prints and light scratches. The solid color laminates is smooth to the touch with a semi-matte finish.

#### Veneers

Anthology Veneer features Essential and Artisan veneer chassis and components.

Edges of the chassis are veneer banded to match surface veneer.

All veneer finishes except Raven are standard 35-sheen, with 15-sheen available.

Raven is only available 15-sheen for best visual and functional performance.

#### Panel Base

Anthology panel base elevate the storage units with the same materials and construction as the cabinet chassis.

#### Solid Wood Base

Anthology solid wood bases match the veneer chassis and components providing a lighter scale visual.

#### Metal Tube Base

Anthology welded tubular steel frames complement the metal table base finish detail.

#### Credenza Case Construction

Outside panels are ¾" and joined together with dowels reinforced with screws, metal fasteners for increased stability.

Tops are secured to the chassis with screws through pre-bored stretcher rails and pocket holes,

Cabinet doors have 110° swing hinges to allow adequate access into the interior of the cabinet.

Unfinished back, includes cutout in back side for wire management pass through.

#### Locking

Locks are available with the upcharge calculated per door set.

When locks are ordered, units are shipped randomly keyed as standard.

Key alike units are available upon request for no additional charges. Removable lock cores are shipped standard with units for easy in-field re-keying.

### Top Construction:

#### Laminate


Tops have a ¾" top panel thickness and a .5mm PVC edgeband.

TFL features on Surfaces\*

Fused to the 45 pound density substrate of the top for a durable wear resistance surface

Tops are laminated on both sides

Available in all the wood grain and solid patterns



#### Veneer


Tops have a ¾" top panel thickness and a .5mm veneer edgeband.

Anthology Veneer features Essential and Artisan veneer tops.

Edges of the tops are veneer banded to match surface veneer.

All veneer finishes except Raven are standard 35-sheen, with 15-sheen available.


Raven is only available 15-sheen for best visual and functional performance.



#### Glass

Glass tops are ½" thick constructed of ¼" thick back painted glass surface on top of a ¼" thick MDF sub top.


Anthology glass tops are back painted glass in white gloss, or white, black and espresso matte colors. Sub top has a flat edge and painted black.



#### Solid Surface

Solid surface tops are constructed of 7/16" thick solid surface.

Anthology solid surface tops are solid acrylic material in black onyx mirage, designer white, hot stone and soothing grey patterns.



Note: all credenza top materials are field replaceable.

## Credenza and Ancillary Model Types and Features


### Credenza - number of doors per unit

36" W = 2 Doors

60" & 72" W = 4 Doors

90" W = 5 Doors


### Wall Mount Credenzas



**20" D**  
**17" H**  
**36", 60", 72", 90" W**


- separate models for laminate, veneer, glass top and solid surface top.
- unfinished back with wall mount hardware
  - fasteners for wallmount hardware attachment to wall not provided
- bottom cutout for wire management pass through
- 110° hinge doors
- touch latch doors, no door pulls

### Low Height Credenzas




**20" D**  
**24" H**  
**36", 60", 72", 90" W**


- separate models for laminate, veneer, glass top and solid surface top.
- unfinished back, includes cutout in back side for wire management pass through
- 110° hinge doors
- touch latch doors, no door pulls



**Metal inset base**




**Panel inset base**




**Wood inset base**

### Conference Credenzas




**20" D**  
**28 3/8" H**  
**36", 60", 72", 90" W**


- separate models for laminate, veneer, glass top and solid surface top.
- unfinished back, includes cutout in back side for wire management pass through
- 110° hinge doors
- touch latch doors, no door pulls
- one adjustable shelf per compartment



**Metal inset base**



**Panel inset base**




**Wood inset base**


## Credenza and Ancillary Model Types and Features

### Buffet Credenza


**20" D**  
**35<sup>15</sup>/<sub>16</sub>" H**  
**36", 60", 72", 90" W**




- separate models for laminate, veneer, glass top and solid surface top.
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer models available in laminate or veneer for right or left compartments providing additional compartment interior storage
  - utility drawer will not fit in the middle section of the 90" units
  - utility drawer is mounted to underside of cabinet interior
- 110° hinge doors
- touch latch doors, no door pulls
- one adjustable shelf per compartment




Metal inset base



Panel inset base




Wood inset base



Utility Drawer

### Hospitality Cart


**24" D**  
**36" H**  
**36" W**




- separate models for laminate, veneer, glass top and solid surface top.
- four pivot casters for mobility - nonlocking
- metal push / pull handles on both sides
- 110° hinge doors
- self close door hinges with Prospect pulls
- full width pullout drawer above hinge doors
- maximum 15 lbs. distributed load in the drawer

### Waste Credenza

**24" D**  
**36" H**  
**36" W**



closed




open


- separate models for laminate and veneer.
- accommodates three Uline Thin #H-5148 (23 gallon) trash cans, not included.
- specify solid surface top; black onyx mirage, designer white, hot stone or soothing grey.
- 110° hinge doors
- touch latch doors, no door pulls

### Lectern

**24" D**  
**42<sup>1</sup>/<sub>2</sub>" H**  
**28" W**



closed



open


- separate models for laminate and veneer.
- four pivot casters for mobility - nonlocking
- metal screen optional
- 110° right hinge doors
- self close door hinges with Prospect pull
- one adjustable shelf per compartment
- options available for metal screen, power cutout and cup holder
  - when cutout option is selected for lectern - order Electrolite power unit, (separate model)

## Credenza and Ancillary Model Types and Features

### Equipment Credenza - Number of Doors

48" W = 2 Doors  
72" W = 4 Doors


### Equipment Credenza




**24" D**  
**35 15/16" H**  
**48", 72", W**

- separate models for laminate, veneer, glass top and solid surface top.
- unfinished back, includes cutout in back side for wire management pass through
- ventilation cutouts in back panel determined by model number selection:
  - model numbers ending in CER are right compartment ventilation cutouts
  - model numbers ending in CEL are left compartment ventilation cutouts
- inside of case bottom panel is black HPL laminated to moisture resistant core
- thermostat control fan available, specify and order separately, (installs in top ventilation cutout)
- pull out rotating AV rack available, specify and order separately
- pull out dual waste, recycle unit available, order separately
- 110° hinge doors
- touch latch doors, no door pulls
- one adjustable shelf per compartment

Back View




CEL: Left compartment ventilation cutout shown



Slide out A/V storage rack or customer supplied refrigerator can be installed in section with cut-out in back

### Thermostat Control Fan (optional)



**Anthology Credenza Specification Overview:**


**Credenza Ordering**

**1 Choose credenza model by: top material, chassis material and base type.**

- top material: laminate, veneer, glass or solid surface
- chassis material: laminate, or veneer
- base type: glide, metal leg, laminate panel leg, veneer panel leg, or wood leg

**2 Choose model finishes.**

- select finish for credenza component surfaces




**Laminate veneer**

¾" thick TFL or veneer top panel with flat edgeband



**Solid Surface**


½" thick solid surface panel



**Glass**


¼" thick glass surface with ¼" thick MDF subtop

**Credenza - Laminate Chassis Specifications:**




**Glide Base**

Top Surface	TFL Laminate, Glass or Solid Surface
Chassis	Laminate
Doors	Laminate




**Metal Leg Base**

Top Surface	TFL Laminate, Glass or Solid Surface
Chassis	Laminate
Doors	Laminate
Metal Leg Base	Metal Finish



**Panel Leg Base**


Top Surface	TFL Laminate, Glass or Solid Surface
Chassis	Laminate
Doors	Laminate
Panel Leg Base	Matches Chassis Laminate



**Wood Leg Base**


Top Surface	TFL Laminate, Glass or Solid Surface
Chassis	Laminate
Doors	Laminate
Wood Leg Base	Solid Wood Base Finish

**Credenza - Veneer Chassis Specifications:**




**Glide Base**

Top Surface	Veneer, Glass or Solid Surface
Chassis	Veneer Finish
Doors	Veneer Finish or Optional Wood Paint




**Metal Leg Base**

Top Surface	Veneer, Glass or Solid Surface
Chassis	Veneer Finish
Doors	Veneer Finish or Optional Wood Paint
Metal Leg Base	Metal Finish



**Panel Leg Base**

Top Surface	Veneer, Glass or Solid Surface
Chassis	Veneer Finish
Doors	Veneer Finish or Optional Wood Paint
Panel Leg Base	Matches Chassis Veneer




**Wood Leg Base**

Top Surface	Veneer, Glass or Solid Surface
Chassis	Veneer Finish
Doors	Veneer Finish or Optional Wood Paint
Wood Leg Base	Solid Wood Base Finish

## Anthology Credenza Specification Overview:

### Credenza Ordering

#### 3 Choose credenza options: cabinet door locks, grommets and power cutout.




##### Locking Option

- single lock (secures a set of doors)




##### Grommet Option

- two (back left and right locations)
- grommets not available with glass top credenza models



##### Power Cutout Option


- two (backcenter location)
- power cutout option not available with glass top credenza models



- when cutout option is selected for credenza - order Glenbeigh power unit, (separate model)
- select separate model from power options below:
  - Glenbeigh Power, Corded(9PCK2C)
  - Glenbeigh Power + Open, Corded(9PCK1C)
  - Glenbeigh Power + USB, Corded (9PCK11C)

#### 4 Buffet Credenza models accept utility drawer (separate model).

- JSI standard laminate or veneer drawer front
- use with buffet credenza models only
- utility drawer models available in laminate or veneer for right or left compartments providing additional compartment interior storage
  - utility drawer will not fit in the middle section of the 90" units
- utility drawer is mounted to underside of cabinet interior




#### 5 Equipment Credenza models accept accessories listed below (separate models):



##### Thermostat Control Fan

- black brushed and anodized
- quiet blower panel airflow: 100CFM
- current draw: 840mA
- sound level: 32dBA
- static pressure: 0.31 IN H<sub>2</sub>O
- includes UL Listed 12V DC power supply and temperature probe with a 9' cord
- blower panel activates at 87°F, full speed reach at 95°F, switch off at 85°F
- installs in Equipment Credenza models backpanel top ventilation cutout



##### Rotating Pull Out AV Rack

- black metal
- features slide out and rotating base
- recommended to use in conjunction with the thermostat control fan and back panel ventilation cutouts
- use with the Equipment Credenza models outer left or right compartments



##### Pull Out Dual Waste Recycle Unit

- dual 36 quart, plastic grey
- bottom mounted, soft close, steel, chrome
- use with the Equipment Credenza models outer left or right compartments

## Anthology Credenza Interior Dimensions:

### Wall Mount Credenza

Width	Inside Dimension Overall	Compartment Dimension (L & R)	Compartment Dimension (Middle)
36	17 <sup>1</sup> / <sub>2</sub> " D x 34 <sup>3</sup> / <sub>8</sub> " W x 14 <sup>1</sup> / <sub>16</sub> " H		
60		17 <sup>1</sup> / <sub>2</sub> " D x 28 <sup>1</sup> / <sub>16</sub> " W x 14 <sup>1</sup> / <sub>16</sub> " H	
72		17 <sup>1</sup> / <sub>2</sub> " D x 34 <sup>1</sup> / <sub>16</sub> " W x 14 <sup>1</sup> / <sub>16</sub> " H	
90		17 <sup>1</sup> / <sub>2</sub> " D x 34 <sup>1</sup> / <sub>16</sub> " W x 14 <sup>1</sup> / <sub>16</sub> " H	17 <sup>1</sup> / <sub>2</sub> " D x 17 <sup>7</sup> / <sub>32</sub> " W x 14 <sup>1</sup> / <sub>16</sub> " H

### Low Height Credenza

Glide Base

Width	Inside Dimension Overall	Compartment Dimension (L & R)	Compartment Dimension (Middle)
36	18 <sup>3</sup> / <sub>32</sub> " D x 34 <sup>3</sup> / <sub>8</sub> " W x 15 <sup>1</sup> / <sub>4</sub> " H		
60		18 <sup>3</sup> / <sub>32</sub> " D x 28 <sup>1</sup> / <sub>16</sub> " W x 15 <sup>1</sup> / <sub>4</sub> " H	
72		18 <sup>3</sup> / <sub>32</sub> " D x 34 <sup>1</sup> / <sub>16</sub> " W x 15 <sup>1</sup> / <sub>4</sub> " H	
90		18 <sup>3</sup> / <sub>32</sub> " D x 34 <sup>1</sup> / <sub>16</sub> " W x 15 <sup>1</sup> / <sub>4</sub> " H	18 <sup>3</sup> / <sub>32</sub> " D x 17 <sup>7</sup> / <sub>32</sub> " W x 15 <sup>1</sup> / <sub>4</sub> " H

### Low Height Credenza

Leg Bases: Metal, Panel And Wood

Width	Inside Dimension Overall	Compartment Dimension (L & R)	Compartment Dimension (Middle)
36	18 <sup>3</sup> / <sub>32</sub> " D x 34 <sup>3</sup> / <sub>8</sub> " W x 15 <sup>1</sup> / <sub>4</sub> " H		
60		18 <sup>3</sup> / <sub>32</sub> " D x 28 <sup>1</sup> / <sub>16</sub> " W x 15 <sup>1</sup> / <sub>4</sub> " H	
72		18 <sup>3</sup> / <sub>32</sub> " D x 34 <sup>1</sup> / <sub>16</sub> " W x 15 <sup>1</sup> / <sub>4</sub> " H	
90		18 <sup>3</sup> / <sub>32</sub> " D x 34 <sup>1</sup> / <sub>16</sub> " W x 15 <sup>1</sup> / <sub>4</sub> " H	18 <sup>3</sup> / <sub>32</sub> " D x 17 <sup>7</sup> / <sub>32</sub> " W x 15 <sup>1</sup> / <sub>4</sub> " H

### Conference Credenza

Glide Base

Width	Inside Dimension Overall	Compartment Dimension (L & R)	Compartment Dimension (Middle)
36	18 <sup>3</sup> / <sub>32</sub> " D x 34 <sup>3</sup> / <sub>8</sub> " W x 25 <sup>5</sup> / <sub>32</sub> " H		
60		18 <sup>3</sup> / <sub>32</sub> " D x 28 <sup>1</sup> / <sub>16</sub> " W x 25 <sup>5</sup> / <sub>32</sub> " H	
72		18 <sup>3</sup> / <sub>32</sub> " D x 34 <sup>1</sup> / <sub>16</sub> " W x 25 <sup>5</sup> / <sub>32</sub> " H	
90		18 <sup>3</sup> / <sub>32</sub> " D x 34 <sup>1</sup> / <sub>16</sub> " W x 25 <sup>5</sup> / <sub>32</sub> " H	18 <sup>3</sup> / <sub>32</sub> " D x 17 <sup>7</sup> / <sub>32</sub> " W x 25 <sup>5</sup> / <sub>32</sub> " H

**Anthology Credenza Interior Dimensions:**

**Conference Credenza**

Leg Bases: Metal, Panel And Wood

Width	Inside Dimension Overall	Compartment Dimension (L & R)	Compartment Dimension (Middle)
36	18 <sup>9</sup> / <sub>32</sub> " D x 34 <sup>3</sup> / <sub>8</sub> " W x 20 <sup>1</sup> / <sub>4</sub> " H		
60		18 <sup>9</sup> / <sub>32</sub> " D x 28 <sup>13</sup> / <sub>16</sub> " W x 20 <sup>1</sup> / <sub>4</sub> " H	
72		18 <sup>9</sup> / <sub>32</sub> " D x 34 <sup>13</sup> / <sub>16</sub> " W x 20 <sup>1</sup> / <sub>4</sub> " H	
90		18 <sup>9</sup> / <sub>32</sub> " D x 34 <sup>13</sup> / <sub>16</sub> " W x 20 <sup>1</sup> / <sub>4</sub> " H	18 <sup>9</sup> / <sub>32</sub> " D x 17 <sup>7</sup> / <sub>32</sub> " W x 20 <sup>1</sup> / <sub>4</sub> " H

**Buffet Credenza**

Glide Base

Width	Inside Dimension Overall	Compartment Dimension (L & R)	Compartment Dimension (Middle)
36	18 <sup>9</sup> / <sub>32</sub> " D x 34 <sup>3</sup> / <sub>8</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H		
60		18 <sup>9</sup> / <sub>32</sub> " D x 28 <sup>13</sup> / <sub>16</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H	
72		18 <sup>9</sup> / <sub>32</sub> " D x 34 <sup>13</sup> / <sub>16</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H	
90		18 <sup>9</sup> / <sub>32</sub> " D x 34 <sup>13</sup> / <sub>16</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H	18 <sup>9</sup> / <sub>32</sub> " D x 17 <sup>7</sup> / <sub>32</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H

**Buffet Credenza**

Leg Bases: Metal, Panel And Wood

Width	Inside Dimension Overall	Compartment Dimension (L & R)	Compartment Dimension (Middle)
36	18 <sup>9</sup> / <sub>32</sub> " D x 34 <sup>3</sup> / <sub>8</sub> " W x 27 <sup>1</sup> / <sub>4</sub> " H		
60		18 <sup>9</sup> / <sub>32</sub> " D x 28 <sup>13</sup> / <sub>16</sub> " W x 27 <sup>1</sup> / <sub>4</sub> " H	
72		18 <sup>9</sup> / <sub>32</sub> " D x 34 <sup>13</sup> / <sub>16</sub> " W x 27 <sup>1</sup> / <sub>4</sub> " H	
90		18 <sup>9</sup> / <sub>32</sub> " D x 34 <sup>13</sup> / <sub>16</sub> " W x 27 <sup>1</sup> / <sub>4</sub> " H	18 <sup>9</sup> / <sub>32</sub> " D x 17 <sup>7</sup> / <sub>32</sub> " W x 27 <sup>1</sup> / <sub>4</sub> " H

## Anthology Credenza Interior Dimensions:

### Equipment Credenza

Width	Inside Dimension Overall	Compartment Dimension (L & R)	Compartment Dimension (Middle)
48		22 <sup>3</sup> / <sub>16</sub> " D x 22 <sup>1</sup> / <sub>16</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H	
48		22 <sup>3</sup> / <sub>16</sub> " D x 22 <sup>1</sup> / <sub>16</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H	
72		22 <sup>3</sup> / <sub>16</sub> " D x 22 <sup>7</sup> / <sub>8</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H	22 <sup>3</sup> / <sub>16</sub> " D x 23 <sup>1</sup> / <sub>8</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H
72	22 <sup>3</sup> / <sub>16</sub> " D x 70 <sup>5</sup> / <sub>16</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H	22 <sup>3</sup> / <sub>16</sub> " D x 22 <sup>7</sup> / <sub>8</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H	22 <sup>3</sup> / <sub>16</sub> " D x 23 <sup>1</sup> / <sub>8</sub> " W x 32 <sup>5</sup> / <sub>32</sub> " H

### Hospitality Cart

Width	Inside Dimension Overall
36	22 <sup>3</sup> / <sub>16</sub> " D x 34 <sup>5</sup> / <sub>16</sub> " W x 23 <sup>23</sup> / <sub>32</sub> " H

### Waste Credenza




Width	Inside Dimension Overall
36	22 <sup>3</sup> / <sub>16</sub> " D x 34 <sup>5</sup> / <sub>16</sub> " W x 31" H

### Lectern

Width	Inside Dimension Overall
36	19 <sup>9</sup> / <sub>16</sub> " D x 20 <sup>1</sup> / <sub>2</sub> " W x 31 <sup>17</sup> / <sub>32</sub> " H

**Rectangular Table Tops**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T3672TT_	72	36	1	\$506	\$827	\$868	\$1,208	\$1,267	\$2,186	\$2,405	\$2,566	\$2,823
65T4272TT_	72	42	1	\$608	\$887	\$932	\$1,292	\$1,357	\$2,427	\$2,670	\$2,991	\$3,289
65T4872TT_	72	48	1	\$696	\$892	\$937	\$1,296	\$1,361	\$2,707	\$2,978	\$3,249	\$3,575
65T3678TT_	78	36	1	\$568	\$945	\$992	\$1,238	\$1,300	\$2,349	\$2,584	\$2,778	\$3,057
65T4278TT_	78	42	1	\$669	\$981	\$1,030	\$1,341	\$1,407	\$2,606	\$2,867	\$3,131	\$3,444
65T4878TT_	78	48	1	\$758	\$985	\$1,035	\$1,346	\$1,413	\$2,907	\$3,198	\$3,471	\$3,817
65T3684TT_	84	36	1	\$629	\$964	\$1,011	\$1,256	\$1,319	\$2,500	\$2,751	\$2,991	\$3,289
65T4284TT_	84	42	1	\$731	\$1,008	\$1,058	\$1,355	\$1,422	\$2,777	\$3,055	\$3,415	\$3,756
65T4884TT_	84	48	1	\$819	\$1,012	\$1,062	\$1,360	\$1,428	\$3,101	\$3,411	\$3,755	\$4,130
65T3690TT_	90	36	1	\$691	\$980	\$1,029	\$1,273	\$1,336	\$2,657	\$2,922	\$3,203	\$3,523
65T4290TT_	90	42	1	\$793	\$1,035	\$1,086	\$1,364	\$1,432	\$2,950	\$3,245	\$3,700	\$4,070
65T4890TT_	90	48	1	\$880	\$1,039	\$1,090	\$1,368	\$1,437	\$3,298	\$3,627	\$4,006	\$4,407
65T3696TT_	96	36	1	\$752	\$998	\$1,047	\$1,290	\$1,355	\$2,810	\$3,092	\$3,415	\$3,756
65T4296TT_	96	42	1	\$854	\$1,061	\$1,115	\$1,372	\$1,441	\$3,120	\$3,432	\$3,986	\$4,384
65T4896TT_	96	48	1	\$942	\$1,067	\$1,119	\$1,377	\$1,446	\$3,450	\$3,795	\$3,986	\$4,384
65T42102TT1_	102	42	1	\$886	\$1,559	\$1,636	\$2,120	\$2,226	\$3,570	\$3,928	\$4,012	\$4,413
65T48102TT1_	102	48	1	\$953	\$1,567	\$1,645	\$2,145	\$2,252	\$3,901	\$4,290	\$4,694	\$5,164
65T42102TT2_	102	42	2	\$1,098	\$1,676	\$1,760	\$2,281	\$2,395	\$3,840	\$4,225	\$4,313	\$4,745
65T48102TT2_	102	48	2	\$1,210	\$1,685	\$1,769	\$2,307	\$2,422	\$4,195	\$4,614	\$5,047	\$5,552
65T42108TT1_	108	42	1	\$934	\$1,583	\$1,662	\$2,125	\$2,231	\$3,732	\$4,105	\$4,254	\$4,680
65T48108TT1_	108	48	1	\$1,015	\$1,590	\$1,670	\$2,170	\$2,278	\$4,062	\$4,469	\$4,936	\$5,430
65T42108TT2_	108	42	2	\$1,153	\$1,702	\$1,787	\$2,285	\$2,399	\$4,013	\$4,415	\$4,574	\$5,031
65T48108TT2_	108	48	2	\$1,270	\$1,710	\$1,796	\$2,332	\$2,450	\$4,368	\$4,804	\$5,308	\$5,839
65T42114TT1_	114	42	1	\$981	\$1,607	\$1,688	\$2,150	\$2,257	\$3,913	\$4,305	\$4,528	\$4,981
65T48114TT1_	114	48	1	\$1,077	\$1,615	\$1,695	\$2,194	\$2,304	\$4,288	\$4,717	\$4,528	\$4,981
65T42114TT2_	114	42	2	\$1,209	\$1,728	\$1,814	\$2,311	\$2,426	\$4,208	\$4,629	\$4,868	\$5,355
65T48114TT2_	114	48	2	\$1,332	\$1,737	\$1,824	\$2,358	\$2,477	\$4,611	\$5,071	\$5,602	\$6,162

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89





① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T3672TT_	72	36	1	\$5,972	\$6,271	71 3/8	35 3/8	\$698
65T4272TT_	72	42	1	\$6,654	\$6,987	71 3/8	41 3/8	\$777
65T4872TT_	72	48	1	\$7,090	\$7,445	71 3/8	47 3/8	\$856
65T3678TT_	78	36	1	\$6,340	\$6,657	77 3/8	35 3/8	\$740
65T4278TT_	78	42	1	\$7,078	\$7,432	77 3/8	41 3/8	\$825
65T4878TT_	78	48	1	\$7,627	\$8,009	77 3/8	47 3/8	\$911
65T3684TT_	84	36	1	\$6,708	\$7,044	83 3/8	35 3/8	\$780
65T4284TT_	84	42	1	\$7,502	\$7,878	83 3/8	41 3/8	\$873
65T4884TT_	84	48	1	\$8,164	\$8,573	83 3/8	47 3/8	\$965
65T3690TT_	90	36	1	\$7,077	\$7,431	89 3/8	35 3/8	\$821
65T4290TT_	90	42	1	\$7,925	\$8,322	89 3/8	41 3/8	\$920
65T4890TT_	90	48	1	\$8,702	\$9,138	89 3/8	47 3/8	\$1,019
65T3696TT_	96	36	1	\$7,445	\$7,818	95 3/8	35 3/8	\$863
65T4296TT_	96	42	1	\$8,349	\$8,767	95 3/8	41 3/8	\$968
65T4896TT_	96	48	1	\$9,239	\$9,701	95 3/8	47 3/8	\$1,074
65T42102TT2_	102	42	2	\$9,213	\$9,674	101 3/8	41 3/8	\$1,133
65T48102TT2_	102	48	2	\$10,110	\$10,616	101 3/8	47 3/8	\$1,251
65T42108TT2_	108	42	2	\$9,610	\$10,091	107 3/8	41 3/8	\$1,183
65T48108TT2_	108	48	2	\$10,118	\$10,624	107 3/8	47 3/8	\$1,307
65T42114TT2_	114	42	2	\$10,007	\$10,508	113 3/8	41 3/8	\$1,231
65T48114TT2_	114	48	2	\$10,127	\$10,634	113 3/8	47 3/8	\$1,363

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T42120TT1_	120	42	1	\$1,029	\$1,631	\$1,712	\$2,173	\$2,282	\$4,096	\$4,506	\$4,800	\$5,280
65T48120TT1_	120	48	1	\$1,139	\$1,639	\$1,721	\$2,217	\$2,328	\$4,513	\$4,964	\$5,484	\$6,032
65T54120TT1_	120	54	1	\$1,247	\$1,842	\$1,934	\$2,498	\$2,623	\$4,975	\$5,473	\$6,010	\$6,611
65T60120TT1_	120	60	1	\$1,355	\$1,861	\$1,953	\$2,524	\$2,650	\$5,642	\$6,206	\$6,859	\$7,545
65T42120TT2_	120	42	2	\$1,263	\$1,754	\$1,841	\$2,337	\$2,453	\$4,404	\$4,844	\$5,162	\$5,679
65T48120TT2_	120	48	2	\$1,394	\$1,762	\$1,850	\$2,385	\$2,504	\$4,853	\$5,338	\$5,896	\$6,486
65T54120TT2_	120	54	2	\$1,525	\$1,980	\$2,080	\$2,686	\$2,821	\$5,350	\$5,885	\$6,462	\$7,107
65T60120TT2_	120	60	2	\$1,655	\$2,001	\$2,101	\$2,714	\$2,849	\$6,066	\$6,673	\$7,375	\$8,113
65T48126TT_	126	48	2	\$1,452	\$1,804	\$1,895	\$2,487	\$2,611	\$5,096	\$5,605	\$6,194	\$6,813
65T54126TT_	126	54	2	\$1,585	\$2,089	\$2,193	\$2,949	\$3,097	\$5,590	\$6,149	\$6,753	\$7,429
65T60126TT_	126	60	2	\$1,724	\$2,111	\$2,217	\$2,980	\$3,129	\$6,370	\$7,007	\$7,742	\$8,517
65T48132TT_	132	48	2	\$1,508	\$1,847	\$1,939	\$2,589	\$2,718	\$5,338	\$5,873	\$6,491	\$7,139
65T54132TT_	132	54	2	\$1,648	\$2,199	\$2,308	\$3,213	\$3,374	\$5,828	\$6,411	\$7,046	\$7,750
65T60132TT_	132	60	2	\$1,793	\$2,220	\$2,331	\$3,246	\$3,409	\$6,672	\$7,339	\$8,110	\$8,920
65T48138TT_	138	48	2	\$1,565	\$1,890	\$1,984	\$2,692	\$2,826	\$5,580	\$6,138	\$6,785	\$7,464
65T54138TT_	138	54	2	\$1,712	\$2,203	\$2,313	\$3,220	\$3,381	\$6,068	\$6,675	\$7,505	\$8,255
65T60138TT_	138	60	2	\$1,862	\$2,224	\$2,336	\$3,252	\$3,415	\$6,976	\$7,673	\$8,479	\$9,327
65T48144TT_	144	48	2	\$1,621	\$1,931	\$2,028	\$2,792	\$2,932	\$5,823	\$6,405	\$7,079	\$7,786
65T54144TT_	144	54	2	\$1,776	\$2,208	\$2,318	\$3,225	\$3,386	\$6,306	\$6,937	\$7,964	\$8,761
65T60144TT_	144	60	2	\$1,931	\$2,230	\$2,342	\$3,258	\$3,421	\$7,278	\$8,007	\$8,850	\$9,735
65T48150TT_	150	48	2	\$1,678	\$2,016	\$2,117	\$2,865	\$3,009	\$6,066	\$6,673	\$7,373	\$8,111
65T54150TT_	150	54	2	\$1,838	\$2,420	\$2,540	\$3,414	\$3,585	\$6,544	\$7,198	\$8,258	\$9,084
65T60150TT_	150	60	2	\$2,000	\$2,446	\$2,567	\$3,441	\$3,613	\$7,582	\$8,340	\$9,216	\$10,138
65T48156TT_	156	48	2	\$1,735	\$2,105	\$2,210	\$2,939	\$3,085	\$6,308	\$6,939	\$7,667	\$8,434
65T54156TT_	156	54	2	\$1,901	\$2,634	\$2,766	\$3,587	\$3,766	\$6,780	\$7,458	\$8,553	\$9,409
65T60156TT_	156	60	2	\$2,069	\$2,661	\$2,794	\$3,623	\$3,804	\$7,885	\$8,674	\$9,583	\$10,542

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89





① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T42120TT2_	120	42	2	\$10,200	\$10,710	119 3/8	41 3/8	\$1,281
65T48120TT2_	120	48	2	\$10,300	\$10,815	119 3/8	47 3/8	\$1,419
65T54120TT2_	120	54	2	\$14,098	\$14,803	119 3/8	53 3/8	\$1,557
65T60120TT2_	120	60	2	\$15,210	\$15,971	119 3/8	59 3/8	\$1,696
65T48126TT_	126	48	2	\$10,935	\$11,482	125 3/8	47 3/8	\$1,476
65T54126TT_	126	54	2	\$14,778	\$15,517	125 3/8	53 3/8	\$1,620
65T60126TT_	126	60	2	\$15,945	\$16,743	125 3/8	59 3/8	\$1,765
65T48132TT_	132	48	2	\$11,734	\$12,321	131 3/8	47 3/8	\$1,532
65T54132TT_	132	54	2	\$15,458	\$16,231	131 3/8	53 3/8	\$1,683
65T60132TT_	132	60	2	\$16,680	\$17,514	131 3/8	59 3/8	\$1,835
65T48138TT_	138	48	2	\$12,534	\$13,161	137 3/8	47 3/8	\$1,588
65T54138TT_	138	54	2	\$16,137	\$16,944	137 3/8	53 3/8	\$1,747
65T60138TT_	138	60	2	\$17,416	\$18,287	137 3/8	59 3/8	\$1,906
65T48144TT_	144	48	2	\$13,334	\$14,001	143 3/8	47 3/8	\$1,644
65T54144TT_	144	54	2	\$16,817	\$17,658	143 3/8	53 3/8	\$1,810
65T60144TT_	144	60	2	\$18,151	\$19,059	143 3/8	59 3/8	\$1,975
65T48150TT_	150	48	2	\$13,786	\$14,476	149 3/8	47 3/8	\$1,700
65T54150TT_	150	54	2	\$17,317	\$18,183	149 3/8	53 3/8	\$1,873
65T60150TT_	150	60	2	\$18,707	\$19,643	149 3/8	59 3/8	\$2,045
65T48156TT_	156	48	2	\$14,238	\$14,950	155 3/8	47 3/8	\$1,756
65T54156TT_	156	54	2	\$17,818	\$18,709	155 3/8	53 3/8	\$1,936
65T60156TT_	156	60	2	\$19,263	\$20,227	155 3/8	59 3/8	\$2,115

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces										
				T	H	H	KH	KH	V	V	KV	KV	
65T48162TT_	162	48	2	\$1,792	\$2,185	\$2,294	\$3,011	\$3,162	\$6,551	\$7,206	\$7,962	\$8,759	
65T54162TT_	162	54	2	\$1,964	\$2,637	\$2,769	\$3,592	\$3,771	\$7,192	\$7,911	\$8,922	\$9,814	
65T60162TT_	162	60	2	\$2,138	\$2,664	\$2,797	\$3,629	\$3,810	\$8,189	\$9,008	\$9,953	\$10,948	
65T48168TT_	168	48	2	\$1,848	\$2,270	\$2,383	\$3,083	\$3,237	\$6,794	\$7,473	\$8,255	\$9,080	
65T54168TT_	168	54	2	\$2,027	\$2,641	\$2,773	\$3,599	\$3,780	\$7,605	\$8,365	\$9,292	\$10,221	
65T60168TT_	168	60	2	\$2,207	\$2,669	\$2,802	\$3,636	\$3,819	\$8,492	\$9,341	\$10,323	\$11,356	
65T48174TT_	174	48	2	\$1,904	\$2,274	\$2,387	\$3,089	\$3,244	\$7,035	\$7,739	\$8,553	\$9,409	
65T54174TT_	174	54	2	\$2,089	\$2,643	\$2,776	\$3,604	\$3,785	\$7,868	\$8,655	\$9,587	\$10,545	
65T60174TT_	174	60	2	\$2,276	\$2,671	\$2,805	\$3,642	\$3,824	\$8,795	\$9,674	\$10,690	\$11,758	
65T48180TT_	180	48	2	\$1,961	\$2,277	\$2,390	\$3,095	\$3,249	\$7,278	\$8,007	\$8,850	\$9,735	
65T54180TT_	180	54	2	\$2,151	\$2,652	\$2,785	\$3,613	\$3,793	\$8,130	\$8,944	\$9,880	\$10,868	
65T60180TT_	180	60	2	\$2,345	\$2,680	\$2,813	\$3,650	\$3,832	\$9,098	\$10,008	\$11,057	\$12,162	
65T48186TT_	186	48	2	\$2,018	\$2,281	\$2,395	\$3,102	\$3,257	\$7,522	\$8,273	\$9,144	\$10,058	
65T54186TT_	186	54	2	\$2,215	\$2,657	\$2,789	\$3,618	\$3,798	\$8,377	\$9,216	\$10,247	\$11,272	
65T60186TT_	186	60	2	\$2,414	\$2,683	\$2,818	\$3,655	\$3,837	\$9,401	\$10,342	\$11,427	\$12,570	
65T48192TT_	192	48	2	\$2,075	\$2,286	\$2,400	\$3,108	\$3,264	\$7,764	\$8,540	\$9,437	\$10,382	
65T54192TT_	192	54	2	\$2,279	\$2,661	\$2,794	\$3,623	\$3,804	\$8,627	\$9,490	\$10,615	\$11,676	
65T60192TT_	192	60	2	\$2,484	\$2,687	\$2,822	\$3,661	\$3,844	\$9,705	\$10,675	\$11,797	\$12,976	
65T48198TT_	198	48	3	\$2,150	\$3,182	\$3,342	\$4,296	\$4,510	\$8,863	\$9,748	\$10,719	\$11,790	
65T54198TT_	198	54	3	\$2,360	\$3,623	\$3,804	\$4,934	\$5,180	\$9,862	\$10,848	\$11,867	\$13,054	
65T60198TT_	198	60	3	\$2,572	\$3,661	\$3,844	\$4,984	\$5,233	\$11,069	\$12,176	\$13,321	\$14,653	
65T48204TT_	204	48	3	\$2,224	\$3,226	\$3,387	\$4,379	\$4,598	\$9,122	\$10,035	\$10,978	\$12,076	
65T54204TT_	204	54	3	\$2,443	\$3,631	\$3,813	\$4,940	\$5,188	\$10,196	\$11,216	\$12,270	\$13,498	
65T60204TT_	204	60	3	\$2,662	\$3,669	\$3,853	\$4,992	\$5,241	\$11,403	\$12,543	\$13,726	\$15,098	
65T48210TT_	210	48	3	\$2,300	\$3,231	\$3,392	\$4,387	\$4,606	\$9,389	\$10,327	\$11,300	\$12,430	
65T54210TT_	210	54	3	\$2,524	\$3,635	\$3,818	\$4,947	\$5,194	\$10,529	\$11,582	\$12,674	\$13,941	
65T60210TT_	210	60	3	\$2,751	\$3,672	\$3,857	\$4,998	\$5,247	\$11,736	\$12,911	\$14,129	\$15,542	

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T48162TT_	162	48	2	\$14,689	\$15,424	161 3/8	47 3/8	\$1,813
65T54162TT_	162	54	2	\$18,318	\$19,234	161 3/8	53 3/8	\$1,999
65T60162TT_	162	60	2	\$19,819	\$20,810	161 3/8	59 3/8	\$2,185
65T48168TT_	168	48	2	\$15,141	\$15,899	167 3/8	47 3/8	\$1,869
65T54168TT_	168	54	2	\$18,818	\$19,759	167 3/8	53 3/8	\$2,062
65T60168TT_	168	60	2	\$20,375	\$21,394	167 3/8	59 3/8	\$2,255
65T48174TT_	174	48	2	\$15,622	\$16,404	173 3/8	47 3/8	\$1,925
65T54174TT_	174	54	2	\$19,318	\$20,284	173 3/8	53 3/8	\$2,125
65T60174TT_	174	60	2	\$20,931	\$21,978	173 3/8	59 3/8	\$2,326
65T48180TT_	180	48	2	\$16,102	\$16,908	179 3/8	47 3/8	\$1,982
65T54180TT_	180	54	2	\$19,819	\$20,810	179 3/8	53 3/8	\$2,187
65T60180TT_	180	60	2	\$21,486	\$22,561	179 3/8	59 3/8	\$2,395
65T48186TT_	186	48	2	\$16,582	\$17,412	185 3/8	47 3/8	\$2,038
65T54186TT_	186	54	2	\$20,320	\$21,336	185 3/8	53 3/8	\$2,251
65T60186TT_	186	60	2	\$22,042	\$23,145	185 3/8	59 3/8	\$2,464
65T48192TT_	192	48	2	\$17,063	\$17,917	191 3/8	47 3/8	\$2,094
65T54192TT_	192	54	2	\$20,820	\$21,861	191 3/8	53 3/8	\$2,314
65T60192TT_	192	60	2	\$22,598	\$23,728	191 3/8	59 3/8	\$2,535
65T48198TT_	198	48	3	\$18,087	\$18,992	197 3/8	47 3/8	\$2,336
65T54198TT_	198	54	3	\$21,584	\$22,664	197 3/8	53 3/8	\$2,577
65T60198TT_	198	60	3	\$23,418	\$24,589	197 3/8	59 3/8	\$2,816
65T48204TT_	204	48	3	\$18,542	\$19,470	203 3/8	47 3/8	\$2,394
65T54204TT_	204	54	3	\$22,348	\$23,466	203 3/8	53 3/8	\$2,643
65T60204TT_	204	60	3	\$24,238	\$25,450	203 3/8	59 3/8	\$2,889
65T48210TT_	210	48	3	\$18,997	\$19,947	209 3/8	47 3/8	\$2,453
65T54210TT_	210	54	3	\$23,113	\$24,269	209 3/8	53 3/8	\$2,709
65T60210TT_	210	60	3	\$25,058	\$26,311	209 3/8	59 3/8	\$2,963

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	R3 TFL T	R3 HPL Tier 1 H	R3 HPL Tier 2 H	K9 HPL Tier 1 KH	K9 HPL Tier 2 KH	R3 H3 C3 ESS Veneer V	R3 H3 C3 ART Veneer V	K9 ESS Veneer KV	K9 ART Veneer KV
65T48216TT_	216	48	3	\$2,375	\$3,235	\$3,396	\$4,394	\$4,614	\$9,657	\$10,622	\$11,621	\$12,783
65T54216TT_	216	54	3	\$2,605	\$3,639	\$3,822	\$4,953	\$5,200	\$10,864	\$11,950	\$13,076	\$14,384
65T60216TT_	216	60	3	\$2,840	\$3,677	\$3,861	\$5,003	\$5,253	\$12,070	\$13,277	\$14,532	\$15,985
65T48222TT_	222	48	3	\$2,450	\$3,239	\$3,401	\$4,400	\$4,619	\$9,926	\$10,918	\$11,945	\$13,140
65T54222TT_	222	54	3	\$2,687	\$3,696	\$3,881	\$5,031	\$5,282	\$11,133	\$12,246	\$13,401	\$14,741
65T60222TT_	222	60	3	\$2,929	\$3,734	\$3,921	\$5,083	\$5,337	\$12,407	\$13,648	\$14,935	\$16,429
65T48228TT_	228	48	3	\$2,525	\$3,243	\$3,406	\$4,406	\$4,626	\$10,196	\$11,216	\$12,270	\$13,498
65T54228TT_	228	54	3	\$2,769	\$3,753	\$3,940	\$5,108	\$5,364	\$11,403	\$12,543	\$13,726	\$15,098
65T60228TT_	228	60	3	\$3,018	\$3,792	\$3,981	\$5,161	\$5,419	\$12,744	\$14,018	\$15,338	\$16,872
65T48234TT_	234	48	3	\$2,600	\$3,370	\$3,538	\$4,471	\$4,694	\$10,462	\$11,509	\$12,592	\$13,851
65T54234TT_	234	54	3	\$2,851	\$3,758	\$3,945	\$5,114	\$5,370	\$11,736	\$12,911	\$14,129	\$15,542
65T60234TT_	234	60	3	\$3,107	\$3,797	\$3,987	\$5,168	\$5,426	\$13,076	\$14,384	\$15,742	\$17,316
65T48240TT_	240	48	3	\$2,675	\$3,496	\$3,671	\$4,536	\$4,762	\$10,730	\$11,803	\$12,914	\$14,204
65T54240TT_	240	54	3	\$2,935	\$3,763	\$3,951	\$5,122	\$5,378	\$12,070	\$13,277	\$14,532	\$15,985
65T60240TT_	240	60	3	\$3,197	\$3,802	\$3,993	\$5,174	\$5,433	\$13,411	\$14,752	\$16,146	\$17,760

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T48216TT_	216	48	3	\$19,452	\$20,425	215 3/8	47 3/8	\$2,513
65T54216TT_	216	54	3	\$23,877	\$25,071	215 3/8	53 3/8	\$2,774
65T60216TT_	216	60	3	\$25,878	\$27,172	215 3/8	59 3/8	\$3,036
65T48222TT_	222	48	3	\$19,907	\$20,903	221 3/8	47 3/8	\$2,571
65T54222TT_	222	54	3	\$24,641	\$25,874	221 3/8	53 3/8	\$2,840
65T60222TT_	222	60	3	\$26,698	\$28,033	221 3/8	59 3/8	\$3,109
65T48228TT_	228	48	3	\$20,362	\$21,381	227 3/8	47 3/8	\$2,629
65T54228TT_	228	54	3	\$25,406	\$26,677	227 3/8	53 3/8	\$2,906
65T60228TT_	228	60	3	\$27,518	\$28,894	227 3/8	59 3/8	\$3,182
65T48234TT_	234	48	3	\$20,818	\$21,859	233 3/8	47 3/8	\$2,689
65T54234TT_	234	54	3	\$26,170	\$27,479	233 3/8	53 3/8	\$2,972
65T60234TT_	234	60	3	\$28,338	\$29,755	233 3/8	59 3/8	\$3,255
65T48240TT_	240	48	3	\$21,273	\$22,337	239 3/8	47 3/8	\$2,747
65T54240TT_	240	54	3	\$26,934	\$28,281	239 3/8	53 3/8	\$3,038
65T60240TT_	240	60	3	\$29,158	\$30,616	239 3/8	59 3/8	\$3,328

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Soft Rectangular Table Tops**

- 3" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T3672SR_	72	36	1	\$506	\$827	\$868	\$1,208	\$1,267	\$2,186	\$2,405	\$2,566	\$2,823
65T4272SR_	72	42	1	\$608	\$887	\$932	\$1,292	\$1,357	\$2,427	\$2,670	\$2,991	\$3,289
65T4872SR_	72	48	1	\$696	\$892	\$937	\$1,296	\$1,361	\$2,707	\$2,978	\$3,249	\$3,575
65T3678SR_	78	36	1	\$568	\$945	\$992	\$1,238	\$1,300	\$2,349	\$2,584	\$2,778	\$3,057
65T4278SR_	78	42	1	\$669	\$981	\$1,030	\$1,341	\$1,407	\$2,606	\$2,867	\$3,131	\$3,444
65T4878SR_	78	48	1	\$758	\$985	\$1,035	\$1,346	\$1,413	\$2,907	\$3,198	\$3,471	\$3,817
65T3684SR_	84	36	1	\$629	\$964	\$1,011	\$1,256	\$1,319	\$2,500	\$2,751	\$2,991	\$3,289
65T4284SR_	84	42	1	\$731	\$1,008	\$1,058	\$1,355	\$1,422	\$2,777	\$3,055	\$3,415	\$3,756
65T4884SR_	84	48	1	\$819	\$1,012	\$1,062	\$1,360	\$1,428	\$3,101	\$3,411	\$3,755	\$4,130
65T3690SR_	90	36	1	\$691	\$980	\$1,029	\$1,273	\$1,336	\$2,657	\$2,922	\$3,203	\$3,523
65T4290SR_	90	42	1	\$793	\$1,035	\$1,086	\$1,364	\$1,432	\$2,950	\$3,245	\$3,700	\$4,070
65T4890SR_	90	48	1	\$880	\$1,039	\$1,090	\$1,368	\$1,437	\$3,298	\$3,627	\$4,006	\$4,407
65T3696SR_	96	36	1	\$752	\$998	\$1,047	\$1,290	\$1,355	\$2,810	\$3,092	\$3,415	\$3,756
65T4296SR_	96	42	1	\$854	\$1,061	\$1,115	\$1,372	\$1,441	\$3,120	\$3,432	\$3,986	\$4,384
65T4896SR_	96	48	1	\$942	\$1,067	\$1,119	\$1,377	\$1,446	\$3,450	\$3,795	\$4,259	\$4,684
65T42102SR1_	102	42	1	\$886	\$3,120	\$3,276	\$2,120	\$2,226	\$3,570	\$3,928	\$4,012	\$4,413
65T48102SR1_	102	48	1	\$953	\$3,450	\$3,622	\$2,145	\$2,252	\$3,901	\$4,290	\$4,694	\$5,164
65T42102SR2_	102	42	2	\$1,098	\$1,676	\$1,760	\$2,281	\$2,395	\$3,840	\$4,225	\$4,313	\$4,745
65T48102SR2_	102	48	2	\$1,210	\$1,685	\$1,769	\$2,307	\$2,422	\$4,195	\$4,614	\$5,047	\$5,552
65T42108SR1_	108	42	1	\$934	\$1,583	\$1,662	\$2,125	\$2,231	\$3,732	\$4,105	\$4,254	\$4,680
65T48108SR1_	108	48	1	\$1,015	\$1,590	\$1,670	\$2,170	\$2,278	\$4,062	\$4,469	\$4,936	\$5,430
65T42108SR2_	108	42	2	\$1,153	\$1,702	\$1,787	\$2,285	\$2,399	\$4,013	\$4,415	\$4,574	\$5,031
65T48108SR2_	108	48	2	\$1,270	\$1,710	\$1,796	\$2,332	\$2,450	\$4,368	\$4,804	\$5,308	\$5,839
65T42114SR1_	114	42	1	\$981	\$1,607	\$1,688	\$2,150	\$2,257	\$3,913	\$4,305	\$4,528	\$4,981
65T48114SR1_	114	48	1	\$1,077	\$1,615	\$1,695	\$2,194	\$2,304	\$4,288	\$4,717	\$5,209	\$5,729
65T42114SR2_	114	42	2	\$1,209	\$1,728	\$1,814	\$2,311	\$2,426	\$4,208	\$4,629	\$4,868	\$5,355
65T48114SR2_	114	48	2	\$1,332	\$1,737	\$1,824	\$2,358	\$2,477	\$4,611	\$5,071	\$5,602	\$6,162

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Soft Rectangular Table Tops (continued)**

- 3" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T3672SR_	72	36	1	\$5,972	\$6,271	71 3/8	35 3/8	\$698
65T4272SR_	72	42	1	\$6,654	\$6,987	71 3/8	41 3/8	\$777
65T4872SR_	72	48	1	\$7,090	\$7,445	71 3/8	47 3/8	\$856
65T3678SR_	78	36	1	\$6,340	\$6,657	77 3/8	35 3/8	\$740
65T4278SR_	78	42	1	\$7,078	\$7,432	77 3/8	41 3/8	\$825
65T4878SR_	78	48	1	\$7,627	\$8,009	77 3/8	47 3/8	\$911
65T3684SR_	84	36	1	\$6,708	\$7,044	83 3/8	35 3/8	\$780
65T4284SR_	84	42	1	\$7,502	\$7,878	83 3/8	41 3/8	\$873
65T4884SR_	84	48	1	\$8,164	\$8,573	83 3/8	47 3/8	\$965
65T3690SR_	90	36	1	\$7,077	\$7,431	89 3/8	35 3/8	\$821
65T4290SR_	90	42	1	\$7,925	\$8,322	89 3/8	41 3/8	\$920
65T4890SR_	90	48	1	\$8,702	\$9,138	89 3/8	47 3/8	\$1,019
65T3696SR_	96	36	1	\$7,445	\$7,818	95 3/8	35 3/8	\$863
65T4296SR_	96	42	1	\$8,349	\$8,767	95 3/8	41 3/8	\$968
65T4896SR_	96	48	1	\$9,239	\$9,701	95 3/8	47 3/8	\$1,074
65T42102SR2_	102	42	2	\$9,213	\$9,674	101 3/8	41 3/8	\$1,133
65T48102SR2_	102	48	2	\$10,110	\$10,616	101 3/8	47 3/8	\$1,251
65T42108SR2_	108	42	2	\$9,610	\$10,091	107 3/8	41 3/8	\$1,183
65T48108SR2_	108	48	2	\$10,118	\$10,624	107 3/8	47 3/8	\$1,307
65T42114SR2_	114	42	2	\$10,007	\$10,508	113 3/8	41 3/8	\$1,231
65T48114SR2_	114	48	2	\$10,127	\$10,634	113 3/8	41 3/8	\$1,363

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Soft Rectangular Table Tops (continued)**

- 3" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T42120SR1_	120	42	1	\$1,029	\$1,631	\$1,712	\$2,173	\$2,282	\$4,096	\$4,506	\$4,800	\$5,280
65T48120SR1_	120	48	1	\$1,139	\$1,639	\$1,721	\$2,217	\$2,328	\$4,513	\$4,964	\$5,484	\$6,032
65T54120SR1_	120	54	1	\$1,247	\$1,842	\$1,934	\$2,498	\$2,623	\$4,975	\$5,473	\$6,010	\$6,611
65T60120SR1_	120	60	1	\$1,355	\$1,861	\$1,953	\$2,524	\$2,650	\$5,642	\$6,206	\$6,859	\$7,545
65T42120SR2_	120	42	2	\$1,263	\$1,754	\$1,841	\$2,337	\$2,453	\$4,404	\$4,844	\$5,162	\$5,679
65T48120SR2_	120	48	2	\$1,394	\$1,762	\$1,850	\$2,385	\$2,504	\$4,853	\$5,338	\$5,896	\$6,486
65T54120SR2_	120	54	2	\$1,525	\$1,980	\$2,080	\$2,686	\$2,821	\$5,350	\$5,885	\$6,462	\$7,107
65T60120SR2_	120	60	2	\$1,655	\$2,001	\$2,101	\$2,714	\$2,849	\$6,066	\$6,673	\$7,375	\$8,113
65T48126SR_	126	48	2	\$1,452	\$1,804	\$1,895	\$2,487	\$2,611	\$5,096	\$5,605	\$6,194	\$6,813
65T54126SR_	126	54	2	\$1,585	\$2,089	\$2,193	\$2,949	\$3,097	\$5,590	\$6,149	\$6,753	\$7,429
65T60126SR_	126	60	2	\$1,724	\$2,111	\$2,217	\$2,980	\$3,129	\$6,370	\$7,007	\$7,742	\$8,517
65T48132SR_	132	48	2	\$1,508	\$1,847	\$1,939	\$2,589	\$2,718	\$5,338	\$5,873	\$6,491	\$7,139
65T54132SR_	132	54	2	\$1,648	\$2,199	\$2,308	\$3,213	\$3,374	\$5,828	\$6,411	\$7,046	\$7,750
65T60132SR_	132	60	2	\$1,793	\$2,220	\$2,331	\$3,246	\$3,409	\$6,672	\$7,339	\$8,110	\$8,920
65T48138SR_	138	48	2	\$1,565	\$1,890	\$1,984	\$2,692	\$2,826	\$5,580	\$6,138	\$6,785	\$7,464
65T54138SR_	138	54	2	\$1,712	\$2,203	\$2,313	\$3,220	\$3,381	\$6,068	\$6,675	\$7,505	\$8,255
65T60138SR_	138	60	2	\$1,862	\$2,224	\$2,336	\$3,252	\$3,415	\$6,976	\$7,673	\$8,479	\$9,327
65T48144SR_	144	48	2	\$1,621	\$1,931	\$2,028	\$2,792	\$2,932	\$5,823	\$6,405	\$7,079	\$7,786
65T54144SR_	144	54	2	\$1,776	\$2,208	\$2,318	\$3,225	\$3,386	\$6,306	\$6,937	\$7,964	\$8,761
65T60144SR_	144	60	2	\$1,931	\$2,230	\$2,342	\$3,258	\$3,421	\$7,278	\$8,007	\$8,850	\$9,735
65T48150SR_	150	48	2	\$1,678	\$2,016	\$2,117	\$2,865	\$3,009	\$6,066	\$6,673	\$7,373	\$8,111
65T54150SR_	150	54	2	\$1,838	\$2,420	\$2,540	\$3,414	\$3,585	\$6,544	\$7,198	\$8,258	\$9,084
65T60150SR_	150	60	2	\$2,000	\$2,446	\$2,567	\$3,441	\$3,613	\$7,582	\$8,340	\$9,216	\$10,138
65T48156SR_	156	48	2	\$1,735	\$2,105	\$2,210	\$2,939	\$3,085	\$6,308	\$6,939	\$7,667	\$8,434
65T54156SR_	156	54	2	\$1,901	\$2,634	\$2,766	\$3,587	\$3,766	\$6,780	\$7,458	\$8,553	\$9,409
65T60156SR_	156	60	2	\$2,069	\$2,661	\$2,794	\$3,623	\$3,804	\$7,885	\$8,674	\$9,583	\$10,542

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Soft Rectangular Table Tops (continued)**

- 3" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T42120SR2_	120	42	2	\$10,200	\$10,710	119 3/8	41 3/8	\$1,281
65T48120SR2_	120	48	2	\$10,300	\$10,815	119 3/8	47 3/8	\$1,419
65T54120SR2_	120	54	2	\$14,098	\$14,803	119 3/8	53 3/8	\$1,557
65T60120SR2_	120	60	2	\$15,210	\$15,971	119 3/8	59 3/8	\$1,696
65T48126SR_	126	48	2	\$10,935	\$11,482	125 3/8	47 3/8	\$1,476
65T54126SR_	126	54	2	\$14,778	\$15,517	125 3/8	53 3/8	\$1,620
65T60126SR_	126	60	2	\$15,945	\$16,743	125 3/8	59 3/8	\$1,765
65T48132SR_	132	48	2	\$11,734	\$12,321	131 3/8	47 3/8	\$1,532
65T54132SR_	132	54	2	\$15,458	\$16,231	131 3/8	53 3/8	\$1,683
65T60132SR_	132	60	2	\$16,680	\$17,514	131 3/8	59 3/8	\$1,835
65T48138SR_	138	48	2	\$12,534	\$13,161	137 3/8	47 3/8	\$1,588
65T54138SR_	138	54	2	\$16,137	\$16,944	137 3/8	53 3/8	\$1,747
65T60138SR_	138	60	2	\$17,416	\$18,287	137 3/8	59 3/8	\$1,906
65T48144SR_	144	48	2	\$13,334	\$14,001	143 3/8	47 3/8	\$1,644
65T54144SR_	144	54	2	\$16,817	\$17,658	143 3/8	53 3/8	\$1,810
65T60144SR_	144	60	2	\$18,151	\$19,059	143 3/8	59 3/8	\$1,975
65T48150SR_	150	48	2	\$13,786	\$14,476	149 3/8	47 3/8	\$1,700
65T54150SR_	150	54	2	\$17,317	\$18,183	149 3/8	53 3/8	\$1,873
65T60150SR_	150	60	2	\$18,707	\$19,643	149 3/8	59 3/8	\$2,045
65T48156SR_	156	48	2	\$14,238	\$14,950	155 3/8	47 3/8	\$1,756
65T54156SR_	156	54	2	\$17,818	\$18,709	155 3/8	53 3/8	\$1,936
65T60156SR_	156	60	2	\$19,263	\$20,227	155 3/8	59 3/8	\$2,115

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Soft Rectangular Table Tops (continued)**

- 3" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T48162SR_	162	48	2	\$1,792	\$2,185	\$2,294	\$3,011	\$3,162	\$6,551	\$7,206	\$7,962	\$8,759
65T54162SR_	162	54	2	\$1,964	\$2,637	\$2,769	\$3,592	\$3,771	\$7,192	\$7,911	\$8,922	\$9,814
65T60162SR_	162	60	2	\$2,138	\$2,664	\$2,797	\$3,629	\$3,810	\$8,189	\$9,008	\$9,953	\$10,948
65T48168SR_	168	48	2	\$1,848	\$2,270	\$2,383	\$3,083	\$3,237	\$6,794	\$7,473	\$8,255	\$9,080
65T54168SR_	168	54	2	\$2,027	\$2,641	\$2,773	\$3,599	\$3,780	\$7,605	\$8,365	\$9,292	\$10,221
65T60168SR_	168	60	2	\$2,207	\$2,669	\$2,802	\$3,636	\$3,819	\$8,492	\$9,341	\$10,323	\$11,356
65T48174SR_	174	48	2	\$1,904	\$2,274	\$2,387	\$3,089	\$3,244	\$7,035	\$7,739	\$8,553	\$9,409
65T54174SR_	174	54	2	\$2,089	\$2,643	\$2,776	\$3,604	\$3,785	\$7,868	\$8,655	\$9,587	\$10,545
65T60174SR_	174	60	2	\$2,276	\$2,671	\$2,805	\$3,642	\$3,824	\$8,795	\$9,674	\$10,690	\$11,758
65T48180SR_	180	48	2	\$1,961	\$2,277	\$2,390	\$3,095	\$3,249	\$7,278	\$8,007	\$8,850	\$9,735
65T54180SR_	180	54	2	\$2,151	\$2,652	\$2,785	\$3,613	\$3,793	\$8,130	\$8,944	\$9,880	\$10,868
65T60180SR_	180	60	2	\$2,345	\$2,680	\$2,813	\$3,650	\$3,832	\$9,098	\$10,008	\$11,057	\$12,162
65T48186SR_	186	48	2	\$2,018	\$2,281	\$2,395	\$3,102	\$3,257	\$7,522	\$8,273	\$9,144	\$10,058
65T54186SR_	186	54	2	\$2,215	\$2,657	\$2,789	\$3,618	\$3,798	\$8,377	\$9,216	\$10,247	\$11,272
65T60186SR_	186	60	2	\$2,414	\$2,683	\$2,818	\$3,655	\$3,837	\$9,401	\$10,342	\$11,427	\$12,570
65T48192SR_	192	48	2	\$2,075	\$2,286	\$2,400	\$3,108	\$3,264	\$7,764	\$8,540	\$9,437	\$10,382
65T54192SR_	192	54	2	\$2,279	\$2,661	\$2,794	\$3,623	\$3,804	\$8,627	\$9,490	\$10,615	\$11,676
65T60192SR_	192	60	2	\$2,484	\$2,687	\$2,822	\$3,661	\$3,844	\$9,705	\$10,675	\$11,797	\$12,976
65T48198SR_	198	48	3	\$2,150	\$3,182	\$3,342	\$4,296	\$4,510	\$8,863	\$9,748	\$10,719	\$11,790
65T54198SR_	198	54	3	\$2,360	\$3,623	\$3,804	\$4,934	\$5,180	\$9,862	\$10,848	\$11,867	\$13,054
65T60198SR_	198	60	3	\$2,572	\$3,661	\$3,844	\$4,984	\$5,233	\$11,069	\$12,176	\$13,321	\$14,653
65T48204SR_	204	48	3	\$2,224	\$3,226	\$3,387	\$4,379	\$4,598	\$9,122	\$10,035	\$10,978	\$12,076
65T54204SR_	204	54	3	\$2,443	\$3,631	\$3,813	\$4,940	\$5,188	\$10,196	\$11,216	\$12,270	\$13,498
65T60204SR_	204	60	3	\$2,662	\$3,669	\$3,853	\$4,992	\$5,241	\$11,403	\$12,543	\$13,726	\$15,098
65T48210SR_	210	48	3	\$2,300	\$3,231	\$3,392	\$4,387	\$4,606	\$9,389	\$10,327	\$11,300	\$12,430
65T54210SR_	210	54	3	\$2,524	\$3,635	\$3,818	\$4,947	\$5,194	\$10,529	\$11,582	\$12,674	\$13,941
65T60210SR_	210	60	3	\$2,751	\$3,672	\$3,857	\$4,998	\$5,247	\$11,736	\$12,911	\$14,129	\$15,542

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Soft Rectangular Table Tops (continued)**

- 3" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89



Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T48162SR_	162	48	2	\$14,689	\$15,424	161 3/8	47 3/8	\$1,813
65T54162SR_	162	54	2	\$18,318	\$19,234	161 3/8	53 3/8	\$1,999
65T60162SR_	162	60	2	\$19,819	\$20,810	161 3/8	59 3/8	\$2,185
65T48168SR_	168	48	2	\$15,141	\$15,899	167 3/8	47 3/8	\$1,869
65T54168SR_	168	54	2	\$18,818	\$19,759	167 3/8	53 3/8	\$2,062
65T60168SR_	168	60	2	\$20,375	\$21,394	167 3/8	59 3/8	\$2,255
65T48174SR_	174	48	2	\$15,622	\$16,404	173 3/8	47 3/8	\$1,925
65T54174SR_	174	54	2	\$19,318	\$20,284	173 3/8	53 3/8	\$2,125
65T60174SR_	174	60	2	\$20,931	\$21,978	173 3/8	59 3/8	\$2,326
65T48180SR_	180	48	2	\$16,102	\$16,908	179 3/8	47 3/8	\$1,982
65T54180SR_	180	54	2	\$19,819	\$20,810	179 3/8	53 3/8	\$2,187
65T60180SR_	180	60	2	\$21,486	\$22,561	179 3/8	59 3/8	\$2,395
65T48186SR_	186	48	2	\$16,582	\$17,412	185 3/8	47 3/8	\$2,038
65T54186SR_	186	54	2	\$20,320	\$21,336	185 3/8	53 3/8	\$2,251
65T60186SR_	186	60	2	\$22,042	\$23,145	185 3/8	59 3/8	\$2,464
65T48192SR_	192	48	2	\$17,063	\$17,917	191 3/8	47 3/8	\$2,094
65T54192SR_	192	54	2	\$20,820	\$21,861	191 3/8	53 3/8	\$2,314
65T60192SR_	192	60	2	\$22,598	\$23,728	191 3/8	59 3/8	\$2,535
65T48198SR_	198	48	3	\$18,087	\$18,992	197 3/8	47 3/8	\$2,336
65T54198SR_	198	54	3	\$21,584	\$22,664	197 3/8	53 3/8	\$2,577
65T60198SR_	198	60	3	\$23,418	\$24,589	197 3/8	59 3/8	\$2,816
65T48204SR_	204	48	3	\$18,542	\$19,470	203 3/8	47 3/8	\$2,394
65T54204SR_	204	54	3	\$22,348	\$23,466	203 3/8	53 3/8	\$2,643
65T60204SR_	204	60	3	\$24,238	\$25,450	203 3/8	59 3/8	\$2,889
65T48210SR_	210	48	3	\$18,997	\$19,947	209 3/8	47 3/8	\$2,453
65T54210SR_	210	54	3	\$23,113	\$24,269	209 3/8	53 3/8	\$2,709
65T60210SR_	210	60	3	\$25,058	\$26,311	209 3/8	59 3/8	\$2,963

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out








**• Arc Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T3672AR_	72	36	1	\$5,972	\$6,271	71 3/8	35 3/8	\$698
65T4272AR_	72	42	1	\$6,654	\$6,987	71 3/8	41 3/8	\$777
65T4872AR_	72	48	1	\$7,090	\$7,445	71 3/8	47 3/8	\$856
65T3678AR_	78	36	1	\$6,340	\$6,657	77 3/8	35 3/8	\$740
65T4278AR_	78	42	1	\$7,078	\$7,432	77 3/8	41 3/8	\$825
65T4878AR_	78	48	1	\$7,627	\$8,009	77 3/8	47 3/8	\$911
65T3684AR_	84	36	1	\$6,708	\$7,044	83 3/8	35 3/8	\$780
65T4284AR_	84	42	1	\$7,502	\$7,878	83 3/8	41 3/8	\$873
65T4884AR_	84	48	1	\$8,164	\$8,573	83 3/8	47 3/8	\$965
65T3690AR_	90	36	1	\$7,077	\$7,431	89 3/8	35 3/8	\$821
65T4290AR_	90	42	1	\$7,925	\$8,322	89 3/8	41 3/8	\$920
65T4890AR_	90	48	1	\$8,702	\$9,138	89 3/8	47 3/8	\$1,019
65T3696AR_	96	36	1	\$7,445	\$7,818	95 3/8	35 3/8	\$863
65T4296AR_	96	42	1	\$8,349	\$8,767	95 3/8	41 3/8	\$968
65T4896AR_	96	48	1	\$9,239	\$9,701	95 3/8	47 3/8	\$1,074
65T42102AR2_	102	42	2	\$9,213	\$9,674	101 3/8	41 3/8	\$1,133
65T48102AR2_	102	48	2	\$10,110	\$10,616	101 3/8	47 3/8	\$1,251
65T42108AR2_	108	42	2	\$9,610	\$10,091	107 3/8	41 3/8	\$1,183
65T48108AR2_	108	48	2	\$10,118	\$10,624	107 3/8	47 3/8	\$1,307
65T42114AR2_	114	42	2	\$10,007	\$10,508	113 3/8	41 3/8	\$1,231
65T48114AR2_	114	48	2	\$10,127	\$10,634	113 3/8	47 3/8	\$1,363

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Arc Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T42120AR1_	120	42	1	\$1,029	\$1,631	\$1,712	\$2,173	\$2,282	\$4,096	\$4,506	\$4,800	\$5,280
65T48120AR1_	120	48	1	\$1,139	\$1,639	\$1,721	\$2,217	\$2,328	\$4,513	\$4,964	\$5,484	\$6,032
65T54120AR1_	120	54	1	\$1,247	\$1,842	\$1,934	\$2,498	\$2,623	\$4,975	\$5,473	\$6,010	\$6,611
65T60120AR1_	120	60	1	\$1,355	\$1,861	\$1,953	\$2,524	\$2,650	\$5,642	\$6,206	\$6,859	\$7,545
65T42120AR2_	120	42	2	\$1,263	\$1,754	\$1,841	\$2,337	\$2,453	\$4,404	\$4,844	\$5,162	\$5,679
65T48120AR2_	120	48	2	\$1,394	\$1,762	\$1,850	\$2,385	\$2,504	\$4,853	\$5,338	\$5,896	\$6,486
65T54120AR2_	120	54	2	\$1,525	\$1,980	\$2,080	\$2,686	\$2,821	\$5,350	\$5,885	\$6,462	\$7,107
65T60120AR2_	120	60	2	\$1,655	\$2,001	\$2,101	\$2,714	\$2,849	\$6,066	\$6,673	\$7,375	\$8,113
65T48126AR_	126	48	2	\$1,452	\$1,804	\$1,895	\$2,487	\$2,611	\$5,096	\$5,605	\$6,194	\$6,813
65T54126AR_	126	54	2	\$1,585	\$2,089	\$2,193	\$2,949	\$3,097	\$5,590	\$6,149	\$6,753	\$7,429
65T60126AR_	126	60	2	\$1,724	\$2,111	\$2,217	\$2,980	\$3,129	\$6,370	\$7,007	\$7,742	\$8,517
65T48132AR_	132	48	2	\$1,508	\$1,847	\$1,939	\$2,589	\$2,718	\$5,338	\$5,873	\$6,491	\$7,139
65T54132AR_	132	54	2	\$1,648	\$2,199	\$2,308	\$3,213	\$3,374	\$5,828	\$6,411	\$7,046	\$7,750
65T60132AR_	132	60	2	\$1,793	\$2,220	\$2,331	\$3,246	\$3,409	\$6,672	\$7,339	\$8,110	\$8,920
65T48138AR_	138	48	2	\$1,565	\$1,890	\$1,984	\$2,692	\$2,826	\$5,580	\$6,138	\$6,785	\$7,464
65T54138AR_	138	54	2	\$1,712	\$2,203	\$2,313	\$3,220	\$3,381	\$6,068	\$6,675	\$7,505	\$8,255
65T60138AR_	138	60	2	\$1,862	\$2,224	\$2,336	\$3,252	\$3,415	\$6,976	\$7,673	\$8,479	\$9,327
65T48144AR_	144	48	2	\$1,621	\$1,931	\$2,028	\$2,792	\$2,932	\$5,823	\$6,405	\$7,079	\$7,786
65T54144AR_	144	54	2	\$1,776	\$2,208	\$2,318	\$3,225	\$3,386	\$6,306	\$6,937	\$7,964	\$8,761
65T60144AR_	144	60	2	\$1,931	\$2,230	\$2,342	\$3,258	\$3,421	\$7,278	\$8,007	\$8,850	\$9,735
65T48150AR_	150	48	2	\$1,678	\$2,016	\$2,117	\$2,865	\$3,009	\$6,066	\$6,673	\$7,373	\$8,111
65T54150AR_	150	54	2	\$1,838	\$2,420	\$2,540	\$3,414	\$3,585	\$6,544	\$7,198	\$8,258	\$9,084
65T60150AR_	150	60	2	\$2,000	\$2,446	\$2,567	\$3,441	\$3,613	\$7,582	\$8,340	\$9,216	\$10,138
65T48156AR_	156	48	2	\$1,735	\$2,105	\$2,210	\$2,939	\$3,085	\$6,308	\$6,939	\$7,667	\$8,434
65T54156AR_	156	54	2	\$1,901	\$2,634	\$2,766	\$3,587	\$3,766	\$6,780	\$7,458	\$8,553	\$9,409
65T60156AR_	156	60	2	\$2,069	\$2,661	\$2,794	\$3,623	\$3,804	\$7,885	\$8,674	\$9,583	\$10,542

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Arc Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T42120AR2_	120	42	2	\$10,200	\$10,710	119 3/8	41 3/8	\$1,281
65T48120AR2_	120	48	2	\$10,300	\$10,815	119 3/8	47 3/8	\$1,419
65T54120AR2_	120	54	2	\$14,098	\$14,803	119 3/8	53 3/8	\$1,557
65T60120AR2_	120	60	2	\$15,210	\$15,971	119 3/8	59 3/8	\$1,696
65T48126AR_	126	48	2	\$10,935	\$11,482	125 3/8	47 3/8	\$1,476
65T54126AR_	126	54	2	\$14,778	\$15,517	125 3/8	53 3/8	\$1,620
65T60126AR_	126	60	2	\$15,945	\$16,743	125 3/8	59 3/8	\$1,765
65T48132AR_	132	48	2	\$11,734	\$12,321	131 3/8	47 3/8	\$1,532
65T54132AR_	132	54	2	\$15,458	\$16,231	131 3/8	53 3/8	\$1,683
65T60132AR_	132	60	2	\$16,680	\$17,514	131 3/8	59 3/8	\$1,835
65T48138AR_	138	48	2	\$12,534	\$13,161	137 3/8	47 3/8	\$1,588
65T54138AR_	138	54	2	\$16,137	\$16,944	137 3/8	53 3/8	\$1,747
65T60138AR_	138	60	2	\$17,416	\$18,287	137 3/8	59 3/8	\$1,906
65T48144AR_	144	48	2	\$13,334	\$14,001	143 3/8	47 3/8	\$1,644
65T54144AR_	144	54	2	\$16,817	\$17,658	143 3/8	53 3/8	\$1,810
65T60144AR_	144	60	2	\$18,151	\$19,059	143 3/8	59 3/8	\$1,975
65T48150AR_	150	48	2	\$13,786	\$14,476	149 3/8	47 3/8	\$1,700
65T54150AR_	150	54	2	\$17,317	\$18,183	149 3/8	53 3/8	\$1,873
65T60150AR_	150	60	2	\$18,707	\$19,643	149 3/8	59 3/8	\$2,045
65T48156AR_	156	48	2	\$14,238	\$14,950	155 3/8	47 3/8	\$1,756
65T54156AR_	156	54	2	\$17,818	\$18,709	155 3/8	53 3/8	\$1,936
65T60156AR_	156	60	2	\$19,263	\$20,227	155 3/8	59 3/8	\$2,115

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Arc Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T48162AR_	162	48	2	\$1,792	\$2,185	\$2,294	\$3,011	\$3,162	\$6,551	\$7,206	\$7,962	\$8,759
65T54162AR_	162	54	2	\$1,964	\$2,637	\$2,769	\$3,592	\$3,771	\$7,192	\$7,911	\$8,922	\$9,814
65T60162AR_	162	60	2	\$2,138	\$2,664	\$2,797	\$3,629	\$3,810	\$8,189	\$9,008	\$9,953	\$10,948
65T48168AR_	168	48	2	\$1,848	\$2,270	\$2,383	\$3,083	\$3,237	\$6,794	\$7,473	\$8,255	\$9,080
65T54168AR_	168	54	2	\$2,027	\$2,641	\$2,773	\$3,599	\$3,780	\$7,605	\$8,365	\$9,292	\$10,221
65T60168AR_	168	60	2	\$2,207	\$2,669	\$2,802	\$3,636	\$3,819	\$8,492	\$9,341	\$10,323	\$11,356
65T48174AR_	174	48	2	\$2,207	\$2,274	\$2,387	\$3,089	\$3,244	\$7,035	\$7,739	\$8,553	\$9,409
65T54174AR_	174	54	2	\$2,089	\$2,643	\$2,776	\$3,604	\$3,785	\$7,868	\$8,655	\$9,587	\$10,545
65T60174AR_	174	60	2	\$2,276	\$2,671	\$2,805	\$3,642	\$3,824	\$8,795	\$9,674	\$10,690	\$11,758
65T48180AR_	180	48	2	\$1,961	\$2,277	\$2,390	\$3,095	\$3,249	\$7,278	\$8,007	\$8,850	\$9,735
65T54180AR_	180	54	2	\$2,151	\$2,652	\$2,785	\$3,613	\$3,793	\$8,130	\$8,944	\$9,880	\$10,868
65T60180AR_	180	60	2	\$2,345	\$2,680	\$2,813	\$3,650	\$3,832	\$9,098	\$10,008	\$11,057	\$12,162
65T48186AR_	186	48	2	\$2,018	\$2,281	\$2,395	\$3,102	\$3,257	\$7,522	\$8,273	\$9,144	\$10,058
65T54186AR_	186	54	2	\$2,215	\$2,657	\$2,789	\$3,618	\$3,798	\$8,377	\$9,216	\$10,247	\$11,272
65T60186AR_	186	60	2	\$2,414	\$2,683	\$2,818	\$3,655	\$3,837	\$9,401	\$10,342	\$11,427	\$12,570
65T48192AR_	192	48	2	\$2,075	\$2,286	\$2,400	\$3,108	\$3,264	\$7,764	\$8,540	\$9,437	\$10,382
65T54192AR_	192	54	2	\$2,279	\$2,661	\$2,794	\$3,623	\$3,804	\$8,627	\$9,490	\$10,615	\$11,676
65T60192AR_	192	60	2	\$2,484	\$2,687	\$2,822	\$3,661	\$3,844	\$9,705	\$10,675	\$11,797	\$12,976
65T48198AR_	198	48	3	\$2,150	\$3,182	\$3,342	\$4,296	\$4,510	\$8,863	\$9,748	\$10,719	\$11,790
65T54198AR_	198	54	3	\$2,360	\$3,623	\$3,804	\$4,934	\$5,180	\$9,862	\$10,848	\$11,867	\$13,054
65T60198AR_	198	60	3	\$2,572	\$3,661	\$3,844	\$4,984	\$5,233	\$11,069	\$12,176	\$13,321	\$14,653
65T48204AR_	204	48	3	\$2,224	\$3,226	\$3,387	\$4,379	\$4,598	\$9,122	\$10,035	\$10,978	\$12,076
65T54204AR_	204	54	3	\$2,443	\$3,631	\$3,813	\$4,940	\$5,188	\$10,196	\$11,216	\$12,270	\$13,498
65T60204AR_	204	60	3	\$2,662	\$3,669	\$3,853	\$4,992	\$5,241	\$11,403	\$12,543	\$13,726	\$15,098
65T48210AR_	210	48	3	\$2,300	\$3,231	\$3,392	\$4,387	\$4,606	\$9,389	\$10,327	\$11,300	\$12,430
65T54210AR_	210	54	3	\$2,524	\$3,635	\$3,818	\$4,947	\$5,194	\$10,529	\$11,582	\$12,674	\$13,941
65T60210AR_	210	60	3	\$2,751	\$3,672	\$3,857	\$4,998	\$5,247	\$11,736	\$12,911	\$14,129	\$15,542

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Arc Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T48162AR_	162	48	2	\$14,689	\$15,424	161 3/8	47 3/8	\$1,813
65T54162AR_	162	54	2	\$18,318	\$19,234	161 3/8	53 3/8	\$1,999
65T60162AR_	162	60	2	\$19,819	\$20,810	161 3/8	59 3/8	\$2,185
65T48168AR_	168	48	2	\$15,141	\$15,899	167 3/8	47 3/8	\$1,869
65T54168AR_	168	54	2	\$18,818	\$19,759	167 3/8	53 3/8	\$2,062
65T60168AR_	168	60	2	\$20,375	\$21,394	167 3/8	59 3/8	\$2,255
65T48174AR_	174	48	2	\$15,622	\$16,404	173 3/8	47 3/8	\$1,925
65T54174AR_	174	54	2	\$19,318	\$20,284	173 3/8	53 3/8	\$2,125
65T60174AR_	174	60	2	\$20,931	\$21,978	173 3/8	59 3/8	\$2,326
65T48180AR_	180	48	2	\$16,102	\$16,908	179 3/8	47 3/8	\$1,982
65T54180AR_	180	54	2	\$19,819	\$20,810	179 3/8	53 3/8	\$2,187
65T60180AR_	180	60	2	\$21,486	\$22,561	179 3/8	59 3/8	\$2,395
65T48186AR_	186	48	2	\$16,582	\$17,412	185 3/8	47 3/8	\$2,038
65T54186AR_	186	54	2	\$20,320	\$21,336	185 3/8	53 3/8	\$2,251
65T60186AR_	186	60	2	\$22,042	\$23,145	185 3/8	59 3/8	\$2,464
65T48192AR_	192	48	2	\$17,063	\$17,917	191 3/8	47 3/8	\$2,094
65T54192AR_	192	54	2	\$20,820	\$21,861	191 3/8	53 3/8	\$2,314
65T60192AR_	192	60	2	\$22,598	\$23,728	191 3/8	59 3/8	\$2,535
65T48198AR_	198	48	3	\$18,087	\$18,992	197 3/8	47 3/8	\$2,336
65T54198AR_	198	54	3	\$21,584	\$22,664	197 3/8	53 3/8	\$2,577
65T60198AR_	198	60	3	\$23,418	\$24,589	197 3/8	59 3/8	\$2,816
65T48204AR_	204	48	3	\$18,542	\$19,470	203 3/8	47 3/8	\$2,394
65T54204AR_	204	54	3	\$22,348	\$23,466	203 3/8	53 3/8	\$2,643
65T60204AR_	204	60	3	\$24,238	\$25,450	203 3/8	59 3/8	\$2,889
65T48210AR_	210	48	3	\$18,997	\$19,947	209 3/8	47 3/8	\$2,453
65T54210AR_	210	54	3	\$23,113	\$24,269	209 3/8	53 3/8	\$2,709
65T60210AR_	210	60	3	\$25,058	\$26,311	209 3/8	59 3/8	\$2,963

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Arc Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	R3 TFL T	R3 HPL Tier 1 H	R3 HPL Tier 2 H	K9 HPL Tier 1 KH	K9 HPL Tier 2 KH	R3 H3 C3 ESS Veneer V	R3 H3 C3 ART Veneer V	K9 ESS Veneer KV	K9 ART Veneer KV
65T48216AR_	216	48	3	\$2,375	\$3,235	\$3,396	\$4,394	\$4,614	\$9,657	\$10,622	\$11,621	\$12,783
65T54216AR_	216	54	3	\$2,605	\$3,639	\$3,822	\$4,953	\$5,200	\$10,864	\$11,950	\$13,076	\$14,384
65T60216AR_	216	60	3	\$2,840	\$3,677	\$3,861	\$5,003	\$5,253	\$12,070	\$13,277	\$14,532	\$15,985
65T48222AR_	222	48	3	\$2,450	\$3,239	\$3,401	\$4,400	\$4,619	\$9,926	\$10,918	\$11,945	\$13,140
65T54222AR_	222	54	3	\$2,687	\$3,696	\$3,881	\$5,031	\$5,282	\$11,133	\$12,246	\$13,401	\$14,741
65T60222AR_	222	60	3	\$2,929	\$3,734	\$3,921	\$5,083	\$5,337	\$12,407	\$13,648	\$14,935	\$16,429
65T48228AR_	228	48	3	\$2,525	\$3,243	\$3,406	\$4,406	\$4,626	\$10,196	\$11,216	\$12,270	\$13,498
65T54228AR_	228	54	3	\$2,769	\$3,753	\$3,940	\$5,108	\$5,364	\$11,403	\$12,543	\$13,726	\$15,098
65T60228AR_	228	60	3	\$3,018	\$3,792	\$3,981	\$5,161	\$5,419	\$12,744	\$14,018	\$15,338	\$16,872
65T48234AR_	234	48	3	\$2,600	\$3,370	\$3,538	\$4,471	\$4,694	\$10,462	\$11,509	\$12,592	\$13,851
65T54234AR_	234	54	3	\$2,851	\$3,758	\$3,945	\$5,114	\$5,370	\$11,736	\$12,911	\$14,129	\$15,542
65T60234AR_	234	60	3	\$3,107	\$3,797	\$3,987	\$5,168	\$5,426	\$13,076	\$14,384	\$15,742	\$17,316
65T48240AR_	240	48	3	\$2,675	\$3,496	\$3,671	\$4,536	\$4,762	\$10,730	\$11,803	\$12,914	\$14,204
65T54240AR_	240	54	3	\$2,935	\$3,763	\$3,951	\$5,122	\$5,378	\$12,070	\$13,277	\$14,532	\$15,985
65T60240AR_	240	60	3	\$3,197	\$3,802	\$3,993	\$5,174	\$5,433	\$13,411	\$14,752	\$16,146	\$17,760

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Arc Rectangular Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T48216AR_	216	48	3	\$19,452	\$20,425	215 3/8	47 3/8	\$2,513
65T54216AR_	216	54	3	\$23,877	\$25,071	215 3/8	53 3/8	\$2,774
65T60216AR_	216	60	3	\$25,878	\$27,172	215 3/8	59 3/8	\$3,036
65T48222AR_	222	48	3	\$19,907	\$20,903	221 3/8	47 3/8	\$2,571
65T54222AR_	222	54	3	\$24,641	\$25,874	221 3/8	53 3/8	\$2,840
65T60222AR_	222	60	3	\$26,698	\$28,033	221 3/8	59 3/8	\$3,109
65T48228AR_	228	48	3	\$20,362	\$21,381	227 3/8	47 3/8	\$2,629
65T54228AR_	228	54	3	\$25,406	\$26,677	227 3/8	53 3/8	\$2,906
65T60228AR_	228	60	3	\$27,518	\$28,894	227 3/8	59 3/8	\$3,182
65T48234AR_	234	48	3	\$20,818	\$21,859	233 3/8	47 3/8	\$2,689
65T54234AR_	234	54	3	\$26,170	\$27,479	233 3/8	53 3/8	\$2,972
65T60234AR_	234	60	3	\$28,338	\$29,755	233 3/8	59 3/8	\$3,255
65T48240AR_	240	48	3	\$21,273	\$22,337	239 3/8	47 3/8	\$2,747
65T54240AR_	240	54	3	\$26,934	\$28,281	239 3/8	53 3/8	\$3,038
65T60240AR_	240	60	3	\$29,158	\$30,616	239 3/8	59 3/8	\$3,328

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**View Table Tops**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL R3 T	HPL Tier 1 H R3	HPL Tier 2 H R3	HPL Tier 1 KH K9	HPL Tier 2 KH K9	ESS Veneer V R3 H3 C3	ART Veneer V R3 H3 C3	ESS Veneer KV K9	ART Veneer KV K9
65T4872VT_	72	48	1	\$696	\$892	\$937	\$1,296	\$1,361	\$2,707	\$2,978	\$3,249	\$3,575
65T4878VT_	78	48	1	\$758	\$985	\$1,035	\$1,346	\$1,413	\$2,907	\$3,198	\$3,471	\$3,817
65T5484VT_	84	54	1	\$1,024	\$1,318	\$1,384	\$1,850	\$1,943	\$4,434	\$4,878	\$5,369	\$5,906
65T5490VT_	90	54	1	\$1,035	\$1,325	\$1,392	\$1,858	\$1,951	\$4,642	\$5,107	\$5,640	\$6,204
65T5496VT_	96	54	1	\$1,038	\$1,330	\$1,397	\$1,865	\$1,959	\$4,857	\$5,343	\$5,620	\$6,182
65T54102VT1_	102	54	1	\$1,191	\$1,715	\$1,801	\$2,186	\$2,296	\$5,062	\$5,569	\$5,973	\$6,571
65T54102VT2_	102	54	2	\$1,429	\$1,800	\$1,890	\$2,495	\$2,620	\$5,536	\$6,090	\$6,532	\$7,186
65T60108VT1_	108	60	1	\$1,268	\$1,896	\$1,991	\$2,572	\$2,701	\$5,273	\$5,801	\$6,122	\$6,735
65T60114VT1_	114	60	1	\$1,346	\$1,990	\$2,090	\$2,397	\$2,517	\$5,566	\$6,123	\$6,400	\$7,040
65T60120VT1_	120	60	1	\$1,355	\$1,861	\$1,953	\$2,524	\$2,650	\$5,642	\$6,206	\$6,859	\$7,545
65T60108VT2_	108	60	2	\$1,521	\$1,996	\$2,096	\$2,707	\$2,843	\$5,668	\$6,235	\$6,519	\$7,171
65T60114VT2_	114	60	2	\$1,612	\$2,195	\$2,305	\$2,578	\$2,707	\$5,983	\$6,582	\$6,881	\$7,570
65T60120VT2_	120	60	2	\$1,655	\$2,001	\$2,101	\$2,714	\$2,849	\$6,066	\$6,673	\$7,375	\$8,113
65T60126VT_	126	60	2	\$1,724	\$2,111	\$2,217	\$2,980	\$3,129	\$6,370	\$7,007	\$7,742	\$8,517
65T60132VT_	132	60	2	\$1,793	\$2,220	\$2,331	\$3,246	\$3,409	\$6,672	\$7,339	\$8,110	\$8,920
65T60138VT_	138	60	2	\$1,862	\$2,224	\$2,336	\$3,252	\$3,415	\$6,976	\$7,673	\$8,479	\$9,327
65T60144VT_	144	60	2	\$1,931	\$2,230	\$2,342	\$3,258	\$3,421	\$7,278	\$8,007	\$8,850	\$9,735
65T60150VT_	150	60	2	\$2,000	\$2,446	\$2,567	\$3,441	\$3,613	\$7,582	\$8,340	\$9,216	\$10,138
65T60156VT_	156	60	2	\$2,069	\$2,661	\$2,794	\$3,623	\$3,804	\$7,885	\$8,674	\$9,583	\$10,542
65T60162VT_	162	60	2	\$2,138	\$2,664	\$2,797	\$3,629	\$3,810	\$8,189	\$9,008	\$9,953	\$10,948
65T60168VT_	168	60	2	\$2,207	\$2,669	\$2,802	\$3,636	\$3,819	\$8,492	\$9,341	\$10,323	\$11,356
65T60174VT_	174	60	2	\$2,276	\$2,671	\$2,805	\$3,642	\$3,824	\$8,795	\$9,674	\$10,690	\$11,758
65T60180VT_	180	60	2	\$2,345	\$2,680	\$2,813	\$3,650	\$3,832	\$9,098	\$10,008	\$11,057	\$12,162
65T60186VT_	186	60	2	\$2,414	\$2,683	\$2,818	\$3,655	\$3,837	\$9,401	\$10,342	\$11,427	\$12,570
65T60192VT_	192	60	2	\$2,484	\$2,687	\$2,822	\$3,661	\$3,844	\$9,705	\$10,675	\$11,797	\$12,976
65T60198VT_	198	60	3	\$2,572	\$3,661	\$3,844	\$4,984	\$5,233	\$11,069	\$12,176	\$13,321	\$14,653
65T60204VT_	204	60	3	\$2,662	\$3,669	\$3,853	\$4,992	\$5,241	\$11,403	\$12,543	\$13,726	\$15,098
65T60210VT_	210	60	3	\$2,751	\$3,672	\$3,857	\$4,998	\$5,247	\$11,736	\$12,911	\$14,129	\$15,542
65T60216VT_	216	60	3	\$2,840	\$3,677	\$3,861	\$5,003	\$5,253	\$12,070	\$13,277	\$14,532	\$15,985
65T60222VT_	222	60	3	\$2,929	\$3,734	\$3,921	\$5,083	\$5,337	\$12,407	\$13,648	\$14,935	\$16,429
65T60228VT_	228	60	3	\$3,018	\$3,792	\$3,981	\$5,161	\$5,419	\$12,744	\$14,018	\$15,338	\$16,872
65T60234VT_	234	60	3	\$3,107	\$3,797	\$3,987	\$5,168	\$5,426	\$13,076	\$14,384	\$15,742	\$17,316
65T60240VT_	240	60	3	\$3,197	\$3,802	\$3,993	\$5,174	\$5,433	\$13,411	\$14,752	\$16,146	\$17,760

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**View Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T4872VT_	72	48	1	\$7,090	\$7,445	71 3/8	47 3/8	\$856
65T4878VT_	78	48	1	\$7,627	\$8,009	77 3/8	47 3/8	\$911
65T5484VT_	84	54	1	\$10,369	\$10,888	83 3/8	53 3/8	\$1,012
65T5490VT_	90	54	1	\$11,052	\$11,606	89 3/8	53 3/8	\$1,070
65T5496VT_	96	54	1	\$11,734	\$12,321	95 3/8	53 3/8	\$1,127
65T54102VT2_	102	54	2	\$12,840	\$13,483	101 3/8	53 3/8	\$1,314
65T60108VT2_	108	60	2	\$13,356	\$14,024	107 3/8	59 3/8	\$1,487
65T60114VT2_	114	60	2	\$13,368	\$14,037	114	60	\$1,581
65T60120VT2_	120	60	2	\$15,210	\$15,971	119 3/8	59 3/8	\$1,696
65T60126VT_	126	60	2	\$15,945	\$16,743	125 3/8	59 3/8	\$1,765
65T60132VT_	132	60	2	\$16,680	\$17,514	131 3/8	59 3/8	\$1,835
65T60138VT_	138	60	2	\$17,416	\$18,287	137 3/8	59 3/8	\$1,906
65T60144VT_	144	60	2	\$18,151	\$19,059	143 3/8	59 3/8	\$1,975
65T60150VT_	150	60	2	\$18,707	\$19,643	149 3/8	59 3/8	\$2,045
65T60156VT_	156	60	2	\$19,263	\$20,227	155 3/8	59 3/8	\$2,115
65T60162VT_	162	60	2	\$19,819	\$20,810	161 3/8	59 3/8	\$2,185
65T60168VT_	168	60	2	\$20,375	\$21,394	167 3/8	59 3/8	\$2,255
65T60174VT_	174	60	2	\$20,931	\$21,978	173 3/8	59 3/8	\$2,326
65T60180VT_	180	60	2	\$21,486	\$22,561	179 3/8	59 3/8	\$2,395
65T60186VT_	186	60	2	\$22,042	\$23,145	185 3/8	59 3/8	\$2,464
65T60192VT_	192	60	2	\$22,598	\$23,728	191 3/8	59 3/8	\$2,535
65T60198VT_	198	60	3	\$23,418	\$24,589	197 3/8	59 3/8	\$2,816
65T60204VT_	204	60	3	\$24,238	\$25,450	203 3/8	59 3/8	\$2,889
65T60210VT_	210	60	3	\$25,058	\$26,311	209 3/8	59 3/8	\$2,963
65T60216VT_	216	60	3	\$25,878	\$27,172	215 3/8	59 3/8	\$3,036
65T60222VT_	222	60	3	\$26,698	\$28,033	221 3/8	59 3/8	\$3,109
65T60228VT_	228	60	3	\$27,518	\$28,894	227 3/8	59 3/8	\$3,182
65T60234VT_	234	60	3	\$28,338	\$29,755	233 3/8	59 3/8	\$3,255
65T60240VT_	240	60	1	\$29,158	\$30,616	239 3/8	59 3/8	\$3,328

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Boat Table Tops**

- ends are 6" narrower than overall center dimension
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T3672BT_	72	36	1	\$506	\$827	\$868	\$1,208	\$1,267	\$2,186	\$2,405	\$2,566	\$2,823
65T4272BT_	72	42	1	\$608	\$887	\$932	\$1,292	\$1,357	\$2,427	\$2,670	\$2,991	\$3,289
65T4872BT_	72	48	1	\$696	\$892	\$937	\$1,296	\$1,361	\$2,707	\$2,978	\$3,249	\$3,575
65T3678BT_	78	36	1	\$568	\$945	\$992	\$1,238	\$1,300	\$2,349	\$2,584	\$2,778	\$3,057
65T4278BT_	78	42	1	\$669	\$981	\$1,030	\$1,341	\$1,407	\$2,606	\$2,867	\$3,131	\$3,444
65T4878BT_	78	48	1	\$758	\$985	\$1,035	\$1,346	\$1,413	\$2,907	\$3,198	\$3,471	\$3,817
65T3684BT_	84	36	1	\$629	\$964	\$1,011	\$1,256	\$1,319	\$2,500	\$2,751	\$2,991	\$3,289
65T4284BT_	84	42	1	\$731	\$1,008	\$1,058	\$1,355	\$1,422	\$2,777	\$3,055	\$3,415	\$3,756
65T4884BT_	84	48	1	\$819	\$1,012	\$1,062	\$1,360	\$1,428	\$3,101	\$3,411	\$3,755	\$4,130
65T3690BT_	90	36	1	\$691	\$980	\$1,029	\$1,273	\$1,336	\$2,657	\$2,922	\$3,203	\$3,523
65T4290BT_	90	42	1	\$793	\$1,035	\$1,086	\$1,364	\$1,432	\$2,950	\$3,245	\$3,700	\$4,070
65T4890BT_	90	48	1	\$880	\$1,039	\$1,090	\$1,368	\$1,437	\$3,298	\$3,627	\$4,006	\$4,407
65T3696BT_	96	36	1	\$752	\$998	\$1,047	\$1,290	\$1,355	\$2,810	\$3,092	\$3,415	\$3,756
65T4296BT_	96	42	1	\$854	\$1,061	\$1,115	\$1,372	\$1,441	\$3,120	\$3,432	\$3,986	\$4,384
65T4896BT_	96	48	1	\$942	\$1,067	\$1,119	\$1,377	\$1,446	\$3,450	\$3,795	\$4,259	\$4,684
65T42102BT1_	102	42	1	\$886	\$1,559	\$1,636	\$2,120	\$2,226	\$3,570	\$3,928	\$4,012	\$4,413
65T48102BT1_	102	48	1	\$953	\$1,567	\$1,645	\$2,145	\$2,252	\$3,901	\$4,290	\$4,694	\$5,164
65T42102BT2_	102	42	2	\$1,098	\$1,676	\$1,760	\$2,281	\$2,395	\$3,840	\$4,225	\$4,313	\$4,745
65T48102BT2_	102	48	2	\$1,210	\$1,685	\$1,769	\$2,307	\$2,422	\$4,195	\$4,614	\$5,047	\$5,552
65T42108BT1_	108	42	1	\$934	\$1,583	\$1,662	\$2,125	\$2,231	\$3,732	\$4,105	\$4,254	\$4,680
65T48108BT1_	108	48	1	\$1,015	\$1,590	\$1,670	\$2,170	\$2,278	\$4,062	\$4,469	\$4,936	\$5,430
65T42108BT2_	108	42	2	\$1,153	\$1,702	\$1,787	\$2,285	\$2,399	\$4,013	\$4,415	\$4,574	\$5,031
65T48108BT2_	108	48	2	\$1,270	\$1,710	\$1,796	\$2,332	\$2,450	\$4,368	\$4,804	\$5,308	\$5,839
65T42114BT1_	114	42	1	\$981	\$1,607	\$1,688	\$2,150	\$2,257	\$3,913	\$4,305	\$4,528	\$4,981
65T48114BT1_	114	48	1	\$1,077	\$1,615	\$1,695	\$2,194	\$2,304	\$4,288	\$4,717	\$5,209	\$5,729
65T42114BT2_	114	42	2	\$1,209	\$1,728	\$1,814	\$2,311	\$2,426	\$4,208	\$4,629	\$4,868	\$5,355
65T48114BT2_	114	48	2	\$1,332	\$1,737	\$1,824	\$2,358	\$2,477	\$4,611	\$5,071	\$5,602	\$6,162

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T3672BT_	72	36	1	\$5,972	\$6,271	71 3/8	35 3/8	\$698
65T4272BT_	72	42	1	\$6,654	\$6,987	71 3/8	41 3/8	\$777
65T4872BT_	72	48	1	\$7,090	\$7,445	71 3/8	47 3/8	\$856
65T3678BT_	78	36	1	\$6,340	\$6,657	77 3/8	35 3/8	\$740
65T4278BT_	78	42	1	\$7,078	\$7,432	77 3/8	41 3/8	\$825
65T4878BT_	78	48	1	\$7,627	\$8,009	77 3/8	47 3/8	\$911
65T3684BT_	84	36	1	\$6,708	\$7,044	83 3/8	35 3/8	\$780
65T4284BT_	84	42	1	\$7,502	\$7,878	83 3/8	41 3/8	\$873
65T4884BT_	84	48	1	\$8,164	\$8,573	83 3/8	47 3/8	\$965
65T3690BT_	90	36	1	\$7,077	\$7,431	89 3/8	35 3/8	\$821
65T4290BT_	90	42	1	\$7,925	\$8,322	89 3/8	41 3/8	\$920
65T4890BT_	90	48	1	\$8,702	\$9,138	89 3/8	47 3/8	\$1,019
65T3696BT_	96	36	1	\$7,445	\$7,818	95 3/8	35 3/8	\$863
65T4296BT_	96	42	1	\$8,349	\$8,767	95 3/8	41 3/8	\$968
65T4896BT_	96	48	1	\$9,239	\$9,701	95 3/8	47 3/8	\$1,074
65T42102BT2_	102	42	2	\$9,213	\$9,674	101 3/8	41 3/8	\$1,133
65T48102BT2_	102	48	2	\$10,110	\$10,616	101 3/8	47 3/8	\$1,251
65T42108BT2_	108	42	2	\$9,610	\$10,091	107 3/8	41 3/8	\$1,183
65T48108BT2_	108	48	2	\$10,118	\$10,624	107 3/8	47 3/8	\$1,307
65T42114BT2_	114	42	2	\$10,007	\$10,508	113 3/8	41 3/8	\$1,231
65T48114BT2_	114	48	2	\$10,127	\$10,634	113 3/8	41 3/8	\$1,363

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	R3 TFL T	R3 HPL Tier 1 H	R3 HPL Tier 2 H	K9 HPL Tier 1 KH	K9 HPL Tier 2 KH	R3 H3 C3 ESS Veneer V	R3 H3 C3 ART Veneer V	K9 ESS Veneer KV	K9 ART Veneer KV
65T42120BT1_	120	42	1	\$1,029	\$1,631	\$1,712	\$2,173	\$2,282	\$4,096	\$4,506	\$4,800	\$5,280
65T48120BT1_	120	48	1	\$1,139	\$1,639	\$1,721	\$2,217	\$2,328	\$4,513	\$4,964	\$5,484	\$6,032
65T54120BT1_	120	54	1	\$1,247	\$1,842	\$1,934	\$2,498	\$2,623	\$4,975	\$5,473	\$6,010	\$6,611
65T60120BT1_	120	60	1	\$1,355	\$1,861	\$1,953	\$2,524	\$2,650	\$5,642	\$6,206	\$6,859	\$7,545
65T42120BT2_	120	42	2	\$1,263	\$1,754	\$1,841	\$2,337	\$2,453	\$4,404	\$4,844	\$5,162	\$5,679
65T48120BT2_	120	48	2	\$1,394	\$1,762	\$1,850	\$2,385	\$2,504	\$4,853	\$5,338	\$5,896	\$6,486
65T54120BT2_	120	54	2	\$1,525	\$1,980	\$2,080	\$2,686	\$2,821	\$5,350	\$5,885	\$6,462	\$7,107
65T60120BT2_	120	60	2	\$1,655	\$2,001	\$2,101	\$2,714	\$2,849	\$6,066	\$6,673	\$7,375	\$8,113
65T48126BT_	126	48	2	\$1,452	\$1,804	\$1,895	\$2,487	\$2,611	\$5,096	\$5,605	\$6,194	\$6,813
65T54126BT_	126	54	2	\$1,585	\$2,089	\$2,193	\$2,949	\$3,097	\$5,590	\$6,149	\$6,753	\$7,429
65T60126BT_	126	60	2	\$1,724	\$2,111	\$2,217	\$2,980	\$3,129	\$6,370	\$7,007	\$7,742	\$8,517
65T48132BT_	132	48	2	\$1,508	\$1,847	\$1,939	\$2,589	\$2,718	\$5,338	\$5,873	\$6,491	\$7,139
65T54132BT_	132	54	2	\$1,648	\$2,199	\$2,308	\$3,213	\$3,374	\$5,828	\$6,411	\$7,046	\$7,750
65T60132BT_	132	60	2	\$1,793	\$2,220	\$2,331	\$3,246	\$3,409	\$6,672	\$7,339	\$8,110	\$8,920
65T48138BT_	138	48	2	\$1,565	\$1,890	\$1,984	\$2,692	\$2,826	\$5,580	\$6,138	\$6,785	\$7,464
65T54138BT_	138	54	2	\$1,712	\$2,203	\$2,313	\$3,220	\$3,381	\$6,068	\$6,675	\$7,505	\$8,255
65T60138BT_	138	60	2	\$1,862	\$2,224	\$2,336	\$3,252	\$3,415	\$6,976	\$7,673	\$8,479	\$9,327
65T48144BT_	144	48	2	\$1,621	\$1,931	\$2,028	\$2,792	\$2,932	\$5,823	\$6,405	\$7,079	\$7,786
65T54144BT_	144	54	2	\$1,776	\$2,208	\$2,318	\$3,225	\$3,386	\$6,306	\$6,937	\$7,964	\$8,761
65T60144BT_	144	60	2	\$1,931	\$2,230	\$2,342	\$3,258	\$3,421	\$7,278	\$8,007	\$8,850	\$9,735
65T48150BT_	150	48	2	\$1,678	\$2,016	\$2,117	\$2,865	\$3,009	\$6,066	\$6,673	\$7,373	\$8,111
65T54150BT_	150	54	2	\$1,838	\$2,420	\$2,540	\$3,414	\$3,585	\$6,544	\$7,198	\$8,258	\$9,084
65T60150BT_	150	60	2	\$2,000	\$2,446	\$2,567	\$3,441	\$3,613	\$7,582	\$8,340	\$9,216	\$10,138
65T48156BT_	156	48	2	\$1,735	\$2,105	\$2,210	\$2,939	\$3,085	\$6,308	\$6,939	\$7,667	\$8,434
65T54156BT_	156	54	2	\$1,901	\$2,634	\$2,766	\$3,587	\$3,766	\$6,780	\$7,458	\$8,553	\$9,409
65T60156BT_	156	60	2	\$2,069	\$2,661	\$2,794	\$3,623	\$3,804	\$7,885	\$8,674	\$9,583	\$10,542

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces			W	D	COM B
				Glass G	Solid Surface S			
65T42120BT2_	120	42	2	\$10,200	\$10,710	119 3/8	41 3/8	\$1,281
65T48120BT2_	120	48	2	\$10,300	\$10,815	119 3/8	47 3/8	\$1,419
65T54120BT2_	120	54	2	\$14,098	\$14,803	119 3/8	53 3/8	\$1,557
65T60120BT2_	120	60	2	\$15,210	\$15,971	119 3/8	59 3/8	\$1,696
65T48126BT_	126	48	2	\$10,935	\$11,482	125 3/8	47 3/8	\$1,476
65T54126BT_	126	54	2	\$14,778	\$15,517	125 3/8	53 3/8	\$1,620
65T60126BT_	126	60	2	\$15,945	\$16,743	125 3/8	59 3/8	\$1,765
65T48132BT_	132	48	2	\$11,734	\$12,321	131 3/8	47 3/8	\$1,532
65T54132BT_	132	54	2	\$15,458	\$16,231	131 3/8	53 3/8	\$1,683
65T60132BT_	132	60	2	\$16,680	\$17,514	131 3/8	59 3/8	\$1,835
65T48138BT_	138	48	2	\$12,534	\$13,161	137 3/8	47 3/8	\$1,588
65T54138BT_	138	54	2	\$16,137	\$16,944	137 3/8	53 3/8	\$1,747
65T60138BT_	138	60	2	\$17,416	\$18,287	137 3/8	59 3/8	\$1,906
65T48144BT_	144	48	2	\$13,334	\$14,001	143 3/8	47 3/8	\$1,644
65T54144BT_	144	54	2	\$16,817	\$17,658	143 3/8	53 3/8	\$1,810
65T60144BT_	144	60	2	\$18,151	\$19,059	143 3/8	59 3/8	\$1,975
65T48150BT_	150	48	2	\$13,786	\$14,476	149 3/8	47 3/8	\$1,700
65T54150BT_	150	54	2	\$17,317	\$18,183	149 3/8	53 3/8	\$1,873
65T60150BT_	150	60	2	\$18,707	\$19,643	149 3/8	59 3/8	\$2,045
65T48156BT_	156	48	2	\$14,238	\$14,950	155 3/8	47 3/8	\$1,756
65T54156BT_	156	54	2	\$17,818	\$18,709	155 3/8	53 3/8	\$1,936
65T60156BT_	156	60	2	\$19,263	\$20,227	155 3/8	59 3/8	\$2,115

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T48162BT_	162	48	2	\$1,792	\$2,185	\$2,294	\$3,011	\$3,162	\$6,551	\$7,206	\$7,962	\$8,759
65T54162BT_	162	54	2	\$1,964	\$2,637	\$2,769	\$3,592	\$3,771	\$7,192	\$7,911	\$8,922	\$9,814
65T60162BT_	162	60	2	\$2,138	\$2,664	\$2,797	\$3,629	\$3,810	\$8,189	\$9,008	\$9,953	\$10,948
65T48168BT_	168	48	2	\$1,848	\$2,270	\$2,383	\$3,083	\$3,237	\$6,794	\$7,473	\$8,255	\$9,080
65T54168BT_	168	54	2	\$2,027	\$2,641	\$2,773	\$3,599	\$3,780	\$7,605	\$8,365	\$9,292	\$10,221
65T60168BT_	168	60	2	\$2,207	\$2,669	\$2,802	\$3,636	\$3,819	\$8,492	\$9,341	\$10,323	\$11,356
65T48174BT_	174	48	2	\$1,904	\$2,274	\$2,387	\$3,089	\$3,244	\$7,035	\$7,739	\$8,553	\$9,409
65T54174BT_	174	54	2	\$2,089	\$2,643	\$2,776	\$3,604	\$3,785	\$7,868	\$8,655	\$9,587	\$10,545
65T60174BT_	174	60	2	\$2,276	\$2,671	\$2,805	\$3,642	\$3,824	\$8,795	\$9,674	\$10,690	\$11,758
65T48180BT_	180	48	2	\$1,961	\$2,277	\$2,390	\$3,095	\$3,249	\$7,278	\$8,007	\$8,850	\$9,735
65T54180BT_	180	54	2	\$2,151	\$2,652	\$2,785	\$3,613	\$3,793	\$8,130	\$8,944	\$9,880	\$10,868
65T60180BT_	180	60	2	\$2,345	\$2,680	\$2,813	\$3,650	\$3,832	\$9,098	\$10,008	\$11,057	\$12,162
65T48186BT_	186	48	2	\$2,018	\$2,281	\$2,395	\$3,102	\$3,257	\$7,522	\$8,273	\$9,144	\$10,058
65T54186BT_	186	54	2	\$2,215	\$2,657	\$2,789	\$3,618	\$3,798	\$8,377	\$9,216	\$10,247	\$11,272
65T60186BT_	186	60	2	\$2,414	\$2,683	\$2,818	\$3,655	\$3,837	\$9,401	\$10,342	\$11,427	\$12,570
65T48192BT_	192	48	2	\$2,075	\$2,286	\$2,400	\$3,108	\$3,264	\$7,764	\$8,540	\$9,437	\$10,382
65T54192BT_	192	54	2	\$2,279	\$2,661	\$2,794	\$3,623	\$3,804	\$8,627	\$9,490	\$10,615	\$11,676
65T60192BT_	192	60	2	\$2,484	\$2,687	\$2,822	\$3,661	\$3,844	\$9,705	\$10,675	\$11,797	\$12,976
65T48198BT_	198	48	3	\$2,150	\$3,182	\$3,342	\$4,296	\$4,510	\$8,863	\$9,748	\$10,719	\$11,790
65T54198BT_	198	54	3	\$2,360	\$3,623	\$3,804	\$4,934	\$5,180	\$9,862	\$10,848	\$11,867	\$13,054
65T60198BT_	198	60	3	\$2,572	\$3,661	\$3,844	\$4,984	\$5,233	\$11,069	\$12,176	\$13,321	\$14,653
65T48204BT_	204	48	3	\$2,224	\$3,226	\$3,387	\$4,379	\$4,598	\$9,122	\$10,035	\$10,978	\$12,076
65T54204BT_	204	54	3	\$2,443	\$3,631	\$3,813	\$4,940	\$5,188	\$10,196	\$11,216	\$12,270	\$13,498
65T60204BT_	204	60	3	\$2,662	\$3,669	\$3,853	\$4,992	\$5,241	\$11,403	\$12,543	\$13,726	\$15,098
65T48210BT_	210	48	3	\$2,300	\$3,231	\$3,392	\$4,387	\$4,606	\$9,389	\$10,327	\$11,300	\$12,430
65T54210BT_	210	54	3	\$2,524	\$3,635	\$3,818	\$4,947	\$5,194	\$10,529	\$11,582	\$12,674	\$13,941
65T60210BT_	210	60	3	\$2,751	\$3,672	\$3,857	\$4,998	\$5,247	\$11,736	\$12,911	\$14,129	\$15,542

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T48162BT_	162	48	2	\$14,689	\$15,424	161 3/8	47 3/8	\$1,813
65T54162BT_	162	54	2	\$18,318	\$19,234	161 3/8	53 3/8	\$1,999
65T60162BT_	162	60	2	\$19,819	\$20,810	161 3/8	59 3/8	\$2,185
65T48168BT_	168	48	2	\$15,141	\$15,899	167 3/8	47 3/8	\$1,869
65T54168BT_	168	54	2	\$18,818	\$19,759	167 3/8	53 3/8	\$2,062
65T60168BT_	168	60	2	\$20,375	\$21,394	167 3/8	59 3/8	\$2,255
65T48174BT_	174	48	2	\$15,622	\$16,404	173 3/8	47 3/8	\$1,925
65T54174BT_	174	54	2	\$19,318	\$20,284	173 3/8	53 3/8	\$2,125
65T60174BT_	174	60	2	\$20,931	\$21,978	173 3/8	59 3/8	\$2,326
65T48180BT_	180	48	2	\$16,102	\$16,908	179 3/8	47 3/8	\$1,982
65T54180BT_	180	54	2	\$19,819	\$20,810	179 3/8	53 3/8	\$2,187
65T60180BT_	180	60	2	\$21,486	\$22,561	179 3/8	59 3/8	\$2,395
65T48186BT_	186	48	2	\$16,582	\$17,412	185 3/8	47 3/8	\$2,038
65T54186BT_	186	54	2	\$20,320	\$21,336	185 3/8	53 3/8	\$2,251
65T60186BT_	186	60	2	\$22,042	\$23,145	185 3/8	59 3/8	\$2,464
65T48192BT_	192	48	2	\$17,063	\$17,917	191 3/8	47 3/8	\$2,094
65T54192BT_	192	54	2	\$20,820	\$21,861	191 3/8	53 3/8	\$2,314
65T60192BT_	192	60	2	\$22,598	\$23,728	191 3/8	59 3/8	\$2,535
65T48198BT_	198	48	3	\$18,087	\$18,992	197 3/8	47 3/8	\$2,336
65T54198BT_	198	54	3	\$21,584	\$22,664	197 3/8	53 3/8	\$2,577
65T60198BT_	198	60	3	\$23,418	\$24,589	197 3/8	59 3/8	\$2,816
65T48204BT_	204	48	3	\$18,542	\$19,470	203 3/8	47 3/8	\$2,394
65T54204BT_	204	54	3	\$22,348	\$23,466	203 3/8	53 3/8	\$2,643
65T60204BT_	204	60	3	\$24,238	\$25,450	203 3/8	59 3/8	\$2,889
65T48210BT_	210	48	3	\$18,997	\$19,947	209 3/8	47 3/8	\$2,453
65T54210BT_	210	54	3	\$23,113	\$24,269	209 3/8	53 3/8	\$2,709
65T60210BT_	210	60	3	\$25,058	\$26,311	209 3/8	59 3/8	\$2,963

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T48216BT_	216	48	3	\$2,375	\$3,235	\$3,396	\$4,394	\$4,614	\$9,657	\$10,622	\$11,621	\$12,783
65T54216BT_	216	54	3	\$2,605	\$3,639	\$3,822	\$4,953	\$5,200	\$10,864	\$11,950	\$13,076	\$14,384
65T60216BT_	216	60	3	\$2,840	\$3,677	\$3,861	\$5,003	\$5,253	\$12,070	\$13,277	\$14,532	\$15,985
65T48222BT_	222	48	3	\$2,450	\$3,239	\$3,401	\$4,400	\$4,619	\$9,926	\$10,918	\$11,945	\$13,140
65T54222BT_	222	54	3	\$2,687	\$3,696	\$3,881	\$5,031	\$5,282	\$11,133	\$12,246	\$13,401	\$14,741
65T60222BT_	222	60	3	\$2,929	\$3,734	\$3,921	\$5,083	\$5,337	\$12,407	\$13,648	\$14,935	\$16,429
65T48228BT_	228	48	3	\$2,525	\$3,243	\$3,406	\$4,406	\$4,626	\$10,196	\$11,216	\$12,270	\$13,498
65T54228BT_	228	54	3	\$2,769	\$3,753	\$3,940	\$5,108	\$5,364	\$11,403	\$12,543	\$13,726	\$15,098
65T60228BT_	228	60	3	\$3,018	\$3,792	\$3,981	\$5,161	\$5,419	\$12,744	\$14,018	\$15,338	\$16,872
65T48234BT_	234	48	3	\$2,600	\$3,370	\$3,538	\$4,471	\$4,694	\$10,462	\$11,509	\$12,592	\$13,851
65T54234BT_	234	54	3	\$2,851	\$3,758	\$3,945	\$5,114	\$5,370	\$11,736	\$12,911	\$14,129	\$15,542
65T60234BT_	234	60	3	\$3,107	\$3,797	\$3,987	\$5,168	\$5,426	\$13,076	\$14,384	\$15,742	\$17,316
65T48240BT_	240	48	3	\$2,675	\$3,496	\$3,671	\$4,536	\$4,762	\$10,730	\$11,803	\$12,914	\$14,204
65T54240BT_	240	54	3	\$2,935	\$3,763	\$3,951	\$5,122	\$5,378	\$12,070	\$13,277	\$14,532	\$15,985
65T60240BT_	240	60	3	\$3,197	\$3,802	\$3,993	\$5,174	\$5,433	\$13,411	\$14,752	\$16,146	\$17,760

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T48216BT_	216	48	3	\$19,452	\$20,425	215 3/8	47 3/8	\$2,513
65T54216BT_	216	54	3	\$23,877	\$25,071	215 3/8	53 3/8	\$2,774
65T60216BT_	216	60	3	\$25,878	\$27,172	215 3/8	59 3/8	\$3,036
65T48222BT_	222	48	3	\$19,907	\$20,903	221 3/8	47 3/8	\$2,571
65T54222BT_	222	54	3	\$24,641	\$25,874	221 3/8	53 3/8	\$2,840
65T60222BT_	222	60	3	\$26,698	\$28,033	221 3/8	59 3/8	\$3,109
65T48228BT_	228	48	3	\$20,362	\$21,381	227 3/8	47 3/8	\$2,629
65T54228BT_	228	54	3	\$25,406	\$26,677	227 3/8	53 3/8	\$2,906
65T60228BT_	228	60	3	\$27,518	\$28,894	227 3/8	59 3/8	\$3,182
65T48234BT_	234	48	3	\$20,818	\$21,859	233 3/8	47 3/8	\$2,689
65T54234BT_	234	54	3	\$26,170	\$27,479	233 3/8	53 3/8	\$2,972
65T60234BT_	234	60	3	\$28,338	\$29,755	233 3/8	59 3/8	\$3,255
65T48240BT_	240	48	3	\$21,273	\$22,337	239 3/8	47 3/8	\$2,747
65T54240BT_	240	54	3	\$26,934	\$28,281	239 3/8	53 3/8	\$3,038
65T60240BT_	240	60	3	\$29,158	\$30,616	239 3/8	59 3/8	\$3,328

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Arc Boat Table Tops**

- ends are 6" narrower than overall center dimension with 8" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	Material Options									
				TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV	
65T3672AB_	72	36	1	\$506	\$827	\$868	\$1,208	\$1,267	\$2,186	\$2,405	\$2,566	\$2,823	
65T4272AB_	72	42	1	\$608	\$887	\$932	\$1,292	\$1,357	\$2,427	\$2,670	\$2,991	\$3,289	
65T4872AB_	72	48	1	\$696	\$892	\$937	\$1,296	\$1,361	\$2,707	\$2,978	\$3,249	\$3,575	
65T3678AB_	78	36	1	\$568	\$945	\$992	\$1,238	\$1,300	\$2,349	\$2,584	\$2,778	\$3,057	
65T4278AB_	78	42	1	\$669	\$981	\$1,030	\$1,341	\$1,407	\$2,606	\$2,867	\$3,131	\$3,444	
65T4878AB_	78	48	1	\$758	\$985	\$1,035	\$1,346	\$1,413	\$2,907	\$3,198	\$3,471	\$3,817	
65T3684AB_	84	36	1	\$629	\$964	\$1,011	\$1,256	\$1,319	\$2,500	\$2,751	\$2,991	\$3,289	
65T4284AB_	84	42	1	\$731	\$1,008	\$1,058	\$1,355	\$1,422	\$2,777	\$3,055	\$3,415	\$3,756	
65T4884AB_	84	48	1	\$819	\$1,012	\$1,062	\$1,360	\$1,428	\$3,101	\$3,411	\$3,755	\$4,130	
65T3690AB_	90	36	1	\$691	\$980	\$1,029	\$1,273	\$1,336	\$2,657	\$2,922	\$3,203	\$3,523	
65T4290AB_	90	42	1	\$793	\$1,035	\$1,086	\$1,364	\$1,432	\$2,950	\$3,245	\$3,700	\$4,070	
65T4890AB_	90	48	1	\$880	\$1,039	\$1,090	\$1,368	\$1,437	\$3,298	\$3,627	\$4,006	\$4,407	
65T3696AB_	96	36	1	\$752	\$998	\$1,047	\$1,290	\$1,355	\$2,810	\$3,092	\$3,415	\$3,756	
65T4296AB_	96	42	1	\$854	\$1,061	\$1,115	\$1,372	\$1,441	\$3,120	\$3,432	\$3,986	\$4,384	
65T4896AB_	96	48	1	\$942	\$1,067	\$1,119	\$1,377	\$1,446	\$3,450	\$3,795	\$4,259	\$4,684	
65T42102AB1_	102	42	1	\$886	\$1,559	\$1,636	\$2,120	\$2,226	\$3,570	\$3,928	\$4,012	\$4,413	
65T48102AB1_	102	48	1	\$953	\$1,567	\$1,645	\$2,145	\$2,252	\$3,901	\$4,290	\$4,694	\$5,164	
65T42102AB2_	102	42	2	\$1,098	\$1,676	\$1,760	\$2,281	\$2,395	\$3,840	\$4,225	\$4,313	\$4,745	
65T48102AB2_	102	48	2	\$1,210	\$1,685	\$1,769	\$2,307	\$2,422	\$4,195	\$4,614	\$5,047	\$5,552	
65T42108AB1_	108	42	1	\$934	\$1,583	\$1,662	\$2,125	\$2,231	\$3,732	\$4,105	\$4,254	\$4,680	
65T48108AB1_	108	48	1	\$1,015	\$1,583	\$1,662	\$2,170	\$2,278	\$4,062	\$4,469	\$4,936	\$5,430	
65T42108AB2_	108	42	2	\$1,153	\$1,702	\$1,787	\$2,285	\$2,399	\$4,013	\$4,415	\$4,574	\$5,031	
65T48108AB2_	108	48	2	\$1,270	\$1,710	\$1,796	\$2,332	\$2,450	\$4,368	\$4,804	\$5,308	\$5,839	
65T42114AB1_	114	42	1	\$981	\$1,607	\$1,688	\$2,150	\$2,257	\$3,913	\$4,305	\$4,528	\$4,981	
65T48114AB1_	114	48	1	\$1,077	\$1,615	\$1,695	\$2,194	\$2,304	\$4,288	\$4,717	\$5,209	\$5,729	
65T42114AB2_	114	42	2	\$1,209	\$1,728	\$1,814	\$2,311	\$2,426	\$4,208	\$4,629	\$4,868	\$5,355	
65T48114AB2_	114	48	2	\$1,332	\$1,737	\$1,824	\$2,358	\$2,477	\$4,611	\$5,071	\$5,602	\$6,162	

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Arc Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension with 8" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T3672AB_	72	36	1	\$5,972	\$6,271	71 3/8	35 3/8	\$698
65T4272AB_	72	42	1	\$6,654	\$6,987	71 3/8	41 3/8	\$777
65T4872AB_	72	48	1	\$7,090	\$7,445	71 3/8	47 3/8	\$856
65T3678AB_	78	36	1	\$6,340	\$6,657	77 3/8	35 3/8	\$740
65T4278AB_	78	42	1	\$7,078	\$7,432	77 3/8	41 3/8	\$825
65T4878AB_	78	48	1	\$7,627	\$8,009	77 3/8	47 3/8	\$911
65T3684AB_	84	36	1	\$6,708	\$7,044	83 3/8	35 3/8	\$780
65T4284AB_	84	42	1	\$7,502	\$7,878	83 3/8	41 3/8	\$873
65T4884AB_	84	48	1	\$8,164	\$8,573	83 3/8	47 3/8	\$965
65T3690AB_	90	36	1	\$7,077	\$7,431	89 3/8	35 3/8	\$821
65T4290AB_	90	42	1	\$7,925	\$8,322	89 3/8	41 3/8	\$920
65T4890AB_	90	48	1	\$8,702	\$9,138	89 3/8	47 3/8	\$1,019
65T3696AB_	96	36	1	\$7,445	\$7,818	95 3/8	35 3/8	\$863
65T4296AB_	96	42	1	\$8,349	\$8,767	95 3/8	41 3/8	\$968
65T4896AB_	96	48	1	\$9,239	\$9,701	95 3/8	47 3/8	\$1,074
65T42102AB2_	102	42	2	\$9,213	\$9,674	101 3/8	41 3/8	\$1,133
65T48102AB2_	102	48	2	\$10,110	\$10,616	101 3/8	47 3/8	\$1,251
65T42108AB2_	108	42	2	\$9,610	\$10,091	107 3/8	41 3/8	\$1,183
65T48108AB2_	108	48	2	\$10,118	\$10,624	107 3/8	47 3/8	\$1,307
65T42114AB2_	114	42	2	\$10,007	\$10,508	113 3/8	41 3/8	\$1,231
65T48114AB2_	114	48	2	\$10,127	\$10,634	113 3/8	47 3/8	\$1,363

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Arc Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension with 8" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T42120AB2_	120	42	2	\$1,263	\$1,754	\$1,841	\$2,337	\$2,453	\$4,404	\$4,844	\$5,162	\$5,679
65T48120AB2_	120	48	2	\$1,394	\$1,762	\$1,850	\$2,385	\$2,504	\$4,853	\$5,338	\$5,896	\$6,486
65T54120AB2_	120	54	2	\$1,525	\$1,980	\$2,080	\$2,686	\$2,821	\$5,350	\$5,885	\$6,462	\$7,107
65T60120AB2_	120	60	2	\$1,655	\$2,001	\$2,101	\$2,714	\$2,849	\$6,066	\$6,673	\$7,375	\$8,113
65T48126AB_	126	48	2	\$1,452	\$1,804	\$1,895	\$2,487	\$2,611	\$5,096	\$5,605	\$6,194	\$6,813
65T54126AB_	126	54	2	\$1,585	\$2,089	\$2,193	\$2,949	\$3,097	\$5,590	\$6,149	\$6,753	\$7,429
65T60126AB_	126	60	2	\$1,724	\$2,111	\$2,217	\$2,980	\$3,129	\$6,370	\$7,007	\$7,742	\$8,517
65T48132AB_	132	48	2	\$1,508	\$1,847	\$1,939	\$2,589	\$2,718	\$5,338	\$5,873	\$6,491	\$7,139
65T54132AB_	132	54	2	\$1,648	\$2,199	\$2,308	\$3,213	\$3,374	\$5,828	\$6,411	\$7,046	\$7,750
65T60132AB_	132	60	2	\$1,793	\$2,220	\$2,331	\$3,246	\$3,409	\$6,672	\$7,339	\$8,110	\$8,920
65T48138AB_	138	48	2	\$1,565	\$1,890	\$1,984	\$2,692	\$2,826	\$5,580	\$6,138	\$6,785	\$7,464
65T54138AB_	138	48	2	\$1,565	\$1,890	\$1,984	\$2,692	\$2,826	\$5,580	\$6,138	\$6,785	\$7,464
65T60138AB_	138	60	2	\$1,862	\$2,224	\$2,336	\$3,252	\$3,415	\$6,976	\$7,673	\$8,479	\$9,327
65T48144AB_	144	48	2	\$1,621	\$1,931	\$2,028	\$2,792	\$2,932	\$5,823	\$6,405	\$7,079	\$7,786
65T54144AB_	144	54	2	\$1,776	\$2,208	\$2,318	\$3,225	\$3,386	\$6,306	\$6,937	\$7,964	\$8,761
65T60144AB_	144	60	2	\$1,931	\$2,230	\$2,342	\$3,258	\$3,421	\$7,278	\$8,007	\$8,850	\$9,735
65T48150AB_	150	48	2	\$1,678	\$2,016	\$2,117	\$2,865	\$3,009	\$6,066	\$6,673	\$7,373	\$8,111
65T54150AB_	150	54	2	\$1,838	\$2,420	\$2,540	\$3,414	\$3,585	\$6,544	\$7,198	\$8,258	\$9,084
65T60150AB_	150	60	2	\$2,000	\$2,446	\$2,567	\$3,441	\$3,613	\$7,582	\$8,340	\$9,216	\$10,138
65T48156AB_	156	48	2	\$1,735	\$2,105	\$2,210	\$2,939	\$3,085	\$6,308	\$6,939	\$7,667	\$8,434
65T54156AB_	156	54	2	\$1,901	\$2,634	\$2,766	\$3,587	\$3,766	\$6,780	\$7,458	\$8,553	\$9,409
65T60156AB_	156	60	2	\$2,069	\$2,661	\$2,794	\$3,623	\$3,804	\$7,885	\$8,674	\$9,583	\$10,542

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Arc Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension with 8" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T42120AB2_	120	42	2	\$10,200	\$10,710	119 3/8	41 3/8	\$1,281
65T48120AB2_	120	48	2	\$10,300	\$10,815	119 3/8	47 3/8	\$1,419
65T54120AB2_	120	54	2	\$14,098	\$14,803	119 3/8	53 3/8	\$1,557
65T60120AB2_	120	60	2	\$15,210	\$15,971	119 3/8	59 3/8	\$1,696
65T48126AB_	126	48	2	\$10,935	\$11,482	125 3/8	47 3/8	\$1,476
65T54126AB_	126	54	2	\$14,778	\$15,517	125 3/8	53 3/8	\$1,620
65T60126AB_	126	60	2	\$15,945	\$16,743	125 3/8	59 3/8	\$1,765
65T48132AB_	132	48	2	\$11,734	\$12,321	131 3/8	47 3/8	\$1,532
65T54132AB_	132	54	2	\$15,458	\$16,231	131 3/8	53 3/8	\$1,683
65T60132AB_	132	60	2	\$16,680	\$17,514	131 3/8	59 3/8	\$1,835
65T48138AB_	138	48	2	\$12,534	\$13,161	137 3/8	47 3/8	\$1,588
65T54138AB_	138	48	2	\$16,137	\$16,944	137 3/8	53 3/8	\$1,747
65T60138AB_	138	60	2	\$17,416	\$18,287	137 3/8	59 3/8	\$1,906
65T48144AB_	144	48	2	\$13,334	\$14,001	143 3/8	47 3/8	\$1,644
65T54144AB_	144	54	2	\$16,817	\$17,658	143 3/8	53 3/8	\$1,810
65T60144AB_	144	60	2	\$18,151	\$19,059	143 3/8	59 3/8	\$1,975
65T48150AB_	150	48	2	\$13,786	\$14,476	149 3/8	47 3/8	\$1,700
65T54150AB_	150	54	2	\$17,317	\$18,183	149 3/8	53 3/8	\$1,873
65T60150AB_	150	60	2	\$18,707	\$19,643	149 3/8	59 3/8	\$2,045
65T48156AB_	156	48	2	\$14,238	\$14,950	155 3/8	47 3/8	\$1,756
65T54156AB_	156	54	2	\$17,818	\$18,709	155 3/8	53 3/8	\$1,936
65T60156AB_	156	60	2	\$19,263	\$20,227	155 3/8	59 3/8	\$2,115

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Arc Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension with 8" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	TFL T	HPL Tier 1 H	HPL Tier 2 H	HPL Tier 1 KH	HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T48162AB_	162	48	2	\$1,792	\$2,185	\$2,294	\$3,011	\$3,162	\$6,551	\$7,206	\$7,962	\$8,759
65T54162AB_	162	54	2	\$1,964	\$2,637	\$2,769	\$3,592	\$3,771	\$7,192	\$7,911	\$8,922	\$9,814
65T60162AB_	162	60	2	\$2,138	\$2,664	\$2,797	\$3,629	\$3,810	\$8,189	\$9,008	\$9,953	\$10,948
65T48168AB_	168	48	2	\$1,848	\$2,270	\$2,383	\$3,083	\$3,237	\$6,794	\$7,473	\$8,255	\$9,080
65T54168AB_	168	54	2	\$2,027	\$2,641	\$2,773	\$3,599	\$3,780	\$7,605	\$8,365	\$9,292	\$10,221
65T60168AB_	168	60	2	\$2,207	\$2,669	\$2,802	\$3,636	\$3,819	\$8,492	\$9,341	\$10,323	\$11,356
65T48174AB_	174	48	2	\$1,904	\$2,274	\$2,387	\$3,089	\$3,244	\$7,035	\$7,739	\$8,553	\$9,409
65T54174AB_	174	54	2	\$2,089	\$2,643	\$2,776	\$3,604	\$3,785	\$7,868	\$8,655	\$9,587	\$10,545
65T60174AB_	174	60	2	\$2,276	\$2,671	\$2,805	\$3,642	\$3,824	\$8,795	\$9,674	\$10,690	\$11,758
65T48180AB_	180	48	2	\$1,961	\$2,277	\$2,390	\$3,095	\$3,249	\$7,278	\$8,007	\$8,850	\$9,735
65T54180AB_	180	54	2	\$2,151	\$2,652	\$2,785	\$3,613	\$3,793	\$8,130	\$8,944	\$9,880	\$10,868
65T60180AB_	180	60	2	\$2,345	\$2,680	\$2,813	\$3,650	\$3,832	\$9,098	\$10,008	\$11,057	\$12,162
65T48186AB_	186	48	2	\$2,018	\$2,281	\$2,395	\$3,102	\$3,257	\$7,522	\$8,273	\$9,144	\$10,058
65T54186AB_	186	54	2	\$2,215	\$2,657	\$2,789	\$3,618	\$3,798	\$8,377	\$9,216	\$10,247	\$11,272
65T60186AB_	186	60	2	\$2,414	\$2,683	\$2,818	\$3,655	\$3,837	\$9,401	\$10,342	\$11,427	\$12,570
65T48192AB_	192	48	2	\$2,075	\$2,286	\$2,400	\$3,108	\$3,264	\$7,764	\$8,540	\$9,437	\$10,382
65T54192AB_	192	54	2	\$2,279	\$2,661	\$2,794	\$3,623	\$3,804	\$8,627	\$9,490	\$10,615	\$11,676
65T60192AB_	192	60	2	\$2,484	\$2,687	\$2,822	\$3,661	\$3,844	\$9,705	\$10,675	\$11,797	\$12,976
65T48198AB_	198	48	3	\$2,150	\$3,182	\$3,342	\$4,296	\$4,510	\$8,863	\$9,748	\$10,719	\$11,790
65T54198AB_	198	54	3	\$2,360	\$3,623	\$3,804	\$4,934	\$5,180	\$9,862	\$10,848	\$11,867	\$13,054
65T60198AB_	198	60	3	\$2,572	\$3,661	\$3,844	\$4,984	\$5,233	\$11,069	\$12,176	\$13,321	\$14,653
65T48204AB_	204	48	3	\$2,224	\$3,226	\$3,387	\$4,379	\$4,598	\$9,122	\$10,035	\$10,978	\$12,076
65T54204AB_	204	54	3	\$2,443	\$3,631	\$3,813	\$4,940	\$5,188	\$10,196	\$11,216	\$12,270	\$13,498
65T60204AB_	204	60	3	\$2,662	\$3,669	\$3,853	\$4,992	\$5,241	\$11,403	\$12,543	\$13,726	\$15,098
65T48210AB_	210	48	3	\$2,300	\$3,231	\$3,392	\$4,387	\$4,606	\$9,389	\$10,327	\$11,300	\$12,430
65T54210AB_	210	54	3	\$2,524	\$3,635	\$3,818	\$4,947	\$5,194	\$10,529	\$11,582	\$12,674	\$13,941
65T60210AB_	210	60	3	\$2,751	\$3,672	\$3,857	\$4,998	\$5,247	\$11,736	\$12,911	\$14,129	\$15,542

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Arc Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension with 8" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T48162AB_	162	48	2	\$14,689	\$15,424	161 3/8	47 3/8	\$1,813
65T54162AB_	162	54	2	\$18,318	\$19,234	161 3/8	53 3/8	\$1,999
65T60162AB_	162	60	2	\$19,819	\$20,810	161 3/8	59 3/8	\$2,185
65T48168AB_	168	48	2	\$15,141	\$15,899	167 3/8	47 3/8	\$1,869
65T54168AB_	168	54	2	\$18,818	\$19,759	167 3/8	53 3/8	\$2,062
65T60168AB_	168	60	2	\$20,375	\$21,394	167 3/8	59 3/8	\$2,255
65T48174AB_	174	48	2	\$15,622	\$16,404	173 3/8	47 3/8	\$1,925
65T54174AB_	174	54	2	\$19,318	\$20,284	173 3/8	53 3/8	\$2,125
65T60174AB_	174	60	2	\$20,931	\$21,978	173 3/8	59 3/8	\$2,326
65T48180AB_	180	48	2	\$16,102	\$16,908	179 3/8	47 3/8	\$1,982
65T54180AB_	180	54	2	\$19,819	\$20,810	179 3/8	53 3/8	\$2,187
65T60180AB_	180	60	2	\$21,486	\$22,561	179 3/8	59 3/8	\$2,395
65T48186AB_	186	48	2	\$16,582	\$17,412	185 3/8	47 3/8	\$2,038
65T54186AB_	186	54	2	\$20,320	\$21,336	185 3/8	53 3/8	\$2,251
65T60186AB_	186	60	2	\$22,042	\$23,145	185 3/8	59 3/8	\$2,464
65T48192AB_	192	48	2	\$17,063	\$17,917	191 3/8	47 3/8	\$2,094
65T54192AB_	192	54	2	\$20,820	\$21,861	191 3/8	53 3/8	\$2,314
65T60192AB_	192	60	2	\$22,598	\$23,728	191 3/8	59 3/8	\$2,535
65T48198AB_	198	48	3	\$18,087	\$18,992	197 3/8	47 3/8	\$2,336
65T54198AB_	198	54	3	\$21,584	\$22,664	197 3/8	53 3/8	\$2,577
65T60198AB_	198	60	3	\$23,418	\$24,589	197 3/8	59 3/8	\$2,816
65T48204AB_	204	48	3	\$18,542	\$19,470	203 3/8	47 3/8	\$2,394
65T54204AB_	204	54	3	\$22,348	\$23,466	203 3/8	53 3/8	\$2,643
65T60204AB_	204	60	3	\$24,238	\$25,450	203 3/8	59 3/8	\$2,889
65T48210AB_	210	48	3	\$18,997	\$19,947	209 3/8	47 3/8	\$2,453
65T54210AB_	210	54	3	\$23,113	\$24,269	209 3/8	53 3/8	\$2,709
65T60210AB_	210	60	3	\$25,058	\$26,311	209 3/8	59 3/8	\$2,963

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Arc Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension with 8" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	R3 TFL T	R3 HPL Tier 1 H	R3 HPL Tier 2 H	K9 HPL Tier 1 KH	K9 HPL Tier 2 KH	R3 H3 C3 ESS Veneer V	R3 H3 C3 ART Veneer V	K9 ESS Veneer KV	K9 ART Veneer KV
65T48216AB_	216	48	3	\$2,375	\$3,235	\$3,396	\$4,394	\$4,614	\$9,657	\$10,622	\$11,621	\$12,783
65T54216AB_	216	54	3	\$2,605	\$3,639	\$3,822	\$4,953	\$5,200	\$10,864	\$11,950	\$13,076	\$14,384
65T60216AB_	216	60	3	\$2,840	\$3,677	\$3,861	\$5,003	\$5,253	\$12,070	\$13,277	\$14,532	\$15,985
65T48222AB_	222	48	3	\$2,450	\$3,239	\$3,401	\$4,400	\$4,619	\$9,926	\$10,918	\$11,945	\$13,140
65T54222AB_	222	54	3	\$2,687	\$3,696	\$3,881	\$5,031	\$5,282	\$11,133	\$12,246	\$13,401	\$14,741
65T60222AB_	222	60	3	\$2,929	\$3,734	\$3,921	\$5,083	\$5,337	\$12,407	\$13,648	\$14,935	\$16,429
65T48228AB_	228	48	3	\$2,525	\$3,243	\$3,406	\$4,406	\$4,626	\$10,196	\$11,216	\$12,270	\$13,498
65T54228AB_	228	54	3	\$2,769	\$3,753	\$3,940	\$5,108	\$5,364	\$11,403	\$12,543	\$13,726	\$15,098
65T60228AB_	228	60	3	\$3,018	\$3,792	\$3,981	\$5,161	\$5,419	\$12,744	\$14,018	\$15,338	\$16,872
65T48234AB_	234	48	3	\$2,600	\$3,370	\$3,538	\$4,471	\$4,694	\$10,462	\$11,509	\$12,592	\$13,851
65T54234AB_	234	54	3	\$2,851	\$3,758	\$3,945	\$5,114	\$5,370	\$11,736	\$12,911	\$14,129	\$15,542
65T60234AB_	234	60	3	\$3,107	\$3,797	\$3,987	\$5,168	\$5,426	\$13,076	\$14,384	\$15,742	\$17,316
65T48240AB_	240	48	3	\$2,675	\$3,496	\$3,671	\$4,536	\$4,762	\$10,730	\$11,803	\$12,914	\$14,204
65T54240AB_	240	54	3	\$2,935	\$3,763	\$3,951	\$5,122	\$5,378	\$12,070	\$13,277	\$14,532	\$15,985
65T60240AB_	240	60	3	\$3,197	\$3,802	\$3,993	\$5,174	\$5,433	\$13,411	\$14,752	\$16,146	\$17,760

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Arc Boat Table Tops (continued)**

- ends are 6" narrower than overall center dimension with 8" radius corners
- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89



① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T48216AB_	216	48	3	\$19,452	\$20,425	215 3/8	47 3/8	\$2,513
65T54216AB_	216	54	3	\$23,877	\$25,071	215 3/8	53 3/8	\$2,774
65T60216AB_	216	60	3	\$25,878	\$27,172	215 3/8	59 3/8	\$3,036
65T48222AB_	222	48	3	\$19,907	\$20,903	221 3/8	47 3/8	\$2,571
65T54222AB_	222	54	3	\$24,641	\$25,874	221 3/8	53 3/8	\$2,840
65T60222AB_	222	60	3	\$26,698	\$28,033	221 3/8	59 3/8	\$3,109
65T48228AB_	228	48	3	\$20,362	\$21,381	227 3/8	47 3/8	\$2,629
65T54228AB_	228	54	3	\$25,406	\$26,677	227 3/8	53 3/8	\$2,906
65T60228AB_	228	60	3	\$27,518	\$28,894	227 3/8	59 3/8	\$3,182
65T48234AB_	234	48	3	\$20,818	\$21,859	233 3/8	47 3/8	\$2,689
65T54234AB_	234	54	3	\$26,170	\$27,479	233 3/8	53 3/8	\$2,972
65T60234AB_	234	60	3	\$28,338	\$29,755	233 3/8	59 3/8	\$3,255
65T48240AB_	240	48	3	\$21,273	\$22,337	239 3/8	47 3/8	\$2,747
65T54240AB_	240	54	3	\$26,934	\$28,281	239 3/8	53 3/8	\$3,038
65T60240AB_	240	60	3	\$29,158	\$30,616	239 3/8	59 3/8	\$3,328




Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out





**Racetrack Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




Model	W	D	Top Pieces	R3 TFL T	R3 HPL Tier 1 H	R3 HPL Tier 2 H	K9 HPL Tier 1 KH	K9 HPL Tier 2 KH	R3 H3 C3 ESS Veneer V	R3 H3 C3 ART Veneer V	K9 ESS Veneer KV	K9 ART Veneer KV
65T42120RK1_	120	42	1	\$1,029	\$1,631	\$1,712	\$2,173	\$2,282	\$4,096	\$4,506	\$4,800	\$5,280
65T48120RK1_	120	48	1	\$1,139	\$1,639	\$1,721	\$2,217	\$2,328	\$4,513	\$4,964	\$5,484	\$6,032
65T54120RK1_	120	54	1	\$1,247	\$1,842	\$1,934	\$2,498	\$2,623	\$4,975	\$5,473	\$6,010	\$6,611
65T60120RK1_	120	60	1	\$1,355	\$1,861	\$1,953	\$2,524	\$2,650	\$5,642	\$6,206	\$6,859	\$7,545
65T42120RK2_	120	42	2	\$1,263	\$1,754	\$1,841	\$2,337	\$2,453	\$4,404	\$4,844	\$5,162	\$5,679
65T48120RK2_	120	48	2	\$1,263	\$1,762	\$1,850	\$2,385	\$2,504	\$4,853	\$5,338	\$5,896	\$6,486
65T54120RK2_	120	54	2	\$1,525	\$1,980	\$2,080	\$2,686	\$2,821	\$5,350	\$5,885	\$6,462	\$7,107
65T60120RK2_	120	60	2	\$1,655	\$2,001	\$2,101	\$2,714	\$2,849	\$6,066	\$6,673	\$7,375	\$8,113
65T48126RK_	126	48	2	\$1,452	\$1,804	\$1,895	\$2,487	\$2,611	\$5,096	\$5,605	\$6,194	\$6,813
65T54126RK_	126	54	2	\$1,585	\$2,089	\$2,193	\$2,949	\$3,097	\$5,590	\$6,149	\$6,753	\$7,429
65T60126RK_	126	60	2	\$1,724	\$2,111	\$2,217	\$2,980	\$3,129	\$6,370	\$7,007	\$7,742	\$8,517
65T48132RK_	132	48	2	\$1,508	\$1,847	\$1,939	\$2,589	\$2,718	\$5,338	\$5,873	\$6,491	\$7,139
65T54132RK_	132	54	2	\$1,648	\$2,199	\$2,308	\$3,213	\$3,374	\$5,828	\$6,411	\$7,046	\$7,750
65T60132RK_	132	60	2	\$1,793	\$2,220	\$2,331	\$3,246	\$3,409	\$6,672	\$7,339	\$8,110	\$8,920
65T48138RK_	138	48	2	\$1,565	\$1,890	\$1,984	\$2,692	\$2,826	\$5,580	\$6,138	\$6,785	\$7,464
65T54138RK_	138	54	2	\$1,712	\$2,203	\$2,313	\$3,220	\$3,381	\$6,068	\$6,675	\$7,505	\$8,255
65T60138RK_	138	60	2	\$1,862	\$2,224	\$2,336	\$3,252	\$3,415	\$6,976	\$7,673	\$8,479	\$9,327
65T48144RK_	144	48	2	\$1,621	\$1,931	\$2,028	\$2,792	\$2,932	\$5,823	\$6,405	\$7,079	\$7,786
65T54144RK_	144	54	2	\$1,776	\$2,208	\$2,318	\$3,225	\$3,386	\$6,306	\$6,937	\$7,964	\$8,761
65T60144RK_	144	60	2	\$1,931	\$2,230	\$2,342	\$3,258	\$3,421	\$7,278	\$8,007	\$8,850	\$9,735
65T48150RK_	150	48	2	\$1,678	\$2,016	\$2,117	\$2,865	\$3,009	\$6,066	\$6,673	\$7,373	\$8,111
65T54150RK_	150	54	2	\$1,838	\$2,420	\$2,540	\$3,414	\$3,585	\$6,544	\$7,198	\$8,258	\$9,084
65T60150RK_	150	60	2	\$2,000	\$2,446	\$2,567	\$3,441	\$3,613	\$7,582	\$8,340	\$9,216	\$10,138
65T48156RK_	156	48	2	\$1,735	\$2,105	\$2,210	\$2,939	\$3,085	\$6,308	\$6,939	\$7,667	\$8,434
65T54156RK_	156	54	2	\$1,901	\$2,634	\$2,766	\$3,587	\$3,766	\$6,780	\$7,458	\$8,553	\$9,409
65T60156RK_	156	60	2	\$2,069	\$2,661	\$2,794	\$3,623	\$3,804	\$7,885	\$8,674	\$9,583	\$10,542

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Racetrack Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T42120RK2_	120	42	2	\$10,200	\$10,710	119 3/8	41 3/8	\$1,281
65T48120RK2_	120	48	2	\$10,300	\$10,815	119 3/8	47 3/8	\$1,419
65T54120RK2_	120	54	2	\$14,098	\$14,803	119 3/8	53 3/8	\$1,557
65T60120RK2_	120	60	2	\$15,210	\$15,971	119 3/8	53 3/8	\$1,557
65T48126RK_	126	48	2	\$10,935	\$11,482	125 3/8	47 3/8	\$1,476
65T54126RK_	126	54	2	\$14,778	\$15,517	125 3/8	53 3/8	\$1,620
65T60126RK_	126	60	2	\$15,945	\$16,743	125 3/8	59 3/8	\$1,765
65T48132RK_	132	48	2	\$11,734	\$12,321	131 3/8	47 3/8	\$1,532
65T54132RK_	132	54	2	\$15,458	\$16,231	131 3/8	53 3/8	\$1,683
65T60132RK_	132	60	2	\$16,680	\$17,514	131 3/8	59 3/8	\$1,835
65T48138RK_	138	48	2	\$12,534	\$13,161	137 3/8	47 3/8	\$1,588
65T54138RK_	138	54	2	\$16,137	\$16,944	137 3/8	53 3/8	\$1,747
65T60138RK_	138	60	2	\$17,416	\$18,287	137 3/8	59 3/8	\$1,906
65T48144RK_	144	48	2	\$13,334	\$14,001	143 3/8	47 3/8	\$1,644
65T54144RK_	144	54	2	\$16,817	\$17,658	143 3/8	53 3/8	\$1,810
65T60144RK_	144	60	2	\$18,151	\$19,059	143 3/8	59 3/8	\$1,975
65T48150RK_	150	48	2	\$13,786	\$14,476	149 3/8	47 3/8	\$1,700
65T54150RK_	150	54	2	\$17,317	\$18,183	149 3/8	53 3/8	\$1,873
65T60150RK_	150	60	2	\$18,707	\$19,643	149 3/8	59 3/8	\$2,045
65T48156RK_	156	48	2	\$14,238	\$14,950	155 3/8	47 3/8	\$1,756
65T54156RK_	156	54	2	\$17,818	\$18,709	155 3/8	53 3/8	\$1,936
65T60156RK_	156	60	2	\$19,263	\$20,227	155 3/8	59 3/8	\$2,115

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Racetrack Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	R3 TFL T	R3 HPL Tier 1 H	R3 HPL Tier 2 H	K9 HPL Tier 1 KH	K9 HPL Tier 2 KH	R3 H3 C3 ESS Veneer V	R3 H3 C3 ART Veneer V	K9 ESS Veneer KV	K9 ART Veneer KV
65T48162RK_	162	48	2	\$1,792	\$2,185	\$2,294	\$3,011	\$3,162	\$6,551	\$7,206	\$7,962	\$8,759
65T54162RK_	162	54	2	\$1,964	\$2,637	\$2,769	\$3,592	\$3,771	\$7,192	\$7,911	\$8,922	\$9,814
65T60162RK_	162	60	2	\$2,138	\$2,664	\$2,797	\$3,629	\$3,810	\$8,189	\$9,008	\$9,953	\$10,948
65T48168RK_	168	48	2	\$1,848	\$2,270	\$2,383	\$3,083	\$3,237	\$6,794	\$7,473	\$8,255	\$9,080
65T54168RK_	168	54	2	\$2,027	\$2,641	\$2,773	\$3,599	\$3,780	\$7,605	\$8,365	\$9,292	\$10,221
65T60168RK_	168	60	2	\$2,207	\$2,669	\$2,802	\$3,636	\$3,819	\$8,492	\$9,341	\$10,323	\$11,356
65T48174RK_	174	48	2	\$1,904	\$2,274	\$2,387	\$3,089	\$3,244	\$7,035	\$7,739	\$8,553	\$9,409
65T54174RK_	174	54	2	\$2,089	\$2,643	\$2,776	\$3,604	\$3,785	\$7,868	\$8,655	\$9,587	\$10,545
65T60174RK_	174	60	2	\$2,276	\$2,671	\$2,805	\$3,642	\$3,824	\$8,795	\$9,674	\$10,690	\$11,758
65T48180RK_	180	48	2	\$1,961	\$2,277	\$2,390	\$3,095	\$3,249	\$7,278	\$8,007	\$8,850	\$9,735
65T54180RK_	180	54	2	\$2,151	\$2,652	\$2,785	\$3,613	\$3,793	\$8,130	\$8,944	\$9,880	\$10,868
65T60180RK_	180	60	2	\$2,345	\$2,680	\$2,813	\$3,650	\$3,832	\$9,098	\$10,008	\$11,057	\$12,162
65T48186RK_	186	48	2	\$2,018	\$2,281	\$2,395	\$3,102	\$3,257	\$7,522	\$8,273	\$9,144	\$10,058
65T54186RK_	186	54	2	\$2,215	\$2,657	\$2,789	\$3,618	\$3,798	\$8,377	\$9,216	\$10,247	\$11,272
65T60186RK_	186	60	2	\$2,414	\$2,683	\$2,818	\$3,655	\$3,837	\$9,401	\$10,342	\$11,427	\$12,570
65T48192RK_	192	48	2	\$2,075	\$2,286	\$2,400	\$3,108	\$3,264	\$7,764	\$8,540	\$9,437	\$10,382
65T54192RK_	192	54	2	\$2,279	\$2,661	\$2,794	\$3,623	\$3,804	\$8,627	\$9,490	\$10,615	\$11,676
65T60192RK_	192	60	2	\$2,484	\$2,687	\$2,822	\$3,661	\$3,844	\$9,705	\$10,675	\$11,797	\$12,976
65T48198RK_	198	48	3	\$2,150	\$3,182	\$3,342	\$4,296	\$4,510	\$8,863	\$9,748	\$10,719	\$11,790
65T54198RK_	198	54	3	\$2,360	\$3,623	\$3,804	\$4,934	\$5,180	\$9,862	\$10,848	\$11,867	\$13,054
65T60198RK_	198	60	3	\$2,572	\$3,661	\$3,844	\$4,984	\$5,233	\$11,069	\$12,176	\$13,321	\$14,653
65T48204RK_	204	48	3	\$2,224	\$3,226	\$3,387	\$4,379	\$4,598	\$9,122	\$10,035	\$10,978	\$12,076
65T54204RK_	204	54	3	\$2,443	\$3,631	\$3,813	\$4,940	\$5,188	\$10,196	\$11,216	\$12,270	\$13,498
65T60204RK_	204	60	3	\$2,662	\$3,669	\$3,853	\$4,992	\$5,241	\$11,403	\$12,543	\$13,726	\$15,098
65T48210RK_	210	48	3	\$2,300	\$3,231	\$3,392	\$4,387	\$4,606	\$9,389	\$10,327	\$11,300	\$12,430
65T54210RK_	210	54	3	\$2,524	\$3,635	\$3,818	\$4,947	\$5,194	\$10,529	\$11,582	\$12,674	\$13,941
65T60210RK_	210	60	3	\$2,751	\$3,672	\$3,857	\$4,998	\$5,247	\$11,736	\$12,911	\$14,129	\$15,542

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Racetrack Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T48162RK_	162	48	2	\$14,689	\$15,424	161 3/8	47 3/8	\$1,813
65T54162RK_	162	54	2	\$18,318	\$19,234	161 3/8	53 3/8	\$1,999
65T60162RK_	162	60	2	\$19,819	\$20,810	161 3/8	59 3/8	\$2,185
65T48168RK_	168	48	2	\$15,141	\$15,899	167 3/8	47 3/8	\$1,869
65T54168RK_	168	54	2	\$18,818	\$19,759	167 3/8	53 3/8	\$2,062
65T60168RK_	168	60	2	\$20,375	\$21,394	167 3/8	59 3/8	\$2,255
65T48174RK_	174	48	2	\$15,622	\$16,404	173 3/8	47 3/8	\$1,925
65T54174RK_	174	54	2	\$19,318	\$20,284	173 3/8	53 3/8	\$2,125
65T60174RK_	174	60	2	\$20,931	\$21,978	173 3/8	59 3/8	\$2,326
65T48180RK_	180	48	2	\$16,102	\$16,908	179 3/8	47 3/8	\$1,982
65T54180RK_	180	54	2	\$19,819	\$20,810	179 3/8	53 3/8	\$2,187
65T60180RK_	180	60	2	\$21,486	\$22,561	179 3/8	59 3/8	\$2,395
65T48186RK_	186	48	2	\$16,582	\$17,412	185 3/8	47 3/8	\$2,038
65T54186RK_	186	54	2	\$20,320	\$21,336	185 3/8	53 3/8	\$2,251
65T60186RK_	186	60	2	\$22,042	\$23,145	185 3/8	59 3/8	\$2,464
65T48192RK_	192	48	2	\$17,063	\$17,917	191 3/8	47 3/8	\$2,094
65T54192RK_	192	54	2	\$20,820	\$21,861	191 3/8	53 3/8	\$2,314
65T60192RK_	192	60	2	\$22,598	\$23,728	191 3/8	59 3/8	\$2,535
65T48198RK_	198	48	3	\$18,087	\$18,992	197 3/8	47 3/8	\$2,336
65T54198RK_	198	54	3	\$21,584	\$22,664	197 3/8	53 3/8	\$2,577
65T60198RK_	198	60	3	\$23,418	\$24,589	197 3/8	59 3/8	\$2,816
65T48204RK_	204	48	3	\$18,542	\$19,470	203 3/8	47 3/8	\$2,394
65T54204RK_	204	54	3	\$22,348	\$23,466	203 3/8	53 3/8	\$2,643
65T60204RK_	204	60	3	\$24,238	\$25,450	203 3/8	59 3/8	\$2,889
65T48210RK_	210	48	3	\$18,997	\$19,947	209 3/8	47 3/8	\$2,453
65T54210RK_	210	54	3	\$23,113	\$24,269	209 3/8	53 3/8	\$2,709
65T60210RK_	210	60	3	\$25,058	\$26,311	209 3/8	59 3/8	\$2,963

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Racetrack Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	R3 TFL T	R3 HPL Tier 1 H	R3 HPL Tier 2 H	K9 HPL Tier 1 KH	K9 HPL Tier 2 KH	R3 H3 C3 ESS Veneer V	R3 H3 C3 ART Veneer V	K9 ESS Veneer KV	K9 ART Veneer KV
65T48216RK_	216	48	3	\$2,375	\$3,235	\$3,396	\$4,394	\$4,614	\$9,657	\$10,622	\$11,621	\$12,783
65T54216RK_	216	54	3	\$2,605	\$3,639	\$3,822	\$4,953	\$5,200	\$10,864	\$11,950	\$13,076	\$14,384
65T60216RK_	216	60	3	\$2,840	\$3,677	\$3,861	\$5,003	\$5,253	\$12,070	\$13,277	\$14,532	\$15,985
65T48222RK_	222	48	3	\$2,450	\$3,239	\$3,401	\$4,400	\$4,619	\$9,926	\$10,918	\$11,945	\$13,140
65T54222RK_	222	54	3	\$2,687	\$3,696	\$3,881	\$5,031	\$5,282	\$11,133	\$12,246	\$13,401	\$14,741
65T60222RK_	222	60	3	\$2,929	\$3,734	\$3,921	\$5,083	\$5,337	\$12,407	\$13,648	\$14,935	\$16,429
65T48228RK_	228	48	3	\$2,525	\$3,243	\$3,406	\$4,406	\$4,626	\$10,196	\$11,216	\$12,270	\$13,498
65T54228RK_	228	54	3	\$2,769	\$3,753	\$3,940	\$5,108	\$5,364	\$11,403	\$12,543	\$13,726	\$15,098
65T60228RK_	228	60	3	\$3,018	\$3,792	\$3,981	\$5,161	\$5,419	\$12,744	\$14,018	\$15,338	\$16,872
65T48234RK_	234	48	3	\$2,600	\$3,370	\$3,538	\$4,471	\$4,694	\$10,462	\$11,509	\$12,592	\$13,851
65T54234RK_	234	54	3	\$2,851	\$3,758	\$3,945	\$5,114	\$5,370	\$11,736	\$12,911	\$14,129	\$15,542
65T60234RK_	234	60	3	\$3,107	\$3,797	\$3,987	\$5,168	\$5,426	\$13,076	\$14,384	\$15,742	\$17,316
65T48240RK_	240	48	3	\$2,675	\$3,496	\$3,671	\$4,536	\$4,762	\$10,730	\$11,803	\$12,914	\$14,204
65T54240RK_	240	54	3	\$2,935	\$3,763	\$3,951	\$5,122	\$5,378	\$12,070	\$13,277	\$14,532	\$15,985
65T60240RK_	240	60	3	\$3,197	\$3,802	\$3,993	\$5,174	\$5,433	\$13,411	\$14,752	\$16,146	\$17,760

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Racetrack Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	Glass	Solid Surface	W	D	COM
				G	S			B
65T48216RK_	216	48	3	\$19,452	\$20,425	215 3/8	47 3/8	\$2,513
65T54216RK_	216	54	3	\$23,877	\$25,071	215 3/8	53 3/8	\$2,774
65T60216RK_	216	60	3	\$25,878	\$27,172	215 3/8	59 3/8	\$3,036
65T48222RK_	222	48	3	\$19,907	\$20,903	221 3/8	47 3/8	\$2,571
65T54222RK_	222	54	3	\$24,641	\$25,874	221 3/8	53 3/8	\$2,840
65T60222RK_	222	60	3	\$26,698	\$28,033	221 3/8	59 3/8	\$3,109
65T48228RK_	228	48	3	\$20,362	\$21,381	227 3/8	47 3/8	\$2,629
65T54228RK_	228	54	3	\$25,406	\$26,677	227 3/8	53 3/8	\$2,906
65T60228RK_	228	60	3	\$27,518	\$28,894	227 3/8	59 3/8	\$3,182
65T48234RK_	234	48	3	\$20,818	\$21,859	233 3/8	47 3/8	\$2,689
65T54234RK_	234	54	3	\$26,170	\$27,479	233 3/8	53 3/8	\$2,972
65T60234RK_	234	60	3	\$28,338	\$29,755	233 3/8	59 3/8	\$3,255
65T48240RK_	240	48	3	\$21,273	\$22,337	239 3/8	47 3/8	\$2,747
65T54240RK_	240	54	3	\$26,934	\$28,281	239 3/8	53 3/8	\$3,038
65T60240RK_	240	60	3	\$29,158	\$30,616	239 3/8	59 3/8	\$3,328

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Ellipse Table Tops**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	R3 TFL T	R3 HPL Tier 1 H	R3 HPL Tier 2 H	K9 HPL Tier 1 KH	K9 HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T3672EL_	72	36	1	\$506	\$827	\$868	\$1,208	\$1,267	\$2,186	\$2,405	\$2,566	\$2,823
65T4278EL_	78	42	1	\$669	\$981	\$1,030	\$1,341	\$1,407	\$2,606	\$2,867	\$3,131	\$3,444
65T4284EL_	84	42	1	\$731	\$1,008	\$1,058	\$1,355	\$1,422	\$2,777	\$3,055	\$3,415	\$3,756
65T4890EL_	90	48	1	\$880	\$1,039	\$1,090	\$1,368	\$1,437	\$3,298	\$3,627	\$4,006	\$4,407
65T4896EL_	96	48	1	\$942	\$1,067	\$1,119	\$1,377	\$1,446	\$3,450	\$3,795	\$4,259	\$4,684
65T54102EL1_	102	54	1	\$1,191	\$1,715	\$1,801	\$2,186	\$2,296	\$5,062	\$5,569	\$5,973	\$6,571
65T54108EL1_	108	54	1	\$1,268	\$1,896	\$1,991	\$2,572	\$2,701	\$5,273	\$5,801	\$6,122	\$6,735
65T54102EL2_	102	54	2	\$1,429	\$1,800	\$1,890	\$2,495	\$2,620	\$5,536	\$6,090	\$6,532	\$7,186
65T54108EL2_	108	54	2	\$1,521	\$1,996	\$2,096	\$2,707	\$2,843	\$5,668	\$6,235	\$6,519	\$7,171
65T60114EL1_	114	60	1	\$1,346	\$1,990	\$2,090	\$2,397	\$2,517	\$5,566	\$6,123	\$6,400	\$7,040
65T60120EL1_	120	60	1	\$1,355	\$1,861	\$1,953	\$2,524	\$2,650	\$5,642	\$6,206	\$6,859	\$7,545
65T60114EL2_	114	60	2	\$1,612	\$2,195	\$2,305	\$2,578	\$2,707	\$5,983	\$6,582	\$6,881	\$7,570
65T60120EL2_	120	60	2	\$1,655	\$2,001	\$2,101	\$2,714	\$2,849	\$6,066	\$6,673	\$7,375	\$8,113

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Ellipse Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89






① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
65T3672EL_	72	36	1	\$5,972	\$6,271	71 3/8	35 3/8	\$698
65T4278EL_	78	42	1	\$7,078	\$7,432	77 3/8	41 3/8	\$825
65T4284EL_	84	42	1	\$7,502	\$7,878	83 3/8	41 3/8	\$873
65T4890EL_	90	48	1	\$7,925	\$9,138	89 3/8	47 3/8	\$1,019
65T4896EL_	96	48	1	\$8,349	\$9,701	95 3/8	47 3/8	\$1,074
65T54102EL2_	102	54	2	\$12,840	\$13,483	101 3/8	53 3/8	\$1,314
65T54108EL2_	108	54	2	\$13,356	\$14,024	107 3/8	53 3/8	\$1,487
65T60114EL2_	114	60	2	\$13,368	\$14,037	113 3/8	59 3/8	\$1,581
65T60120EL2_	120	60	2	\$15,210	\$15,971	119 3/8	59 3/8	\$1,696

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Round Table Tops**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	R3 TFL T	R3 HPL Tier 1 H	R3 HPL Tier 2 H	K9 HPL Tier 1 KH	K9 HPL Tier 2 KH	R3 H3 C3 ESS Veneer V	R3 H3 C3 ART Veneer V	K9 ESS Veneer KV	K9 ART Veneer KV
65T24RD_	24	24	1	\$288	\$292	\$307	\$430	\$452	\$1,076	\$1,184	\$1,382	\$1,521
65T30RD_	30	30	1	\$334	\$341	\$359	\$500	\$525	\$1,663	\$1,830	\$1,958	\$2,154
65T36RD_	36	36	1	\$410	\$416	\$436	\$705	\$740	\$2,196	\$2,416	\$2,836	\$3,120
65T42RD_	42	42	1	\$521	\$579	\$608	\$811	\$851	\$2,795	\$3,075	\$3,544	\$3,899
65T48RD_	48	48	1	\$573	\$579	\$608	\$824	\$866	\$3,351	\$3,687	\$4,257	\$4,683
65T54RD_	54	54	1	\$716	\$734	\$770	\$1,071	\$1,124	\$4,188	\$4,607	\$5,323	\$5,856
65T60RD_	60	60	1	\$757	\$771	\$809	\$1,106	\$1,160	\$5,582	\$6,141	\$7,093	\$7,803

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Round Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-8920- ANPG\_40




① Model	W	D	Top Pieces	Top Surface		W	D	COM B
				Glass G	Solid Surface S			
65T24RD_	24	24	1	\$2,787	\$2,927	23 3/8	23 3/8	\$317
65T30RD_	30	30	1	\$3,361	\$3,530	29 3/8	29 3/8	\$384
65T36RD_	36	36	1	\$3,935	\$4,132	35 3/8	35 3/8	\$451
65T42RD_	42	42	1	\$4,731	\$4,968	41 3/8	41 3/8	\$545
65T48RD_	48	48	1	\$5,527	\$5,804	47 3/8	47 3/8	\$638
65T54RD_	54	54	1	\$6,539	\$6,866	53 3/8	53 3/8	\$758
65T60RD_	60	60	1	\$7,551	\$7,929	59 3/8	59 3/8	\$878

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Square Table Tops**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	Edge Profiles and Materials									
				R3 TFL T	R3 HPL Tier 1 H	R3 HPL Tier 2 H	K9 HPL Tier 1 KH	K9 HPL Tier 2 KH	R3 H3 C3 ESS Veneer V	R3 H3 C3 ART Veneer V	K9 ESS Veneer KV	K9 ART Veneer KV	
65T2424SQ	24	24	1	\$288	\$292	\$307	\$430	\$452	\$1,076	\$1,184	\$1,382	\$1,582	
65T3030SQ	30	30	1	\$334	\$341	\$359	\$500	\$525	\$1,663	\$1,830	\$1,958	\$2,154	
65T3636SQ	36	36	1	\$410	\$416	\$436	\$705	\$740	\$2,196	\$2,416	\$2,836	\$3,120	
65T4242SQ	42	42	1	\$521	\$579	\$608	\$811	\$851	\$2,795	\$3,075	\$3,544	\$3,899	
65T4848SQ	48	48	1	\$573	\$579	\$608	\$824	\$866	\$3,351	\$3,687	\$4,257	\$4,683	
65T5454SQ	54	54	1	\$716	\$734	\$770	\$1,071	\$1,124	\$4,188	\$4,607	\$5,323	\$5,856	
65T6060SQ	60	60	1	\$757	\$771	\$809	\$1,106	\$1,160	\$5,582	\$6,141	\$7,093	\$7,803	

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Square Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89





① Model	W	D	Top Pieces			W	D	COM B
				Glass G	Solid Surface S			
65T2424SQ	24	24	1	\$2,787	\$2,927	23 3/8	23 3/8	\$317
65T3030SQ	30	30	1	\$3,361	\$3,530	23 3/8	23 3/8	\$384
65T3636SQ	36	36	1	\$3,935	\$4,132	23 3/8	23 3/8	\$451
65T4242SQ	42	42	1	\$4,731	\$4,968	23 3/8	23 3/8	\$545
65T4848SQ	48	48	1	\$5,527	\$5,804	23 3/8	23 3/8	\$638
65T5454SQ	54	54	1	\$6,539	\$6,866	23 3/8	23 3/8	\$758
65T6060SQ	60	60	1	\$7,551	\$7,929	23 3/8	23 3/8	\$878

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Soft Square Table Tops**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces	R3 TFL T	R3 HPL Tier 1 H	R3 HPL Tier 2 H	K9 HPL Tier 1 KH	K9 HPL Tier 2 KH	ESS Veneer V	ART Veneer V	ESS Veneer KV	ART Veneer KV
65T2424SSQ_	24	24	1	\$288	\$292	\$307	\$430	\$452	\$1,076	\$1,184	\$1,382	\$1,582
65T3030SSQ_	30	30	1	\$334	\$341	\$359	\$500	\$525	\$1,663	\$1,830	\$1,958	\$2,154
65T3636SSQ_	36	36	1	\$410	\$416	\$436	\$705	\$740	\$2,196	\$2,416	\$2,836	\$3,120
65T4242SSQ_	42	42	1	\$521	\$579	\$608	\$811	\$851	\$2,795	\$3,075	\$3,544	\$3,899
65T4848SSQ_	48	48	1	\$573	\$579	\$608	\$824	\$866	\$3,351	\$3,687	\$4,257	\$4,683
65T5454SSQ_	54	54	1	\$716	\$734	\$770	\$1,071	\$1,124	\$4,188	\$4,607	\$5,323	\$5,856
65T6060SSQ_	60	60	1	\$757	\$771	\$809	\$1,106	\$1,160	\$5,582	\$6,141	\$7,093	\$7,803

Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Soft Square Table Tops (continued)**

- planning top and base specification pages 5-47
- top to base matrix page 9
- planning power guide pages 48-89




① Model	W	D	Top Pieces			W	D	COM B
				Glass G	Solid Surface S			
65T2424SSQ_	24	24	1	\$2,787	\$2,927	23 3/8	23 3/8	\$317
65T3030SSQ_	30	30	1	\$3,361	\$3,530	29 3/8	29 3/8	\$384
65T3636SSQ_	36	36	1	\$3,935	\$4,132	35 3/8	35 3/8	\$451
65T4242SSQ_	42	42	1	\$4,731	\$4,968	41 3/8	41 3/8	\$545
65T4848SSQ_	48	48	1	\$5,527	\$5,804	47 3/8	47 3/8	\$638
65T5454SSQ_	54	54	1	\$6,539	\$6,866	53 3/8	53 3/8	\$758
65T6060SSQ_	60	60	1	\$7,551	\$7,929	59 3/8	59 3/8	\$878

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out

**Aspect Base Kit**

- available in TFL and Veneer surfaces with a metal powder coated base end caps
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Aspect Base Kit for 36" deep Table</b>									
21	48	27 1/2	96	11	<b>65T2172ASB_</b>	Aspect Base Kit for 36"d x 72"w Top Surfaces	\$2,699	\$4,012	\$4,414
21	54	27 1/2	97	11	<b>65T2178ASB_</b>	Aspect Base Kit for 36"d x 78"w Top Surfaces	\$2,701	\$4,015	\$4,417
21	54	27 1/2	97	11	<b>65T2184ASB_</b>	Aspect Base Kit for 36"d x 84"w Top Surfaces	\$2,703	\$4,019	\$4,421
21	60	27 1/2	98	11	<b>65T2190ASB_</b>	Aspect Base Kit for 36"d x 90"w Top Surfaces	\$2,705	\$4,022	\$4,425
21	60	27 1/2	98	11	<b>65T2196ASB_</b>	Aspect Base Kit for 36"d x 96"w Top Surfaces	\$2,707	\$4,025	\$4,428
<b>Aspect Base Kit for 42/48" deep Table</b>									
27	66	27 1/2	113	13	<b>65T27102ASB_</b>	Aspect Base Kit for 42/48"d x 102"w Top Surfaces	\$2,786	\$4,125	\$4,538
27	72	27 1/2	115	13	<b>65T27108ASB_</b>	Aspect Base Kit for 42/48"d x 108"w Top Surfaces	\$2,789	\$4,129	\$4,542
27	78	27 1/2	115	14	<b>65T27114ASB_</b>	Aspect Base Kit for 42/48"d x 114"w Top Surfaces	\$2,792	\$4,134	\$4,548
27	84	27 1/2	121	20	<b>65T27120ASB_</b>	Aspect Base Kit for 42/48"d x 120"w Top Surfaces	\$4,411	\$6,372	\$7,010
<b>Aspect Base Kit for 48" deep Table</b>									
27	90	27 1/2	121	20	<b>65T27126ASB_</b>	Aspect Base Kit for 48"d x 126"w Top Surfaces	\$4,415	\$6,379	\$7,017
27	96	27 1/2	122	20	<b>65T27132ASB_</b>	Aspect Base Kit for 48"d x 132"w Top Surfaces	\$4,419	\$6,385	\$7,024
27	102	27 1/2	124	20	<b>65T27138ASB_</b>	Aspect Base Kit for 48"d x 138"w Top Surfaces	\$4,423	\$6,392	\$7,032
27	108	27 1/2	125	20	<b>65T27144ASB_</b>	Aspect Base Kit for 48"d x 144"w Top Surfaces	\$4,427	\$6,398	\$7,038
27	114	27 1/2	157	20	<b>65T27150ASB_</b>	Aspect Base Kit for 48"d x 150"w Top Surfaces	\$4,431	\$6,405	\$7,046
27	120	27 1/2	159	20	<b>65T27156ASB_</b>	Aspect Base Kit for 48"d x 156"w Top Surfaces	\$4,435	\$6,412	\$7,054
27	126	27 1/2	160	21	<b>65T27162ASB_</b>	Aspect Base Kit for 48"d x 162"w Top Surfaces	\$4,438	\$6,418	\$7,060
27	132	27 1/2	161	21	<b>65T27168ASB_</b>	Aspect Base Kit for 48"d x 168"w Top Surfaces	\$4,442	\$6,425	\$7,068
27	138	27 1/2	163	21	<b>65T27174ASB_</b>	Aspect Base Kit for 48"d x 174"w Top Surfaces	\$4,446	\$6,431	\$7,075
27	144	27 1/2	164	21	<b>65T27180ASB_</b>	Aspect Base Kit for 48"d x 180"w Top Surfaces	\$4,450	\$6,438	\$7,082
27	150	27 1/2	165	21	<b>65T27186ASB_</b>	Aspect Base Kit for 48"d x 186"w Top Surfaces	\$4,454	\$6,444	\$7,089
27	156	27 1/2	166	21	<b>65T27192ASB_</b>	Aspect Base Kit for 48"d x 192"w Top Surfaces	\$4,458	\$6,451	\$7,097
27	162	27 1/2	172	28	<b>65T27198ASB_</b>	Aspect Base Kit for 48"d x 198"w Top Surfaces	\$6,493	\$9,312	\$10,244
27	168	27 1/2	173	28	<b>65T27204ASB_</b>	Aspect Base Kit for 48"d x 204"w Top Surfaces	\$6,497	\$9,319	\$10,251
27	174	27 1/2	175	28	<b>65T27210ASB_</b>	Aspect Base Kit for 48"d x 210"w Top Surfaces	\$6,501	\$9,325	\$10,258
27	180	27 1/2	176	28	<b>65T27216ASB_</b>	Aspect Base Kit for 48"d x 216"w Top Surfaces	\$6,505	\$9,332	\$10,266
27	186	27 1/2	177	28	<b>65T27222ASB_</b>	Aspect Base Kit for 48"d x 222"w Top Surfaces	\$6,510	\$9,338	\$10,272
27	192	27 1/2	218	28	<b>65T27228ASB_</b>	Aspect Base Kit for 48"d x 228"w Top Surfaces	\$6,514	\$9,345	\$10,280
27	198	27 1/2	220	28	<b>65T27234ASB_</b>	Aspect Base Kit for 48"d x 234"w Top Surfaces	\$6,518	\$9,351	\$10,287
27	204	27 1/2	222	28	<b>65T27240ASB_</b>	Aspect Base Kit for 48"d x 240"w Top Surfaces	\$6,522	\$9,358	\$10,294

Model	Laminate	Veneer	Metal Finish
	see Anthology Laminate Selection	see Anthology Veneer Selection	see Anthology Metal Finishes

**Aspect Base Kit**

- available in TFL and Veneer surfaces with a metal powder coated base end caps
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Aspect Base Kit for 42/48" deep Table</b>									
27	48	27%	214	13	<b>65T2772ASB_</b>	Aspect Base Kit for 42/48"d x 72"w Top Surfaces	<b>\$2,772</b>	<b>\$4,101</b>	<b>\$4,512</b>
27	54	27%	216	13	<b>65T2778ASB_</b>	Aspect Base Kit for 42/48"d x 78"w Top Surfaces	<b>\$2,774</b>	<b>\$4,106</b>	<b>\$4,517</b>
27	54	27%	219	13	<b>65T2784ASB_</b>	Aspect Base Kit for 42/48"d x 84"w Top Surfaces	<b>\$2,777</b>	<b>\$4,110</b>	<b>\$4,521</b>
27	60	27%	157	23	<b>65T2790ASB_</b>	Aspect Base Kit for 42/48"d x 90"w Top Surfaces	<b>\$2,780</b>	<b>\$4,115</b>	<b>\$4,527</b>
27	60	27%	158	23	<b>65T2796ASB_</b>	Aspect Base Kit for 42/48"d x 96"w Top Surfaces	<b>\$2,783</b>	<b>\$4,120</b>	<b>\$4,532</b>
<b>Aspect Base Kit for 54/60" deep Table</b>									
33	84	27%	163	24	<b>65T33120ASB_</b>	Aspect Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$4,546</b>	<b>\$6,504</b>	<b>\$7,155</b>
33	90	27%	166	24	<b>65T33126ASB_</b>	Aspect Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$4,550</b>	<b>\$6,511</b>	<b>\$7,163</b>
33	96	27%	169	24	<b>65T33132ASB_</b>	Aspect Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$4,554</b>	<b>\$6,517</b>	<b>\$7,169</b>
33	102	27%	172	24	<b>65T33138ASB_</b>	Aspect Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$4,558</b>	<b>\$6,524</b>	<b>\$7,177</b>
33	108	27%	218	33	<b>65T33144ASB_</b>	Aspect Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$4,562</b>	<b>\$6,530</b>	<b>\$7,183</b>
33	114	27%	221	33	<b>65T33150ASB_</b>	Aspect Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$4,566</b>	<b>\$6,537</b>	<b>\$7,191</b>
33	120	27%	224	33	<b>65T33156ASB_</b>	Aspect Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$4,570</b>	<b>\$6,543</b>	<b>\$7,198</b>
33	126	27%	226	33	<b>65T33162ASB_</b>	Aspect Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$4,573</b>	<b>\$6,550</b>	<b>\$7,205</b>
33	132	27%	103	12	<b>65T33168ASB_</b>	Aspect Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$4,577</b>	<b>\$6,557</b>	<b>\$7,213</b>
33	138	27%	122	14	<b>65T33174ASB_</b>	Aspect Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$4,581</b>	<b>\$6,563</b>	<b>\$7,220</b>
33	144	27%	123	14	<b>65T33180ASB_</b>	Aspect Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$4,585</b>	<b>\$6,570</b>	<b>\$7,227</b>
33	150	27%	125	14	<b>65T33186ASB_</b>	Aspect Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$4,589</b>	<b>\$6,576</b>	<b>\$7,234</b>
33	156	27%	173	21	<b>65T33192ASB_</b>	Aspect Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$4,593</b>	<b>\$6,583</b>	<b>\$7,242</b>
33	162	27%	175	21	<b>65T33198ASB_</b>	Aspect Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$6,637</b>	<b>\$9,487</b>	<b>\$10,436</b>
33	168	27%	177	21	<b>65T33204ASB_</b>	Aspect Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$6,641</b>	<b>\$9,493</b>	<b>\$10,443</b>
33	174	27%	180	21	<b>65T33210ASB_</b>	Aspect Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$6,645</b>	<b>\$9,500</b>	<b>\$10,450</b>
33	180	27%	182	22	<b>65T33216ASB_</b>	Aspect Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$6,649</b>	<b>\$9,507</b>	<b>\$10,458</b>
33	186	27%	184	22	<b>65T33222ASB_</b>	Aspect Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$6,654</b>	<b>\$9,513</b>	<b>\$10,465</b>
33	192	27%	186	22	<b>65T33228ASB_</b>	Aspect Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$6,658</b>	<b>\$9,520</b>	<b>\$10,472</b>
33	198	27%	236	29	<b>65T33234ASB_</b>	Aspect Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$6,662</b>	<b>\$9,526</b>	<b>\$10,479</b>
33	204	27%	238	29	<b>65T33240ASB_</b>	Aspect Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$6,666</b>	<b>\$9,533</b>	<b>\$10,487</b>

Model	Laminate	Veneer	Metal Finish
	see Anthology Laminate Selection	see Anthology Veneer Selection	see Anthology Metal Finishes

**Aspect Base Kit for View Table**

- available in TFL and Veneer surfaces with a metal powder coated base end caps
- top shapes: View
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89





D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Aspect Base Kit for 48" deep View Table</b>									
27	48	27 7/8	215	13	<b>65T2772ASVB_</b>	Aspect Base Kit for 48"d x 72"w View Top Surfaces	<b>\$2,772</b>	<b>\$4,101</b>	<b>\$4,512</b>
27	54	27 7/8	217	13	<b>65T2778ASVB_</b>	Aspect Base Kit for 48"d x 78"w View Top Surfaces	<b>\$2,774</b>	<b>\$4,106</b>	<b>\$4,517</b>
<b>Aspect Base Kit for 54" deep View Table</b>									
33	54	27 7/8	240	29	<b>65T3384ASVB_</b>	Aspect Base Kit for 54"d x 84"w View Top Surfaces	<b>\$2,777</b>	<b>\$4,110</b>	<b>\$4,521</b>
33	60	27 7/8	241	29	<b>65T3390ASVB_</b>	Aspect Base Kit for 54"d x 90"w View Top Surfaces	<b>\$2,780</b>	<b>\$4,115</b>	<b>\$4,527</b>
33	60	27 7/8	242	30	<b>65T3396ASVB_</b>	Aspect Base Kit for 54"d x 96"w View Top Surfaces	<b>\$2,783</b>	<b>\$4,120</b>	<b>\$4,532</b>
33	66	27 7/8	159	23	<b>65T33102ASVB_</b>	Aspect Base Kit for 54"d x 102"w View Top Surfaces	<b>\$2,786</b>	<b>\$4,125</b>	<b>\$4,538</b>
<b>Aspect Base Kit for 60" deep View Table</b>									
33	72	27 7/8	161	24	<b>65T33108ASVB_</b>	Aspect Base Kit for 60"d x 108"w View Top Surfaces	<b>\$2,789</b>	<b>\$4,129</b>	<b>\$4,542</b>
33	78	27 7/8	162	24	<b>65T33114ASVB_</b>	Aspect Base Kit for 60"d x 114"w View Top Surfaces	<b>\$2,792</b>	<b>\$4,134</b>	<b>\$4,548</b>
33	84	27 7/8	165	24	<b>65T33120ASVB_</b>	Aspect Base Kit for 60"d x 120"w View Top Surfaces	<b>\$4,546</b>	<b>\$6,504</b>	<b>\$7,155</b>
33	90	27 7/8	168	24	<b>65T33126ASVB_</b>	Aspect Base Kit for 60"d x 126"w View Top Surfaces	<b>\$4,550</b>	<b>\$6,511</b>	<b>\$7,163</b>
33	96	27 7/8	170	24	<b>65T33132ASVB_</b>	Aspect Base Kit for 60"d x 132"w View Top Surfaces	<b>\$4,554</b>	<b>\$6,517</b>	<b>\$7,169</b>
33	102	27 7/8	173	24	<b>65T33138ASVB_</b>	Aspect Base Kit for 60"d x 138"w View Top Surfaces	<b>\$4,558</b>	<b>\$6,524</b>	<b>\$7,177</b>
33	108	27 7/8	220	33	<b>65T33144ASVB_</b>	Aspect Base Kit for 60"d x 144"w View Top Surfaces	<b>\$4,562</b>	<b>\$6,530</b>	<b>\$7,183</b>
33	114	27 7/8	222	33	<b>65T33150ASVB_</b>	Aspect Base Kit for 60"d x 150"w View Top Surfaces	<b>\$4,566</b>	<b>\$6,537</b>	<b>\$7,191</b>
33	120	27 7/8	225	33	<b>65T33156ASVB_</b>	Aspect Base Kit for 60"d x 156"w View Top Surfaces	<b>\$4,570</b>	<b>\$6,543</b>	<b>\$7,198</b>
33	126	27 7/8	227	33	<b>65T33162ASVB_</b>	Aspect Base Kit for 60"d x 162"w View Top Surfaces	<b>\$4,573</b>	<b>\$6,550</b>	<b>\$7,205</b>
33	132	27 7/8	104	12	<b>65T33168ASVB_</b>	Aspect Base Kit for 60"d x 168"w View Top Surfaces	<b>\$4,577</b>	<b>\$6,557</b>	<b>\$7,213</b>
33	138	27 7/8	123	14	<b>65T33174ASVB_</b>	Aspect Base Kit for 60"d x 174"w View Top Surfaces	<b>\$4,581</b>	<b>\$6,563</b>	<b>\$7,220</b>
33	144	27 7/8	124	14	<b>65T33180ASVB_</b>	Aspect Base Kit for 60"d x 180"w View Top Surfaces	<b>\$4,585</b>	<b>\$6,570</b>	<b>\$7,227</b>
33	150	27 7/8	127	15	<b>65T33186ASVB_</b>	Aspect Base Kit for 60"d x 186"w View Top Surfaces	<b>\$4,589</b>	<b>\$6,576</b>	<b>\$7,234</b>
33	156	27 7/8	174	21	<b>65T33192ASVB_</b>	Aspect Base Kit for 60"d x 192"w View Top Surfaces	<b>\$4,593</b>	<b>\$6,583</b>	<b>\$7,242</b>
33	162	27 7/8	176	21	<b>65T33198ASVB_</b>	Aspect Base Kit for 60"d x 198"w View Top Surfaces	<b>\$6,637</b>	<b>\$9,487</b>	<b>\$10,436</b>
33	168	27 7/8	178	21	<b>65T33204ASVB_</b>	Aspect Base Kit for 60"d x 204"w View Top Surfaces	<b>\$6,641</b>	<b>\$9,493</b>	<b>\$10,443</b>
33	174	27 7/8	181	22	<b>65T33210ASVB_</b>	Aspect Base Kit for 60"d x 210"w View Top Surfaces	<b>\$6,645</b>	<b>\$9,500</b>	<b>\$10,450</b>
33	180	27 7/8	183	22	<b>65T33216ASVB_</b>	Aspect Base Kit for 60"d x 216"w View Top Surfaces	<b>\$6,649</b>	<b>\$9,507</b>	<b>\$10,458</b>
33	186	27 7/8	185	22	<b>65T33222ASVB_</b>	Aspect Base Kit for 60"d x 222"w View Top Surfaces	<b>\$6,654</b>	<b>\$9,513</b>	<b>\$10,465</b>
33	192	27 7/8	234	29	<b>65T33228ASVB_</b>	Aspect Base Kit for 60"d x 228"w View Top Surfaces	<b>\$6,658</b>	<b>\$9,520</b>	<b>\$10,472</b>
33	198	27 7/8	237	29	<b>65T33234ASVB_</b>	Aspect Base Kit for 60"d x 234"w View Top Surfaces	<b>\$6,662</b>	<b>\$9,526</b>	<b>\$10,479</b>
33	204	27 7/8	239	29	<b>65T33240ASVB_</b>	Aspect Base Kit for 60"d x 240"w View Top Surfaces	<b>\$6,666</b>	<b>\$9,533</b>	<b>\$10,487</b>

Model	Laminate	Veneer	Metal Finish
	see Anthology Laminate Selection	see Anthology Veneer Selection	see Anthology Metal Finishes

**Aspect BridgeLine Base Kit**

- available in TFL and Veneer surfaces with a metal powder coated base end caps
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Aspect BridgeLine Base Kit for 48"deep Table</b>									
27	84	27%	154	18	<b>65T27120AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 120"w Top Surfaces	<b>\$3,439</b>	<b>\$4,643</b>	<b>\$5,108</b>
27	90	27%	156	18	<b>65T27126AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 126"w Top Surfaces	<b>\$3,443</b>	<b>\$4,646</b>	<b>\$5,111</b>
27	96	27%	158	18	<b>65T27132AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 132"w Top Surfaces	<b>\$3,446</b>	<b>\$4,650</b>	<b>\$5,115</b>
27	102	27%	161	19	<b>65T27138AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 138"w Top Surfaces	<b>\$3,450</b>	<b>\$4,653</b>	<b>\$5,119</b>
27	108	27%	163	19	<b>65T27144AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 144"w Top Surfaces	<b>\$3,749</b>	<b>\$4,953</b>	<b>\$5,449</b>
27	114	27%	166	19	<b>65T27150AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 150"w Top Surfaces	<b>\$3,757</b>	<b>\$4,961</b>	<b>\$5,458</b>
27	120	27%	168	19	<b>65T27156AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 156"w Top Surfaces	<b>\$3,765</b>	<b>\$4,968</b>	<b>\$5,465</b>
27	126	27%	171	19	<b>65T27162AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 162"w Top Surfaces	<b>\$3,773</b>	<b>\$4,976</b>	<b>\$5,474</b>
27	132	27%	174	19	<b>65T27168AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 168"w Top Surfaces	<b>\$3,780</b>	<b>\$4,984</b>	<b>\$5,483</b>
27	138	27%	177	20	<b>65T27174AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 174"w Top Surfaces	<b>\$3,788</b>	<b>\$4,992</b>	<b>\$5,492</b>
27	144	27%	179	20	<b>65T27180AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 180"w Top Surfaces	<b>\$3,796</b>	<b>\$5,000</b>	<b>\$5,500</b>
27	150	27%	182	20	<b>65T27186AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 186"w Top Surfaces	<b>\$3,804</b>	<b>\$5,007</b>	<b>\$5,508</b>
27	156	27%	184	20	<b>65T27192AS2B_</b>	Aspect BridgeLine Base Kit for 48"d x 192"w Top Surfaces	<b>\$3,812</b>	<b>\$5,015</b>	<b>\$5,517</b>
<b>Aspect BridgeLine Base Kit for 54/60"deep Table</b>									
33	84	27%	179	21	<b>65T33120AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$3,559</b>	<b>\$4,753</b>	<b>\$5,229</b>
33	90	27%	182	21	<b>65T33126AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$3,562</b>	<b>\$4,756</b>	<b>\$5,232</b>
33	96	27%	184	21	<b>65T33132AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$3,566</b>	<b>\$4,760</b>	<b>\$5,236</b>
33	102	27%	187	21	<b>65T33138AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$3,569</b>	<b>\$4,763</b>	<b>\$5,240</b>
33	108	27%	189	22	<b>65T33144AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$3,869</b>	<b>\$5,063</b>	<b>\$5,570</b>
33	114	27%	192	22	<b>65T33150AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$3,875</b>	<b>\$5,069</b>	<b>\$5,576</b>
33	120	27%	194	22	<b>65T33156AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$3,881</b>	<b>\$5,075</b>	<b>\$5,583</b>
33	126	27%	197	22	<b>65T33162AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$3,887</b>	<b>\$5,081</b>	<b>\$5,590</b>
33	132	27%	200	22	<b>65T33168AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$3,893</b>	<b>\$5,087</b>	<b>\$5,596</b>
33	138	27%	202	22	<b>65T33174AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$3,899</b>	<b>\$5,093</b>	<b>\$5,603</b>
33	144	27%	205	23	<b>65T33180AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$3,905</b>	<b>\$5,099</b>	<b>\$5,609</b>
33	150	27%	207	23	<b>65T33186AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$3,911</b>	<b>\$5,105</b>	<b>\$5,616</b>
33	156	27%	210	23	<b>65T33192AS2B_</b>	Aspect BridgeLine Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$3,917</b>	<b>\$5,111</b>	<b>\$5,623</b>

Model	Laminate	Veneer	Metal Finish
	see Anthology Laminate Selection	see Anthology Veneer Selection	see Anthology Metal Finishes

**Bridge Base Kit**

- available in Maple, Oak and Walnut solid wood
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Bridge Base Kit for 36/42"deep Table</b>							
9	14¾	5½	9	1	<b>65T2472BGBW</b>	Bridge Solid Wood Base Kit for 36/42"d x 72"w Top Surfaces	<b>\$2,310</b>
24	54	27¾	54	7	<b>65T2478BGBW</b>	Bridge Solid Wood Base Kit for 36/42"d x 78"w Top Surfaces	<b>\$2,323</b>
24	54	27¾	54	7	<b>65T2484BGBW</b>	Bridge Solid Wood Base Kit for 36/42"d x 84"w Top Surfaces	<b>\$2,337</b>
24	60	27¾	55	7	<b>65T2490BGBW</b>	Bridge Solid Wood Base Kit for 36/42"d x 90"w Top Surfaces	<b>\$2,350</b>
24	60	27¾	55	7	<b>65T2496BGBW</b>	Bridge Solid Wood Base Kit for 36/42"d x 96"w Top Surfaces	<b>\$2,363</b>
<b>Bridge Base Kit for 42"deep Table</b>							
24	66	27¾	56	7	<b>65T24102BGBW</b>	Bridge Solid Wood Base Kit for 42"d x 102"w Top Surfaces	<b>\$2,377</b>
24	72	27¾	56	7	<b>65T24108BGBW</b>	Bridge Solid Wood Base Kit for 42"d x 108"w Top Surfaces	<b>\$2,390</b>
24	78	27¾	56	7	<b>65T24114BGBW</b>	Bridge Solid Wood Base Kit for 42"d x 114"w Top Surfaces	<b>\$2,403</b>
24	84	27¾	76	10	<b>65T24120BGBW</b>	Bridge Solid Wood Base Kit for 42"d x 120"w Top Surfaces	<b>\$2,417</b>
<b>Bridge Base Kit for 48"deep Table</b>							
30	48	27¾	56	9	<b>65T3072BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 72"w Top Surfaces	<b>\$2,431</b>
30	54	27¾	56	9	<b>65T3078BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 78"w Top Surfaces	<b>\$2,445</b>
30	54	27¾	56	9	<b>65T3084BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 84"w Top Surfaces	<b>\$2,458</b>
30	60	27¾	56	9	<b>65T3090BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 90"w Top Surfaces	<b>\$2,471</b>
30	60	27¾	57	10	<b>65T3096BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 96"w Top Surfaces	<b>\$2,486</b>
30	66	27¾	57	10	<b>65T30102BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 102"w Top Surfaces	<b>\$2,761</b>
30	72	27¾	57	10	<b>65T30108BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 108"w Top Surfaces	<b>\$3,036</b>
30	78	27¾	57	10	<b>65T30114BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 114"w Top Surfaces	<b>\$3,311</b>
30	84	27¾	77	15	<b>65T30120BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 120"w Top Surfaces	<b>\$3,586</b>
30	90	27¾	77	15	<b>65T30126BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 126"w Top Surfaces	<b>\$3,592</b>
30	96	27¾	77	15	<b>65T30132BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 132"w Top Surfaces	<b>\$3,598</b>
30	102	27¾	77	15	<b>65T30138BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 138"w Top Surfaces	<b>\$3,604</b>
30	108	27¾	78	15	<b>65T30144BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 144"w Top Surfaces	<b>\$3,612</b>
30	114	27¾	78	15	<b>65T30150BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 150"w Top Surfaces	<b>\$3,618</b>
30	120	27¾	78	15	<b>65T30156BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 156"w Top Surfaces	<b>\$3,624</b>
30	126	27¾	78	15	<b>65T30162BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 162"w Top Surfaces	<b>\$3,630</b>
30	132	27¾	79	15	<b>65T30168BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 168"w Top Surfaces	<b>\$3,636</b>
30	138	27¾	79	15	<b>65T30174BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 174"w Top Surfaces	<b>\$3,643</b>
30	144	27¾	79	15	<b>65T30180BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 180"w Top Surfaces	<b>\$3,649</b>
30	150	27¾	80	15	<b>65T30186BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 186"w Top Surfaces	<b>\$3,655</b>
30	156	27¾	80	15	<b>65T30192BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 192"w Top Surfaces	<b>\$3,662</b>
30	162	27¾	101	19	<b>65T30198BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 198"w Top Surfaces	<b>\$3,790</b>
30	168	27¾	101	19	<b>65T30204BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 204"w Top Surfaces	<b>\$3,918</b>
30	174	27¾	102	19	<b>65T30210BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 210"w Top Surfaces	<b>\$4,045</b>
30	180	27¾	102	20	<b>65T30216BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 216"w Top Surfaces	<b>\$4,173</b>
30	186	27¾	105	20	<b>65T30222BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 222"w Top Surfaces	<b>\$4,301</b>
30	192	27¾	105	20	<b>65T30228BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 228"w Top Surfaces	<b>\$4,428</b>
30	198	27¾	107	20	<b>65T30234BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 234"w Top Surfaces	<b>\$4,556</b>
30	204	27¾	107	20	<b>65T30240BGBW</b>	Bridge Solid Wood Base Kit for 48"d x 240"w Top Surfaces	<b>\$4,682</b>

Model	Base Wood
	see Anthology Solid Wood Finishes

**Bridge Base Kit**

- available in Maple, Oak and Walnut solid wood
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Bridge Base Kit for 54/60"deep Table</b>							
36	84	27 $\frac{7}{8}$	93	19	<b>65T36120BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$3,639</b>
36	90	27 $\frac{7}{8}$	93	19	<b>65T36126BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$3,646</b>
36	96	27 $\frac{7}{8}$	94	19	<b>65T36132BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$3,652</b>
36	102	27 $\frac{7}{8}$	94	19	<b>65T36138BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$3,658</b>
36	108	27 $\frac{7}{8}$	95	19	<b>65T36144BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$3,665</b>
36	114	27 $\frac{7}{8}$	95	19	<b>65T36150BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$3,671</b>
36	120	27 $\frac{7}{8}$	95	19	<b>65T36156BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$3,678</b>
36	126	27 $\frac{7}{8}$	97	19	<b>65T36162BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$3,684</b>
36	132	27 $\frac{7}{8}$	97	19	<b>65T36168BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$3,690</b>
36	138	27 $\frac{7}{8}$	97	19	<b>65T36174BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$3,697</b>
36	144	27 $\frac{7}{8}$	99	19	<b>65T36180BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$3,703</b>
36	150	27 $\frac{7}{8}$	99	19	<b>65T36186BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$3,710</b>
36	156	27 $\frac{7}{8}$	99	19	<b>65T36192BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$3,717</b>
36	162	27 $\frac{7}{8}$	116	23	<b>65T36198BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$3,847</b>
36	168	27 $\frac{7}{8}$	116	23	<b>65T36204BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$3,976</b>
36	174	27 $\frac{7}{8}$	116	23	<b>65T36210BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$4,106</b>
36	180	27 $\frac{7}{8}$	118	24	<b>65T36216BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$4,236</b>
36	186	27 $\frac{7}{8}$	118	24	<b>65T36222BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$4,366</b>
36	192	27 $\frac{7}{8}$	120	24	<b>65T36228BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$4,495</b>
36	198	27 $\frac{7}{8}$	120	24	<b>65T36234BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$4,625</b>
36	204	27 $\frac{7}{8}$	120	42	<b>65T36240BGBW</b>	Bridge Solid Wood Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$4,754</b>

Model	Base Wood
	see Anthology Solid Wood Finishes

**Bridge Base Kit for Ellipse Top**

- available in Maple, Oak and Walnut solid wood
- top shapes: Ellipse
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89



D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Bridge Base Kit for 36"deep Ellipse Table</b>							
24½	48	27½	54	7	<b>65T2472BGEBW</b>	Bridge Solid Wood Base Kit for 36"d x 72"w Ellipse Top Surfaces	<b>\$2,310</b>
<b>Bridge Base Kit for 42"deep Ellipse Table</b>							
24½	54	27½	54	7	<b>65T2478BGEBW</b>	Bridge Solid Wood Base Kit for 42"d x 78"w Ellipse Top Surfaces	<b>\$2,323</b>
24½	54	27½	54	7	<b>65T2484BGEBW</b>	Bridge Solid Wood Base Kit for 42"d x 84"w Ellipse Top Surfaces	<b>\$2,337</b>
<b>Bridge Base Kit for 48"deep Ellipse Table</b>							
30½	60	27½	55	7	<b>65T3090BGEBW</b>	Bridge Solid Wood Base Kit for 48"d x 90"w Ellipse Top Surfaces	<b>\$2,471</b>
30½	60	27½	55	7	<b>65T3096BGEBW</b>	Bridge Solid Wood Base Kit for 48"d x 96"w Ellipse Top Surfaces	<b>\$2,486</b>
<b>Bridge Base Kit for 54"deep Ellipse Table</b>							
36½	66	27½	56	7	<b>65T36102BGEBW</b>	Bridge Solid Wood Base Kit for 54"d x 102"w Ellipse Top Surfaces	<b>\$2,799</b>
36½	72	27½	56	7	<b>65T36108BGEBW</b>	Bridge Solid Wood Base Kit for 54"d x 108"w Ellipse Top Surfaces	<b>\$3,078</b>
<b>Bridge Base Kit for 60"deep Ellipse Table</b>							
36½	78	27½	56	7	<b>65T36114BGEBW</b>	Bridge Solid Wood Base Kit for 60"d x 114"w Ellipse Top Surfaces	<b>\$3,358</b>
36½	84	27½	76	10	<b>65T36120BGEBW</b>	Bridge Solid Wood Base Kit for 60"d x 120"w Ellipse Top Surfaces	<b>\$3,639</b>

Model	Base Wood
	see Anthology Solid Wood Finishes

**Bridge Base Kit**

- available in Maple, Oak and Walnut solid wood
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89



D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>26 1/8" d Counter Height</b>							
<b>Bridge Base Kit for 36/42" deep Table</b>							
26 1/8	48	34 7/8	38	26	<b>65T267235BGBW</b>	Bridge Solid Wood Base Kit for 36/42" d x 72" w Top Surfaces	<b>\$2,403</b>
26 1/8	54	34 7/8	40	29	<b>65T267835BGBW</b>	Bridge Solid Wood Base Kit for 36/42" d x 78" w Top Surfaces	<b>\$2,416</b>
26 1/8	54	34 7/8	40	29	<b>65T268435BGBW</b>	Bridge Solid Wood Base Kit for 36/42" d x 84" w Top Surfaces	<b>\$2,431</b>
26 1/8	60	34 7/8	42	32	<b>65T269035BGBW</b>	Bridge Solid Wood Base Kit for 36/42" d x 90" w Top Surfaces	<b>\$2,444</b>
26 1/8	60	34 7/8	42	32	<b>65T269635BGBW</b>	Bridge Solid Wood Base Kit for 36/42" d x 96" w Top Surfaces	<b>\$2,458</b>
<b>Bridge Base Kit for 42" deep Table</b>							
26 1/8	66	34 7/8	44	35	<b>65T2610235BGBW</b>	Bridge Solid Wood Base Kit for 42" d x 102" w Top Surfaces	<b>\$2,473</b>
26 1/8	72	34 7/8	47	38	<b>65T2610835BGBW</b>	Bridge Solid Wood Base Kit for 42" d x 108" w Top Surfaces	<b>\$2,486</b>
26 1/8	78	34 7/8	49	42	<b>65T2611435BGBW</b>	Bridge Solid Wood Base Kit for 42" d x 114" w Top Surfaces	<b>\$2,574</b>
<b>32 1/8" d Counter Height</b>							
<b>Bridge Base Kit for 36/42" deep Table</b>							
32 1/8	48	34 7/8	40	32	<b>65T327235BGBW</b>	Bridge Solid Wood Base Kit for 36/42" d x 72" w Top Surfaces	<b>\$2,529</b>
32 1/8	54	34 7/8	40	35	<b>65T327835BGBW</b>	Bridge Solid Wood Base Kit for 36/42" d x 78" w Top Surfaces	<b>\$2,543</b>
32 1/8	54	34 7/8	42	35	<b>65T328435BGBW</b>	Bridge Solid Wood Base Kit for 36/42" d x 84" w Top Surfaces	<b>\$2,557</b>
32 1/8	60	34 7/8	42	39	<b>65T329035BGBW</b>	Bridge Solid Wood Base Kit for 36/42" d x 90" w Top Surfaces	<b>\$2,570</b>
32 1/8	60	34 7/8	44	39	<b>65T329635BGBW</b>	Bridge Solid Wood Base Kit for 36/42" d x 96" w Top Surfaces	<b>\$2,586</b>
<b>Bridge Base Kit for 42" deep Table</b>							
32 1/8	66	34 7/8	44	43	<b>65T3210235BGBW</b>	Bridge Solid Wood Base Kit for 42" d x 102" w Top Surfaces	<b>\$2,872</b>
32 1/8	72	34 7/8	46	47	<b>65T3210835BGBW</b>	Bridge Solid Wood Base Kit for 42" d x 108" w Top Surfaces	<b>\$3,158</b>
32 1/8	78	34 7/8	49	51	<b>65T3211435BGBW</b>	Bridge Solid Wood Base Kit for 42" d x 114" w Top Surfaces	<b>\$3,444</b>

Model	Base Wood
	see Anthology Solid Wood Finishes

**Bridge Base Kit**

- available in Maple, Oak and Walnut solid wood
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>29 3/4\"d Bar Height</b>							
<b>Bridge Base Kit for 36/42\"deep Table</b>							
29 3/4	48	40 7/8	42	34	<b>65T297241BGBW</b>	Bridge Solid Wood Base Kit for 36/42\"d x 72\"w Top Surfaces	<b>\$2,499</b>
29 3/4	54	40 7/8	44	38	<b>65T297841BGBW</b>	Bridge Solid Wood Base Kit for 36/42\"d x 78\"w Top Surfaces	<b>\$2,513</b>
29 3/4	54	40 7/8	44	38	<b>65T298441BGBW</b>	Bridge Solid Wood Base Kit for 36/42\"d x 84\"w Top Surfaces	<b>\$2,528</b>
29 3/4	60	40 7/8	47	42	<b>65T299041BGBW</b>	Bridge Solid Wood Base Kit for 36/42\"d x 90\"w Top Surfaces	<b>\$2,542</b>
29 3/4	60	40 7/8	47	42	<b>65T299641BGBW</b>	Bridge Solid Wood Base Kit for 36/42\"d x 96\"w Top Surfaces	<b>\$2,556</b>
<b>Bridge Base Kit for 42\"deep Table</b>							
29 3/4	66	40 7/8	49	47	<b>65T2910241BGBW</b>	Bridge Solid Wood Base Kit for 42\"d x 102\"w Top Surfaces	<b>\$2,571</b>
29 3/4	72	40 7/8	51	51	<b>65T2910841BGBW</b>	Bridge Solid Wood Base Kit for 42\"d x 108\"w Top Surfaces	<b>\$2,586</b>
29 3/4	78	40 7/8	47	55	<b>65T2911441BGBW</b>	Bridge Solid Wood Base Kit for 42\"d x 114\"w Top Surfaces	<b>\$2,677</b>
<b>35 3/4\"d Bar Height</b>							
<b>Bridge Base Kit for 36/42\"deep Table</b>							
35 3/4	48	40 7/8	47	41	<b>65T357241BGBW</b>	Bridge Solid Wood Base Kit for 36/42\"d x 72\"w Top Surfaces	<b>\$2,630</b>
35 3/4	54	40 7/8	49	46	<b>65T357841BGBW</b>	Bridge Solid Wood Base Kit for 36/42\"d x 78\"w Top Surfaces	<b>\$2,645</b>
35 3/4	54	40 7/8	49	46	<b>65T358441BGBW</b>	Bridge Solid Wood Base Kit for 36/42\"d x 84\"w Top Surfaces	<b>\$2,659</b>
35 3/4	60	40 7/8	52	51	<b>65T359041BGBW</b>	Bridge Solid Wood Base Kit for 36/42\"d x 90\"w Top Surfaces	<b>\$2,673</b>
35 3/4	60	40 7/8	52	51	<b>65T359641BGBW</b>	Bridge Solid Wood Base Kit for 36/42\"d x 96\"w Top Surfaces	<b>\$2,689</b>
<b>Bridge Base Kit for 42\"deep Table</b>							
35 3/4	66	40 7/8	54	56	<b>65T3510241BGBW</b>	Bridge Solid Wood Base Kit for 42\"d x 102\"w Top Surfaces	<b>\$2,987</b>
35 3/4	72	40 7/8	56	61	<b>65T3510841BGBW</b>	Bridge Solid Wood Base Kit for 42\"d x 108\"w Top Surfaces	<b>\$3,284</b>
35 3/4	78	40 7/8	52	66	<b>65T3511441BGBW</b>	Bridge Solid Wood Base Kit for 42\"d x 114\"w Top Surfaces	<b>\$3,582</b>

**Model** | **Base Wood**

see Anthology Solid Wood Finishes

**Bevel Base Kit**

- available in Maple, Oak and Walnut solid wood
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Bevel Base Kit for 36"deep Table</b>							
18	48	27 $\frac{7}{8}$	54	7	<b>65T1872BVBW</b>	Bevel Solid Wood Base Kit for 36" d x 72" w Top Surfaces	<b>\$2,312</b>
18	54	27 $\frac{7}{8}$	54	7	<b>65T1878BVBW</b>	Bevel Solid Wood Base Kit for 36" d x 78" w Top Surfaces	<b>\$2,318</b>
18	54	27 $\frac{7}{8}$	54	7	<b>65T1884BVBW</b>	Bevel Solid Wood Base Kit for 36" d x 84" w Top Surfaces	<b>\$2,324</b>
18	60	27 $\frac{7}{8}$	55	7	<b>65T1890BVBW</b>	Bevel Solid Wood Base Kit for 36" d x 90" w Top Surfaces	<b>\$2,330</b>
18	60	27 $\frac{7}{8}$	55	7	<b>65T1896BVBW</b>	Bevel Solid Wood Base Kit for 36" d x 96" w Top Surfaces	<b>\$2,337</b>
<b>Bevel Base Kit for 42/48"deep Table</b>							
24	48	27 $\frac{7}{8}$	56	9	<b>65T2472BVBW</b>	Bevel Solid Wood Base Kit for 42/48" d x 72" w Top Surfaces	<b>\$2,312</b>
24	54	27 $\frac{7}{8}$	56	9	<b>65T2478BVBW</b>	Bevel Solid Wood Base Kit for 42/48" d x 78" w Top Surfaces	<b>\$2,318</b>
24	54	27 $\frac{7}{8}$	56	9	<b>65T2484BVBW</b>	Bevel Solid Wood Base Kit for 42/48" d x 84" w Top Surfaces	<b>\$2,324</b>
24	60	27 $\frac{7}{8}$	56	9	<b>65T2490BVBW</b>	Bevel Solid Wood Base Kit for 42/48" d x 90" w Top Surfaces	<b>\$2,330</b>
24	60	27 $\frac{7}{8}$	57	10	<b>65T2496BVBW</b>	Bevel Solid Wood Base Kit for 42/48" d x 96" w Top Surfaces	<b>\$2,337</b>
24	66	27 $\frac{7}{8}$	57	10	<b>65T24102BVBW</b>	Bevel Solid Wood Base Kit for 42/48" d x 102" w Top Surfaces	<b>\$2,588</b>
24	72	27 $\frac{7}{8}$	57	10	<b>65T24108BVBW</b>	Bevel Solid Wood Base Kit for 42/48" d x 108" w Top Surfaces	<b>\$2,839</b>
24	78	27 $\frac{7}{8}$	57	10	<b>65T24114BVBW</b>	Bevel Solid Wood Base Kit for 42/48" d x 114" w Top Surfaces	<b>\$3,090</b>
24	84	27 $\frac{7}{8}$	77	15	<b>65T24120BVBW</b>	Bevel Solid Wood Base Kit for 42/48" d x 120" w Top Surfaces	<b>\$3,554</b>
<b>Bevel Base Kit for 48"deep Table</b>							
24	90	27 $\frac{7}{8}$	77	15	<b>65T24126BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 126" w Top Surfaces	<b>\$3,599</b>
24	96	27 $\frac{7}{8}$	77	15	<b>65T24132BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 132" w Top Surfaces	<b>\$3,605</b>
24	102	27 $\frac{7}{8}$	77	15	<b>65T24138BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 138" w Top Surfaces	<b>\$3,612</b>
24	108	27 $\frac{7}{8}$	78	15	<b>65T24144BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 144" w Top Surfaces	<b>\$3,619</b>
24	114	27 $\frac{7}{8}$	78	15	<b>65T24150BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 150" w Top Surfaces	<b>\$3,625</b>
24	120	27 $\frac{7}{8}$	78	15	<b>65T24156BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 156" w Top Surfaces	<b>\$3,631</b>
24	126	27 $\frac{7}{8}$	78	15	<b>65T24162BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 162" w Top Surfaces	<b>\$3,637</b>
24	132	27 $\frac{7}{8}$	79	15	<b>65T24168BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 168" w Top Surfaces	<b>\$3,644</b>
24	138	27 $\frac{7}{8}$	79	15	<b>65T24174BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 174" w Top Surfaces	<b>\$3,650</b>
24	144	27 $\frac{7}{8}$	79	15	<b>65T24180BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 180" w Top Surfaces	<b>\$3,656</b>
24	150	27 $\frac{7}{8}$	80	15	<b>65T24186BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 186" w Top Surfaces	<b>\$3,662</b>
24	156	27 $\frac{7}{8}$	80	15	<b>65T24192BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 192" w Top Surfaces	<b>\$3,669</b>
24	162	27 $\frac{7}{8}$	101	19	<b>65T24198BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 198" w Top Surfaces	<b>\$3,797</b>
24	168	27 $\frac{7}{8}$	101	19	<b>65T24204BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 204" w Top Surfaces	<b>\$3,925</b>
24	174	27 $\frac{7}{8}$	102	19	<b>65T24210BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 210" w Top Surfaces	<b>\$4,053</b>
24	180	27 $\frac{7}{8}$	102	20	<b>65T24216BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 216" w Top Surfaces	<b>\$4,180</b>
24	186	27 $\frac{7}{8}$	105	20	<b>65T24222BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 222" w Top Surfaces	<b>\$4,308</b>
24	192	27 $\frac{7}{8}$	105	20	<b>65T24228BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 228" w Top Surfaces	<b>\$4,436</b>
24	198	27 $\frac{7}{8}$	107	20	<b>65T24234BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 234" w Top Surfaces	<b>\$4,563</b>
24	204	27 $\frac{7}{8}$	107	20	<b>65T24240BVBW</b>	Bevel Solid Wood Base Kit for 48" d x 240" w Top Surfaces	<b>\$4,691</b>

Model	Base Wood
	see Anthology Solid Wood Finishes

**Bevel Base Kit**

- available in Maple, Oak and Walnut solid wood
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Bevel Base Kit for 54/60"deep Table</b>							
30	84	27 $\frac{7}{8}$	93	19	<b>65T30120BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$3,716</b>
30	90	27 $\frac{7}{8}$	93	19	<b>65T30126BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$3,721</b>
30	96	27 $\frac{7}{8}$	94	19	<b>65T30132BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$3,726</b>
30	102	27 $\frac{7}{8}$	94	19	<b>65T30138BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$3,731</b>
30	108	27 $\frac{7}{8}$	95	19	<b>65T30144BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$3,740</b>
30	114	27 $\frac{7}{8}$	95	19	<b>65T30150BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$3,747</b>
30	120	27 $\frac{7}{8}$	95	19	<b>65T30156BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$3,753</b>
30	126	27 $\frac{7}{8}$	97	19	<b>65T30162BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$3,759</b>
30	132	27 $\frac{7}{8}$	97	19	<b>65T30168BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$3,765</b>
30	138	27 $\frac{7}{8}$	97	19	<b>65T30174BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$3,772</b>
30	144	27 $\frac{7}{8}$	99	19	<b>65T30180BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$3,779</b>
30	150	27 $\frac{7}{8}$	99	19	<b>65T30186BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$3,785</b>
30	156	27 $\frac{7}{8}$	99	19	<b>65T30192BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$3,792</b>
30	162	27 $\frac{7}{8}$	116	23	<b>65T30198BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$3,925</b>
30	168	27 $\frac{7}{8}$	116	23	<b>65T30204BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$4,058</b>
30	174	27 $\frac{7}{8}$	116	23	<b>65T30210BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$4,191</b>
30	180	27 $\frac{7}{8}$	118	24	<b>65T30216BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$4,323</b>
30	186	27 $\frac{7}{8}$	118	24	<b>65T30222BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$4,456</b>
30	192	27 $\frac{7}{8}$	120	24	<b>65T30228BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$4,589</b>
30	198	27 $\frac{7}{8}$	120	24	<b>65T30234BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$4,722</b>
30	204	27 $\frac{7}{8}$	120	42	<b>65T30240BVBW</b>	Bevel Solid Wood Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$4,854</b>

Model	Base Wood
	see Anthology Solid Wood Finishes

**Frame Base Kit**

- available in metal powdercoat paint and chrome finishes
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Frame Base Kit for 36"deep Table</b>							
22 $\frac{7}{8}$	48	27 $\frac{7}{8}$	70	11	<b>65T1872FRBM</b>	Frame Metal Base Kit for 36"d x 72"w Top Surfaces	<b>\$1,363</b>
22 $\frac{7}{8}$	54	27 $\frac{7}{8}$	71	11	<b>65T1878FRBM</b>	Frame Metal Base Kit for 36"d x 78"w Top Surfaces	<b>\$1,369</b>
22 $\frac{7}{8}$	54	27 $\frac{7}{8}$	71	11	<b>65T1884FRBM</b>	Frame Metal Base Kit for 36"d x 84"w Top Surfaces	<b>\$1,376</b>
22 $\frac{7}{8}$	60	27 $\frac{7}{8}$	72	11	<b>65T1890FRBM</b>	Frame Metal Base Kit for 36"d x 90"w Top Surfaces	<b>\$1,382</b>
22 $\frac{7}{8}$	60	27 $\frac{7}{8}$	72	11	<b>65T1896FRBM</b>	Frame Metal Base Kit for 36"d x 96"w Top Surfaces	<b>\$1,388</b>
<b>Frame Base Kit for 42/48"deep Table</b>							
28 $\frac{7}{8}$	48	27 $\frac{7}{8}$	75	11	<b>65T2472FRBM</b>	Frame Metal Base Kit for 42/48"d x 72"w Top Surfaces	<b>\$1,394</b>
28 $\frac{7}{8}$	54	27 $\frac{7}{8}$	76	11	<b>65T2478FRBM</b>	Frame Metal Base Kit for 42/48"d x 78"w Top Surfaces	<b>\$1,400</b>
28 $\frac{7}{8}$	54	27 $\frac{7}{8}$	76	11	<b>65T2484FRBM</b>	Frame Metal Base Kit for 42/48"d x 84"w Top Surfaces	<b>\$1,406</b>
28 $\frac{7}{8}$	60	27 $\frac{7}{8}$	77	11	<b>65T2490FRBM</b>	Frame Metal Base Kit for 42/48"d x 90"w Top Surfaces	<b>\$1,412</b>
28 $\frac{7}{8}$	60	27 $\frac{7}{8}$	77	11	<b>65T2496FRBM</b>	Frame Metal Base Kit for 42/48"d x 96"w Top Surfaces	<b>\$1,412</b>
28 $\frac{7}{8}$	66	27 $\frac{7}{8}$	78	11	<b>65T24102FRBM</b>	Frame Metal Base Kit for 42/48"d x 102"w Top Surfaces	<b>\$1,645</b>
28 $\frac{7}{8}$	72	27 $\frac{7}{8}$	79	12	<b>65T24108FRBM</b>	Frame Metal Base Kit for 42/48"d x 108"w Top SurfacesL	<b>\$1,879</b>
28 $\frac{7}{8}$	78	27 $\frac{7}{8}$	80	12	<b>65T24114FRBM</b>	Frame Metal Base Kit for 42/48"d x 114"w Top Surfaces	<b>\$2,113</b>
28 $\frac{7}{8}$	84	27 $\frac{7}{8}$	110	19	<b>65T24120FRBM</b>	Frame Metal Base Kit for 42/48"d x 120"w Top Surfaces	<b>\$2,350</b>
<b>Frame Base Kit for 48"deep Table</b>							
28 $\frac{7}{8}$	90	27 $\frac{7}{8}$	111	19	<b>65T24126FRBM</b>	Frame Metal Base Kit for 48"d x 126"w Top Surfaces	<b>\$2,354</b>
28 $\frac{7}{8}$	96	27 $\frac{7}{8}$	112	19	<b>65T24132FRBM</b>	Frame Metal Base Kit for 48"d x 132"w Top Surfaces	<b>\$2,358</b>
28 $\frac{7}{8}$	102	27 $\frac{7}{8}$	113	19	<b>65T24138FRBM</b>	Frame Metal Base Kit for 48"d x 138"w Top Surfaces	<b>\$2,362</b>
28 $\frac{7}{8}$	108	27 $\frac{7}{8}$	114	19	<b>65T24144FRBM</b>	Frame Metal Base Kit for 48"d x 144"w Top Surfaces	<b>\$2,366</b>
28 $\frac{7}{8}$	114	27 $\frac{7}{8}$	116	20	<b>65T24150FRBM</b>	Frame Metal Base Kit for 48"d x 150"w Top SurfacesL	<b>\$2,380</b>
28 $\frac{7}{8}$	120	27 $\frac{7}{8}$	117	20	<b>65T24156FRBM</b>	Frame Metal Base Kit for 48"d x 156"w Top Surfaces	<b>\$2,393</b>
28 $\frac{7}{8}$	126	27 $\frac{7}{8}$	118	20	<b>65T24162FRBM</b>	Frame Metal Base Kit for 48"d x 162"w Top Surfaces	<b>\$2,407</b>
28 $\frac{7}{8}$	132	27 $\frac{7}{8}$	119	20	<b>65T24168FRBM</b>	Frame Metal Base Kit for 48"d x 168"w Top Surfaces	<b>\$2,420</b>
28 $\frac{7}{8}$	138	27 $\frac{7}{8}$	120	20	<b>65T24174FRBM</b>	Frame Metal Base Kit for 48"d x 174"w Top Surfaces	<b>\$2,431</b>
28 $\frac{7}{8}$	144	27 $\frac{7}{8}$	121	20	<b>65T24180FRBM</b>	Frame Metal Base Kit for 48"d x 180"w Top Surfaces	<b>\$2,443</b>
28 $\frac{7}{8}$	150	27 $\frac{7}{8}$	122	20	<b>65T24186FRBM</b>	Frame Metal Base Kit for 48"d x 186"w Top Surfaces	<b>\$2,454</b>
28 $\frac{7}{8}$	156	27 $\frac{7}{8}$	123	20	<b>65T24192FRBM</b>	Frame Metal Base Kit for 48"d x 192"w Top Surfaces	<b>\$2,465</b>
28 $\frac{7}{8}$	162	27 $\frac{7}{8}$	153	26	<b>65T24198FRBM</b>	Frame Metal Base Kit for 48"d x 198"w Top Surfaces	<b>\$2,563</b>
28 $\frac{7}{8}$	168	27 $\frac{7}{8}$	154	26	<b>65T24204FRBM</b>	Frame Metal Base Kit for 48"d x 204"w Top Surfaces	<b>\$2,661</b>
28 $\frac{7}{8}$	174	27 $\frac{7}{8}$	155	26	<b>65T24210FRBM</b>	Frame Metal Base Kit for 48"d x 210"w Top Surfaces	<b>\$2,759</b>
28 $\frac{7}{8}$	180	27 $\frac{7}{8}$	156	26	<b>65T24216FRBM</b>	Frame Metal Base Kit for 48"d x 216"w Top Surfaces	<b>\$2,857</b>
28 $\frac{7}{8}$	186	27 $\frac{7}{8}$	158	27	<b>65T24222FRBM</b>	Frame Metal Base Kit for 48"d x 222"w Top Surfaces	<b>\$2,955</b>
28 $\frac{7}{8}$	192	27 $\frac{7}{8}$	159	27	<b>65T24228FRBM</b>	Frame Metal Base Kit for 48"d x 228"w Top Surfaces	<b>\$3,052</b>
28 $\frac{7}{8}$	198	27 $\frac{7}{8}$	160	27	<b>65T24234FRBM</b>	Frame Metal Base Kit for 48"d x 234"w Top Surfaces	<b>\$3,150</b>
28 $\frac{7}{8}$	204	27 $\frac{7}{8}$	161	27	<b>65T24240FRBM</b>	Frame Metal Base Kit for 48"d x 240"w Top Surfaces	<b>\$3,250</b>

Model	Metal Finish
	see Anthology Metal Finishes
	Chrome Metal Base Upcharge 2 bases 72" - 114" - add \$1,937 3 bases 120" - 192" - add \$2,905 4 bases 198" - 240" - add \$3,873

**Frame Base Kit**

- available in metal powdercoat paint and chrome finishes
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Frame Base Kit for 54/60"deep Table</b>							
34 $\frac{7}{8}$	84	27 $\frac{7}{8}$	115	22	<b>65T30120FRBM</b>	Frame Metal Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$2,458</b>
34 $\frac{7}{8}$	90	27 $\frac{7}{8}$	116	23	<b>65T30126FRBM</b>	Frame Metal Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$2,462</b>
34 $\frac{7}{8}$	96	27 $\frac{7}{8}$	117	23	<b>65T30132FRBM</b>	Frame Metal Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$2,466</b>
34 $\frac{7}{8}$	102	27 $\frac{7}{8}$	119	23	<b>65T30138FRBM</b>	Frame Metal Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$2,470</b>
34 $\frac{7}{8}$	108	27 $\frac{7}{8}$	120	23	<b>65T30144FRBM</b>	Frame Metal Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$2,475</b>
34 $\frac{7}{8}$	114	27 $\frac{7}{8}$	121	23	<b>65T30150FRBM</b>	Frame Metal Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$2,487</b>
34 $\frac{7}{8}$	120	27 $\frac{7}{8}$	122	23	<b>65T30156FRBM</b>	Frame Metal Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$2,499</b>
34 $\frac{7}{8}$	126	27 $\frac{7}{8}$	123	23	<b>65T30162FRBM</b>	Frame Metal Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$2,512</b>
34 $\frac{7}{8}$	132	27 $\frac{7}{8}$	124	23	<b>65T30168FRBM</b>	Frame Metal Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$2,524</b>
34 $\frac{7}{8}$	138	27 $\frac{7}{8}$	125	23	<b>65T30174FRBM</b>	Frame Metal Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$2,536</b>
34 $\frac{7}{8}$	144	27 $\frac{7}{8}$	126	23	<b>65T30180FRBM</b>	Frame Metal Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$2,549</b>
34 $\frac{7}{8}$	150	27 $\frac{7}{8}$	127	24	<b>65T30186FRBM</b>	Frame Metal Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$2,561</b>
34 $\frac{7}{8}$	156	27 $\frac{7}{8}$	129	24	<b>65T30192FRBM</b>	Frame Metal Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$2,573</b>
34 $\frac{7}{8}$	162	27 $\frac{7}{8}$	160	31	<b>65T30198FRBM</b>	Frame Metal Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$2,662</b>
34 $\frac{7}{8}$	168	27 $\frac{7}{8}$	161	31	<b>65T30204FRBM</b>	Frame Metal Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$2,751</b>
34 $\frac{7}{8}$	174	27 $\frac{7}{8}$	162	31	<b>65T30210FRBM</b>	Frame Metal Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$2,839</b>
34 $\frac{7}{8}$	180	27 $\frac{7}{8}$	164	31	<b>65T30216FRBM</b>	Frame Metal Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$2,928</b>
34 $\frac{7}{8}$	186	27 $\frac{7}{8}$	165	31	<b>65T30222FRBM</b>	Frame Metal Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$3,016</b>
34 $\frac{7}{8}$	192	27 $\frac{7}{8}$	166	31	<b>65T30228FRBM</b>	Frame Metal Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$3,105</b>
34 $\frac{7}{8}$	198	27 $\frac{7}{8}$	167	31	<b>65T30234FRBM</b>	Frame Metal Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$3,193</b>
34 $\frac{7}{8}$	204	27 $\frac{7}{8}$	168	31	<b>65T30240FRBM</b>	Frame Metal Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$3,281</b>

Model	Metal Finish
	see Anthology Metal Finishes
	Chrome Metal Base Upcharge
	2 bases 72" - 114" - add \$1,937
	3 bases 120" - 192" - add \$2,905
	4 bases 198" - 240" - add \$3,873

**Frame Base Kit for View Tables**

- available in metal powdercoat paint and chrome finishes
- top shapes: View
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Frame Base Kit for 48"deep View Table</b>							
27%	48	27%	72	11	<b>65T2472FRVBM</b>	Frame Metal Base Kit for 48"d x 72"w View Top Surfaces	<b>\$1,394</b>
27%	54	27%	75	11	<b>65T2478FRVBM</b>	Frame Metal Base Kit for 48"d x 78"w View Top Surfaces	<b>\$1,400</b>
<b>Frame Base Kit for 54"deep View Table</b>							
34%	54	27%	76	11	<b>65T3084FRVBM</b>	Frame Metal Base Kit for 54"d x 84"w View Top Surfaces	<b>\$1,406</b>
34%	60	27%	76	11	<b>65T3090FRVBM</b>	Frame Metal Base Kit for 54"d x 90"w View Top Surfaces	<b>\$1,412</b>
34%	60	27%	77	11	<b>65T3096FRVBM</b>	Frame Metal Base Kit for 54"d x 96"w View Top Surfaces	<b>\$1,498</b>
34%	66	27%	77	11	<b>65T30102FRVBM</b>	Frame Metal Base Kit for 54"d x 102"w View Top Surfaces	<b>\$1,645</b>
<b>Frame Base Kit for 60"deep View Table</b>							
34%	72	27%	78	12	<b>65T30108FRVBM</b>	Frame Metal Base Kit for 60"d x 108"w View Top Surfaces	<b>\$1,879</b>
34%	78	27%	79	12	<b>65T30114FRVBM</b>	Frame Metal Base Kit for 60"d x 114"w View Top Surfaces	<b>\$2,113</b>
34%	84	27%	115	22	<b>65T30120FRVBM</b>	Frame Metal Base Kit for 60"d x 120"w View Top Surfaces	<b>\$2,458</b>
34%	90	27%	116	23	<b>65T30126FRVBM</b>	Frame Metal Base Kit for 60"d x 126"w View Top Surfaces	<b>\$2,462</b>
34%	96	27%	117	23	<b>65T30132FRVBM</b>	Frame Metal Base Kit for 60"d x 132"w View Top Surfaces	<b>\$2,466</b>
34%	102	27%	119	23	<b>65T30138FRVBM</b>	Frame Metal Base Kit for 60"d x 138"w View Top Surfaces	<b>\$2,470</b>
34%	108	27%	120	23	<b>65T30144FRVBM</b>	Frame Metal Base Kit for 60"d x 144"w View Top Surfaces	<b>\$2,475</b>
34%	114	27%	121	23	<b>65T30150FRVBM</b>	Frame Metal Base Kit for 60"d x 150"w View Top Surfaces	<b>\$2,487</b>
34%	120	27%	122	23	<b>65T30156FRVBM</b>	Frame Metal Base Kit for 60"d x 156"w View Top Surfaces	<b>\$2,499</b>
34%	126	27%	123	23	<b>65T30162FRVBM</b>	Frame Metal Base Kit for 60"d x 162"w View Top Surfaces	<b>\$2,512</b>
34%	132	27%	124	23	<b>65T30168FRVBM</b>	Frame Metal Base Kit for 60"d x 168"w View Top Surfaces	<b>\$2,524</b>
34%	138	27%	125	23	<b>65T30174FRVBM</b>	Frame Metal Base Kit for 60"d x 174"w View Top Surfaces	<b>\$2,536</b>
34%	144	27%	126	23	<b>65T30180FRVBM</b>	Frame Metal Base Kit for 60"d x 180"w View Top Surfaces	<b>\$2,549</b>
34%	150	27%	127	24	<b>65T30186FRVBM</b>	Frame Metal Base Kit for 60"d x 186"w View Top Surfaces	<b>\$2,561</b>
34%	156	27%	129	24	<b>65T30192FRVBM</b>	Frame Metal Base Kit for 60"d x 192"w View Top Surfaces	<b>\$2,573</b>
34%	162	27%	160	31	<b>65T30198FRVBM</b>	Frame Metal Base Kit for 60"d x 198"w View Top Surfaces	<b>\$2,662</b>
34%	168	27%	161	31	<b>65T30204FRVBM</b>	Frame Metal Base Kit for 60"d x 204"w View Top Surfaces	<b>\$2,751</b>
34%	174	27%	162	31	<b>65T30210FRVBM</b>	Frame Metal Base Kit for 60"d x 210"w View Top Surfaces	<b>\$2,839</b>
34%	180	27%	164	31	<b>65T30216FRVBM</b>	Frame Metal Base Kit for 60"d x 216"w View Top Surfaces	<b>\$2,928</b>
34%	186	27%	165	31	<b>65T30222FRVBM</b>	Frame Metal Base Kit for 60"d x 222"w View Top Surfaces	<b>\$3,016</b>
34%	192	27%	166	31	<b>65T30228FRVBM</b>	Frame Metal Base Kit for 60"d x 228"w View Top Surfaces	<b>\$3,105</b>
34%	198	27%	167	31	<b>65T30234FRVBM</b>	Frame Metal Base Kit for 60"d x 234"w View Top Surfaces	<b>\$3,193</b>
34%	204	27%	168	31	<b>65T30240FRVBM</b>	Frame Metal Base Kit for 60"d x 240"w View Top Surfaces	<b>\$3,281</b>


Model	Metal Finish
	see Anthology Metal Finishes
	Chrome Metal Base Upcharge 2 bases 72" - 114" - add \$1,937 3 bases 120" - 192" - add \$2,905 4 bases 198" - 240" - add \$3,873

**Frame BridgeLine Base Kit**

- available in metal powdercoat paint and chrome finishes
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89



120"-138" w




144"-192" w

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Frame BridgeLine Base Kit for 48"deep Table</b>							
22	84	27½	106	15	<b>65T24120FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 120"w Top Surfaces	<b>\$2,140</b>
23	90	27½	109	15	<b>65T24126FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 126"w Top Surfaces	<b>\$2,146</b>
24	96	27½	111	16	<b>65T24132FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 132"w Top Surfaces	<b>\$2,152</b>
25	102	27½	114	16	<b>65T24138FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 138"w Top Surfaces	<b>\$2,158</b>
26	108	27½	116	16	<b>65T24144FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 144"w Top Surfaces	<b>\$2,165</b>
27	114	27½	118	16	<b>65T24150FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 150"w Top Surfaces	<b>\$2,078</b>
28	120	27½	121	16	<b>65T24156FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 156"w Top Surfaces	<b>\$2,177</b>
29	126	27½	124	16	<b>65T24162FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 162"w Top Surfaces	<b>\$2,183</b>
30	132	27½	127	17	<b>65T24168FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 168"w Top Surfaces	<b>\$2,189</b>
31	138	27½	129	17	<b>65T24174FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 174"w Top Surfaces	<b>\$2,195</b>
32	144	27½	132	17	<b>65T24180FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 180"w Top Surfaces	<b>\$2,202</b>
33	150	27½	134	17	<b>65T24186FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 186"w Top Surfaces	<b>\$2,208</b>
34	156	27½	137	17	<b>65T24192FR2BM</b>	Frame BridgeLine Base Kit for 48"d x 192"w Top Surfaces	<b>\$2,214</b>
<b>Frame BridgeLine Base Kit for 54/60"deep Table</b>							
35	84	27½	110	17	<b>65T30120FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$2,143</b>
36	90	27½	113	18	<b>65T30126FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$2,154</b>
37	96	27½	115	18	<b>65T30132FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$2,166</b>
38	102	27½	118	18	<b>65T30138FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$2,176</b>
39	108	27½	120	18	<b>65T30144FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$2,187</b>
40	114	27½	123	18	<b>65T30150FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$2,199</b>
41	120	27½	125	18	<b>65T30156FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$2,210</b>
42	126	27½	129	19	<b>65T30162FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$2,221</b>
43	132	27½	131	19	<b>65T30168FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$2,233</b>
44	138	27½	133	19	<b>65T30174FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$2,244</b>
45	144	27½	136	19	<b>65T30180FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$2,254</b>
46	150	27½	138	19	<b>65T30186FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$2,264</b>
47	156	27½	141	19	<b>65T30192FR2BM</b>	Frame BridgeLine Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$2,275</b>

Model	Metal Finish
	see Anthology Metal Finishes
	Chrome Metal Base Upcharge 2 bases 120"- 192"- add \$1,880

**Half Cylinder Base**

- available in HPL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Half Cylinder Base Kit for 48" deep Table</b>									
23 5/8	72	27 7/8	103	26	<b>65T24102HCYB_</b>	Half Cylinder Base Kit for 48"d x 102"w Top Surfaces	<b>\$6,077</b>	<b>\$6,201</b>	<b>\$6,822</b>
23 5/8	78	27 7/8	104	26	<b>65T24108HCYB_</b>	Half Cylinder Base Kit for 48"d x 108"w Top Surfaces	<b>\$6,082</b>	<b>\$6,205</b>	<b>\$6,826</b>
23 5/8	84	27 7/8	105	33	<b>65T24114HCYB_</b>	Half Cylinder Base Kit for 48"d x 114"w Top Surfaces	<b>\$6,094</b>	<b>\$6,212</b>	<b>\$6,834</b>
23 5/8	90	27 7/8	140	33	<b>65T24120HCYB_</b>	Half Cylinder Base Kit for 48"d x 120"w Top Surfaces	<b>\$7,192</b>	<b>\$8,589</b>	<b>\$9,448</b>
23 5/8	96	27 7/8	144	34	<b>65T24126HCYB_</b>	Half Cylinder Base Kit for 48"d x 126"w Top Surfaces	<b>\$7,194</b>	<b>\$8,594</b>	<b>\$9,454</b>
23 5/8	102	27 7/8	148	34	<b>65T24132HCYB_</b>	Half Cylinder Base Kit for 48"d x 132"w Top Surfaces	<b>\$7,198</b>	<b>\$8,600</b>	<b>\$9,460</b>
23 5/8	108	27 7/8	152	34	<b>65T24138HCYB_</b>	Half Cylinder Base Kit for 48"d x 138"w Top Surfaces	<b>\$7,201</b>	<b>\$8,606</b>	<b>\$9,467</b>
23 5/8	114	27 7/8	156	34	<b>65T24144HCYB_</b>	Half Cylinder Base Kit for 48"d x 144"w Top Surfaces	<b>\$7,205</b>	<b>\$8,611</b>	<b>\$9,473</b>
23 5/8	120	27 7/8	160	34	<b>65T24150HCYB_</b>	Half Cylinder Base Kit for 48"d x 150"w Top Surfaces	<b>\$7,208</b>	<b>\$8,934</b>	<b>\$9,828</b>
23 5/8	126	27 7/8	164	34	<b>65T24156HCYB_</b>	Half Cylinder Base Kit for 48"d x 156"w Top Surface	<b>\$7,213</b>	<b>\$9,257</b>	<b>\$10,183</b>
23 5/8	132	27 7/8	168	34	<b>65T24162HCYB_</b>	Half Cylinder Base Kit for 48"d x 162"w Top Surface	<b>\$7,218</b>	<b>\$9,580</b>	<b>\$10,538</b>
23 5/8	138	27 7/8	172	34	<b>65T24168HCYB_</b>	Half Cylinder Base Kit for 48"d x 168"w Top Surface	<b>\$7,224</b>	<b>\$9,903</b>	<b>\$10,894</b>
23 5/8	144	27 7/8	176	34	<b>65T24174HCYB_</b>	Half Cylinder Base Kit for 48"d x 174"w Top Surface	<b>\$7,592</b>	<b>\$10,226</b>	<b>\$11,249</b>
23 5/8	150	27 7/8	180	35	<b>65T24180HCYB_</b>	Half Cylinder Base Kit for 48"d x 180"w Top Surface	<b>\$7,962</b>	<b>\$10,549</b>	<b>\$11,604</b>
23 5/8	156	27 7/8	184	35	<b>65T24186HCYB_</b>	Half Cylinder Base Kit for 48"d x 186"w Top Surface	<b>\$8,333</b>	<b>\$10,872</b>	<b>\$11,960</b>
23 5/8	162	27 7/8	188	35	<b>65T24192HCYB_</b>	Half Cylinder Base Kit for 48"d x 192"w Top Surface	<b>\$8,700</b>	<b>\$11,195</b>	<b>\$12,315</b>
23 5/8	168	27 7/8	190	42	<b>65T24198HCYB_</b>	Half Cylinder Base Kit for 48"d x 198"w Top Surface	<b>\$12,263</b>	<b>\$12,372</b>	<b>\$13,610</b>
23 5/8	174	27 7/8	196	42	<b>65T24204HCYB_</b>	Half Cylinder Base Kit for 48"d x 204"w Top Surface	<b>\$12,267</b>	<b>\$12,376</b>	<b>\$13,614</b>
23 5/8	180	27 7/8	202	42	<b>65T24210HCYB_</b>	Half Cylinder Base Kit for 48"d x 210"w Top Surface	<b>\$12,271</b>	<b>\$12,379</b>	<b>\$13,617</b>
23 5/8	186	27 7/8	208	42	<b>65T24216HCYB_</b>	Half Cylinder Base Kit for 48"d x 216"w Top Surface	<b>\$12,274</b>	<b>\$12,383</b>	<b>\$13,622</b>
23 5/8	192	27 7/8	214	42	<b>65T24222HCYB_</b>	Half Cylinder Base Kit for 48"d x 222"w Top Surface	<b>\$12,278</b>	<b>\$12,386</b>	<b>\$13,625</b>
23 5/8	198	27 7/8	220	43	<b>65T24228HCYB_</b>	Half Cylinder Base Kit for 48"d x 228"w Top Surface	<b>\$12,282</b>	<b>\$12,390</b>	<b>\$13,629</b>
23 5/8	204	27 7/8	226	43	<b>65T24234HCYB_</b>	Half Cylinder Base Kit for 48"d x 234"w Top Surface	<b>\$12,285</b>	<b>\$12,393</b>	<b>\$13,633</b>
23 5/8	210	27 7/8	232	43	<b>65T24240HCYB_</b>	Half Cylinder Base Kit for 48"d x 240"w Top Surface	<b>\$12,289</b>	<b>\$12,397</b>	<b>\$13,637</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Half Cylinder Base Kit (continued)**

- available in HPL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Half Cylinder Base Kit for 54/60" deep Table</b>									
30%	90	27%	179	38	<b>65T30120HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$10,104</b>	<b>\$10,343</b>	<b>\$11,378</b>
30%	96	27%	183	39	<b>65T30126HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$10,108</b>	<b>\$10,348</b>	<b>\$11,383</b>
30%	102	27%	187	39	<b>65T30132HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$10,112</b>	<b>\$10,354</b>	<b>\$11,390</b>
30%	108	27%	191	39	<b>65T30138HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$10,114</b>	<b>\$10,360</b>	<b>\$11,396</b>
30%	114	27%	195	39	<b>65T30144HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$10,119</b>	<b>\$10,365</b>	<b>\$11,402</b>
30%	120	27%	199	39	<b>65T30150HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$10,123</b>	<b>\$10,371</b>	<b>\$11,409</b>
30%	126	27%	203	39	<b>65T30156HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$10,126</b>	<b>\$10,376</b>	<b>\$11,414</b>
30%	132	27%	207	39	<b>65T30162HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$10,130</b>	<b>\$10,382</b>	<b>\$11,421</b>
30%	138	27%	211	39	<b>65T30168HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$10,134</b>	<b>\$10,388</b>	<b>\$11,427</b>
30%	144	27%	215	39	<b>65T30174HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$10,137</b>	<b>\$10,393</b>	<b>\$11,433</b>
30%	150	27%	219	40	<b>65T30180HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$10,141</b>	<b>\$10,399</b>	<b>\$11,439</b>
30%	156	27%	223	40	<b>65T30186HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$10,145</b>	<b>\$10,404</b>	<b>\$11,445</b>
30%	162	27%	272	40	<b>65T30192HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$10,148</b>	<b>\$10,410</b>	<b>\$11,451</b>
30%	168	27%	278	47	<b>65T30198HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$13,166</b>	<b>\$13,794</b>	<b>\$15,174</b>
30%	174	27%	284	47	<b>65T30204HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$13,169</b>	<b>\$13,798</b>	<b>\$15,178</b>
30%	180	27%	290	47	<b>65T30210HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$13,173</b>	<b>\$13,803</b>	<b>\$15,184</b>
30%	186	27%	296	47	<b>65T30216HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$13,178</b>	<b>\$13,807</b>	<b>\$15,188</b>
30%	192	27%	302	47	<b>65T30222HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$13,180</b>	<b>\$13,811</b>	<b>\$15,193</b>
30%	198	27%	308	48	<b>65T30228HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$13,184</b>	<b>\$13,815</b>	<b>\$15,197</b>
30%	204	27%	314	48	<b>65T30234HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$13,188</b>	<b>\$13,820</b>	<b>\$15,202</b>
30%	210	27%	320	48	<b>65T30240HCYB_</b>	Half Cylinder Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$13,191</b>	<b>\$13,824</b>	<b>\$15,207</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Lok Y Base Kit**

- available in standard metal powdercoat paint and two-tone finishes with metal powdercoat paint column and with polished aluminum foot and stretcher rail
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Lok Y Base Kit for 36" deep Table</b>							
23 <sup>3</sup> / <sub>8</sub>	61 <sup>5</sup> / <sub>8</sub>	27 <sup>13</sup> / <sub>16</sub>	54	12	<b>65T2472LKYBM</b>	Lok Y Base Kit for 36"d x 72"w Top Surfaces	<b>\$1,160</b>
23 <sup>3</sup> / <sub>8</sub>	67 <sup>1</sup> / <sub>4</sub>	27 <sup>13</sup> / <sub>16</sub>	54	12	<b>65T2478LKYBM</b>	Lok Y Base Kit for 36"d x 78"w Top Surfaces	<b>\$1,214</b>
23 <sup>3</sup> / <sub>8</sub>	73 <sup>3</sup> / <sub>8</sub>	27 <sup>13</sup> / <sub>16</sub>	54	12	<b>65T2484LKYBM</b>	Lok Y Base Kit for 36"d x 84"w Top Surfaces	<b>\$1,267</b>
23 <sup>3</sup> / <sub>8</sub>	79 <sup>5</sup> / <sub>8</sub>	27 <sup>13</sup> / <sub>16</sub>	55	12	<b>65T2490LKYBM</b>	Lok Y Base Kit for 36"d x 90"w Top Surfaces	<b>\$1,320</b>
23 <sup>3</sup> / <sub>8</sub>	79 <sup>1</sup> / <sub>4</sub>	27 <sup>13</sup> / <sub>16</sub>	55	12	<b>65T2496LKYBM</b>	Lok Y Base Kit for 36"d x 96"w Top Surfaces	<b>\$1,374</b>
<b>Lok Y Base Kit for 42" deep Table</b>							
27 <sup>5</sup> / <sub>8</sub>	65 <sup>1</sup> / <sub>2</sub>	27 <sup>13</sup> / <sub>16</sub>	54	14	<b>65T2872LKYBM</b>	Lok Y Base Kit for 42"d x 72"w Top Surfaces	<b>\$1,303</b>
27 <sup>5</sup> / <sub>8</sub>	71 <sup>1</sup> / <sub>2</sub>	27 <sup>13</sup> / <sub>16</sub>	55	14	<b>65T2878LKYBM</b>	Lok Y Base Kit for 42"d x 78"w Top Surfaces	<b>\$1,336</b>
27 <sup>5</sup> / <sub>8</sub>	77 <sup>1</sup> / <sub>2</sub>	27 <sup>13</sup> / <sub>16</sub>	55	14	<b>65T2884LKYBM</b>	Lok Y Base Kit for 42"d x 84"w Top Surfaces	<b>\$1,370</b>
27 <sup>5</sup> / <sub>8</sub>	83 <sup>1</sup> / <sub>2</sub>	27 <sup>13</sup> / <sub>16</sub>	55	14	<b>65T2890LKYBM</b>	Lok Y Base Kit for 42"d x 90"w Top Surfaces	<b>\$1,404</b>
27 <sup>5</sup> / <sub>8</sub>	83 <sup>1</sup> / <sub>2</sub>	27 <sup>13</sup> / <sub>16</sub>	56	14	<b>65T2896LKYBM</b>	Lok Y Base Kit for 42"d x 96"w Top Surfaces	<b>\$1,437</b>
27 <sup>5</sup> / <sub>8</sub>	89 <sup>1</sup> / <sub>2</sub>	27 <sup>13</sup> / <sub>16</sub>	78	22	<b>65T28102LKYBM</b>	Lok Y Base Kit for 42"d x 102"w Top Surfaces	<b>\$1,959</b>
27 <sup>5</sup> / <sub>8</sub>	95 <sup>1</sup> / <sub>2</sub>	27 <sup>13</sup> / <sub>16</sub>	79	22	<b>65T28108LKYBM</b>	Lok Y Base Kit for 42"d x 108"w Top Surfaces	<b>\$1,969</b>
27 <sup>5</sup> / <sub>8</sub>	101 <sup>9</sup> / <sub>16</sub>	27 <sup>13</sup> / <sub>16</sub>	79	22	<b>65T28114LKYBM</b>	Lok Y Base Kit for 42"d x 114"w Top Surfaces	<b>\$1,980</b>
27 <sup>5</sup> / <sub>8</sub>	107 <sup>1</sup> / <sub>2</sub>	27 <sup>13</sup> / <sub>16</sub>	79	22	<b>65T28120LKYBM</b>	Lok Y Base Kit for 42"d x 120"w Top Surfaces	<b>\$1,990</b>

Model	Metal Finish
	<p><b>SMF Single Metal Finishes</b> see Anthology Single Metal Finishes</p> <p><b>TTF Two Tone Metal Finish</b> see Anthology Two Tone Metal Finishes</p>

**Lok Y Base Kit**

- available in standard metal powdercoat paint and two-tone finishes with metal powdercoat paint column and with polished aluminum foot and stretcher rail
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Lok Y Base Kit for 48" deep Table</b>							
35 1/8	58 5/16	27 13/16	64	14	<b>65T3572LKYBM</b>	Lok Y Base Kit for 48"d x 72"w Top Surfaces	<b>\$1,781</b>
35 1/8	63 5/16	27 13/16	65	14	<b>65T3578LKYBM</b>	Lok Y Base Kit for 48"d x 78"w Top Surfaces	<b>\$1,843</b>
35 1/8	69 5/16	27 13/16	65	14	<b>65T3584LKYBM</b>	Lok Y Base Kit for 48"d x 84"w Top Surfaces	<b>\$1,905</b>
35 1/8	75 5/16	27 13/16	66	14	<b>65T3590LKYBM</b>	Lok Y Base Kit for 48"d x 90"w Top Surfaces	<b>\$1,967</b>
35 1/8	79 5/16	27 13/16	66	14	<b>65T3596LKYBM</b>	Lok Y Base Kit for 48"d x 96"w Top Surfaces	<b>\$2,029</b>
35 1/8	85 5/16	27 13/16	102	23	<b>65T35102LKYBM</b>	Lok Y Base Kit for 48"d x 102"w Top Surfaces	<b>\$2,455</b>
35 1/8	91 5/16	27 13/16	103	23	<b>65T35108LKYBM</b>	Lok Y Base Kit for 48"d x 108"w Top Surfaces	<b>\$2,580</b>
35 1/8	96 5/16	27 13/16	103	23	<b>65T35114LKYBM</b>	Lok Y Base Kit for 48"d x 114"w Top Surfaces	<b>\$2,705</b>
35 1/8	103 1/4	27 13/16	104	23	<b>65T35120LKYBM</b>	Lok Y Base Kit for 48"d x 120"w Top Surfaces	<b>\$2,830</b>
35 1/8	109 1/4	27 13/16	104	23	<b>65T35126LKYBM</b>	Lok Y Base Kit for 48"d x 126"w Top Surfaces	<b>\$2,955</b>
35 1/8	115 1/4	27 13/16	105	23	<b>65T35132LKYBM</b>	Lok Y Base Kit for 48"d x 132"w Top Surfaces	<b>\$3,080</b>
35 1/8	121 1/4	27 13/16	106	23	<b>65T35138LKYBM</b>	Lok Y Base Kit for 48"d x 138"w Top Surfaces	<b>\$3,205</b>
35 1/8	127 1/4	27 13/16	106	23	<b>65T35144LKYBM</b>	Lok Y Base Kit for 48"d x 144"w Top Surfaces	<b>\$3,330</b>
35 1/8	133 1/4	27 13/16	138	25	<b>65T35150LKYBM</b>	Lok Y Base Kit for 48"d x 150"w Top Surfaces	<b>\$3,455</b>
35 1/8	139 1/4	27 13/16	140	25	<b>65T35156LKYBM</b>	Lok Y Base Kit for 48"d x 156"w Top Surfaces	<b>\$3,580</b>
35 1/8	145 1/4	27 13/16	142	25	<b>65T35162LKYBM</b>	Lok Y Base Kit for 48"d x 162"w Top Surfaces	<b>\$3,705</b>
35 1/8	151 1/4	27 13/16	144	25	<b>65T35168LKYBM</b>	Lok Y Base Kit for 48"d x 168"w Top Surfaces	<b>\$3,830</b>
35 1/8	157 1/4	27 13/16	146	25	<b>65T35174LKYBM</b>	Lok Y Base Kit for 48"d x 174"w Top Surfaces	<b>\$3,955</b>
35 1/8	163 1/4	27 13/16	148	25	<b>65T35180LKYBM</b>	Lok Y Base Kit for 48"d x 180"w Top Surfaces	<b>\$4,080</b>
35 1/8	169 1/4	27 13/16	150	26	<b>65T35186LKYBM</b>	Lok Y Base Kit for 48"d x 186"w Top Surfaces	<b>\$4,205</b>
35 1/8	175 1/4	27 13/16	152	26	<b>65T35192LKYBM</b>	Lok Y Base Kit for 48"d x 192"w Top Surfaces	<b>\$4,330</b>
35 1/8	181 3/16	27 13/16	170	34	<b>65T35198LKYBM</b>	Lok Y Base Kit for 48"d x 198"w Top Surfaces	<b>\$4,668</b>
35 1/8	187 3/16	27 13/16	171	34	<b>65T35204LKYBM</b>	Lok Y Base Kit for 48"d x 204"w Top Surfaces	<b>\$4,773</b>
35 1/8	193 3/16	27 13/16	172	34	<b>65T35210LKYBM</b>	Lok Y Base Kit for 48"d x 210"w Top Surfaces	<b>\$4,859</b>
35 1/8	199 3/16	27 13/16	197	35	<b>65T35216LKYBM</b>	Lok Y Base Kit for 48"d x 216"w Top Surfaces	<b>\$4,945</b>
35 1/8	205 3/16	27 13/16	199	35	<b>65T35222LKYBM</b>	Lok Y Base Kit for 48"d x 222"w Top Surfaces	<b>\$5,031</b>
35 1/8	211 3/16	27 13/16	201	35	<b>65T35228LKYBM</b>	Lok Y Base Kit for 48"d x 228"w Top Surfaces	<b>\$5,117</b>
35 1/8	217 3/16	27 13/16	203	35	<b>65T35234LKYBM</b>	Lok Y Base Kit for 48"d x 234"w Top Surfaces	<b>\$5,203</b>
35 1/8	223 3/16	27 13/16	204	35	<b>65T35240LKYBM</b>	Lok Y Base Kit for 48"d x 240"w Top Surfaces	<b>\$5,289</b>

Model	Metal Finish
	<p><b>SMF Single Metal Finishes</b> see Anthology Single Metal Finishes</p> <p><b>TTF Two Tone Metal Finish</b> see Anthology Two Tone Metal Finishes</p>

**Lok Y Base Kit**

- available in standard metal powdercoat paint and two-tone finishes with metal powdercoat paint column and with polished aluminum foot and stretcher rail
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Lok Y Base Kit for 54" deep Table</b>							
39 <sup>7</sup> / <sub>16</sub>	103 1/2	27 <sup>13</sup> / <sub>16</sub>	105	28	<b>65T40120LKYBM</b>	Lok Y Base Kit for 54"d x 120"w Top Surfaces	<b>\$2,949</b>
39 <sup>7</sup> / <sub>16</sub>	107 1/2	27 <sup>13</sup> / <sub>16</sub>	105	28	<b>65T40126LKYBM</b>	Lok Y Base Kit for 54"d x 126"w Top Surfaces	<b>\$3,065</b>
39 <sup>7</sup> / <sub>16</sub>	115 1/2	27 <sup>13</sup> / <sub>16</sub>	106	28	<b>65T40132LKYBM</b>	Lok Y Base Kit for 54"d x 132"w Top Surfaces	<b>\$3,182</b>
39 <sup>7</sup> / <sub>16</sub>	119 1/2	27 <sup>13</sup> / <sub>16</sub>	106	28	<b>65T40138LKYBM</b>	Lok Y Base Kit for 54"d x 138"w Top Surfaces	<b>\$3,298</b>
39 <sup>7</sup> / <sub>16</sub>	127 1/2	27 <sup>13</sup> / <sub>16</sub>	107	28	<b>65T40144LKYBM</b>	Lok Y Base Kit for 54"d x 144"w Top Surfaces	<b>\$3,414</b>
39 <sup>7</sup> / <sub>16</sub>	131 1/2	27 <sup>13</sup> / <sub>16</sub>	139	29	<b>65T40150LKYBM</b>	Lok Y Base Kit for 54"d x 150"w Top Surfaces	<b>\$3,531</b>
39 <sup>7</sup> / <sub>16</sub>	139 1/2	27 <sup>13</sup> / <sub>16</sub>	141	30	<b>65T40156LKYBM</b>	Lok Y Base Kit for 54"d x 156"w Top Surfaces	<b>\$3,647</b>
39 <sup>7</sup> / <sub>16</sub>	143 1/2	27 <sup>13</sup> / <sub>16</sub>	143	30	<b>65T40162LKYBM</b>	Lok Y Base Kit for 54"d x 162"w Top Surfaces	<b>\$3,763</b>
39 <sup>7</sup> / <sub>16</sub>	151 1/2	27 <sup>13</sup> / <sub>16</sub>	145	30	<b>65T40168LKYBM</b>	Lok Y Base Kit for 54"d x 168"w Top Surfaces	<b>\$3,880</b>
39 <sup>7</sup> / <sub>16</sub>	155 1/2	27 <sup>13</sup> / <sub>16</sub>	147	30	<b>65T40174LKYBM</b>	Lok Y Base Kit for 54"d x 174"w Top Surfaces	<b>\$3,996</b>
39 <sup>7</sup> / <sub>16</sub>	163 1/2	27 <sup>13</sup> / <sub>16</sub>	149	30	<b>65T40180LKYBM</b>	Lok Y Base Kit for 54"d x 180"w Top Surfaces	<b>\$4,112</b>
39 <sup>7</sup> / <sub>16</sub>	167 1/2	27 <sup>13</sup> / <sub>16</sub>	151	30	<b>65T40186LKYBM</b>	Lok Y Base Kit for 54"d x 186"w Top Surfaces	<b>\$4,229</b>
39 <sup>7</sup> / <sub>16</sub>	175 1/2	27 <sup>13</sup> / <sub>16</sub>	153	30	<b>65T40192LKYBM</b>	Lok Y Base Kit for 54"d x 192"w Top Surfaces	<b>\$4,345</b>
39 <sup>7</sup> / <sub>16</sub>	181 <sup>7</sup> / <sub>16</sub>	27 <sup>13</sup> / <sub>16</sub>	172	40	<b>65T40198LKYBM</b>	Lok Y Base Kit for 54"d x 198"w Top Surfaces	<b>\$4,687</b>
39 <sup>7</sup> / <sub>16</sub>	187 <sup>7</sup> / <sub>16</sub>	27 <sup>13</sup> / <sub>16</sub>	173	40	<b>65T40204LKYBM</b>	Lok Y Base Kit for 54"d x 204"w Top Surfaces	<b>\$4,770</b>
39 <sup>7</sup> / <sub>16</sub>	193 1/2	27 <sup>13</sup> / <sub>16</sub>	174	40	<b>65T40210LKYBM</b>	Lok Y Base Kit for 54"d x 210"w Top Surfaces	<b>\$4,872</b>
39 <sup>7</sup> / <sub>16</sub>	199 <sup>7</sup> / <sub>16</sub>	27 <sup>13</sup> / <sub>16</sub>	198	41	<b>65T40216LKYBM</b>	Lok Y Base Kit for 54"d x 216"w Top Surfaces	<b>\$4,974</b>
39 <sup>7</sup> / <sub>16</sub>	205 <sup>7</sup> / <sub>16</sub>	27 <sup>13</sup> / <sub>16</sub>	200	41	<b>65T40222LKYBM</b>	Lok Y Base Kit for 54"d x 222"w Top Surfaces	<b>\$5,076</b>
39 <sup>7</sup> / <sub>16</sub>	211 <sup>7</sup> / <sub>16</sub>	27 <sup>13</sup> / <sub>16</sub>	202	41	<b>65T40228LKYBM</b>	Lok Y Base Kit for 54"d x 228"w Top Surfaces	<b>\$5,178</b>
39 <sup>7</sup> / <sub>16</sub>	217 <sup>7</sup> / <sub>16</sub>	27 <sup>13</sup> / <sub>16</sub>	204	42	<b>65T40234LKYBM</b>	Lok Y Base Kit for 54"d x 234"w Top Surfaces	<b>\$5,280</b>
39 <sup>7</sup> / <sub>16</sub>	223 <sup>7</sup> / <sub>16</sub>	27 <sup>13</sup> / <sub>16</sub>	206	42	<b>65T40240LKYBM</b>	Lok Y Base Kit for 54"d x 240"w Top Surfaces	<b>\$5,382</b>

Model	Metal Finish
	<b>SMF Single Metal Finishes</b> see Anthology Single Metal Finishes
	<b>TTF Two Tone Metal Finish</b> see Anthology Two Tone Metal Finishes

**Lok Y Base Kit**

- available in standard metal powdercoat paint and two-tone finishes with metal powdercoat paint column and with polished aluminum foot and stretcher rail
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Lok Y Base Kit for 60"deep Table</b>							
45 1/8	97 1/2	27 13/16	106	31	<b>65T45120LKYBM</b>	Lok Y Base Kit for 60"d x 120"w Top Surfaces	<b>\$2,997</b>
45 1/8	103 1/2	27 13/16	106	31	<b>65T45126LKYBM</b>	Lok Y Base Kit for 60"d x 126"w Top Surfaces	<b>\$3,113</b>
45 1/8	113 1/2	27 13/16	107	31	<b>65T45132LKYBM</b>	Lok Y Base Kit for 60"d x 132"w Top Surfaces	<b>\$3,230</b>
45 1/8	119 1/2	27 13/16	107	31	<b>65T45138LKYBM</b>	Lok Y Base Kit for 60"d x 138"w Top Surfaces	<b>\$3,346</b>
45 1/8	125 1/2	27 13/16	108	31	<b>65T45144LKYBM</b>	Lok Y Base Kit for 60"d x 144"w Top Surfaces	<b>\$3,462</b>
45 1/8	131 1/2	27 13/16	140	33	<b>65T45150LKYBM</b>	Lok Y Base Kit for 60"d x 150"w Top Surfaces	<b>\$3,578</b>
45 1/8	137 1/2	27 13/16	142	33	<b>65T45156LKYBM</b>	Lok Y Base Kit for 60"d x 156"w Top Surfaces	<b>\$3,694</b>
45 1/8	143 1/2	27 13/16	144	33	<b>65T45162LKYBM</b>	Lok Y Base Kit for 60"d x 162"w Top Surfaces	<b>\$3,811</b>
45 1/8	149 1/2	27 13/16	146	33	<b>65T45168LKYBM</b>	Lok Y Base Kit for 60"d x 168"w Top Surfaces	<b>\$3,927</b>
45 1/8	155 1/2	27 13/16	148	33	<b>65T45174LKYBM</b>	Lok Y Base Kit for 60"d x 174"w Top Surfaces	<b>\$4,043</b>
45 1/8	161 1/2	27 13/16	150	33	<b>65T45180LKYBM</b>	Lok Y Base Kit for 60"d x 180"w Top Surfaces	<b>\$4,160</b>
45 1/8	167 1/2	27 13/16	151	33	<b>65T45186LKYBM</b>	Lok Y Base Kit for 60"d x 186"w Top Surfaces	<b>\$4,276</b>
45 1/8	171 1/2	27 13/16	154	34	<b>65T45192LKYBM</b>	Lok Y Base Kit for 60"d x 192"w Top Surfaces	<b>\$4,392</b>
45 1/8	179 7/16	27 13/16	172	45	<b>65T45198LKYBM</b>	Lok Y Base Kit for 60"d x 198"w Top Surfaces	<b>\$4,724</b>
45 1/8	183 7/16	27 13/16	173	45	<b>65T45204LKYBM</b>	Lok Y Base Kit for 60"d x 204"w Top Surfaces	<b>\$4,791</b>
45 1/8	189 7/16	27 13/16	174	45	<b>65T45210LKYBM</b>	Lok Y Base Kit for 60"d x 210"w Top Surfaces	<b>\$4,895</b>
45 1/8	195 7/16	27 13/16	199	46	<b>65T45216LKYBM</b>	Lok Y Base Kit for 60"d x 216"w Top Surfaces	<b>\$4,998</b>
45 1/8	201 7/16	27 13/16	201	46	<b>65T45222LKYBM</b>	Lok Y Base Kit for 60"d x 222"w Top Surfaces	<b>\$5,102</b>
45 1/8	207 7/16	27 13/16	203	46	<b>65T45228LKYBM</b>	Lok Y Base Kit for 60"d x 228"w Top Surfaces	<b>\$5,205</b>
45 1/8	213 7/16	27 13/16	205	46	<b>65T45234LKYBM</b>	Lok Y Base Kit for 60"d x 234"w Top Surfaces	<b>\$5,309</b>
45 1/8	219 7/16	27 13/16	207	46	<b>65T45240LKYBM</b>	Lok Y Base Kit for 60"d x 240"w Top Surfaces	<b>\$5,412</b>

Model	Metal Finish
	<b>SMF Single Metal Finishes</b> see Anthology Single Metal Finishes
	<b>TTF Two Tone Metal Finish</b> see Anthology Two Tone Metal Finishes

**Lok Y Base Kit for Ellipse Table**

- available in standard metal powdercoat paint and two-tone finishes with metal powdercoat paint column and with polished aluminum foot and stretcher rail
- top shapes: Ellipse
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Lok Y Base Kit for 36"deep Ellipse Table</b>							
23 3/8	55 1/4	27 13/16	70	12	<b>65T2472LKYEBM</b>	Lok Y Base Kit for 36"d x 72"w Ellipse Top Surfaces	<b>\$1,160</b>
<b>Lok Y Base Kit for 42"deep Ellipse Table</b>							
27 5/8	59 1/2	27 13/16	71	14	<b>65T2878LKYEBM</b>	Lok Y Base Kit for 42"d x 78"w Ellipse Top Surfaces	<b>\$1,336</b>
27 5/8	62 1/2	27 13/16	71	14	<b>65T2884LKYEBM</b>	Lok Y Base Kit for 42"d x 84"w Ellipse Top Surfaces	<b>\$1,370</b>
<b>Lok Y Base Kit for 48"deep Ellipse Table</b>							
35 1/8	59 1/4	27 13/16	82	14	<b>65T3590LKYEBM</b>	Lok Y Base Kit for 48"d x 90"w Ellipse Top Surfaces	<b>\$1,967</b>
35 1/8	59 1/4	27 13/16	82	14	<b>65T3596LKYEBM</b>	Lok Y Base Kit for 48"d x 96"w Ellipse Top Surfaces	<b>\$2,029</b>
<b>Lok Y Base Kit for 54"deep Ellipse Table</b>							
39 3/8	69 7/16	27 13/16	102	26	<b>65T40102LKYEBM</b>	Lok Y Base Kit for 54"d x 102"w Ellipse Top Surfaces	<b>\$2,553</b>
39 3/8	73 7/16	27 13/16	102	26	<b>65T40108LKYEBM</b>	Lok Y Base Kit for 54"d x 108"w Ellipse Top Surfaces	<b>\$2,683</b>
<b>Lok Y Base Kit for 60"deep Ellipse Table</b>							
45 1/8	75 7/16	27 13/16	103	29	<b>65T45114LKYEBM</b>	Lok Y Base Kit for 60"d x 114"w Ellipse Top Surfaces	<b>\$2,812</b>
45 1/8	79 7/16	27 13/16	130	31	<b>65T45120LKYEBM</b>	Lok Y Base Kit for 60"d x 120"w Ellipse Top Surfaces	<b>\$2,997</b>

Model	Metal Finish
	<b>SMF Single Metal Finishes</b> see Anthology Single Metal Finishes
	<b>TTF Two Tone Metal Finish</b> see Anthology Two Tone Metal Finishes

### Lok Y Base Kit

- available in standard metal powdercoat paint and two-tone finishes with metal powdercoat paint column and with polished aluminum foot and stretcher rail
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Lok Y Base Kit for 36"deep Table</b>							
23 <sup>3</sup> / <sub>8</sub>	61 <sup>1</sup> / <sub>4</sub>	34 <sup>13</sup> / <sub>16</sub>	57	14	<b>65T247235LKYBM</b>	Lok Y Base Kit for 36"d x 72"w Top Surfaces	<b>\$1,368</b>
23 <sup>3</sup> / <sub>8</sub>	67 <sup>1</sup> / <sub>4</sub>	34 <sup>13</sup> / <sub>16</sub>	57	14	<b>65T247835LKYBM</b>	Lok Y Base Kit for 36"d x 78"w Top Surfaces	<b>\$1,413</b>
23 <sup>3</sup> / <sub>8</sub>	73 <sup>3</sup> / <sub>8</sub>	34 <sup>13</sup> / <sub>16</sub>	58	14	<b>65T248435LKYBM</b>	Lok Y Base Kit for 36"d x 84"w Top Surfaces	<b>\$1,459</b>
23 <sup>3</sup> / <sub>8</sub>	79 <sup>3</sup> / <sub>8</sub>	34 <sup>13</sup> / <sub>16</sub>	58	14	<b>65T249035LKYBM</b>	Lok Y Base Kit for 36"d x 90"w Top Surfaces	<b>\$1,504</b>
23 <sup>3</sup> / <sub>8</sub>	79 <sup>1</sup> / <sub>4</sub>	34 <sup>13</sup> / <sub>16</sub>	58	14	<b>65T249635LKYBM</b>	Lok Y Base Kit for 36"d x 96"w Top Surfaces	<b>\$1,549</b>
<b>Lok Y Base Kit for 42"deep Table</b>							
27 <sup>3</sup> / <sub>8</sub>	65 <sup>1</sup> / <sub>2</sub>	34 <sup>13</sup> / <sub>16</sub>	58	17	<b>65T287235LKYBM</b>	Lok Y Base Kit for 42"d x 72"w Top Surfaces	<b>\$1,405</b>
27 <sup>3</sup> / <sub>8</sub>	71 <sup>1</sup> / <sub>2</sub>	34 <sup>13</sup> / <sub>16</sub>	58	17	<b>65T287835LKYBM</b>	Lok Y Base Kit for 42"d x 78"w Top Surfaces	<b>\$1,438</b>
27 <sup>3</sup> / <sub>8</sub>	77 <sup>1</sup> / <sub>2</sub>	34 <sup>13</sup> / <sub>16</sub>	58	17	<b>65T288435LKYBM</b>	Lok Y Base Kit for 42"d x 84"w Top Surfaces	<b>\$1,471</b>
27 <sup>3</sup> / <sub>8</sub>	83 <sup>1</sup> / <sub>2</sub>	34 <sup>13</sup> / <sub>16</sub>	59	17	<b>65T289035LKYBM</b>	Lok Y Base Kit for 42"d x 90"w Top Surfaces	<b>\$1,504</b>
27 <sup>3</sup> / <sub>8</sub>	83 <sup>1</sup> / <sub>2</sub>	34 <sup>13</sup> / <sub>16</sub>	59	18	<b>65T289635LKYBM</b>	Lok Y Base Kit for 42"d x 96"w Top Surfaces	<b>\$1,537</b>
27 <sup>3</sup> / <sub>8</sub>	89 <sup>1</sup> / <sub>2</sub>	34 <sup>13</sup> / <sub>16</sub>	83	26	<b>65T2810235LKYBM</b>	Lok Y Base Kit for 42"d x 102"w Top Surfaces	<b>\$2,123</b>
27 <sup>3</sup> / <sub>8</sub>	95 <sup>1</sup> / <sub>2</sub>	34 <sup>13</sup> / <sub>16</sub>	84	26	<b>65T2810835LKYBM</b>	Lok Y Base Kit for 42"d x 108"w Top Surfaces	<b>\$2,134</b>
27 <sup>3</sup> / <sub>8</sub>	99 <sup>1</sup> / <sub>2</sub>	34 <sup>13</sup> / <sub>16</sub>	84	26	<b>65T2811435LKYBM</b>	Lok Y Base Kit for 42"d x 114"w Top Surfaces	<b>\$2,144</b>
27 <sup>3</sup> / <sub>8</sub>	105 <sup>7</sup> / <sub>16</sub>	34 <sup>13</sup> / <sub>16</sub>	84	26	<b>65T2812035LKYBM</b>	Lok Y Base Kit for 42"d x 120"w Top Surfaces	<b>\$2,155</b>
<b>Lok Y Base Kit for 48"deep Table</b>							
35 <sup>1</sup> / <sub>8</sub>	58 <sup>3</sup> / <sub>16</sub>	34 <sup>13</sup> / <sub>16</sub>	71	17	<b>65T357235LKYBM</b>	Lok Y Base Kit for 48"d x 72"w Top Surfaces	<b>\$1,971</b>
35 <sup>1</sup> / <sub>8</sub>	63 <sup>3</sup> / <sub>16</sub>	34 <sup>13</sup> / <sub>16</sub>	71	17	<b>65T357835LKYBM</b>	Lok Y Base Kit for 48"d x 78"w Top Surfaces	<b>\$2,037</b>
35 <sup>1</sup> / <sub>8</sub>	69 <sup>3</sup> / <sub>16</sub>	34 <sup>13</sup> / <sub>16</sub>	72	17	<b>65T358435LKYBM</b>	Lok Y Base Kit for 48"d x 84"w Top Surfaces	<b>\$2,102</b>
35 <sup>1</sup> / <sub>8</sub>	75 <sup>3</sup> / <sub>16</sub>	34 <sup>13</sup> / <sub>16</sub>	73	17	<b>65T359035LKYBM</b>	Lok Y Base Kit for 48"d x 90"w Top Surfaces	<b>\$2,168</b>
35 <sup>1</sup> / <sub>8</sub>	79 <sup>3</sup> / <sub>16</sub>	34 <sup>13</sup> / <sub>16</sub>	73	17	<b>65T359635LKYBM</b>	Lok Y Base Kit for 48"d x 96"w Top Surfaces	<b>\$2,234</b>
35 <sup>1</sup> / <sub>8</sub>	85 <sup>1</sup> / <sub>4</sub>	34 <sup>13</sup> / <sub>16</sub>	112	28	<b>65T3510235LKYBM</b>	Lok Y Base Kit for 48"d x 102"w Top Surfaces	<b>\$3,151</b>
35 <sup>1</sup> / <sub>8</sub>	91 <sup>1</sup> / <sub>4</sub>	34 <sup>13</sup> / <sub>16</sub>	113	28	<b>65T3510835LKYBM</b>	Lok Y Base Kit for 48"d x 108"w Top Surfaces	<b>\$3,172</b>
35 <sup>1</sup> / <sub>8</sub>	95 <sup>1</sup> / <sub>4</sub>	34 <sup>13</sup> / <sub>16</sub>	113	28	<b>65T3511435LKYBM</b>	Lok Y Base Kit for 48"d x 114"w Top Surfaces	<b>\$3,192</b>
35 <sup>1</sup> / <sub>8</sub>	101 <sup>1</sup> / <sub>4</sub>	34 <sup>13</sup> / <sub>16</sub>	114	28	<b>65T3512035LKYBM</b>	Lok Y Base Kit for 48"d x 120"w Top Surfaces	<b>\$3,213</b>
<b>Lok Y Base Kit for 54"deep Table</b>							
39 <sup>3</sup> / <sub>16</sub>	99 <sup>3</sup> / <sub>8</sub>	34 <sup>13</sup> / <sub>16</sub>	115	34	<b>65T4012035LKYBM</b>	Lok Y Base Kit for 54"d x 120"w Top Surfaces	<b>\$3,292</b>
<b>Lok Y Base Kit for 60"deep Table</b>							
45 <sup>1</sup> / <sub>16</sub>	99 <sup>3</sup> / <sub>8</sub>	34 <sup>13</sup> / <sub>16</sub>	115	37	<b>65T4512035LKYBM</b>	Lok Y Base Kit for 60"d x 120"w Top Surfaces	<b>\$3,340</b>

Model	Metal Finish
	<b>SMF Single Metal Finishes</b> see Anthology Single Metal Finishes
	<b>TTF Two Tone Metal Finish</b> see Anthology Two Tone Metal Finishes

### Lok Y Base Kit

- available in standard metal powdercoat paint and two-tone finishes with metal powdercoat paint column and with polished aluminum foot and stretcher rail
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Lok Y Base Kit for 36"deep Table</b>							
23 <sup>3</sup> / <sub>8</sub>	61 <sup>5</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	60	16	<b>65T247241LKYBM</b>	Lok Y Base Kit for 36"d x 72"w Top Surfaces	<b>\$1,380</b>
23 <sup>3</sup> / <sub>8</sub>	67 <sup>1</sup> / <sub>4</sub>	40 <sup>13</sup> / <sub>16</sub>	60	16	<b>65T247841LKYBM</b>	Lok Y Base Kit for 36"d x 78"w Top Surfaces	<b>\$1,425</b>
23 <sup>3</sup> / <sub>8</sub>	73 <sup>5</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	60	16	<b>65T248441LKYBM</b>	Lok Y Base Kit for 36"d x 84"w Top Surfaces	<b>\$1,470</b>
23 <sup>3</sup> / <sub>8</sub>	79 <sup>5</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	61	16	<b>65T249041LKYBM</b>	Lok Y Base Kit for 36"d x 90"w Top Surfaces	<b>\$1,516</b>
23 <sup>3</sup> / <sub>8</sub>	79 <sup>1</sup> / <sub>4</sub>	40 <sup>13</sup> / <sub>16</sub>	61	16	<b>65T249641LKYBM</b>	Lok Y Base Kit for 36"d x 96"w Top Surfaces	<b>\$1,561</b>
<b>Lok Y Base Kit for 42"deep Table</b>							
27 <sup>5</sup> / <sub>8</sub>	65 <sup>1</sup> / <sub>2</sub>	40 <sup>13</sup> / <sub>16</sub>	61	20	<b>65T287241LKYBM</b>	Lok Y Base Kit for 42"d x 72"w Top Surfaces	<b>\$1,418</b>
27 <sup>5</sup> / <sub>8</sub>	71 <sup>1</sup> / <sub>2</sub>	40 <sup>13</sup> / <sub>16</sub>	61	20	<b>65T287841LKYBM</b>	Lok Y Base Kit for 42"d x 78"w Top Surfaces	<b>\$1,451</b>
27 <sup>5</sup> / <sub>8</sub>	77 <sup>1</sup> / <sub>2</sub>	40 <sup>13</sup> / <sub>16</sub>	61	20	<b>65T288441LKYBM</b>	Lok Y Base Kit for 42"d x 84"w Top Surfaces	<b>\$1,484</b>
27 <sup>5</sup> / <sub>8</sub>	83 <sup>1</sup> / <sub>2</sub>	40 <sup>13</sup> / <sub>16</sub>	61	20	<b>65T289041LKYBM</b>	Lok Y Base Kit for 42"d x 90"w Top Surfaces	<b>\$1,517</b>
27 <sup>5</sup> / <sub>8</sub>	83 <sup>1</sup> / <sub>2</sub>	40 <sup>13</sup> / <sub>16</sub>	62	20	<b>65T289641LKYBM</b>	Lok Y Base Kit for 42"d x 96"w Top Surfaces	<b>\$1,550</b>
27 <sup>5</sup> / <sub>8</sub>	89 <sup>1</sup> / <sub>2</sub>	40 <sup>13</sup> / <sub>16</sub>	88	30	<b>65T2810241LKYBM</b>	Lok Y Base Kit for 42"d x 102"w Top Surfaces	<b>\$2,136</b>
27 <sup>5</sup> / <sub>8</sub>	95 <sup>1</sup> / <sub>2</sub>	40 <sup>13</sup> / <sub>16</sub>	88	30	<b>65T2810841LKYBM</b>	Lok Y Base Kit for 42"d x 108"w Top Surfaces	<b>\$2,146</b>
27 <sup>5</sup> / <sub>8</sub>	99 <sup>7</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	88	30	<b>65T2811441LKYBM</b>	Lok Y Base Kit for 42"d x 114"w Top Surfaces	<b>\$2,157</b>
27 <sup>5</sup> / <sub>8</sub>	105 <sup>7</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	89	30	<b>65T2812041LKYBM</b>	Lok Y Base Kit for 42"d x 120"w Top Surfaces	<b>\$2,167</b>
<b>Lok Y Base Kit for 48"deep Table</b>							
35 <sup>1</sup> / <sub>8</sub>	58 <sup>5</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	77	19	<b>65T357241LKYBM</b>	Lok Y Base Kit for 48"d x 72"w Top Surfaces	<b>\$1,990</b>
35 <sup>1</sup> / <sub>8</sub>	63 <sup>5</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	77	19	<b>65T357841LKYBM</b>	Lok Y Base Kit for 48"d x 78"w Top Surfaces	<b>\$2,056</b>
35 <sup>1</sup> / <sub>8</sub>	69 <sup>5</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	78	20	<b>65T358441LKYBM</b>	Lok Y Base Kit for 48"d x 84"w Top Surfaces	<b>\$2,123</b>
35 <sup>1</sup> / <sub>8</sub>	75 <sup>5</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	78	20	<b>65T359041LKYBM</b>	Lok Y Base Kit for 48"d x 90"w Top Surfaces	<b>\$2,190</b>
35 <sup>1</sup> / <sub>8</sub>	79 <sup>5</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	79	20	<b>65T359641LKYBM</b>	Lok Y Base Kit for 48"d x 96"w Top Surfaces	<b>\$2,256</b>
35 <sup>1</sup> / <sub>8</sub>	85 <sup>1</sup> / <sub>4</sub>	40 <sup>13</sup> / <sub>16</sub>	121	32	<b>65T3510241LKYBM</b>	Lok Y Base Kit for 48"d x 102"w Top Surfaces	<b>\$3,182</b>
35 <sup>1</sup> / <sub>8</sub>	91 <sup>1</sup> / <sub>4</sub>	40 <sup>13</sup> / <sub>16</sub>	121	32	<b>65T3510841LKYBM</b>	Lok Y Base Kit for 48"d x 108"w Top Surfaces	<b>\$3,203</b>
35 <sup>1</sup> / <sub>8</sub>	95 <sup>1</sup> / <sub>4</sub>	40 <sup>13</sup> / <sub>16</sub>	122	32	<b>65T3511441LKYBM</b>	Lok Y Base Kit for 48"d x 114"w Top Surfaces	<b>\$3,224</b>
35 <sup>1</sup> / <sub>8</sub>	101 <sup>1</sup> / <sub>4</sub>	40 <sup>13</sup> / <sub>16</sub>	122	32	<b>65T3512041LKYBM</b>	Lok Y Base Kit for 48"d x 120"w Top Surfaces	<b>\$3,245</b>
<b>Lok Y Base Kit for 54"deep Table</b>							
39 <sup>5</sup> / <sub>8</sub>	99 <sup>3</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	123	39	<b>65T4012041LKYBM</b>	Lok Y Base Kit for 54"d x 120"w Top Surfaces	<b>\$3,325</b>
<b>Lok Y Base Kit for 60"deep Table</b>							
45 <sup>1</sup> / <sub>8</sub>	99 <sup>3</sup> / <sub>8</sub>	40 <sup>13</sup> / <sub>16</sub>	124	43	<b>65T4512041LKYBM</b>	Lok Y Base Kit for 60"d x 120"w Top Surfaces	<b>\$3,373</b>

Model	Metal Finish
	<b>SMF Single Metal Finishes</b> see Anthology Single Metal Finishes
	<b>TTF Two Tone Metal Finish</b> see Anthology Two Tone Metal Finishes

**Oblique Base Kit**

- available in metal standard and additional powdercoat finishes
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Oblique Base Kit for 36/42"deep Table</b>							
27	48	27½	80	12	<b>65T2472QUBM</b>	Oblique Metal Base Kit for 36/42"d x 72"w Top Surfaces	<b>\$1,484</b>
27	54	27½	81	12	<b>65T2478QUBM</b>	Oblique Metal Base Kit for 36/42"d x 78"w Top Surfaces	<b>\$1,487</b>
27	54	27½	81	12	<b>65T2484QUBM</b>	Oblique Metal Base Kit for 36/42"d x 84"w Top Surfaces	<b>\$1,490</b>
27	60	27½	82	12	<b>65T2490QUBM</b>	Oblique Metal Base Kit for 36/42"d x 90"w Top Surfaces	<b>\$1,492</b>
27	60	27½	82	12	<b>65T2496QUBM</b>	Oblique Metal Base Kit for 36/42"d x 96"w Top Surfaces	<b>\$1,496</b>
<b>Oblique Base Kit for 42"deep Table</b>							
27	66	27½	83	13	<b>65T24102QUBM</b>	Oblique Metal Base Kit for 42"d x 102"w Top Surfaces	<b>\$1,499</b>
27	72	27½	85	13	<b>65T24108QUBM</b>	Oblique Metal Base Kit for 42"d x 108"w Top Surfaces	<b>\$1,502</b>
27	78	27½	86	13	<b>65T24114QUBM</b>	Oblique Metal Base Kit for 42"d x 114"w Top Surfaces	<b>\$1,505</b>
27	84	27½	118	18	<b>65T24120QUBM</b>	Oblique Metal Base Kit for 42"d x 120"w Top Surfaces	<b>\$2,340</b>
<b>Oblique Base Kit for 48"deep Table</b>							
33	48	27½	85	14	<b>65T3072QUBM</b>	Oblique Metal Base Kit for 48"d x 72"w Top Surfaces	<b>\$1,506</b>
33	54	27½	86	15	<b>65T3078QUBM</b>	Oblique Metal Base Kit for 48"d x 78"w Top Surfaces	<b>\$1,509</b>
33	54	27½	86	15	<b>65T3084QUBM</b>	Oblique Metal Base Kit for 48"d x 84"w Top Surfaces	<b>\$1,513</b>
33	60	27½	87	15	<b>65T3090QUBM</b>	Oblique Metal Base Kit for 48"d x 90"w Top Surfaces	<b>\$1,515</b>
33	60	27½	87	15	<b>65T3096QUBM</b>	Oblique Metal Base Kit for 48"d x 96"w Top Surfaces	<b>\$1,517</b>
33	66	27½	88	15	<b>65T30102QUBM</b>	Oblique Metal Base Kit for 48"d x 102"w Top Surfaces	<b>\$1,520</b>
33	72	27½	89	15	<b>65T30108QUBM</b>	Oblique Metal Base Kit for 48"d x 108"w Top Surfaces	<b>\$1,523</b>
33	78	27½	90	15	<b>65T30114QUBM</b>	Oblique Metal Base Kit for 48"d x 114"w Top Surfaces	<b>\$1,526</b>
33	84	27½	125	21	<b>65T30120QUBM</b>	Oblique Metal Base Kit for 48"d x 120"w Top Surfaces	<b>\$2,361</b>
33	90	27½	126	21	<b>65T30126QUBM</b>	Oblique Metal Base Kit for 48"d x 126"w Top Surfaces	<b>\$2,365</b>
33	96	27½	127	21	<b>65T30132QUBM</b>	Oblique Metal Base Kit for 48"d x 132"w Top Surfaces	<b>\$2,368</b>
33	102	27½	129	21	<b>65T30138QUBM</b>	Oblique Metal Base Kit for 48"d x 138"w Top Surfaces	<b>\$2,373</b>
33	108	27½	130	21	<b>65T30144QUBM</b>	Oblique Metal Base Kit for 48"d x 144"w Top Surfaces	<b>\$2,376</b>
33	114	27½	131	22	<b>65T30150QUBM</b>	Oblique Metal Base Kit for 48"d x 150"w Top Surfaces	<b>\$2,392</b>
33	120	27½	132	22	<b>65T30156QUBM</b>	Oblique Metal Base Kit for 48"d x 156"w Top Surfaces	<b>\$2,408</b>
33	126	27½	133	22	<b>65T30162QUBM</b>	Oblique Metal Base Kit for 48"d x 162"w Top Surfaces	<b>\$2,424</b>
33	132	27½	134	22	<b>65T30168QUBM</b>	Oblique Metal Base Kit for 48"d x 168"w Top Surfaces	<b>\$2,441</b>
33	138	27½	135	22	<b>65T30174QUBM</b>	Oblique Metal Base Kit for 48"d x 174"w Top Surfaces	<b>\$2,456</b>
33	144	27½	136	22	<b>65T30180QUBM</b>	Oblique Metal Base Kit for 48"d x 180"w Top Surfaces	<b>\$2,472</b>
33	150	27½	137	22	<b>65T30186QUBM</b>	Oblique Metal Base Kit for 48"d x 186"w Top Surfaces	<b>\$2,488</b>
33	156	27½	139	22	<b>65T30192QUBM</b>	Oblique Metal Base Kit for 48"d x 192"w Top Surfaces	<b>\$2,504</b>
33	162	27½	173	28	<b>65T30198QUBM</b>	Oblique Metal Base Kit for 48"d x 198"w Top Surfaces	<b>\$3,257</b>
33	168	27½	175	28	<b>65T30204QUBM</b>	Oblique Metal Base Kit for 48"d x 204"w Top Surfaces	<b>\$3,261</b>
33	174	27½	176	29	<b>65T30210QUBM</b>	Oblique Metal Base Kit for 48"d x 210"w Top Surfaces	<b>\$3,266</b>
33	180	27½	177	29	<b>65T30216QUBM</b>	Oblique Metal Base Kit for 48"d x 216"w Top Surfaces	<b>\$3,274</b>
33	186	27½	178	29	<b>65T30222QUBM</b>	Oblique Metal Base Kit for 48"d x 222"w Top Surfaces	<b>\$3,278</b>
33	192	27½	179	29	<b>65T30228QUBM</b>	Oblique Metal Base Kit for 48"d x 228"w Top Surfaces	<b>\$3,282</b>
33	198	27½	180	29	<b>65T30234QUBM</b>	Oblique Metal Base Kit for 48"d x 234"w Top Surfaces	<b>\$3,286</b>
33	204	27½	181	29	<b>65T30240QUBM</b>	Oblique Metal Base Kit for 48"d x 240"w Top Surfaces	<b>\$3,290</b>

Model	Metal Frame
	<p><b>Standard Metal Frame Colors</b> see Anthology Standard Metal Frame Colors</p> <p><b>Additional Metal Frame Colors</b> see Anthology Additional Metal Frame Colors</p>

**Oblique Base Kit**

- available in metal standard and additional powdercoat finishes
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89



D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Oblique Base Kit for 54/60"deep Table</b>							
39	84	27 $\frac{7}{8}$	132	24	<b>65T36120QUBM</b>	Oblique Metal Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$2,450</b>
39	90	27 $\frac{7}{8}$	133	24	<b>65T36126QUBM</b>	Oblique Metal Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$2,454</b>
39	96	27 $\frac{7}{8}$	134	24	<b>65T36132QUBM</b>	Oblique Metal Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$2,458</b>
39	102	27 $\frac{7}{8}$	136	25	<b>65T36138QUBM</b>	Oblique Metal Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$2,462</b>
39	108	27 $\frac{7}{8}$	137	25	<b>65T36144QUBM</b>	Oblique Metal Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$2,466</b>
39	114	27 $\frac{7}{8}$	138	25	<b>65T36150QUBM</b>	Oblique Metal Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$2,480</b>
39	120	27 $\frac{7}{8}$	139	25	<b>65T36156QUBM</b>	Oblique Metal Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$2,494</b>
39	126	27 $\frac{7}{8}$	140	25	<b>65T36162QUBM</b>	Oblique Metal Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$2,508</b>
39	132	27 $\frac{7}{8}$	141	25	<b>65T36168QUBM</b>	Oblique Metal Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$2,521</b>
39	138	27 $\frac{7}{8}$	142	25	<b>65T36174QUBM</b>	Oblique Metal Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$2,534</b>
39	144	27 $\frac{7}{8}$	143	25	<b>65T36180QUBM</b>	Oblique Metal Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$2,549</b>
39	150	27 $\frac{7}{8}$	145	26	<b>65T36186QUBM</b>	Oblique Metal Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$2,562</b>
39	156	27 $\frac{7}{8}$	146	26	<b>65T36192QUBM</b>	Oblique Metal Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$2,575</b>
39	162	27 $\frac{7}{8}$	183	33	<b>65T36198QUBM</b>	Oblique Metal Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$3,290</b>
39	168	27 $\frac{7}{8}$	184	33	<b>65T36204QUBM</b>	Oblique Metal Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$3,294</b>
39	174	27 $\frac{7}{8}$	185	33	<b>65T36210QUBM</b>	Oblique Metal Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$3,299</b>
39	180	27 $\frac{7}{8}$	186	33	<b>65T36216QUBM</b>	Oblique Metal Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$3,303</b>
39	186	27 $\frac{7}{8}$	187	33	<b>65T36222QUBM</b>	Oblique Metal Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$3,307</b>
39	192	27 $\frac{7}{8}$	188	33	<b>65T36228QUBM</b>	Oblique Metal Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$3,311</b>
39	198	27 $\frac{7}{8}$	190	33	<b>65T36234QUBM</b>	Oblique Metal Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$3,315</b>
39	204	27 $\frac{7}{8}$	191	34	<b>65T36240QUBM</b>	Oblique Metal Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$3,319</b>


**Model Metal Frame**

**Standard Metal Frame Colors**  
see Anthology Standard Metal Frame Colors

**Additional Metal Frame Colors**  
see Anthology Additional Metal Frame Colors

**Oblique Base Kit for Ellipse Top**

- available in metal standard and additional powdercoat finishes
- top shapes: Ellipse
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Oblique Base Kit for 36"deep Ellipse Table</b>							
27	48	27%	80	10	<b>65T2472QUEBM</b>	Oblique Metal Base Kit for 36"d x 72"w Ellipse Top Surfaces	<b>\$1,484</b>
<b>Oblique Base Kit for 42"deep Ellipse Table</b>							
27	54	27%	81	10	<b>65T2478QUEBM</b>	Oblique Metal Base Kit for 42"d x 78"w Ellipse Top Surfaces	<b>\$1,487</b>
27	54	27%	81	10	<b>65T2484QUEBM</b>	Oblique Metal Base Kit for 42"d x 84"w Ellipse Top Surfaces	<b>\$1,490</b>
<b>Oblique Base Kit for 48"deep Ellipse Table</b>							
33	60	27%	87	12	<b>65T3090QUEBM</b>	Oblique Metal Base Kit for 48"d x 90"w Ellipse Top Surfaces	<b>\$1,515</b>
33	60	27%	87	12	<b>65T3096QUEBM</b>	Oblique Metal Base Kit for 54"d x 102"w Ellipse Top Surfaces	<b>\$1,517</b>
<b>Oblique Base Kit for 54"deep Ellipse Table</b>							
39	66	27%	93	15	<b>65T36102QUEBM</b>	Oblique Metal Base Kit for 54"d x 102"w Ellipse Top Surfaces	<b>\$1,535</b>
39	72	27%	94	15	<b>65T36108QUEBM</b>	Oblique Metal Base Kit for 54"d x 108"w Ellipse Top Surfaces	<b>\$1,539</b>
<b>Oblique Base Kit for 60"deep Ellipse Table</b>							
39	78	27%	95	15	<b>65T36114QUEBM</b>	Oblique Metal Base Kit for 60"d x 114"w Ellipse Top Surfaces	<b>\$1,542</b>
39	84	27%	137	24	<b>65T36120QUEBM</b>	Oblique Metal Base Kit for 60"d x 120"w Ellipse Top Surfaces	<b>\$2,450</b>

Model	Metal Frame
	<p><b>Standard Metal Frame Colors</b> see Anthology Standard Metal Frame Colors</p> <p><b>Additional Metal Frame Colors</b> see Anthology Additional Metal Frame Colors</p>

**Oblique Base Kit**

- available in metal standard and additional powdercoat finishes
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89



D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Oblique Base Kit for 36/42"deep Table</b>							
29 <sup>7</sup> / <sub>16</sub>	48	34 <sup>7</sup> / <sub>8</sub>	86	15	<b>65T307235QUBM</b>	Oblique Metal Base Kit for 36/42"d x 72"w Top Surfaces	<b>\$1,499</b>
29 <sup>7</sup> / <sub>16</sub>	54	34 <sup>7</sup> / <sub>8</sub>	87	15	<b>65T307835QUBM</b>	Oblique Metal Base Kit for 36/42"d x 78"w Top Surfaces	<b>\$1,502</b>
29 <sup>7</sup> / <sub>16</sub>	54	34 <sup>7</sup> / <sub>8</sub>	87	15	<b>65T308435QUBM</b>	Oblique Metal Base Kit for 36/42"d x 84"w Top Surfaces	<b>\$1,505</b>
29 <sup>7</sup> / <sub>16</sub>	60	34 <sup>7</sup> / <sub>8</sub>	88	15	<b>65T309035QUBM</b>	Oblique Metal Base Kit for 36/42"d x 90"w Top Surfaces	<b>\$1,507</b>
29 <sup>7</sup> / <sub>16</sub>	60	34 <sup>7</sup> / <sub>8</sub>	88	15	<b>65T309635QUBM</b>	Oblique Metal Base Kit for 36/42"d x 96"w Top Surfaces	<b>\$1,511</b>
<b>Oblique Base Kit for 42"deep Table</b>							
29 <sup>7</sup> / <sub>16</sub>	66	34 <sup>7</sup> / <sub>8</sub>	89	15	<b>65T3010235QUBM</b>	Oblique Metal Base Kit for 42"d x 102"w Top Surfaces	<b>\$1,514</b>
29 <sup>7</sup> / <sub>16</sub>	72	34 <sup>7</sup> / <sub>8</sub>	97	15	<b>65T3010835QUBM</b>	Oblique Metal Base Kit for 42"d x 108"w Top Surfaces	<b>\$1,518</b>
29 <sup>7</sup> / <sub>16</sub>	78	34 <sup>7</sup> / <sub>8</sub>	98	15	<b>65T3011435QUBM</b>	Oblique Metal Base Kit for 42"d x 114"w Top Surfaces	<b>\$1,521</b>
29 <sup>7</sup> / <sub>16</sub>	84	34 <sup>7</sup> / <sub>8</sub>	126	21	<b>65T3012035QUBM</b>	Oblique Metal Base Kit for 42"d x 120"w Top Surfaces	<b>\$2,364</b>
<b>Oblique Base Kit for 48"deep Table</b>							
35 <sup>7</sup> / <sub>16</sub>	48	34 <sup>7</sup> / <sub>8</sub>	95	17	<b>65T367235QUBM</b>	Oblique Metal Base Kit for 48"d x 72"w Top Surfaces	<b>\$1,522</b>
35 <sup>7</sup> / <sub>16</sub>	54	34 <sup>7</sup> / <sub>8</sub>	96	17	<b>65T367835QUBM</b>	Oblique Metal Base Kit for 48"d x 78"w Top Surfaces	<b>\$1,525</b>
35 <sup>7</sup> / <sub>16</sub>	54	34 <sup>7</sup> / <sub>8</sub>	97	17	<b>65T368435QUBM</b>	Oblique Metal Base Kit for 48"d x 84"w Top Surfaces	<b>\$1,529</b>
35 <sup>7</sup> / <sub>16</sub>	60	34 <sup>7</sup> / <sub>8</sub>	98	17	<b>65T369035QUBM</b>	Oblique Metal Base Kit for 48"d x 90"w Top Surfaces	<b>\$1,531</b>
35 <sup>7</sup> / <sub>16</sub>	60	34 <sup>7</sup> / <sub>8</sub>	100	17	<b>65T369635QUBM</b>	Oblique Metal Base Kit for 48"d x 96"w Top Surfaces	<b>\$1,533</b>
35 <sup>7</sup> / <sub>16</sub>	66	34 <sup>7</sup> / <sub>8</sub>	101	17	<b>65T3610235QUBM</b>	Oblique Metal Base Kit for 48"d x 102"w Top Surfaces	<b>\$1,536</b>
35 <sup>7</sup> / <sub>16</sub>	72	34 <sup>7</sup> / <sub>8</sub>	102	17	<b>65T3610835QUBM</b>	Oblique Metal Base Kit for 48"d x 108"w Top Surfaces	<b>\$1,539</b>
35 <sup>7</sup> / <sub>16</sub>	78	34 <sup>7</sup> / <sub>8</sub>	103	18	<b>65T3611435QUBM</b>	Oblique Metal Base Kit for 48"d x 114"w Top Surfaces	<b>\$1,542</b>
35 <sup>7</sup> / <sub>16</sub>	84	34 <sup>7</sup> / <sub>8</sub>	131	25	<b>65T3612035QUBM</b>	Oblique Metal Base Kit for 48"d x 120"w Top Surfaces	<b>\$2,385</b>
<b>Oblique Base Kit for 54/60"deep Table</b>							
41 <sup>7</sup> / <sub>16</sub>	84	34 <sup>7</sup> / <sub>8</sub>	137	28	<b>65T4212035QUBM</b>	Oblique Metal Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$2,475</b>

Model	Metal Frame
	<p><b>Standard Metal Frame Colors</b> see Anthology Standard Metal Frame Colors</p> <p><b>Additional Metal Frame Colors</b> see Anthology Additional Metal Frame Colors</p>

**Oblique Base Kit**

- available in metal standard and additional powdercoat finishes
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89



72"-114"w



120"w

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Oblique Base Kit for 36/42"deep Table</b>							
31½	48	40%	91	18	65T327241QUBM	Oblique Metal Base Kit for 36/42"d x 72"w Top Surfaces	\$1,514
31½	54	40%	92	18	65T327841QUBM	Oblique Metal Base Kit for 36/42"d x 78"w Top Surfaces	\$1,517
31½	54	40%	92	18	65T328441QUBM	Oblique Metal Base Kit for 36/42"d x 84"w Top Surfaces	\$1,520
31½	60	40%	93	18	65T329041QUBM	Oblique Metal Base Kit for 36/42"d x 90"w Top Surfaces	\$1,522
31½	60	40%	93	18	65T329641QUBM	Oblique Metal Base Kit for 36/42"d x 96"w Top Surfaces	\$1,526
<b>Oblique Base Kit for 42"deep Table</b>							
31½	66	40%	94	18	65T3210241QUBM	Oblique Metal Base Kit for 42"d x 102"w Top Surfaces	\$1,529
31½	72	40%	95	18	65T3210841QUBM	Oblique Metal Base Kit for 42"d x 108"w Top Surfaces	\$1,533
31½	78	40%	96	18	65T3211441QUBM	Oblique Metal Base Kit for 42"d x 114"w Top Surfaces	\$1,536
31½	84	40%	133	26	65T3212041QUBM	Oblique Metal Base Kit for 42"d x 120"w Top Surfaces	\$2,387
<b>Oblique Base Kit for 48"deep Table</b>							
37½	48	40%	95	20	65T387241QUBM	Oblique Metal Base Kit for 48"d x 72"w Top Surfaces	\$1,537
37½	54	40%	96	20	65T387841QUBM	Oblique Metal Base Kit for 48"d x 78"w Top Surfaces	\$1,540
37½	54	40%	96	20	65T388441QUBM	Oblique Metal Base Kit for 48"d x 84"w Top Surfaces	\$1,544
37½	60	40%	98	21	65T389041QUBM	Oblique Metal Base Kit for 48"d x 90"w Top Surfaces	\$1,546
37½	60	40%	98	21	65T389641QUBM	Oblique Metal Base Kit for 48"d x 96"w Top Surfaces	\$1,548
37½	66	40%	99	21	65T3810241QUBM	Oblique Metal Base Kit for 48"d x 102"w Top Surfaces	\$1,551
37½	72	40%	100	21	65T3810841QUBM	Oblique Metal Base Kit for 48"d x 108"w Top Surfaces	\$1,554
37½	78	40%	101	21	65T3811441QUBM	Oblique Metal Base Kit for 48"d x 114"w Top Surfaces	\$1,557
37½	84	40%	136	30	65T3812041QUBM	Oblique Metal Base Kit for 48"d x 120"w Top Surfaces	\$2,409
<b>Oblique Base Kit for 54/60"deep Table</b>							
43½	84	40%	144	34	65T4412041QUBM	Oblique Metal Base Kit for 54/60"d x 120"w Top Surfaces	\$2,499


**Model Metal Frame**

**Standard Metal Frame Colors**  
see Anthology Standard Metal Frame Colors

**Additional Metal Frame Colors**  
see Anthology Additional Metal Frame Colors

### Outline Base Kit

- available in TFL and Veneer surfaces with powdercoat or chrome metal accent trim
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Outline Base Kit for 36" deep Table</b>									
18	48	27 $\frac{1}{8}$	45	10	<b>65T1872ULB_</b>	Outline Metal Base Kit for 36"d x 72"w Top Surfaces	<b>\$1,617</b>	<b>\$2,245</b>	<b>\$2,469</b>
18	54	27 $\frac{1}{8}$	46	11	<b>65T1878ULB_</b>	Outline Metal Base Kit for 36"d x 78"w Top Surfaces	<b>\$1,632</b>	<b>\$2,256</b>	<b>\$2,482</b>
18	54	27 $\frac{1}{8}$	46	11	<b>65T1884ULB_</b>	Outline Metal Base Kit for 36"d x 84"w Top Surfaces	<b>\$1,647</b>	<b>\$2,268</b>	<b>\$2,494</b>
18	60	27 $\frac{1}{8}$	47	11	<b>65T1890ULB_</b>	Outline Metal Base Kit for 36"d x 90"w Top Surfaces	<b>\$1,663</b>	<b>\$2,279</b>	<b>\$2,506</b>
18	54	27 $\frac{1}{8}$	46	11	<b>65T1896ULB_</b>	Outline Metal Base Kit for 36"d x 96"w Top Surfaces	<b>\$1,678</b>	<b>\$2,290</b>	<b>\$2,519</b>
<b>Outline Base Kit for 42/48" deep Table</b>									
24	48	27 $\frac{1}{8}$	46	13	<b>65T2472ULB_</b>	Outline Metal Base Kit for 42/48"d x 72"w Top Surfaces	<b>\$1,696</b>	<b>\$2,302</b>	<b>\$2,531</b>
24	54	27 $\frac{1}{8}$	47	13	<b>65T2478ULB_</b>	Outline Metal Base Kit for 42/48"d x 78"w Top Surfaces	<b>\$1,712</b>	<b>\$2,312</b>	<b>\$2,543</b>
24	54	27 $\frac{1}{8}$	47	13	<b>65T2484ULB_</b>	Outline Metal Base Kit for 42/48"d x 84"w Top Surfaces	<b>\$1,729</b>	<b>\$2,322</b>	<b>\$2,554</b>
24	60	27 $\frac{1}{8}$	48	13	<b>65T2490ULB_</b>	Outline Metal Base Kit for 42/48"d x 90"w Top Surfaces	<b>\$1,745</b>	<b>\$2,332</b>	<b>\$2,565</b>
24	60	27 $\frac{1}{8}$	48	13	<b>65T2496ULB_</b>	Outline Metal Base Kit for 42/48"d x 96"w Top Surfaces	<b>\$1,763</b>	<b>\$2,344</b>	<b>\$2,579</b>
24	66	27 $\frac{1}{8}$	49	13	<b>65T24102ULB_</b>	Outline Metal Base Kit for 42/48"d x 102"w Top Surfaces	<b>\$2,066</b>	<b>\$2,752</b>	<b>\$3,027</b>
24	72	27 $\frac{1}{8}$	50	13	<b>65T24108ULB_</b>	Outline Metal Base Kit for 42/48"d x 108"w Top Surfaces	<b>\$2,368</b>	<b>\$3,160</b>	<b>\$3,476</b>
24	78	27 $\frac{1}{8}$	51	13	<b>65T24114ULB_</b>	Outline Metal Base Kit for 42/48"d x 114"w Top Surfaces	<b>\$2,670</b>	<b>\$3,567</b>	<b>\$3,924</b>
24	84	27 $\frac{1}{8}$	70	18	<b>65T24120ULB_</b>	Outline Metal Base Kit for 42/48"d x 120"w Top Surfaces	<b>\$2,972</b>	<b>\$3,975</b>	<b>\$4,373</b>
<b>Outline Base Kit for 48" deep Table</b>									
24	90	27 $\frac{1}{8}$	72	18	<b>65T24126ULB_</b>	Outline Metal Base Kit for 48"d x 126"w Top Surfaces	<b>\$2,981</b>	<b>\$3,987</b>	<b>\$4,385</b>
24	96	27 $\frac{1}{8}$	73	19	<b>65T24132ULB_</b>	Outline Metal Base Kit for 48"d x 132"w Top Surfaces	<b>\$2,991</b>	<b>\$3,998</b>	<b>\$4,398</b>
24	102	27 $\frac{1}{8}$	74	19	<b>65T24138ULB_</b>	Outline Metal Base Kit for 48"d x 138"w Top Surfaces	<b>\$3,000</b>	<b>\$4,009</b>	<b>\$4,410</b>
24	108	27 $\frac{1}{8}$	75	19	<b>65T24144ULB_</b>	Outline Metal Base Kit for 48"d x 144"w Top Surfaces	<b>\$3,010</b>	<b>\$4,021</b>	<b>\$4,422</b>
24	114	27 $\frac{1}{8}$	76	19	<b>65T24150ULB_</b>	Outline Metal Base Kit for 48"d x 150"w Top Surfaces	<b>\$3,019</b>	<b>\$4,032</b>	<b>\$4,435</b>
24	120	27 $\frac{1}{8}$	77	19	<b>65T24156ULB_</b>	Outline Metal Base Kit for 48"d x 156"w Top Surfaces	<b>\$3,029</b>	<b>\$4,043</b>	<b>\$4,448</b>
24	126	27 $\frac{1}{8}$	78	19	<b>65T24162ULB_</b>	Outline Metal Base Kit for 48"d x 162"w Top Surfaces	<b>\$3,038</b>	<b>\$4,055</b>	<b>\$4,460</b>
24	132	27 $\frac{1}{8}$	79	19	<b>65T24168ULB_</b>	Outline Metal Base Kit for 48"d x 168"w Top Surfaces	<b>\$3,048</b>	<b>\$4,066</b>	<b>\$4,473</b>
24	138	27 $\frac{1}{8}$	80	19	<b>65T24174ULB_</b>	Outline Metal Base Kit for 48"d x 174"w Top Surfaces	<b>\$3,059</b>	<b>\$4,077</b>	<b>\$4,485</b>
24	144	27 $\frac{1}{8}$	82	19	<b>65T24180ULB_</b>	Outline Metal Base Kit for 48"d x 180"w Top Surfaces	<b>\$3,068</b>	<b>\$4,089</b>	<b>\$4,497</b>
24	150	27 $\frac{1}{8}$	83	20	<b>65T24186ULB_</b>	Outline Metal Base Kit for 48"d x 186"w Top Surfaces	<b>\$3,077</b>	<b>\$4,100</b>	<b>\$4,510</b>
24	156	27 $\frac{1}{8}$	84	20	<b>65T24192ULB_</b>	Outline Metal Base Kit for 48"d x 192"w Top Surfaces	<b>\$3,087</b>	<b>\$4,112</b>	<b>\$4,523</b>
24	162	27 $\frac{1}{8}$	95	25	<b>65T24198ULB_</b>	Outline Metal Base Kit for 48"d x 198"w Top Surfaces	<b>\$3,211</b>	<b>\$4,295</b>	<b>\$4,724</b>
24	168	27 $\frac{1}{8}$	96	25	<b>65T24204ULB_</b>	Outline Metal Base Kit for 48"d x 204"w Top Surfaces	<b>\$3,335</b>	<b>\$4,478</b>	<b>\$4,926</b>
24	174	27 $\frac{1}{8}$	97	25	<b>65T24210ULB_</b>	Outline Metal Base Kit for 48"d x 210"w Top Surfaces	<b>\$3,458</b>	<b>\$4,660</b>	<b>\$5,126</b>
24	180	27 $\frac{1}{8}$	98	25	<b>65T24216ULB_</b>	Outline Metal Base Kit for 48"d x 216"w Top Surfaces	<b>\$3,582</b>	<b>\$4,843</b>	<b>\$5,327</b>
24	186	27 $\frac{1}{8}$	99	25	<b>65T24222ULB_</b>	Outline Metal Base Kit for 48"d x 222"w Top Surfaces	<b>\$3,705</b>	<b>\$5,026</b>	<b>\$5,529</b>
24	192	27 $\frac{1}{8}$	101	25	<b>65T24228ULB_</b>	Outline Metal Base Kit for 48"d x 228"w Top Surfaces	<b>\$3,829</b>	<b>\$5,208</b>	<b>\$5,729</b>
24	198	27 $\frac{1}{8}$	102	26	<b>65T24234ULB_</b>	Outline Metal Base Kit for 48"d x 234"w Top Surfaces	<b>\$3,953</b>	<b>\$5,390</b>	<b>\$5,929</b>
24	204	27 $\frac{1}{8}$	103	26	<b>65T24240ULB_</b>	Outline Metal Base Kit for 48"d x 240"w Top Surfaces	<b>\$4,077</b>	<b>\$5,574</b>	<b>\$6,131</b>

Model	Laminate	Veneer	Metal Finish
	see Anthology Laminate Selection	see Anthology Veneer Selection	see Anthology Metal Finishes  <b>Chrome Metal Base Upcharge</b> 2 bases 72" - 114" - add \$2,009 3 bases 120" - 192" - add \$3,013 4 bases 198" - 240" - add \$4,017

**Outline Base Kit**

- available in TFL and Veneer surfaces with powdercoat or chrome metal accent trim
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Outline Base Kit for 54/60"deep Table</b>									
30	84	27½	74	22	65T30120ULB_	Outline Metal Base Kit for 54/60"d x 120"w Top Surfaces	\$3,027	\$4,055	\$4,460
30	90	27½	75	22	65T30126ULB_	Outline Metal Base Kit for 54/60"d x 126"w Top Surfaces	\$3,036	\$4,066	\$4,473
30	96	27½	76	22	65T30132ULB_	Outline Metal Base Kit for 54/60"d x 132"w Top Surfaces	\$3,045	\$4,077	\$4,485
30	102	27½	77	22	65T30138ULB_	Outline Metal Base Kit for 54/60"d x 138"w Top Surfaces	\$3,054	\$4,089	\$4,497
30	108	27½	78	22	65T30144ULB_	Outline Metal Base Kit for 54/60"d x 144"w Top Surfaces	\$3,065	\$4,101	\$4,511
30	114	27½	80	22	65T30150ULB_	Outline Metal Base Kit for 54/60"d x 150"w Top Surfaces	\$3,074	\$4,112	\$4,523
30	120	27½	81	22	65T30156ULB_	Outline Metal Base Kit for 54/60"d x 156"w Top Surfaces	\$3,083	\$4,124	\$4,536
30	126	27½	82	22	65T30162ULB_	Outline Metal Base Kit for 54/60"d x 162"w Top Surfaces	\$3,093	\$4,135	\$4,548
30	132	27½	83	22	65T30168ULB_	Outline Metal Base Kit for 54/60"d x 168"w Top Surfaces	\$3,103	\$4,146	\$4,561
30	138	27½	84	22	65T30174ULB_	Outline Metal Base Kit for 54/60"d x 174"w Top Surfaces	\$3,112	\$4,158	\$4,574
30	144	27½	85	22	65T30180ULB_	Outline Metal Base Kit for 54/60"d x 180"w Top Surfaces	\$3,121	\$4,169	\$4,586
30	150	27½	86	23	65T30186ULB_	Outline Metal Base Kit for 54/60"d x 186"w Top Surfaces	\$3,131	\$4,180	\$4,598
30	156	27½	87	23	65T30192ULB_	Outline Metal Base Kit for 54/60"d x 192"w Top Surfaces	\$3,141	\$4,192	\$4,611
30	162	27½	100	29	65T30198ULB_	Outline Metal Base Kit for 54/60"d x 198"w Top Surfaces	\$3,266	\$4,375	\$4,813
30	168	27½	101	29	65T30204ULB_	Outline Metal Base Kit for 54/60"d x 204"w Top Surfaces	\$3,390	\$4,559	\$5,016
30	174	27½	102	29	65T30210ULB_	Outline Metal Base Kit for 54/60"d x 210"w Top Surfaces	\$3,515	\$4,743	\$5,216
30	180	27½	103	29	65T30216ULB_	Outline Metal Base Kit for 54/60"d x 216"w Top Surfaces	\$3,639	\$4,927	\$5,419
30	186	27½	104	30	65T30222ULB_	Outline Metal Base Kit for 54/60"d x 222"w Top Surfaces	\$3,764	\$5,110	\$5,621
30	192	27½	105	30	65T30228ULB_	Outline Metal Base Kit for 54/60"d x 228"w Top Surfaces	\$3,889	\$5,295	\$5,824
30	198	27½	106	30	65T30234ULB_	Outline Metal Base Kit for 54/60"d x 234"w Top Surfaces	\$4,013	\$5,479	\$6,027
30	204	27½	108	30	65T30240ULB_	Outline Metal Base Kit for 54/60"d x 240"w Top Surfaces	\$4,138	\$5,662	\$6,229

Model	Laminate	Veneer	Metal Finish
	see Anthology Laminate Selection	see Anthology Veneer Selection	see Anthology Metal Finishes  <b>Chrome Metal Base Upcharge</b> 2 bases 72" - 114" - add \$2,009 3 bases 120" - 192" - add \$3,013 4 bases 198" - 240" - add \$4,017

**Panel Base Kit**

- available in HPL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Panel Base Kit for 36" deep Table</b>									
18	48	27½	45	10	65T1872PNB_	Panel Base Kit for 36"d x 72"w Top Surfaces	\$1,438	\$1,705	\$1,876
18	54	27½	46	10	65T1878PNB_	Panel Base Kit for 36"d x 78"w Top Surfaces	\$1,446	\$1,715	\$1,887
18	54	27½	46	10	65T1884PNB_	Panel Base Kit for 36"d x 84"w Top Surfaces	\$1,454	\$1,726	\$1,899
18	60	27½	47	10	65T1890PNB_	Panel Base Kit for 36"d x 90"w Top Surfaces	\$1,462	\$1,737	\$1,911
18	60	27½	47	10	65T1896PNB_	Panel Base Kit for 36"d x 96"w Top Surfaces	\$1,469	\$1,748	\$1,923
<b>Panel Base Kit for 42/48" deep Table</b>									
24	48	27½	46	12	65T2472PNB_	Panel Base Kit for 42/48"d x 72"w Top Surfaces	\$1,496	\$1,960	\$2,156
24	54	27½	47	12	65T2478PNB_	Panel Base Kit for 42/48"d x 78"w Top Surfaces	\$1,504	\$1,970	\$2,167
24	54	27½	47	12	65T2484PNB_	Panel Base Kit for 42/48"d x 84"w Top Surfaces	\$1,512	\$1,981	\$2,180
24	60	27½	48	12	65T2490PNB_	Panel Base Kit for 42/48"d x 90"w Top Surfaces	\$1,520	\$1,991	\$2,191
24	60	27½	48	12	65T2496PNB_	Panel Base Kit for 42/48"d x 96"w Top Surfaces	\$1,527	\$1,995	\$2,195
24	66	27½	49	13	65T24102PNB_	Panel Base Kit for 42/48"d x 102"w Top Surfaces	\$1,530	\$2,006	\$2,207
24	72	27½	50	13	65T24108PNB_	Panel Base Kit for 42/48"d x 108"w Top Surfaces	\$1,538	\$2,017	\$2,219
24	78	27½	51	13	65T24114PNB_	Panel Base Kit for 42/48"d x 114"w Top Surfaces	\$1,546	\$2,027	\$2,230
24	84	27½	70	18	65T24120PNB_	Panel Base Kit for 42/48"d x 120"w Top Surfaces	\$2,532	\$3,546	\$3,901
<b>Panel Base Kit for 48" deep Table</b>									
24	90	27½	72	18	65T24126PNB_	Panel Base Kit for 48"d x 126"w Top Surfaces	\$2,539	\$3,557	\$3,913
24	96	27½	73	18	65T24132PNB_	Panel Base Kit for 48"d x 132"w Top Surfaces	\$2,546	\$3,567	\$3,924
24	102	27½	74	18	65T24138PNB_	Panel Base Kit for 48"d x 138"w Top Surfaces	\$2,553	\$3,578	\$3,936
24	108	27½	75	18	65T24144PNB_	Panel Base Kit for 48"d x 144"w Top Surfaces	\$2,560	\$3,588	\$3,947
24	114	27½	76	18	65T24150PNB_	Panel Base Kit for 48"d x 150"w Top Surfaces	\$2,568	\$3,598	\$3,958
24	120	27½	77	19	65T24156PNB_	Panel Base Kit for 48"d x 156"w Top Surfaces	\$2,576	\$3,609	\$3,970
24	126	27½	78	19	65T24162PNB_	Panel Base Kit for 48"d x 162"w Top Surfaces	\$2,583	\$3,619	\$3,981
24	132	27½	79	19	65T24168PNB_	Panel Base Kit for 48"d x 168"w Top Surfaces	\$2,587	\$3,630	\$3,993
24	138	27½	80	19	65T24174PNB_	Panel Base Kit for 48"d x 174"w Top Surfaces	\$2,673	\$3,640	\$4,004
24	144	27½	82	19	65T24180PNB_	Panel Base Kit for 48"d x 180"w Top Surfaces	\$2,759	\$3,650	\$4,015
24	150	27½	83	19	65T24186PNB_	Panel Base Kit for 48"d x 186"w Top Surfaces	\$2,844	\$3,655	\$4,021
24	156	27½	84	19	65T24192PNB_	Panel Base Kit for 48"d x 192"w Top Surfaces	\$2,930	\$3,671	\$4,039
24	162	27½	95	24	65T24198PNB_	Panel Base Kit for 48"d x 198"w Top Surfaces	\$4,197	\$5,038	\$5,542
24	168	27½	96	24	65T24204PNB_	Panel Base Kit for 48"d x 204"w Top Surfaces	\$4,209	\$5,054	\$5,560
24	174	27½	97	24	65T24210PNB_	Panel Base Kit for 48"d x 210"w Top Surfaces	\$4,221	\$5,069	\$5,576
24	180	27½	98	25	65T24216PNB_	Panel Base Kit for 48"d x 216"w Top Surfaces	\$4,233	\$5,085	\$5,594
24	186	27½	99	25	65T24222PNB_	Panel Base Kit for 48"d x 222"w Top Surfaces	\$4,244	\$5,101	\$5,612
24	192	27½	101	25	65T24228PNB_	Panel Base Kit for 48"d x 228"w Top Surfaces	\$4,256	\$5,116	\$5,628
24	198	27½	102	25	65T24234PNB_	Panel Base Kit for 48"d x 234"w Top Surfaces	\$4,268	\$5,132	\$5,646
24	204	27½	103	25	65T24240PNB_	Panel Base Kit for 48"d x 240"w Top Surfaces	\$4,280	\$5,148	\$5,663

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Panel Base Kit (continued)**

- available in HPL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Panel Base Kit for 54/60"deep Table</b>									
30	84	27 $\frac{1}{8}$	74	21	65T30120PNB_	Panel Base Kit for 54/60"d x 120"w Top Surfaces	\$2,903	\$3,663	\$4,030
30	90	27 $\frac{1}{8}$	75	21	65T30126PNB_	Panel Base Kit for 54/60"d x 126"w Top Surfaces	\$2,911	\$3,673	\$4,041
30	96	27 $\frac{1}{8}$	76	21	65T30132PNB_	Panel Base Kit for 54/60"d x 132"w Top Surfaces	\$2,919	\$3,684	\$4,053
30	102	27 $\frac{1}{8}$	77	21	65T30138PNB_	Panel Base Kit for 54/60"d x 138"w Top Surfaces	\$2,927	\$3,694	\$4,064
30	108	27 $\frac{1}{8}$	78	22	65T30144PNB_	Panel Base Kit for 54/60"d x 144"w Top Surfaces	\$2,935	\$3,704	\$4,075
30	114	27 $\frac{1}{8}$	80	22	65T30150PNB_	Panel Base Kit for 54/60"d x 150"w Top Surfaces	\$2,943	\$3,715	\$4,087
30	120	27 $\frac{1}{8}$	81	22	65T30156PNB_	Panel Base Kit for 54/60"d x 156"w Top Surfaces	\$2,950	\$3,725	\$4,098
30	126	27 $\frac{1}{8}$	82	22	65T30162PNB_	Panel Base Kit for 54/60"d x 162"w Top Surfaces	\$2,958	\$3,736	\$4,110
30	132	27 $\frac{1}{8}$	83	22	65T30168PNB_	Panel Base Kit for 54/60"d x 168"w Top Surfaces	\$2,966	\$3,746	\$4,121
30	138	27 $\frac{1}{8}$	84	22	65T30174PNB_	Panel Base Kit for 54/60"d x 174"w Top Surfaces	\$2,974	\$3,756	\$4,132
30	144	27 $\frac{1}{8}$	85	22	65T30180PNB_	Panel Base Kit for 54/60"d x 180"w Top Surfaces	\$2,982	\$3,767	\$4,144
30	150	27 $\frac{1}{8}$	86	22	65T30186PNB_	Panel Base Kit for 54/60"d x 186"w Top Surfaces	\$2,990	\$3,772	\$4,150
30	156	27 $\frac{1}{8}$	87	23	65T30192PNB_	Panel Base Kit for 54/60"d x 192"w Top Surfaces	\$2,998	\$3,788	\$4,167
30	162	27 $\frac{1}{8}$	100	29	65T30198PNB_	Panel Base Kit for 54/60"d x 198"w Top Surfaces	\$4,296	\$5,193	\$5,713
30	168	27 $\frac{1}{8}$	101	29	65T30204PNB_	Panel Base Kit for 54/60"d x 204"w Top Surfaces	\$4,307	\$5,209	\$5,730
30	174	27 $\frac{1}{8}$	102	29	65T30210PNB_	Panel Base Kit for 54/60"d x 210"w Top Surfaces	\$4,319	\$5,225	\$5,748
30	180	27 $\frac{1}{8}$	103	29	65T30216PNB_	Panel Base Kit for 54/60"d x 216"w Top Surfaces	\$4,331	\$5,240	\$5,764
30	186	27 $\frac{1}{8}$	104	29	65T30222PNB_	Panel Base Kit for 54/60"d x 222"w Top Surfaces	\$4,343	\$5,256	\$5,782
30	192	27 $\frac{1}{8}$	105	29	65T30228PNB_	Panel Base Kit for 54/60"d x 228"w Top Surfaces	\$4,355	\$5,271	\$5,799
30	198	27 $\frac{1}{8}$	106	29	65T30234PNB_	Panel Base Kit for 54/60"d x 234"w Top Surfaces	\$4,366	\$5,287	\$5,816
30	204	27 $\frac{1}{8}$	108	30	65T30240PNB_	Panel Base Kit for 54/60"d x 240"w Top Surfaces	\$4,378	\$5,303	\$5,834

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Racetrack Base Kit**

- available in HPL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Racetrack Base Kit for 36"deep Table</b>									
18	48	27½	87	11	65T1872RKB_	Racetrack Base Kit for 36"d x 72"w Top Surfaces	\$5,733	\$5,925	\$6,518
18	54	27½	87	11	65T1878RKB_	Racetrack Base Kit for 36"d x 78"w Top Surfaces	\$5,738	\$5,929	\$6,522
18	54	27½	87	11	65T1884RKB_	Racetrack Base Kit for 36"d x 84"w Top Surfaces	\$5,742	\$5,933	\$6,527
18	60	27½	99	12	65T1890RKB_	Racetrack Base Kit for 36"d x 90"w Top Surfaces	\$5,746	\$5,937	\$6,532
18	60	27½	99	12	65T1896RKB_	Racetrack Base Kit for 36"d x 96"w Top Surfaces	\$5,750	\$5,942	\$6,536
<b>Racetrack Base Kit for 42/48"deep Table</b>									
24	48	27½	102	13	65T2472RKB_	Racetrack Base Kit for 42/48"d x 72"w Top Surfaces	\$5,969	\$6,103	\$6,714
24	54	27½	102	13	65T2478RKB_	Racetrack Base Kit for 42/48"d x 78"w Top Surfaces	\$6,039	\$6,193	\$6,813
24	54	27½	103	13	65T2484RKB_	Racetrack Base Kit for 42/48"d x 84"w Top Surfaces	\$6,109	\$6,281	\$6,910
24	60	27½	103	14	65T2490RKB_	Racetrack Base Kit for 42/48"d x 90"w Top Surfaces	\$6,179	\$6,370	\$7,008
24	60	27½	104	14	65T2496RKB_	Racetrack Base Kit for 42/48"d x 96"w Top Surfaces	\$6,250	\$6,459	\$7,104
24	66	27½	104	15	65T24102RKB_	Racetrack Base Kit for 42/48"d x 102"w Top Surfaces	\$6,343	\$6,578	\$7,236
24	72	27½	105	15	65T24108RKB_	Racetrack Base Kit for 42/48"d x 108"w Top Surfaces	\$6,436	\$6,697	\$7,367
24	78	27½	105	15	65T24114RKB_	Racetrack Base Kit for 42/48"d x 114"w Top Surfaces	\$6,529	\$6,815	\$7,497
24	84	27½	140	20	65T24120RKB_	Racetrack Base Kit for 42/48"d x 120"w Top Surfaces	\$10,504	\$11,028	\$12,131
<b>Racetrack Base Kit for 48"deep Table</b>									
24	90	27½	140	20	65T24126RKB_	Racetrack Base Kit for 48"d x 126"w Top Surfaces	\$10,510	\$11,032	\$12,135
24	96	27½	140	20	65T24132RKB_	Racetrack Base Kit for 48"d x 132"w Top Surfaces	\$10,513	\$11,038	\$12,142
24	102	27½	143	20	65T24138RKB_	Racetrack Base Kit for 48"d x 138"w Top Surfaces	\$10,517	\$11,044	\$12,149
24	108	27½	143	21	65T24144RKB_	Racetrack Base Kit for 48"d x 144"w Top Surfaces	\$10,520	\$11,050	\$12,156
24	114	27½	143	21	65T24150RKB_	Racetrack Base Kit for 48"d x 150"w Top Surfaces	\$10,524	\$11,053	\$12,160
24	120	27½	143	21	65T24156RKB_	Racetrack Base Kit for 48"d x 156"w Top Surfaces	\$10,528	\$11,060	\$12,166
24	126	27½	145	22	65T24162RKB_	Racetrack Base Kit for 48"d x 162"w Top Surfaces	\$10,531	\$11,066	\$12,173
24	132	27½	145	22	65T24168RKB_	Racetrack Base Kit for 48"d x 168"w Top Surfaces	\$10,534	\$11,072	\$12,179
24	138	27½	145	22	65T24174RKB_	Racetrack Base Kit for 48"d x 174"w Top Surfaces	\$10,538	\$11,078	\$12,186
24	144	27½	147	23	65T24180RKB_	Racetrack Base Kit for 48"d x 180"w Top Surfaces	\$10,543	\$11,084	\$12,194
24	150	27½	147	23	65T24186RKB_	Racetrack Base Kit for 48"d x 186"w Top Surfaces	\$10,546	\$11,091	\$12,200
24	156	27½	147	23	65T24192RKB_	Racetrack Base Kit for 48"d x 192"w Top Surfaces	\$10,550	\$11,097	\$12,207
24	162	27½	196	29	65T24198RKB_	Racetrack Base Kit for 48"d x 198"w Top Surfaces	\$13,519	\$14,426	\$15,869
24	168	27½	220	29	65T24204RKB_	Racetrack Base Kit for 48"d x 204"w Top Surfaces	\$13,524	\$14,431	\$15,874
24	174	27½	220	29	65T24210RKB_	Racetrack Base Kit for 48"d x 210"w Top Surfaces	\$13,530	\$14,436	\$15,880
24	180	27½	225	30	65T24216RKB_	Racetrack Base Kit for 48"d x 216"w Top Surfaces	\$13,535	\$14,441	\$15,885
24	186	27½	225	30	65T24222RKB_	Racetrack Base Kit for 48"d x 222"w Top Surfaces	\$13,540	\$14,446	\$15,891
24	192	27½	230	30	65T24228RKB_	Racetrack Base Kit for 48"d x 228"w Top Surfaces	\$13,545	\$14,462	\$15,908
24	198	27½	230	31	65T24234RKB_	Racetrack Base Kit for 48"d x 234"w Top Surfaces	\$13,550	\$14,457	\$15,903
24	204	27½	235	31	65T24240RKB_	Racetrack Base Kit for 48"d x 240"w Top Surfaces	\$13,555	\$14,565	\$16,021

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Racetrack Base Kit**

- available in HPL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Racetrack Base Kit for 54/60"deep Table</b>									
30	84	27 $\frac{7}{8}$	154	32	<b>65T30120RKB_</b>	Racetrack Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$11,351</b>	<b>\$11,448</b>	<b>\$12,593</b>
30	90	27 $\frac{7}{8}$	154	32	<b>65T30126RKB_</b>	Racetrack Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$11,356</b>	<b>\$11,455</b>	<b>\$12,602</b>
30	96	27 $\frac{7}{8}$	154	32	<b>65T30132RKB_</b>	Racetrack Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$11,361</b>	<b>\$11,460</b>	<b>\$12,607</b>
30	102	27 $\frac{7}{8}$	157	33	<b>65T30138RKB_</b>	Racetrack Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$11,367</b>	<b>\$11,466</b>	<b>\$12,614</b>
30	108	27 $\frac{7}{8}$	157	33	<b>65T30144RKB_</b>	Racetrack Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$11,372</b>	<b>\$11,472</b>	<b>\$12,619</b>
30	114	27 $\frac{7}{8}$	157	33	<b>65T30150RKB_</b>	Racetrack Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$11,423</b>	<b>\$11,476</b>	<b>\$12,624</b>
30	120	27 $\frac{7}{8}$	157	34	<b>65T30156RKB_</b>	Racetrack Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$11,475</b>	<b>\$11,482</b>	<b>\$12,630</b>
30	126	27 $\frac{7}{8}$	159	34	<b>65T30162RKB_</b>	Racetrack Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$11,526</b>	<b>\$11,488</b>	<b>\$12,638</b>
30	132	27 $\frac{7}{8}$	159	34	<b>65T30168RKB_</b>	Racetrack Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$11,578</b>	<b>\$11,493</b>	<b>\$12,643</b>
30	138	27 $\frac{7}{8}$	159	35	<b>65T30174RKB_</b>	Racetrack Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$11,629</b>	<b>\$11,499</b>	<b>\$12,650</b>
30	144	27 $\frac{7}{8}$	161	35	<b>65T30180RKB_</b>	Racetrack Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$11,681</b>	<b>\$11,506</b>	<b>\$12,656</b>
30	150	27 $\frac{7}{8}$	161	35	<b>65T30186RKB_</b>	Racetrack Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$11,732</b>	<b>\$11,511</b>	<b>\$12,662</b>
30	156	27 $\frac{7}{8}$	161	36	<b>65T30192RKB_</b>	Racetrack Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$11,784</b>	<b>\$11,517</b>	<b>\$12,669</b>
30	162	27 $\frac{7}{8}$	196	36	<b>65T30198RKB_</b>	Racetrack Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$15,661</b>	<b>\$16,707</b>	<b>\$18,378</b>
30	168	27 $\frac{7}{8}$	220	36	<b>65T30204RKB_</b>	Racetrack Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$15,666</b>	<b>\$16,712</b>	<b>\$18,384</b>
30	174	27 $\frac{7}{8}$	220	37	<b>65T30210RKB_</b>	Racetrack Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$15,671</b>	<b>\$16,717</b>	<b>\$18,389</b>
30	180	27 $\frac{7}{8}$	225	37	<b>65T30216RKB_</b>	Racetrack Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$15,676</b>	<b>\$16,723</b>	<b>\$18,395</b>
30	186	27 $\frac{7}{8}$	225	37	<b>65T30222RKB_</b>	Racetrack Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$15,681</b>	<b>\$16,728</b>	<b>\$18,400</b>
30	192	27 $\frac{7}{8}$	244	38	<b>65T30228RKB_</b>	Racetrack Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$15,686</b>	<b>\$16,733</b>	<b>\$18,407</b>
30	198	27 $\frac{7}{8}$	244	38	<b>65T30234RKB_</b>	Racetrack Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$15,692</b>	<b>\$16,738</b>	<b>\$18,412</b>
30	204	27 $\frac{7}{8}$	249	38	<b>65T30240RKB_</b>	Racetrack Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$15,697</b>	<b>\$16,743</b>	<b>\$18,418</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Racetrack Base Kit for View Table**

- available in HPL and Veneer surfaces
- top shapes: View
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89





D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Racetrack Base Kit for 48"deep View Table</b>									
24	48	27½	102	9	65T2472RKVB_	Racetrack Base Kit for 48"d x 72"w View Top Surfaces	\$5,969	\$6,103	\$6,714
24	54	27½	104	9	65T2478RKVB_	Racetrack Base Kit for 48"d x 78"w View Top Surfaces	\$6,039	\$6,193	\$6,813
<b>Racetrack Base Kit for 54"deep View Table</b>									
30	54	27½	142	9	65T3084RKVB_	Racetrack Base Kit for 54"d x 84"w View Top Surfaces	\$6,109	\$6,281	\$6,910
30	60	27½	144	9	65T3090RKVB_	Racetrack Base Kit for 54"d x 90"w View Top Surfaces	\$6,179	\$6,370	\$7,008
30	60	27½	146	12	65T3096RKVB_	Racetrack Base Kit for 54"d x 96"w View Top Surfaces	\$6,250	\$6,459	\$7,104
30	66	27½	148	12	65T30102RKVB_	Racetrack Base Kit for 54"d x 102"w View Top Surfaces	\$6,343	\$6,578	\$7,236
<b>Racetrack Base Kit for 60"deep View Table</b>									
30	72	27½	150	12	65T30108RKVB_	Racetrack Base Kit for 60"d x 108"w View Top Surfaces	\$6,436	\$6,697	\$7,367
30	78	27½	152	12	65T30114RKVB_	Racetrack Base Kit for 60"d x 114"w View Top Surfaces	\$6,529	\$6,815	\$7,497
30	84	27½	216	17	65T30120RKVB_	Racetrack Base Kit for 60"d x 120"w View Top Surfaces	\$11,351	\$11,448	\$12,593
30	90	27½	220	17	65T30126RKVB_	Racetrack Base Kit for 60"d x 126"w View Top Surfaces	\$11,356	\$11,455	\$12,602
30	96	27½	224	18	65T30132RKVB_	Racetrack Base Kit for 60"d x 132"w View Top Surfaces	\$11,361	\$11,460	\$12,607
30	102	27½	228	18	65T30138RKVB_	Racetrack Base Kit for 60"d x 138"w View Top Surfaces	\$11,367	\$11,466	\$12,614
30	108	27½	232	18	65T30144RKVB_	Racetrack Base Kit for 60"d x 144"w View Top Surfaces	\$11,372	\$11,472	\$12,619
30	114	27½	236	18	65T30150RKVB_	Racetrack Base Kit for 60"d x 150"w View Top Surfaces	\$11,423	\$11,476	\$12,624
30	120	27½	240	18	65T30156RKVB_	Racetrack Base Kit for 60"d x 156"w View Top Surfaces	\$11,475	\$11,482	\$12,630
30	126	27½	244	18	65T30162RKVB_	Racetrack Base Kit for 60"d x 162"w View Top Surfaces	\$11,488	\$11,526	\$12,679
30	132	27½	248	18	65T30168RKVB_	Racetrack Base Kit for 60"d x 168"w View Top Surfaces	\$11,493	\$11,578	\$12,736
30	138	27½	252	18	65T30174RKVB_	Racetrack Base Kit for 60"d x 174"w View Top Surfaces	\$11,499	\$11,629	\$12,792
30	144	27½	256	19	65T30180RKVB_	Racetrack Base Kit for 60"d x 180"w View Top Surfaces	\$11,506	\$11,681	\$12,849
30	150	27½	260	19	65T30186RKVB_	Racetrack Base Kit for 60"d x 186"w View Top Surfaces	\$11,511	\$11,732	\$12,905
30	156	27½	264	19	65T30192RKVB_	Racetrack Base Kit for 60"d x 192"w View Top Surfaces	\$11,517	\$11,784	\$12,962
30	162	27½	292	24	65T30198RKVB_	Racetrack Base Kit for 60"d x 198"w View Top Surfaces	\$15,661	\$16,707	\$18,378
30	168	27½	298	24	65T30204RKVB_	Racetrack Base Kit for 60"d x 204"w View Top Surfaces	\$15,666	\$16,712	\$18,384
30	174	27½	304	24	65T30210RKVB_	Racetrack Base Kit for 60"d x 210"w View Top Surfaces	\$15,671	\$16,717	\$18,389
30	180	27½	310	24	65T30216RKVB_	Racetrack Base Kit for 60"d x 216"w View Top Surfaces	\$15,676	\$16,723	\$18,395
30	186	27½	316	24	65T30222RKVB_	Racetrack Base Kit for 60"d x 222"w View Top Surfaces	\$15,681	\$16,728	\$18,400
30	192	27½	322	24	65T30228RKVB_	Racetrack Base Kit for 60"d x 228"w View Top Surfaces	\$15,686	\$16,733	\$18,407
30	198	27½	328	25	65T30234RKVB_	Racetrack Base Kit for 60"d x 234"w View Top Surfaces	\$15,692	\$16,738	\$18,412
30	204	27½	334	25	65T30240RKVB_	Racetrack Base Kit for 60"d x 240"w View Top Surfaces	\$15,697	\$16,743	\$18,418

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Racetrack BridgeLine Base Kit**

- available in HPL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Racetrack BridgeLine Base Kit for 48"deep Table</b>									
24	84	27%	154	18	<b>65T24120RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 120"w Top Surfaces	<b>\$7,345</b>	<b>\$7,546</b>	<b>\$8,301</b>
24	90	27%	156	18	<b>65T24126RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 126"w Top Surfaces	<b>\$7,355</b>	<b>\$7,556</b>	<b>\$8,312</b>
24	96	27%	158	18	<b>65T24132RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 132"w Top Surfaces	<b>\$7,364</b>	<b>\$7,564</b>	<b>\$8,321</b>
24	102	27%	161	19	<b>65T24138RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 138"w Top Surfaces	<b>\$7,373</b>	<b>\$7,572</b>	<b>\$8,330</b>
24	108	27%	163	19	<b>65T24144RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 144"w Top Surfaces	<b>\$7,381</b>	<b>\$7,582</b>	<b>\$8,341</b>
24	114	27%	166	19	<b>65T24150RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 150"w Top Surfaces	<b>\$7,395</b>	<b>\$7,594</b>	<b>\$8,354</b>
24	120	27%	168	19	<b>65T24156RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 156"w Top Surfaces	<b>\$7,406</b>	<b>\$7,605</b>	<b>\$8,366</b>
24	126	27%	171	19	<b>65T24162RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 162"w Top Surfaces	<b>\$7,418</b>	<b>\$7,617</b>	<b>\$8,380</b>
24	132	27%	174	19	<b>65T24168RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 168"w Top Surfaces	<b>\$7,430</b>	<b>\$7,629</b>	<b>\$8,392</b>
24	138	27%	177	20	<b>65T24174RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 174"w Top Surfaces	<b>\$7,441</b>	<b>\$7,642</b>	<b>\$8,406</b>
24	144	27%	179	20	<b>65T24180RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 180"w Top Surfaces	<b>\$7,454</b>	<b>\$7,653</b>	<b>\$8,419</b>
24	150	27%	182	20	<b>65T24186RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 186"w Top Surfaces	<b>\$7,465</b>	<b>\$7,666</b>	<b>\$8,433</b>
24	156	27%	184	20	<b>65T24192RK2B_</b>	Racetrack BridgeLine Base Kit for 48"d x 192"w Top Surfaces	<b>\$7,477</b>	<b>\$7,677</b>	<b>\$8,445</b>
<b>Racetrack BridgeLine Base Kit for 54/60"deep Table</b>									
30	84	27%	179	21	<b>65T30120RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$7,694</b>	<b>\$7,950</b>	<b>\$8,745</b>
30	90	27%	182	21	<b>65T30126RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$7,728</b>	<b>\$7,984</b>	<b>\$8,783</b>
30	96	27%	184	21	<b>65T30132RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$7,761</b>	<b>\$8,017</b>	<b>\$8,819</b>
30	102	27%	187	21	<b>65T30138RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$7,793</b>	<b>\$8,051</b>	<b>\$8,856</b>
30	108	27%	189	22	<b>65T30144RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$7,827</b>	<b>\$8,084</b>	<b>\$8,892</b>
30	114	27%	192	22	<b>65T30150RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$7,845</b>	<b>\$8,102</b>	<b>\$8,913</b>
30	120	27%	194	22	<b>65T30156RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$7,862</b>	<b>\$8,120</b>	<b>\$8,933</b>
30	126	27%	197	22	<b>65T30162RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$7,880</b>	<b>\$8,136</b>	<b>\$8,950</b>
30	132	27%	200	22	<b>65T30168RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$7,896</b>	<b>\$8,154</b>	<b>\$8,970</b>
30	138	27%	202	22	<b>65T30174RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$7,914</b>	<b>\$8,171</b>	<b>\$8,989</b>
30	144	27%	205	23	<b>65T30180RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$7,931</b>	<b>\$8,188</b>	<b>\$9,007</b>
30	150	27%	207	23	<b>65T30186RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$7,948</b>	<b>\$8,205</b>	<b>\$9,026</b>
30	156	27%	210	23	<b>65T30192RK2B_</b>	Racetrack BridgeLine Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$7,965</b>	<b>\$8,222</b>	<b>\$9,045</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Rectangle Base Kit**

- available in TFL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Rectangle Base Kit for 36" deep Table</b>									
18	48	27%	87	7	<b>65T1872RTB_</b>	Rectangle Base Kit for 36"d x 72"w Top Surfaces	<b>\$2,338</b>	<b>\$3,732</b>	<b>\$4,106</b>
18	54	27%	88	7	<b>65T1878RTB_</b>	Rectangle Base Kit for 36"d x 78"w Top Surfaces	<b>\$2,342</b>	<b>\$3,734</b>	<b>\$4,108</b>
18	54	27%	88	7	<b>65T1884RTB_</b>	Rectangle Base Kit for 36"d x 84"w Top Surfaces	<b>\$2,342</b>	<b>\$3,737</b>	<b>\$4,111</b>
18	60	27%	89	7	<b>65T1890RTB_</b>	Rectangle Base Kit for 36"d x 84"w Top Surfaces	<b>\$2,346</b>	<b>\$3,739</b>	<b>\$4,113</b>
18	60	27%	89	7	<b>65T1896RTB_</b>	Rectangle Base Kit for 36"d x 84"w Top Surfaces	<b>\$2,346</b>	<b>\$3,742</b>	<b>\$4,117</b>
<b>Rectangle Base Kit for 48" deep Table</b>									
24	90	27%	145	10	<b>65T24126RTB_</b>	Rectangle Base Kit for 48"d x 126"w Top Surfaces	<b>\$3,852</b>	<b>\$5,943</b>	<b>\$6,538</b>
24	96	27%	146	10	<b>65T24132RTB_</b>	Rectangle Base Kit for 48"d x 132"w Top Surfaces	<b>\$3,856</b>	<b>\$5,954</b>	<b>\$6,550</b>
24	102	27%	147	10	<b>65T24138RTB_</b>	Rectangle Base Kit for 48"d x 138"w Top Surfaces	<b>\$3,859</b>	<b>\$5,965</b>	<b>\$6,562</b>
24	108	27%	149	10	<b>65T24144RTB_</b>	Rectangle Base Kit for 48"d x 144"w Top Surfaces	<b>\$3,864</b>	<b>\$5,976</b>	<b>\$6,574</b>
24	114	27%	150	10	<b>65T24150RTB_</b>	Rectangle Base Kit for 48"d x 150"w Top Surfaces	<b>\$3,867</b>	<b>\$5,987</b>	<b>\$6,586</b>
24	120	27%	151	11	<b>65T24156RTB_</b>	Rectangle Base Kit for 48"d x 156"w Top Surfaces	<b>\$3,870</b>	<b>\$5,998</b>	<b>\$6,598</b>
24	126	27%	152	11	<b>65T24162RTB_</b>	Rectangle Base Kit for 48"d x 162"w Top Surfaces	<b>\$3,874</b>	<b>\$6,008</b>	<b>\$6,609</b>
24	132	27%	154	11	<b>65T24168RTB_</b>	Rectangle Base Kit for 48"d x 168"w Top Surfaces	<b>\$3,877</b>	<b>\$6,019</b>	<b>\$6,621</b>
24	138	27%	155	11	<b>65T24174RTB_</b>	Rectangle Base Kit for 48"d x 174"w Top Surfaces	<b>\$3,881</b>	<b>\$6,029</b>	<b>\$6,632</b>
24	144	27%	157	11	<b>65T24180RTB_</b>	Rectangle Base Kit for 48"d x 180"w Top Surfaces	<b>\$3,885</b>	<b>\$6,041</b>	<b>\$6,646</b>
24	150	27%	158	11	<b>65T24186RTB_</b>	Rectangle Base Kit for 48"d x 186"w Top Surfaces	<b>\$3,888</b>	<b>\$6,050</b>	<b>\$6,655</b>
24	156	27%	159	11	<b>65T24192RTB_</b>	Rectangle Base Kit for 48"d x 192"w Top Surfaces	<b>\$3,892</b>	<b>\$6,062</b>	<b>\$6,669</b>
24	162	27%	200	15	<b>65T24198RTB_</b>	Rectangle Base Kit for 48"d x 198"w Top Surfaces	<b>\$5,705</b>	<b>\$8,365</b>	<b>\$9,202</b>
24	168	27%	202	15	<b>65T24204RTB_</b>	Rectangle Base Kit for 48"d x 204"w Top Surfaces	<b>\$5,723</b>	<b>\$8,429</b>	<b>\$9,272</b>
24	174	27%	204	15	<b>65T24210RTB_</b>	Rectangle Base Kit for 48"d x 210"w Top Surfaces	<b>\$5,712</b>	<b>\$8,493</b>	<b>\$9,343</b>
24	180	27%	205	15	<b>65T24216RTB_</b>	Rectangle Base Kit for 48"d x 216"w Top Surfaces	<b>\$5,716</b>	<b>\$8,557</b>	<b>\$9,413</b>
24	186	27%	206	15	<b>65T24222RTB_</b>	Rectangle Base Kit for 48"d x 222"w Top Surfaces	<b>\$5,720</b>	<b>\$8,622</b>	<b>\$9,485</b>
24	192	27%	207	15	<b>65T24228RTB_</b>	Rectangle Base Kit for 48"d x 228"w Top Surfaces	<b>\$5,723</b>	<b>\$8,685</b>	<b>\$9,554</b>
24	198	27%	208	16	<b>65T24234RTB_</b>	Rectangle Base Kit for 48"d x 234"w Top Surfaces	<b>\$5,727</b>	<b>\$8,750</b>	<b>\$9,625</b>
24	204	27%	210	16	<b>65T24240RTB_</b>	Rectangle Base Kit for 48"d x 240"w Top Surfaces	<b>\$5,733</b>	<b>\$8,814</b>	<b>\$9,696</b>
<b>Rectangle Base Kit for 42/48" deep Table</b>									
24	48	27%	104	8	<b>65T2472RTB_</b>	Rectangle Base Kit for 42/48"d x 72"w Top Surfaces	<b>\$2,407</b>	<b>\$3,806</b>	<b>\$4,187</b>
24	54	27%	106	8	<b>65T2478RTB_</b>	Rectangle Base Kit for 42/48"d x 78"w Top Surfaces	<b>\$2,411</b>	<b>\$3,811</b>	<b>\$4,193</b>
24	54	27%	106	8	<b>65T2484RTB_</b>	Rectangle Base Kit for 42/48"d x 84"w Top Surfaces	<b>\$2,411</b>	<b>\$3,817</b>	<b>\$4,199</b>
24	60	27%	107	8	<b>65T2490RTB_</b>	Rectangle Base Kit for 42/48"d x 90"w Top Surfaces	<b>\$2,415</b>	<b>\$3,822</b>	<b>\$4,205</b>
24	60	27%	107	8	<b>65T2496RTB_</b>	Rectangle Base Kit for 42/48"d x 96"w Top Surfaces	<b>\$2,415</b>	<b>\$3,828</b>	<b>\$4,211</b>
24	72	27%	116	9	<b>65T24102RTB_</b>	Rectangle Base Kit for 42/48"d x 102"w Top Surfaces	<b>\$2,418</b>	<b>\$3,834</b>	<b>\$4,218</b>
24	72	27%	110	9	<b>65T24108RTB_</b>	Rectangle Base Kit for 42/48"d x 108"w Top Surfaces	<b>\$2,422</b>	<b>\$3,840</b>	<b>\$4,224</b>
24	78	27%	111	9	<b>65T24114RTB_</b>	Rectangle Base Kit for 42/48"d x 114"w Top Surfaces	<b>\$2,425</b>	<b>\$3,846</b>	<b>\$4,231</b>
24	84	27%	143	10	<b>65T24120RTB_</b>	Rectangle Base Kit for 42/48"d x 120"w Top Surfaces	<b>\$3,848</b>	<b>\$5,933</b>	<b>\$6,527</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Rectangle Base Kit**

- available in TFL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Rectangle Base Kit for 54/60"deep Table</b>									
30	84	27 $\frac{3}{8}$	143	13	<b>65T30120RTB_</b>	Rectangle Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$3,974</b>	<b>\$6,061</b>	<b>\$6,668</b>
30	90	27 $\frac{3}{8}$	144	13	<b>65T30126RTB_</b>	Rectangle Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$3,978</b>	<b>\$6,071</b>	<b>\$6,679</b>
30	96	27 $\frac{3}{8}$	145	13	<b>65T30132RTB_</b>	Rectangle Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$3,982</b>	<b>\$6,082</b>	<b>\$6,691</b>
30	102	27 $\frac{3}{8}$	147	13	<b>65T30138RTB_</b>	Rectangle Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$3,986</b>	<b>\$6,093</b>	<b>\$6,703</b>
30	108	27 $\frac{3}{8}$	148	13	<b>65T30144RTB_</b>	Rectangle Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$3,990</b>	<b>\$6,104</b>	<b>\$6,715</b>
30	114	27 $\frac{3}{8}$	149	13	<b>65T30150RTB_</b>	Rectangle Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$3,994</b>	<b>\$6,115</b>	<b>\$6,727</b>
30	120	27 $\frac{3}{8}$	151	13	<b>65T30156RTB_</b>	Rectangle Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$3,997</b>	<b>\$6,126</b>	<b>\$6,739</b>
30	126	27 $\frac{3}{8}$	152	13	<b>65T30162RTB_</b>	Rectangle Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$4,001</b>	<b>\$6,137</b>	<b>\$6,751</b>
30	132	27 $\frac{3}{8}$	154	13	<b>65T30168RTB_</b>	Rectangle Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$4,004</b>	<b>\$6,146</b>	<b>\$6,761</b>
30	138	27 $\frac{3}{8}$	155	13	<b>65T30174RTB_</b>	Rectangle Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$4,008</b>	<b>\$6,157</b>	<b>\$6,773</b>
30	144	27 $\frac{3}{8}$	156	14	<b>65T30180RTB_</b>	Rectangle Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$4,012</b>	<b>\$6,168</b>	<b>\$6,785</b>
30	150	27 $\frac{3}{8}$	158	14	<b>65T30186RTB_</b>	Rectangle Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$4,015</b>	<b>\$6,179</b>	<b>\$6,797</b>
30	156	27 $\frac{3}{8}$	159	14	<b>65T30192RTB_</b>	Rectangle Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$4,019</b>	<b>\$6,190</b>	<b>\$6,809</b>
30	162	27 $\frac{3}{8}$	200	18	<b>65T30198RTB_</b>	Rectangle Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$5,838</b>	<b>\$8,542</b>	<b>\$9,397</b>
30	168	27 $\frac{3}{8}$	202	18	<b>65T30204RTB_</b>	Rectangle Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$5,842</b>	<b>\$8,605</b>	<b>\$9,466</b>
30	174	27 $\frac{3}{8}$	203	18	<b>65T30210RTB_</b>	Rectangle Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$5,847</b>	<b>\$8,668</b>	<b>\$9,535</b>
30	180	27 $\frac{3}{8}$	204	18	<b>65T30216RTB_</b>	Rectangle Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$5,850</b>	<b>\$8,732</b>	<b>\$9,606</b>
30	186	27 $\frac{3}{8}$	206	18	<b>65T30222RTB_</b>	Rectangle Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$5,855</b>	<b>\$8,795</b>	<b>\$9,675</b>
30	192	27 $\frac{3}{8}$	207	18	<b>65T30228RTB_</b>	Rectangle Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$5,859</b>	<b>\$8,857</b>	<b>\$9,743</b>
30	198	27 $\frac{3}{8}$	208	18	<b>65T30234RTB_</b>	Rectangle Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$5,864</b>	<b>\$8,921</b>	<b>\$9,814</b>
30	204	27 $\frac{3}{8}$	209	18	<b>65T30240RTB_</b>	Rectangle Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$5,868</b>	<b>\$8,984</b>	<b>\$9,883</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Rectangle Base Kit for View Table**

- available in TFL and Veneer surfaces
- top shapes: View
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89



D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Rectangle Base Kit for 48"deep View Table</b>									
24	48	27½	94	8	<b>65T2472RTVB_</b>	Rectangle Base Kit for 48"d x 72"w Top Surfaces	<b>\$2,407</b>	<b>\$3,806</b>	<b>\$4,187</b>
24	54	27½	95	8	<b>65T2478RTVB_</b>	Rectangle Base Kit for 48"d x 78"w Top Surfaces	<b>\$2,411</b>	<b>\$3,811</b>	<b>\$4,193</b>
<b>Rectangle Base Kit for 54"deep View Table</b>									
30	54	27½	113	9	<b>65T3084RTVB_</b>	Rectangle Base Kit for 54"d x 84"w Top Surfaces	<b>\$2,436</b>	<b>\$4,008</b>	<b>\$4,409</b>
30	60	27½	114	9	<b>65T3090RTVB_</b>	Rectangle Base Kit for 54"d x 90"w Top Surfaces	<b>\$2,440</b>	<b>\$4,014</b>	<b>\$4,416</b>
30	60	27½	114	9	<b>65T3096RTVB_</b>	Rectangle Base Kit for 54"d x 96"w Top Surfaces	<b>\$2,440</b>	<b>\$4,020</b>	<b>\$4,422</b>
30	66	27½	115	9	<b>65T30102RTVB_</b>	Rectangle Base Kit for 54"d x 102"w Top Surfaces	<b>\$2,443</b>	<b>\$4,026</b>	<b>\$4,429</b>
<b>Rectangle Base Kit for 60"deep View Table</b>									
30	72	27½	116	9	<b>65T30108RTVB_</b>	Rectangle Base Kit for 60"d x 108"w Top Surfaces	<b>\$2,447</b>	<b>\$4,032</b>	<b>\$4,436</b>
30	78	27½	118	10	<b>65T30114RTVB_</b>	Rectangle Base Kit for 60"d x 114"w Top Surfaces	<b>\$2,450</b>	<b>\$4,039</b>	<b>\$4,443</b>
30	84	27½	159	11	<b>65T30120RTVB_</b>	Rectangle Base Kit for 60"d x 120"w Top Surfaces	<b>\$3,974</b>	<b>\$6,061</b>	<b>\$6,668</b>
30	90	27½	160	11	<b>65T30126RTVB_</b>	Rectangle Base Kit for 60"d x 126"w Top Surfaces	<b>\$3,978</b>	<b>\$6,071</b>	<b>\$6,679</b>
30	90	27½	160	11	<b>65T30132RTVB_</b>	Rectangle Base Kit for 60"d x 132"w Top Surfaces	<b>\$3,982</b>	<b>\$6,082</b>	<b>\$6,691</b>
24	144	27½	179	20	<b>65T30138RTVB_</b>	Rectangle Base Kit for 60"d x 138"w Top Surfaces	<b>\$3,986</b>	<b>\$6,093</b>	<b>\$6,703</b>
30	108	27½	163	12	<b>65T30144RTVB_</b>	Rectangle Base Kit for 60"d x 144"w Top Surfaces	<b>\$3,990</b>	<b>\$6,104</b>	<b>\$6,715</b>
30	114	27½	164	12	<b>65T30150RTVB_</b>	Rectangle Base Kit for 60"d x 150"w Top Surfaces	<b>\$3,994</b>	<b>\$6,115</b>	<b>\$6,727</b>
30	120	27½	166	12	<b>65T30156RTVB_</b>	Rectangle Base Kit for 60"d x 156"w Top Surfaces	<b>\$3,997</b>	<b>\$6,126</b>	<b>\$6,739</b>
30	126	27½	167	12	<b>65T30162RTVB_</b>	Rectangle Base Kit for 60"d x 162"w Top Surfaces	<b>\$4,001</b>	<b>\$6,137</b>	<b>\$6,751</b>
30	132	27½	168	12	<b>65T30168RTVB_</b>	Rectangle Base Kit for 60"d x 168"w Top Surfaces	<b>\$4,004</b>	<b>\$6,146</b>	<b>\$6,761</b>
30	138	27½	169	12	<b>65T30174RTVB_</b>	Rectangle Base Kit for 60"d x 174"w Top Surfaces	<b>\$4,008</b>	<b>\$6,157</b>	<b>\$6,773</b>
30	144	27½	170	12	<b>65T30180RTVB_</b>	Rectangle Base Kit for 60"d x 180"w Top Surfaces	<b>\$4,012</b>	<b>\$6,168</b>	<b>\$6,785</b>
30	150	27½	171	12	<b>65T30186RTVB_</b>	Rectangle Base Kit for 60"d x 186"w Top Surfaces	<b>\$4,015</b>	<b>\$6,179</b>	<b>\$6,797</b>
30	156	27½	172	12	<b>65T30192RTVB_</b>	Rectangle Base Kit for 60"d x 192"w Top Surfaces	<b>\$4,019</b>	<b>\$6,190</b>	<b>\$6,809</b>
30	162	27½	216	17	<b>65T30198RTVB_</b>	Rectangle Base Kit for 60"d x 198"w Top Surfaces	<b>\$5,838</b>	<b>\$8,542</b>	<b>\$9,397</b>
30	168	27½	218	17	<b>65T30204RTVB_</b>	Rectangle Base Kit for 60"d x 204"w Top Surfaces	<b>\$5,842</b>	<b>\$8,605</b>	<b>\$9,466</b>
30	174	27½	219	17	<b>65T30210RTVB_</b>	Rectangle Base Kit for 60"d x 210"w Top Surfaces	<b>\$5,847</b>	<b>\$8,668</b>	<b>\$9,535</b>
30	180	27½	220	17	<b>65T30216RTVB_</b>	Rectangle Base Kit for 60"d x 216"w Top Surfaces	<b>\$5,850</b>	<b>\$8,732</b>	<b>\$9,606</b>
30	186	27½	221	17	<b>65T30222RTVB_</b>	Rectangle Base Kit for 60"d x 222"w Top Surfaces	<b>\$5,855</b>	<b>\$8,795</b>	<b>\$9,675</b>
30	192	27½	222	17	<b>65T30228RTVB_</b>	Rectangle Base Kit for 60"d x 228"w Top Surfaces	<b>\$5,859</b>	<b>\$8,857</b>	<b>\$9,743</b>
30	198	27½	223	17	<b>65T30234RTVB_</b>	Rectangle Base Kit for 60"d x 234"w Top Surfaces	<b>\$5,864</b>	<b>\$8,921</b>	<b>\$9,814</b>
30	204	27½	224	17	<b>65T30240RTVB_</b>	Rectangle Base Kit for 60"d x 240"w Top Surfaces	<b>\$5,868</b>	<b>\$8,984</b>	<b>\$9,883</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Rectangle Base Kit Table**

- available in TFL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Rectangle Base Kit for 36"deep Table</b>									
18	48	34 7/8	102	8	<b>65T187235RTB_</b>	Rectangle Base Kit for 36"d x 72"w Top Surfaces	<b>\$2,388</b>	<b>\$3,783</b>	<b>\$4,162</b>
18	54	34 7/8	104	8	<b>65T187835RTB_</b>	Rectangle Base Kit for 36"d x 78"w Top Surfaces	<b>\$2,392</b>	<b>\$3,790</b>	<b>\$4,169</b>
18	54	34 7/8	104	8	<b>65T188435RTB_</b>	Rectangle Base Kit for 36"d x 84"w Top Surfaces	<b>\$2,392</b>	<b>\$3,794</b>	<b>\$4,174</b>
18	60	34 7/8	105	8	<b>65T189035RTB_</b>	Rectangle Base Kit for 36"d x 90"w Top Surfaces	<b>\$2,395</b>	<b>\$3,806</b>	<b>\$4,187</b>
18	60	34 7/8	105	8	<b>65T189635RTB_</b>	Rectangle Base Kit for 36"d x 96"w Top Surfaces	<b>\$2,395</b>	<b>\$3,809</b>	<b>\$4,190</b>
<b>Rectangle Base Kit for 42/48"deep Table</b>									
24	48	34 7/8	127	8	<b>65T247235RTB_</b>	Rectangle Base Kit for 42/48"d x 72"w Top Surfaces	<b>\$2,482</b>	<b>\$3,900</b>	<b>\$4,290</b>
24	54	34 7/8	128	9	<b>65T247835RTB_</b>	Rectangle Base Kit for 42/48"d x 78"w Top Surfaces	<b>\$2,486</b>	<b>\$3,912</b>	<b>\$4,304</b>
24	54	34 7/8	128	9	<b>65T248435RTB_</b>	Rectangle Base Kit for 42/48"d x 84"w Top Surfaces	<b>\$2,486</b>	<b>\$3,917</b>	<b>\$4,309</b>
24	60	34 7/8	129	9	<b>65T249035RTB_</b>	Rectangle Base Kit for 42/48"d x 90"w Top Surfaces	<b>\$2,489</b>	<b>\$3,923</b>	<b>\$4,316</b>
24	60	34 7/8	129	9	<b>65T249635RTB_</b>	Rectangle Base Kit for 42/48"d x 96"w Top Surfaces	<b>\$2,489</b>	<b>\$3,928</b>	<b>\$4,321</b>
24	66	34 7/8	131	9	<b>65T2410235RTB_</b>	Rectangle Base Kit for 42/48"d x 102"w Top Surfaces	<b>\$2,493</b>	<b>\$3,934</b>	<b>\$4,328</b>
24	72	34 7/8	132	9	<b>65T2410835RTB_</b>	Rectangle Base Kit for 42/48"d x 108"w Top Surfaces	<b>\$2,497</b>	<b>\$3,946</b>	<b>\$4,341</b>
24	78	34 7/8	133	9	<b>65T2411435RTB_</b>	Rectangle Base Kit for 42/48"d x 114"w Top Surfaces	<b>\$2,500</b>	<b>\$3,957</b>	<b>\$4,353</b>
24	84	34 7/8	175	11	<b>65T2412035RTB_</b>	Rectangle Base Kit for 42/48"d x 120"w Top Surfaces	<b>\$3,964</b>	<b>\$6,100</b>	<b>\$6,710</b>
<b>Rectangle Base Kit for 54/60"deep Table</b>									
30	84	34 7/8	211	16	<b>65T3012035RTB_</b>	Rectangle Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$4,093</b>	<b>\$6,232</b>	<b>\$6,856</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Rectangle Base Kit for View Tables**

- available in TFL and Veneer surfaces
- top shapes: View
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Rectangle Base Kit for 48"deep View Table</b>									
24	48	34 $\frac{7}{8}$	112	9	<a href="#">65T247235RTVB_</a>	Rectangle Base Kit for 48"d x 72"w Top Surfaces	\$2,482	\$3,900	\$4,290
24	54	34 $\frac{7}{8}$	114	9	<a href="#">65T247835RTVB_</a>	Rectangle Base Kit for 48"d x 78"w Top Surfaces	\$2,486	\$3,912	\$4,304
<b>Rectangle Base Kit for 54"deep View Table</b>									
30	54	34 $\frac{7}{8}$	138	11	<a href="#">65T308435RTVB_</a>	Rectangle Base Kit for 54"d x 84"w Top Surfaces	\$2,486	\$3,917	\$4,309
30	60	34 $\frac{7}{8}$	139	11	<a href="#">65T309035RTVB_</a>	Rectangle Base Kit for 54"d x 90"w Top Surfaces	\$2,489	\$3,923	\$4,316
30	60	34 $\frac{7}{8}$	139	11	<a href="#">65T309635RTVB_</a>	Rectangle Base Kit for 54"d x 96"w Top Surfaces	\$2,489	\$3,928	\$4,321
30	66	34 $\frac{7}{8}$	140	11	<a href="#">65T3010235RTVB_</a>	Rectangle Base Kit for 54"d x 102"w Top Surfaces	\$2,493	\$3,934	\$4,328
<b>Rectangle Base Kit for 60"deep View Table</b>									
30	72	34 $\frac{7}{8}$	141	11	<a href="#">65T3010835RTVB_</a>	Rectangle Base Kit for 60"d x 108"w Top Surfaces	\$2,497	\$3,946	\$4,341
30	78	34 $\frac{7}{8}$	142	12	<a href="#">65T3011435RTVB_</a>	Rectangle Base Kit for 60"d x 114"w Top Surfaces	\$2,500	\$3,957	\$4,353
30	90	34 $\frac{7}{8}$	194	14	<a href="#">65T3012035RTVB_</a>	Rectangle Base Kit for 60"d x 120"w Top Surfaces	\$4,093	\$6,232	\$6,856

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Rectangle Base Kit Table**

- available in TFL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Rectangle Base Kit for 36"deep Table</b>									
18	48	40%	117	9	<b>65T187241RTB_</b>	Rectangle Base Kit for 36"d x 72"w Top Surfaces	<b>\$2,445</b>	<b>\$3,852</b>	<b>\$4,238</b>
18	54	40%	118	9	<b>65T187841RTB_</b>	Rectangle Base Kit for 36"d x 78"w Top Surfaces	<b>\$2,449</b>	<b>\$3,864</b>	<b>\$4,251</b>
18	54	40%	118	9	<b>65T188441RTB_</b>	Rectangle Base Kit for 36"d x 84"w Top Surfaces	<b>\$2,450</b>	<b>\$3,864</b>	<b>\$4,251</b>
18	60	40%	119	9	<b>65T189041RTB_</b>	Rectangle Base Kit for 36"d x 90"w Top Surfaces	<b>\$2,452</b>	<b>\$3,875</b>	<b>\$4,263</b>
18	60	40%	119	9	<b>65T189641RTB_</b>	Rectangle Base Kit for 36"d x 96"w Top Surfaces	<b>\$2,453</b>	<b>\$3,875</b>	<b>\$4,263</b>
<b>Rectangle Base Kit for 42/48"deep Table</b>									
24	48	40%	145	10	<b>65T247241RTB_</b>	Rectangle Base Kit for 42/48"d x 72"w Top Surfaces	<b>\$2,555</b>	<b>\$3,990</b>	<b>\$4,389</b>
24	54	40%	146	10	<b>65T247841RTB_</b>	Rectangle Base Kit for 42/48"d x 78"w Top Surfaces	<b>\$2,559</b>	<b>\$4,001</b>	<b>\$4,402</b>
24	54	40%	146	10	<b>65T248441RTB_</b>	Rectangle Base Kit for 42/48"d x 84"w Top Surfaces	<b>\$2,560</b>	<b>\$4,001</b>	<b>\$4,402</b>
24	60	40%	147	10	<b>65T249041RTB_</b>	Rectangle Base Kit for 42/48"d x 90"w Top Surfaces	<b>\$2,562</b>	<b>\$4,013</b>	<b>\$4,415</b>
24	60	40%	147	10	<b>65T249641RTB_</b>	Rectangle Base Kit for 42/48"d x 96"w Top Surfaces	<b>\$2,563</b>	<b>\$4,013</b>	<b>\$4,415</b>
24	66	40%	148	10	<b>65T2410241RTB_</b>	Rectangle Base Kit for 42/48"d x 102"w Top Surfaces	<b>\$2,566</b>	<b>\$4,024</b>	<b>\$4,427</b>
24	72	40%	149	10	<b>65T2410841RTB_</b>	Rectangle Base Kit for 42/48"d x 108"w Top Surfaces	<b>\$2,570</b>	<b>\$4,035</b>	<b>\$4,439</b>
24	78	40%	151	10	<b>65T2411441RTB_</b>	Rectangle Base Kit for 42/48"d x 114"w Top Surfaces	<b>\$2,573</b>	<b>\$4,047</b>	<b>\$4,452</b>
24	84	40%	211	16	<b>65T2412041RTB_</b>	Rectangle Base Kit for 42/48"d x 120"w Top Surfaces	<b>\$4,131</b>	<b>\$6,256</b>	<b>\$6,882</b>
<b>Rectangle Base Kit for 54/60"deep Table</b>									
30	84	40%	244	17	<b>65T3012041RTB_</b>	Rectangle Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$4,216</b>	<b>\$6,391</b>	<b>\$7,031</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Rectangle Base Kit for View Tables**

- available in TFL and Veneer surfaces
- top shapes: View
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Rectangle Base Kit for 48"deep View Table</b>									
24	48	40%	129	11	<b>65T247241RTVB_</b>	Rectangle Base Kit for 48"d x 72"w Top Surfaces	<b>\$2,555</b>	<b>\$3,990</b>	<b>\$4,389</b>
24	54	40%	130	11	<b>65T247841RTVB_</b>	Rectangle Base Kit for 48"d x 78"w Top Surfaces	<b>\$2,559</b>	<b>\$4,001</b>	<b>\$4,402</b>
<b>Rectangle Base Kit for 54"deep View Table</b>									
30	54	40%	158	12	<b>65T308441RTVB_</b>	Rectangle Base Kit for 54"d x 84"w Top Surfaces	<b>\$2,560</b>	<b>\$4,001</b>	<b>\$4,402</b>
30	60	40%	159	12	<b>65T309041RTVB_</b>	Rectangle Base Kit for 54"d x 90"w Top Surfaces	<b>\$2,562</b>	<b>\$4,013</b>	<b>\$4,415</b>
30	60	40%	159	12	<b>65T309641RTVB_</b>	Rectangle Base Kit for 54"d x 96"w Top Surfaces	<b>\$2,563</b>	<b>\$4,013</b>	<b>\$4,415</b>
30	60	40%	159	12	<b>65T309641RTVB_</b>	Rectangle Base Kit for 54"d x 96"w Top Surfaces	<b>\$2,563</b>	<b>\$4,013</b>	<b>\$4,415</b>
30	66	40%	160	12	<b>65T3010241RTVB_</b>	Rectangle Base Kit for 54"d x 102"w Top Surfaces	<b>\$2,566</b>	<b>\$4,024</b>	<b>\$4,427</b>
<b>Rectangle Base Kit for 60"deep View Table</b>									
30	72	40%	161	12	<b>65T3010841RTVB_</b>	Rectangle Base Kit for 60"d x 108"w Top Surfaces	<b>\$2,570</b>	<b>\$4,035</b>	<b>\$4,439</b>
30	78	40%	162	12	<b>65T3011441RTVB_</b>	Rectangle Base Kit for 60"d x 114"w Top Surfaces	<b>\$2,573</b>	<b>\$4,047</b>	<b>\$4,452</b>
30	90	40%	162	12	<b>65T3012041RTVB_</b>	Rectangle Base Kit for 60"d x 120"w Top Surfaces	<b>\$4,216</b>	<b>\$6,391</b>	<b>\$7,031</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Rectangle BridgeLine Base Kit**

- available in TFL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Rectangle BridgeLine Base Kit for 48"deep Table</b>									
24	84	34 7/8	129	13	<b>65T24120RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 120"w Top Surfaces	<b>\$2,936</b>	<b>\$4,358</b>	<b>\$4,794</b>
24	90	34 7/8	131	14	<b>65T24126RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 126"w Top Surfaces	<b>\$2,940</b>	<b>\$4,362</b>	<b>\$4,799</b>
24	96	34 7/8	134	14	<b>65T24132RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 126"w Top Surfaces	<b>\$2,944</b>	<b>\$4,365</b>	<b>\$4,802</b>
24	102	34 7/8	136	14	<b>65T24138RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 138"w Top Surfaces	<b>\$2,947</b>	<b>\$4,369</b>	<b>\$4,806</b>
24	108	34 7/8	139	14	<b>65T24144RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 144"w Top Surfaces	<b>\$3,228</b>	<b>\$4,670</b>	<b>\$5,137</b>
24	114	34 7/8	141	14	<b>65T24150RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 150"w Top Surfaces	<b>\$3,235</b>	<b>\$4,678</b>	<b>\$5,146</b>
24	120	34 7/8	144	14	<b>65T24156RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 156"w Top Surfaces	<b>\$3,243</b>	<b>\$4,686</b>	<b>\$5,155</b>
24	126	34 7/8	146	14	<b>65T24162RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 162"w Top Surfaces	<b>\$3,250</b>	<b>\$4,693</b>	<b>\$5,163</b>
24	132	34 7/8	149	14	<b>65T24168RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 168"w Top Surfaces	<b>\$3,258</b>	<b>\$4,701</b>	<b>\$5,172</b>
24	138	34 7/8	152	15	<b>65T24174RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 174"w Top Surfaces	<b>\$3,265</b>	<b>\$4,709</b>	<b>\$5,180</b>
24	144	34 7/8	154	15	<b>65T24180RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 180"w Top Surfaces	<b>\$3,272</b>	<b>\$4,717</b>	<b>\$5,189</b>
24	150	34 7/8	157	15	<b>65T24186RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 186"w Top Surfaces	<b>\$3,280</b>	<b>\$4,724</b>	<b>\$5,197</b>
24	156	34 7/8	159	15	<b>65T24192RT2B_</b>	Rectangle BridgeLine Base Kit for 48"d x 192"w Top Surfaces	<b>\$3,287</b>	<b>\$4,732</b>	<b>\$5,206</b>
<b>Rectangle Base Kit for 54/60"deep Table</b>									
30	84	34 7/8	147	16	<b>65T30120RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$3,049</b>	<b>\$4,468</b>	<b>\$4,915</b>
30	90	34 7/8	150	16	<b>65T30126RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$3,052</b>	<b>\$4,472</b>	<b>\$4,920</b>
30	96	34 7/8	152	16	<b>65T30132RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$3,057</b>	<b>\$4,475</b>	<b>\$4,923</b>
30	102	34 7/8	155	16	<b>65T30138RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$3,059</b>	<b>\$4,479</b>	<b>\$4,927</b>
30	108	34 7/8	157	16	<b>65T30144RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$3,341</b>	<b>\$4,781</b>	<b>\$5,260</b>
30	114	34 7/8	159	16	<b>65T30150RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$3,347</b>	<b>\$4,787</b>	<b>\$5,266</b>
30	120	34 7/8	162	16	<b>65T30156RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$3,352</b>	<b>\$4,793</b>	<b>\$5,273</b>
30	126	34 7/8	164	17	<b>65T30162RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$3,358</b>	<b>\$4,799</b>	<b>\$5,279</b>
30	132	34 7/8	168	17	<b>65T30168RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$3,364</b>	<b>\$4,805</b>	<b>\$5,286</b>
30	138	34 7/8	170	17	<b>65T30174RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$3,369</b>	<b>\$4,811</b>	<b>\$5,293</b>
30	144	34 7/8	173	17	<b>65T30180RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$3,375</b>	<b>\$4,817</b>	<b>\$5,299</b>
30	150	34 7/8	175	17	<b>65T30186RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$3,380</b>	<b>\$4,823</b>	<b>\$5,306</b>
30	156	34 7/8	178	17	<b>65T30192RT2B_</b>	Rectangle BridgeLine Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$3,386</b>	<b>\$4,829</b>	<b>\$5,312</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Truss Base Kit**

- available in Maple, Oak and Walnut solid wood
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Truss Base Kit for 36/42"deep Table</b>							
29¾	58¾	27¾	26	6	<b>65T3372TRBW</b>	Truss Solid Wood Base Kit for 36/42"d x 72"w Top Surfaces	<b>\$3,574</b>
29¾	64¾	27¾	27	6	<b>65T3378TRBW</b>	Truss Solid Wood Base Kit for 36/42"d x 78"w Top Surfaces	<b>\$3,637</b>
29¾	70¾	27¾	27	7	<b>65T3384TRBW</b>	Truss Solid Wood Base Kit for 36/42"d x 84"w Top Surfaces	<b>\$3,668</b>
29¾	76¾	27¾	28	7	<b>65T3390TRBW</b>	Truss Solid Wood Base Kit for 36/42"d x 90"w Top Surfaces	<b>\$3,713</b>
29¾	82¾	27¾	28	7	<b>65T3396TRBW</b>	Truss Solid Wood Base Kit for 36/42"d x 96"w Top Surfaces	<b>\$3,728</b>
<b>Truss Base Kit for 42"deep Table</b>							
29¾	88¾	27¾	29	7	<b>65T33102TRBW</b>	Truss Solid Wood Base Kit for 42"d x 102"w Top Surfaces	<b>\$3,850</b>
29¾	94¾	27¾	29	7	<b>65T33108TRBW</b>	Truss Solid Wood Base Kit for 42"d x 108"w Top Surfaces	<b>\$3,974</b>
29¾	100¾	27¾	30	7	<b>65T33114TRBW</b>	Truss Solid Wood Base Kit for 42"d x 114"w Top Surfaces	<b>\$4,096</b>
29¾	106¾	27¾	31	9	<b>65T33120TRBW</b>	Truss Solid Wood Base Kit for 42"d x 120"w Top Surfaces	<b>\$4,828</b>
<b>Truss Base Kit for 48"deep Table</b>							
34¾	58¾	27¾	26	6	<b>65T3572TRBW</b>	Truss Solid Wood Base Kit for 48"d x 72"w Top Surfaces	<b>\$3,611</b>
34¾	64¾	27¾	27	6	<b>65T3578TRBW</b>	Truss Solid Wood Base Kit for 48"d x 78"w Top Surfaces	<b>\$3,673</b>
34¾	70¾	27¾	27	7	<b>65T3584TRBW</b>	Truss Solid Wood Base Kit for 48"d x 84"w Top Surfaces	<b>\$3,704</b>
34¾	76¾	27¾	28	7	<b>65T3590TRBW</b>	Truss Solid Wood Base Kit for 48"d x 90"w Top Surfaces	<b>\$3,750</b>
34¾	82¾	27¾	28	7	<b>65T3596TRBW</b>	Truss Solid Wood Base Kit for 48"d x 96"w Top Surfaces	<b>\$3,766</b>
34¾	88¾	27¾	29	7	<b>65T35102TRBW</b>	Truss Solid Wood Base Kit for 48"d x 102"w Top Surfaces	<b>\$3,889</b>
34¾	94¾	27¾	29	7	<b>65T35108TRBW</b>	Truss Solid Wood Base Kit for 48"d x 108"w Top Surfaces	<b>\$4,013</b>
34¾	100¾	27¾	30	7	<b>65T35114TRBW</b>	Truss Solid Wood Base Kit for 48"d x 114"w Top Surfaces	<b>\$4,136</b>
34¾	106¾	27¾	31	9	<b>65T35120TRBW</b>	Truss Solid Wood Base Kit for 48"d x 120"w Top Surfaces	<b>\$4,877</b>
34¾	112¾	27¾	31	9	<b>65T35126TRBW</b>	Truss Solid Wood Base Kit for 48"d x 126"w Top Surfaces	<b>\$4,964</b>
34¾	118¾	27¾	32	9	<b>65T35132TRBW</b>	Truss Solid Wood Base Kit for 48"d x 132"w Top Surfaces	<b>\$5,046</b>
34¾	124¾	27¾	32	9	<b>65T35138TRBW</b>	Truss Solid Wood Base Kit for 48"d x 138"w Top Surfaces	<b>\$5,131</b>
34¾	130¾	27¾	33	9	<b>65T35144TRBW</b>	Truss Solid Wood Base Kit for 48"d x 144"w Top Surfaces	<b>\$5,214</b>
34¾	136¾	27¾	33	9	<b>65T35150TRBW</b>	Truss Solid Wood Base Kit for 48"d x 150"w Top Surfaces	<b>\$5,300</b>
34¾	142¾	27¾	34	9	<b>65T35156TRBW</b>	Truss Solid Wood Base Kit for 48"d x 156"w Top Surfaces	<b>\$5,386</b>
34¾	148¾	27¾	34	9	<b>65T35162TRBW</b>	Truss Solid Wood Base Kit for 48"d x 162"w Top Surfaces	<b>\$5,472</b>
34¾	154¾	27¾	35	9	<b>65T35168TRBW</b>	Truss Solid Wood Base Kit for 48"d x 168"w Top Surfaces	<b>\$5,558</b>
34¾	160¾	27¾	35	9	<b>65T35174TRBW</b>	Truss Solid Wood Base Kit for 48"d x 174"w Top Surfaces	<b>\$5,643</b>
34¾	166¾	27¾	36	9	<b>65T35180TRBW</b>	Truss Solid Wood Base Kit for 48"d x 180"w Top Surfaces	<b>\$5,729</b>
34¾	172¾	27¾	36	9	<b>65T35186TRBW</b>	Truss Solid Wood Base Kit for 48"d x 186"w Top Surfaces	<b>\$5,815</b>
34¾	178¾	27¾	37	9	<b>65T35192TRBW</b>	Truss Solid Wood Base Kit for 48"d x 192"w Top Surfaces	<b>\$5,901</b>
34¾	184¾	27¾	38	11	<b>65T35198TRBW</b>	Truss Solid Wood Base Kit for 48"d x 198"w Top Surfaces	<b>\$6,570</b>
34¾	190¾	27¾	38	11	<b>65T35204TRBW</b>	Truss Solid Wood Base Kit for 48"d x 204"w Top Surfaces	<b>\$6,685</b>
34¾	196¾	27¾	39	11	<b>65T35210TRBW</b>	Truss Solid Wood Base Kit for 48"d x 210"w Top Surfaces	<b>\$6,801</b>
34¾	202¾	27¾	39	11	<b>65T35216TRBW</b>	Truss Solid Wood Base Kit for 48"d x 216"w Top Surfaces	<b>\$6,916</b>
34¾	208¾	27¾	40	11	<b>65T35222TRBW</b>	Truss Solid Wood Base Kit for 48"d x 222"w Top Surfaces	<b>\$7,032</b>
34¾	214¾	27¾	40	11	<b>65T35228TRBW</b>	Truss Solid Wood Base Kit for 48"d x 228"w Top Surfaces	<b>\$7,147</b>
34¾	220¾	27¾	41	11	<b>65T35234TRBW</b>	Truss Solid Wood Base Kit for 48"d x 234"w Top Surfaces	<b>\$7,263</b>
34¾	226¾	27¾	41	11	<b>65T35240TRBW</b>	Truss Solid Wood Base Kit for 48"d x 240"w Top Surfaces	<b>\$7,385</b>

Model	Base Wood
	see Anthology Solid Wood Finishes

**Truss Base Kit**

- available in Maple, Oak and Walnut solid wood
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Truss Base Kit for 54/60"deep Table</b>							
37¼	107	27⅞	31	9	<b>65T37120TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$4,967</b>
37¼	113	27⅞	31	9	<b>65T37126TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$5,063</b>
37¼	119	27⅞	32	9	<b>65T37132TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$5,146</b>
37¼	125	27⅞	32	9	<b>65T37138TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$5,234</b>
37¼	131	27⅞	33	9	<b>65T37144TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$5,319</b>
37¼	137	27⅞	33	9	<b>65T37150TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$5,407</b>
37¼	143	27⅞	34	9	<b>65T37156TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$5,494</b>
37¼	149	27⅞	34	9	<b>65T37162TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$5,582</b>
37¼	155	27⅞	35	9	<b>65T37168TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$5,670</b>
37¼	161	27⅞	35	9	<b>65T37174TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$5,757</b>
37¼	167	27⅞	36	9	<b>65T37180TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$5,845</b>
37¼	173	27⅞	36	9	<b>65T37186TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$5,932</b>
37¼	179	27⅞	37	9	<b>65T37192TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$6,020</b>
37¼	185	27⅞	38	11	<b>65T37198TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$6,702</b>
37¼	191	27⅞	38	11	<b>65T37204TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$6,819</b>
37¼	197	27⅞	39	11	<b>65T37210TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$6,937</b>
37¼	203	27⅞	39	11	<b>65T37216TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$7,055</b>
37¼	209	27⅞	40	11	<b>65T37222TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$7,172</b>
37¼	215	27⅞	40	11	<b>65T37228TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$7,290</b>
37¼	221	27⅞	41	11	<b>65T37234TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$7,409</b>
37¼	227	27⅞	41	11	<b>65T37240TRBW</b>	Truss Solid Wood Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$7,416</b>

**Model Base Wood**

see Anthology Solid Wood Finishes

**Truss Base Kit for Ellipse Table**

- available in Maple, Oak and Walnut solid wood
- top shapes: Ellipse
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Truss Base Kit for 36"deep Ellipse Table</b>							
29¾	42¾	27⅞	25	6	<b>65T3372TREBW</b>	Truss Solid Wood Base Kit for 36"d x 72"w Ellipse Top Surfaces	<b>\$3,574</b>
<b>Truss Base Kit for 42"deep Ellipse Table</b>							
29¾	57⅞	27⅞	26	6	<b>65T3378TREBW</b>	Truss Solid Wood Base Kit for 42"d x 78"w Ellipse Top Surfaces	<b>\$3,637</b>
29¾	61¾	27⅞	27	6	<b>65T3384TREBW</b>	Truss Solid Wood Base Kit for 42"d x 84"w Ellipse Top Surfaces	<b>\$3,668</b>
<b>Truss Base Kit for 48"deep Ellipse Table</b>							
34⅞	63¼	27⅞	27	6	<b>65T3590TREBW</b>	Truss Solid Wood Base Kit for 48"d x 90"w Ellipse Top Surfaces	<b>\$3,826</b>
34⅞	63	27⅞	27	6	<b>65T3596TREBW</b>	Truss Solid Wood Base Kit for 48"d x 96"w Ellipse Top Surfaces	<b>\$3,842</b>
<b>Truss Base Kit for 54"deep Ellipse Table</b>							
37¼	76⅞	27⅞	28	7	<b>65T37102TREBW</b>	Truss Solid Wood Base Kit for 54"d x 102"w Ellipse Top Surfaces	<b>\$3,967</b>
37¼	80½	27⅞	28	7	<b>65T37108TREBW</b>	Truss Solid Wood Base Kit for 54"d x 108"w Ellipse Top Surfaces	<b>\$4,094</b>
<b>Truss Base Kit for 60"deep Ellipse Table</b>							
37¼	91⅞	27⅞	29	7	<b>65T37114TREBW</b>	Truss Solid Wood Base Kit for 60"d x 210"w Ellipse Top Surfaces	<b>\$4,220</b>
37¼	89¼	27⅞	29	8	<b>65T37120TREBW</b>	Truss Solid Wood Base Kit for 60"d x 216"w Ellipse Top Surfaces	<b>\$4,967</b>


Model	Base Wood
	see Anthology Solid Wood Finishes

**Conical Single Base**

- available in HPL and Veneer surfaces
- top shape: Round
- specify 20" base for 36" and 42" tops
- specify 24" base for 48", 54" and 60" tops
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89



Single Base




Single Access Base

D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate	ESS Veneer	ART Veneer
							H	V	V
<b>Conical Single Base</b>									
20	20	27 $\frac{7}{8}$	144	10	<b>65T2028CNB_</b>	Conical Single Base	<b>\$4,260</b>	<b>\$4,901</b>	<b>\$5,392</b>
24	24	27 $\frac{7}{8}$	114	13	<b>65T2428CNB_</b>	Conical Single Base	<b>\$4,632</b>	<b>\$5,239</b>	<b>\$5,763</b>
<b>Conical Single Access Base</b>									
20	20	27 $\frac{7}{8}$	144	10	<b>65T2028CNAB_</b>	Conical Single Access Base	<b>\$4,920</b>	<b>\$5,560</b>	<b>\$6,117</b>
24	24	27 $\frac{7}{8}$	114	13	<b>65T2428CNAB_</b>	Conical Single Access Base	<b>\$5,366</b>	<b>\$5,972</b>	<b>\$6,570</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Conical Base Kit**

- available in HPL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Conical Base Kit for 42/48" deep Table</b>									
20	68	27 $\frac{7}{8}$	271	20	<b>65T20102CNB_</b>	Conical Base Kit for 42/48"d x 102"w Top Surfaces	<b>\$10,094</b>	<b>\$11,134</b>	<b>\$12,247</b>
20	74	27 $\frac{7}{8}$	271	20	<b>65T20108CNB_</b>	Conical Base Kit for 42/48"d x 108"w Top Surfaces	<b>\$10,094</b>	<b>\$11,134</b>	<b>\$12,247</b>
20	80	27 $\frac{7}{8}$	271	20	<b>65T20114CNB_</b>	Conical Base Kit for 42/48"d x 114"w Top Surfaces	<b>\$10,094</b>	<b>\$11,134</b>	<b>\$12,247</b>
20	86	27 $\frac{7}{8}$	291	20	<b>65T20120CNB_</b>	Conical Base Kit for 42/48"d x 120"w Top Surfaces	<b>\$10,094</b>	<b>\$11,134</b>	<b>\$12,247</b>
<b>Conical Base Kit for 48" deep Table</b>									
20	92	27 $\frac{7}{8}$	291	22	<b>65T20126CNB_</b>	Conical Base Kit for 42"d x 126"w Top Surfaces	<b>\$10,253</b>	<b>\$11,292</b>	<b>\$12,422</b>
20	98	27 $\frac{7}{8}$	291	22	<b>65T20132CNB_</b>	Conical Base Kit for 42"d x 132"w Top Surfaces	<b>\$10,253</b>	<b>\$11,292</b>	<b>\$12,422</b>
20	104	27 $\frac{7}{8}$	291	22	<b>65T20138CNB_</b>	Conical Base Kit for 42"d x 138"w Top Surfaces	<b>\$10,253</b>	<b>\$11,292</b>	<b>\$12,422</b>
20	110	27 $\frac{7}{8}$	291	22	<b>65T20144CNB_</b>	Conical Base Kit for 42"d x 144"w Top Surfaces	<b>\$10,253</b>	<b>\$11,292</b>	<b>\$12,422</b>
20	116	27 $\frac{7}{8}$	261	30	<b>65T20150CNB_</b>	Conical Base Kit for 42"d x 150"w Top Surfaces	<b>\$14,702</b>	<b>\$16,067</b>	<b>\$17,674</b>
20	122	27 $\frac{7}{8}$	261	30	<b>65T20156CNB_</b>	Conical Base Kit for 42"d x 156"w Top Surfaces	<b>\$14,702</b>	<b>\$16,067</b>	<b>\$17,674</b>
20	128	27 $\frac{7}{8}$	261	30	<b>65T20162CNB_</b>	Conical Base Kit for 42"d x 162"w Top Surfaces	<b>\$14,702</b>	<b>\$16,067</b>	<b>\$17,674</b>
20	134	27 $\frac{7}{8}$	261	30	<b>65T20168CNB_</b>	Conical Base Kit for 42"d x 168"w Top Surfaces	<b>\$14,702</b>	<b>\$16,067</b>	<b>\$17,674</b>
20	140	27 $\frac{7}{8}$	261	30	<b>65T20174CNB_</b>	Conical Base Kit for 42"d x 174"w Top Surfaces	<b>\$14,702</b>	<b>\$16,067</b>	<b>\$17,674</b>
20	146	27 $\frac{7}{8}$	281	32	<b>65T20180CNB_</b>	Conical Base Kit for 42"d x 180"w Top Surfaces	<b>\$14,980</b>	<b>\$16,345</b>	<b>\$17,979</b>
20	152	27 $\frac{7}{8}$	281	32	<b>65T20186CNB_</b>	Conical Base Kit for 42"d x 186"w Top Surfaces	<b>\$14,980</b>	<b>\$16,345</b>	<b>\$17,979</b>
20	158	27 $\frac{7}{8}$	281	32	<b>65T20192CNB_</b>	Conical Base Kit for 42"d x 192"w Top Surfaces	<b>\$14,980</b>	<b>\$16,345</b>	<b>\$17,979</b>
20	164	27 $\frac{7}{8}$	298	52	<b>65T20198CNB_</b>	Conical Base Kit for 42"d x 198"w Top Surfaces	<b>\$20,043</b>	<b>\$21,735</b>	<b>\$23,909</b>
20	170	27 $\frac{7}{8}$	298	52	<b>65T20204CNB_</b>	Conical Base Kit for 42"d x 204"w Top Surfaces	<b>\$20,043</b>	<b>\$21,735</b>	<b>\$23,909</b>
20	176	27 $\frac{7}{8}$	298	52	<b>65T20210CNB_</b>	Conical Base Kit for 42"d x 210"w Top Surfaces	<b>\$20,043</b>	<b>\$21,735</b>	<b>\$23,909</b>
20	182	27 $\frac{7}{8}$	298	52	<b>65T20216CNB_</b>	Conical Base Kit for 42"d x 216"w Top Surfaces	<b>\$20,043</b>	<b>\$21,735</b>	<b>\$23,909</b>
20	188	27 $\frac{7}{8}$	318	54	<b>65T20222CNB_</b>	Conical Base Kit for 42"d x 222"w Top Surfaces	<b>\$20,438</b>	<b>\$22,129</b>	<b>\$24,342</b>
20	194	27 $\frac{7}{8}$	318	54	<b>65T20228CNB_</b>	Conical Base Kit for 42"d x 228"w Top Surfaces	<b>\$20,438</b>	<b>\$22,129</b>	<b>\$24,342</b>
20	200	27 $\frac{7}{8}$	318	54	<b>65T20234CNB_</b>	Conical Base Kit for 42"d x 234"w Top Surfaces	<b>\$20,438</b>	<b>\$22,129</b>	<b>\$24,342</b>
20	206	27 $\frac{7}{8}$	318	54	<b>65T20240CNB_</b>	Conical Base Kit for 42"d x 240"w Top Surfaces	<b>\$20,438</b>	<b>\$22,129</b>	<b>\$24,342</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Conical Base Kit**

- available in HPL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Conical Base Kit for 54/60"deep Table</b>									
24	90	27 $\frac{7}{8}$	78	26	<b>65T24120CNB_</b>	Conical Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$10,966</b>	<b>\$11,929</b>	<b>\$13,123</b>
24	96	27 $\frac{7}{8}$	98	28	<b>65T24126CNB_</b>	Conical Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$11,124</b>	<b>\$12,088</b>	<b>\$13,297</b>
24	102	27 $\frac{7}{8}$	98	28	<b>65T24132CNB_</b>	Conical Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$11,124</b>	<b>\$12,088</b>	<b>\$13,297</b>
24	108	27 $\frac{7}{8}$	98	28	<b>65T24138CNB_</b>	Conical Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$11,124</b>	<b>\$12,088</b>	<b>\$13,297</b>
24	114	27 $\frac{7}{8}$	98	28	<b>65T24144CNB_</b>	Conical Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$11,124</b>	<b>\$12,088</b>	<b>\$13,297</b>
24	120	27 $\frac{7}{8}$	117	39	<b>65T24150CNB_</b>	Conical Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$15,996</b>	<b>\$17,248</b>	<b>\$18,973</b>
24	126	27 $\frac{7}{8}$	117	39	<b>65T24156CNB_</b>	Conical Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$15,003</b>	<b>\$17,248</b>	<b>\$18,973</b>
24	132	27 $\frac{7}{8}$	117	39	<b>65T24162CNB_</b>	Conical Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$15,003</b>	<b>\$17,248</b>	<b>\$18,973</b>
24	138	27 $\frac{7}{8}$	117	39	<b>65T24168CNB_</b>	Conical Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$15,003</b>	<b>\$17,248</b>	<b>\$18,973</b>
24	144	27 $\frac{7}{8}$	117	39	<b>65T24174CNB_</b>	Conical Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$15,003</b>	<b>\$17,248</b>	<b>\$18,973</b>
24	150	27 $\frac{7}{8}$	137	41	<b>65T24180CNB_</b>	Conical Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$16,274</b>	<b>\$17,526</b>	<b>\$19,279</b>
24	156	27 $\frac{7}{8}$	137	41	<b>65T24186CNB_</b>	Conical Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$16,274</b>	<b>\$17,526</b>	<b>\$19,279</b>
24	162	27 $\frac{7}{8}$	137	41	<b>65T24192CNB_</b>	Conical Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$16,274</b>	<b>\$17,526</b>	<b>\$19,279</b>
24	168	27 $\frac{7}{8}$	152	52	<b>65T24198CNB_</b>	Conical Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$21,844</b>	<b>\$23,441</b>	<b>\$25,786</b>
24	174	27 $\frac{7}{8}$	152	52	<b>65T24204CNB_</b>	Conical Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$21,844</b>	<b>\$23,441</b>	<b>\$25,786</b>
24	180	27 $\frac{7}{8}$	152	52	<b>65T24210CNB_</b>	Conical Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$21,844</b>	<b>\$23,441</b>	<b>\$25,786</b>
24	186	27 $\frac{7}{8}$	152	52	<b>65T24216CNB_</b>	Conical Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$21,844</b>	<b>\$23,441</b>	<b>\$25,786</b>
24	192	27 $\frac{7}{8}$	172	54	<b>65T24222CNB_</b>	Conical Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$22,237</b>	<b>\$23,777</b>	<b>\$26,155</b>
24	198	27 $\frac{7}{8}$	172	54	<b>65T24228CNB_</b>	Conical Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$22,237</b>	<b>\$23,777</b>	<b>\$26,155</b>
24	204	27 $\frac{7}{8}$	172	54	<b>65T24234CNB_</b>	Conical Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$22,237</b>	<b>\$23,777</b>	<b>\$26,155</b>
24	210	27 $\frac{7}{8}$	172	54	<b>65T24240CNB_</b>	Conical Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$22,237</b>	<b>\$23,777</b>	<b>\$26,155</b>


Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Cylinder Single Base**

- available in HPL and Veneer surfaces
- top shapes: Round
- specify 18" base for 36" and 42" tops
- specify 24" base for 48", 54" and 60" tops
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89



Single Base




Single Access Base

D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Cylinder Single Base</b>									
18 $\frac{1}{8}$	18 $\frac{1}{8}$	27 $\frac{7}{8}$	124	8	<b>65T1828CYB_</b>	Cylinder Base	\$1,725	\$2,197	\$2,417
23 $\frac{5}{8}$	23 $\frac{5}{8}$	27 $\frac{7}{8}$	130	12	<b>65T2428CYB_</b>	Cylinder Base	\$2,061	\$2,299	\$2,529
<b>Cylinder Single Access Base</b>									
18 $\frac{1}{8}$	18 $\frac{1}{8}$	27 $\frac{7}{8}$	124	8	<b>65T1828CYAB_</b>	Cylinder Access Base	\$2,746	\$2,988	\$3,287
23 $\frac{5}{8}$	23 $\frac{5}{8}$	27 $\frac{7}{8}$	130	12	<b>65T2428CYAB_</b>	Cylinder Access Base	\$2,853	\$3,091	\$3,401

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Cylinder Base Kit**

- available in HPL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Cylinder Base Kit for 42/48" deep Table</b>									
18 1/8	66 1/8	34 7/8	218	20	<b>65T18102CYB_</b>	Cylinder Base Kit for 42/48"d x 102"w Top Surfaces	\$4,606	\$4,754	\$5,230
18 1/8	66 1/8	34 7/8	218	20	<b>65T18108CYB_</b>	Cylinder Base Kit for 42/48"d x 108"w Top Surfaces	\$4,606	\$4,754	\$5,230
18 1/8	78 1/8	34 7/8	218	20	<b>65T18114CYB_</b>	Cylinder Base Kit for 42/48"d x 114"w Top Surfaces	\$4,606	\$4,754	\$5,230
18 1/8	84 1/8	34 7/8	218	20	<b>65T18120CYB_</b>	Cylinder Base Kit for 42/48"d x 120"w Top Surfaces	\$4,606	\$4,754	\$5,230
<b>Cylinder Base Kit for 48" deep Table</b>									
18 1/8	90 1/8	34 7/8	238	20	<b>65T18126CYB_</b>	Cylinder Base Kit for 48"d x 126"w Top Surfaces	\$4,748	\$4,896	\$5,386
18 1/8	96 1/8	34 7/8	238	22	<b>65T18132CYB_</b>	Cylinder Base Kit for 48"d x 132"w Top Surfaces	\$4,754	\$4,902	\$5,393
18 1/8	102 1/8	34 7/8	238	22	<b>65T18138CYB_</b>	Cylinder Base Kit for 48"d x 138"w Top Surfaces	\$4,760	\$4,908	\$5,399
18 1/8	108 1/8	34 7/8	238	22	<b>65T18144CYB_</b>	Cylinder Base Kit for 48"d x 144"w Top Surfaces	\$4,760	\$4,908	\$5,399
18 1/8	114 1/8	34 7/8	327	30	<b>65T18150CYB_</b>	Cylinder Base Kit for 48"d x 150"w Top Surfaces	\$6,449	\$6,671	\$7,339
18 1/8	120 1/8	34 7/8	327	30	<b>65T18156CYB_</b>	Cylinder Base Kit for 48"d x 156"w Top Surfaces	\$6,449	\$6,671	\$7,339
18 1/8	126 1/8	34 7/8	327	30	<b>65T18162CYB_</b>	Cylinder Base Kit for 48"d x 162"w Top Surfaces	\$6,449	\$6,671	\$7,339
18 1/8	132 1/8	34 7/8	327	30	<b>65T18168CYB_</b>	Cylinder Base Kit for 48"d x 168"w Top Surfaces	\$6,449	\$6,671	\$7,339
18 1/8	138 1/8	34 7/8	327	30	<b>65T18174CYB_</b>	Cylinder Base Kit for 48"d x 174"w Top Surfaces	\$6,449	\$6,671	\$7,339
18 1/8	144 1/8	34 7/8	347	32	<b>65T18180CYB_</b>	Cylinder Base Kit for 48"d x 180"w Top Surfaces	\$6,656	\$6,931	\$7,625
18 1/8	150 1/8	34 7/8	347	32	<b>65T18186CYB_</b>	Cylinder Base Kit for 48"d x 186"w Top Surfaces	\$6,656	\$6,931	\$7,632
18 1/8	156 1/8	34 7/8	347	32	<b>65T18192CYB_</b>	Cylinder Base Kit for 48"d x 192"w Top Surfaces	\$6,656	\$6,931	\$7,638
18 1/8	162 1/8	34 7/8	328	40	<b>65T18198CYB_</b>	Cylinder Base Kit for 48"d x 198"w Top Surfaces	\$9,101	\$9,397	\$10,337
18 1/8	168 1/8	34 7/8	328	40	<b>65T18204CYB_</b>	Cylinder Base Kit for 48"d x 204"w Top Surfaces	\$9,101	\$9,397	\$10,337
18 1/8	174 1/8	34 7/8	328	40	<b>65T18210CYB_</b>	Cylinder Base Kit for 48"d x 210"w Top Surfaces	\$9,101	\$9,397	\$10,337
18 1/8	180 1/8	34 7/8	328	40	<b>65T18216CYB_</b>	Cylinder Base Kit for 48"d x 216"w Top Surfaces	\$9,101	\$9,397	\$10,337
18 1/8	186 1/8	34 7/8	348	42	<b>65T18222CYB_</b>	Cylinder Base Kit for 48"d x 222"w Top Surfaces	\$9,463	\$9,759	\$10,735
18 1/8	192 1/8	34 7/8	348	42	<b>65T18228CYB_</b>	Cylinder Base Kit for 48"d x 228"w Top Surfaces	\$9,473	\$9,769	\$10,746
18 1/8	198 1/8	34 7/8	348	42	<b>65T18234CYB_</b>	Cylinder Base Kit for 48"d x 234"w Top Surfaces	\$9,473	\$9,769	\$10,746
18 1/8	204 1/8	34 7/8	348	42	<b>65T18240CYB_</b>	Cylinder Base Kit for 48"d x 240"w Top Surfaces	\$9,487	\$9,783	\$10,762

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Cylinder Base Kit**

- available in HPL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	HPL Laminate H	ESS Veneer V	ART Veneer V
<b>Cylinder Base Kit for 54/60" deep Table</b>									
23%	89%	27%	186	26	<b>65T24120CYB_</b>	Cylinder Base Kit for 54/60" d x 120" w Top Surfaces	<b>\$4,821</b>	<b>\$4,958</b>	<b>\$5,454</b>
23%	95%	27%	206	28	<b>65T24126CYB_</b>	Cylinder Base Kit for 54/60" d x 126" w Top Surfaces	<b>\$4,963</b>	<b>\$5,100</b>	<b>\$5,610</b>
23%	101%	27%	206	28	<b>65T24132CYB_</b>	Cylinder Base Kit for 54/60" d x 132" w Top Surfaces	<b>\$4,969</b>	<b>\$5,106</b>	<b>\$5,617</b>
23%	107%	27%	206	28	<b>65T24138CYB_</b>	Cylinder Base Kit for 54/60" d x 138" w Top Surfaces	<b>\$4,975</b>	<b>\$5,112</b>	<b>\$5,624</b>
23%	113%	27%	206	28	<b>65T24144CYB_</b>	Cylinder Base Kit for 54/60" d x 144" w Top Surfaces	<b>\$4,976</b>	<b>\$5,114</b>	<b>\$5,626</b>
23%	119%	27%	261	39	<b>65T24150CYB_</b>	Cylinder Base Kit for 54/60" d x 150" w Top Surfaces	<b>\$6,797</b>	<b>\$6,834</b>	<b>\$7,518</b>
23%	125%	27%	261	39	<b>65T24156CYB_</b>	Cylinder Base Kit for 54/60" d x 156" w Top Surfaces	<b>\$6,797</b>	<b>\$6,834</b>	<b>\$7,518</b>
23%	131%	27%	261	39	<b>65T24162CYB_</b>	Cylinder Base Kit for 54/60" d x 162" w Top Surfaces	<b>\$6,797</b>	<b>\$6,834</b>	<b>\$7,518</b>
23%	137%	27%	261	39	<b>65T24168CYB_</b>	Cylinder Base Kit for 54/60" d x 168" w Top Surfaces	<b>\$6,797</b>	<b>\$6,834</b>	<b>\$7,518</b>
23%	143%	27%	261	39	<b>65T24174CYB_</b>	Cylinder Base Kit for 54/60" d x 174" w Top Surfaces	<b>\$6,797</b>	<b>\$6,834</b>	<b>\$7,518</b>
23%	149%	27%	281	41	<b>65T24180CYB_</b>	Cylinder Base Kit for 54/60" d x 180" w Top Surfaces	<b>\$7,058</b>	<b>\$7,095</b>	<b>\$7,805</b>
23%	155%	27%	281	41	<b>65T24186CYB_</b>	Cylinder Base Kit for 54/60" d x 186" w Top Surfaces	<b>\$7,064</b>	<b>\$7,102</b>	<b>\$7,813</b>
23%	161%	27%	281	41	<b>65T24192CYB_</b>	Cylinder Base Kit for 54/60" d x 192" w Top Surfaces	<b>\$7,069</b>	<b>\$7,106</b>	<b>\$7,817</b>
23%	167%	27%	348	52	<b>65T24198CYB_</b>	Cylinder Base Kit for 54/60" d x 198" w Top Surfaces	<b>\$9,566</b>	<b>\$9,502</b>	<b>\$10,453</b>
23%	173%	27%	348	52	<b>65T24204CYB_</b>	Cylinder Base Kit for 54/60" d x 204" w Top Surfaces	<b>\$9,566</b>	<b>\$9,502</b>	<b>\$10,453</b>
23%	179%	27%	348	52	<b>65T24210CYB_</b>	Cylinder Base Kit for 54/60" d x 210" w Top Surfaces	<b>\$9,566</b>	<b>\$9,502</b>	<b>\$10,453</b>
23%	185%	27%	348	52	<b>65T24216CYB_</b>	Cylinder Base Kit for 54/60" d x 216" w Top Surfaces	<b>\$9,566</b>	<b>\$9,502</b>	<b>\$10,453</b>
23%	191%	27%	368	54	<b>65T24222CYB_</b>	Cylinder Base Kit for 54/60" d x 222" w Top Surfaces	<b>\$9,928</b>	<b>\$9,864</b>	<b>\$10,851</b>
23%	197%	27%	368	54	<b>65T24228CYB_</b>	Cylinder Base Kit for 54/60" d x 228" w Top Surfaces	<b>\$9,938</b>	<b>\$9,875</b>	<b>\$10,863</b>
23%	203%	27%	368	54	<b>65T24234CYB_</b>	Cylinder Base Kit for 54/60" d x 234" w Top Surfaces	<b>\$9,938</b>	<b>\$9,875</b>	<b>\$10,863</b>
23%	209%	27%	368	54	<b>65T24240CYB_</b>	Cylinder Base Kit for 54/60" d x 240" w Top Surfaces	<b>\$9,952</b>	<b>\$9,888</b>	<b>\$10,877</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Disc Single Base**

- available in standard metal powdercoat and additional powdercoat finishes
- top shapes: Round
- Seated Height
  - specify 18" base for 24" and 30" tops
  - specify 23" base for 36" and 42" tops
  - specify 28" base for 48" tops
- Counter and Bar Height
  - specify 23" base for 24", 30" and 36" tops
  - specify 28" base for 42" and 48" tops
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Disc Single Base (Seated Height)</b>							
18	18	27%	55	8	<b>65T1828DCBM</b>	Disc Single Base	<b>\$741</b>
23	23	27%	77	13	<b>65T2328DCBM</b>	Disc Single Base	<b>\$815</b>
28	28	27%	105	18	<b>65T2828DCBM</b>	Disc Single Base	<b>\$907</b>
<b>Disc Single Access Base (Seated Height)</b>							
18	18	27%	56	8	<b>65T1828DCABM</b>	Disc Single Access Base	<b>\$800</b>
23	23	27%	79	13	<b>65T2328DCABM</b>	Disc Single Access Base	<b>\$873</b>
28	28	27%	106	18	<b>65T2828DCABM</b>	Disc Single Access Base	<b>\$966</b>
<b>Disc Single Base (Counter Height)</b>							
18	18	34%	57	10	<b>65T1835DCBM</b>	Disc Single Base	<b>\$753</b>
23	23	34%	79	15	<b>65T2335DCBM</b>	Disc Single Base	<b>\$827</b>
28	28	34%	107	22	<b>65T2835DCBM</b>	Disc Single Base	<b>\$919</b>
<b>Disc Single Access Base (Counter Height)</b>							
18	18	34%	58	10	<b>65T1835DCABM</b>	Disc Single Access Base	<b>\$812</b>
23	23	34%	80	15	<b>65T2335DCABM</b>	Disc Single Access Base	<b>\$885</b>
28	28	34%	108	22	<b>65T2835DCABM</b>	Disc Single Access Base	<b>\$977</b>
<b>Disc Single Base (Bar Height)</b>							
18	18	40%	58	12	<b>65T1841DCBM</b>	Disc Single Base	<b>\$764</b>
23	23	40%	80	18	<b>65T2341DCBM</b>	Disc Single Base	<b>\$837</b>
28	28	40%	108	25	<b>65T2841DCBM</b>	Disc Single Base	<b>\$929</b>
<b>Disc Single Access Base (Bar Height)</b>							
18	18	40%	59	12	<b>65T1841DCABM</b>	Disc Single Access Base	<b>\$822</b>
23	23	40%	81	18	<b>65T2341DCABM</b>	Disc Single Access Base	<b>\$896</b>
28	28	40%	109	25	<b>65T2841DCABM</b>	Disc Single Access Base	<b>\$988</b>

Model	Metal Finish
	<p><b>Standard Metal Colors</b> see Anthology Standard Metal Colors</p> <p><b>Additional Metal Colors</b> see Anthology Additional Metal Colors</p>

**Square Disc Single Base**

- available in standard metal powdercoat and additional powdercoat finishes
- top shapes: Round, Square and Soft Square
- Seated Height
  - specify 18" base for 24" Round, 24" and 30" Square and Soft Square tops
  - specify 23" base for 30" and 36" Round, 36" Square and Soft Square tops
  - specify 28" base for 42" Round, Square and Soft Square tops
- Counter and Bar Height
  - specify 18" base for 24" Round, Square and Soft Square tops
  - specify 23" base for 30" and 36" Round, Square and Soft Square tops
  - specify 28" base for 42" Round, Square and Soft Square tops
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Square Disc Single Base (Seated Height)</b>							
18	18	27%	66	8	<b>65T1828SQDBM</b>	Square Disc Single Base	<b>\$770</b>
23	23	27%	94	13	<b>65T2328SQDBM</b>	Square Disc Single Base	<b>\$857</b>
28	28	27%	130	18	<b>65T2828SQDBM</b>	Square Disc Single Base	<b>\$981</b>
<b>Square Disc Single Base (Counter Height)</b>							
18	18	34%	68	10	<b>65T1835SQDBM</b>	Square Disc Single Base	<b>\$781</b>
23	23	34%	96	15	<b>65T2335SQDBM</b>	Square Disc Single Base	<b>\$868</b>
28	28	34%	132	22	<b>65T2835SQDBM</b>	Square Disc Single Base	<b>\$993</b>
<b>Square Disc Single Base (Bar Height)</b>							
18	18	40%	77	12	<b>65T1841SQDBM</b>	Square Disc Single Base	<b>\$792</b>
23	23	40%	98	18	<b>65T2341SQDBM</b>	Square Disc Single Base	<b>\$879</b>
28	28	40%	133	25	<b>65T2841SQDBM</b>	Square Disc Single Base	<b>\$1,002</b>

Model	Metal Finish
	<p><b>Standard Metal Colors</b> see Anthology Standard Metal Colors</p> <p><b>Additional Metal Colors</b> see Anthology Additional Metal Colors</p>

**Fluted Cylinder Single Base**

- available in fluted solid wood
- top shape: Round
- specify 19" base for 36" and 42" tops
- specify 24" base for 48", 54" and 60" tops
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Fluted Cylinder Single Base</b>							
19½	19½	27½	142	10	<b>65T1828FCYBW</b>	Fluted Solid Wood Single Base	<b>\$7,995</b>
24½	24½	27½	129	13	<b>65T2428FCYBW</b>	Fluted Solid Wood Single Base	<b>\$9,244</b>
<b>Fluted Cylinder Single Access Base</b>							
19½	19½	27½	142	10	<b>65T1828FCYABW</b>	Fluted Solid Wood Single Access Base	<b>\$8,730</b>
24½	24½	27½	129	13	<b>65T2428FCYABW</b>	Fluted Solid Wood Single Access Base	<b>\$9,977</b>

Model	Base Wood
	see Anthology Solid Wood Finishes

**Fluted Cylinder Base Kit**

- available in fluted solid wood
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning base specification [ANPG\\_10](#)
- planning base location [ANPG\\_1](#)
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Fluted Cylinder Base Kit for 42/48"deep Table</b>							
19 1/8	67 1/8	27 7/8	218	20	<b>65T18102FCYBW</b>	Fluted Cylinder Base Kit for 42/48"d x 102"w Top Surfaces	<b>\$16,281</b>
19 1/8	73 1/8	27 7/8	218	20	<b>65T18108FCYBW</b>	Fluted Cylinder Base Kit for 42/48"d x 108"w Top Surfaces	<b>\$16,281</b>
19 1/8	79 1/8	27 7/8	218	20	<b>65T18114FCYBW</b>	Fluted Cylinder Base Kit for 42/48"d x 114"w Top Surfaces	<b>\$16,281</b>
19 1/8	85 1/8	27 7/8	218	20	<b>65T18120FCYBW</b>	Fluted Cylinder Base Kit for 42/48"d x 120"w Top Surfaces	<b>\$16,281</b>
<b>Fluted Cylinder Base Kit for 48"deep Table</b>							
19 1/8	91 1/8	27 7/8	238	20	<b>65T18126FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 126"w Top Surfaces	<b>\$16,423</b>
19 1/8	97 1/8	27 7/8	238	22	<b>65T18132FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 132"w Top Surfaces	<b>\$16,423</b>
19 1/8	103 1/8	27 7/8	238	22	<b>65T18138FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 138"w Top Surfaces	<b>\$16,423</b>
19 1/8	109 1/8	27 7/8	238	22	<b>65T18144FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 144"w Top Surfaces	<b>\$16,423</b>
19 1/8	115 1/8	27 7/8	327	30	<b>65T18150FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 150"w Top Surfaces	<b>\$23,814</b>
19 1/8	121 1/8	27 7/8	327	30	<b>65T18156FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 156"w Top Surfaces	<b>\$23,814</b>
19 1/8	127 1/8	27 7/8	327	30	<b>65T18162FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 162"w Top Surfaces	<b>\$23,814</b>
19 1/8	133 1/8	27 7/8	327	30	<b>65T18168FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 168"w Top Surfaces	<b>\$23,814</b>
19 1/8	139 1/8	27 7/8	327	30	<b>65T18174FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 174"w Top Surfaces	<b>\$23,814</b>
19 1/8	145 1/8	27 7/8	347	32	<b>65T18180FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 180"w Top Surfaces	<b>\$24,063</b>
19 1/8	151 1/8	27 7/8	347	32	<b>65T18186FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 186"w Top Surfaces	<b>\$24,063</b>
19 1/8	157 1/8	27 7/8	347	32	<b>65T18192FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 192"w Top Surfaces	<b>\$24,063</b>
19 1/8	163 1/8	27 7/8	328	40	<b>65T18198FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 198"w Top Surfaces	<b>\$32,135</b>
19 1/8	169 1/8	27 7/8	328	40	<b>65T18204FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 204"w Top Surfaces	<b>\$32,135</b>
19 1/8	175 1/8	27 7/8	328	40	<b>65T18210FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 210"w Top Surfaces	<b>\$32,135</b>
19 1/8	181 1/8	27 7/8	328	40	<b>65T18216FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 216"w Top Surfaces	<b>\$32,135</b>
19 1/8	187 1/8	27 7/8	348	42	<b>65T18222FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 222"w Top Surfaces	<b>\$32,490</b>
19 1/8	193 1/8	27 7/8	348	42	<b>65T18228FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 228"w Top Surfaces	<b>\$32,490</b>
19 1/8	199 1/8	27 7/8	348	42	<b>65T18234FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 234"w Top Surfaces	<b>\$32,490</b>
19 1/8	205 1/8	27 7/8	348	42	<b>65T18240FCYBW</b>	Fluted Cylinder Base Kit for 48"d x 240"w Top Surfaces	<b>\$32,490</b>

**Model Base Wood**

see Anthology Solid Wood Finishes

**Fluted Cylinder Base Kit**

- available in fluted solid wood
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Fluted Cylinder Base Kit for 54/60"deep Table</b>							
24%	90%	27%	78	26	<b>65T24120FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$18,740</b>
24%	96%	27%	98	28	<b>65T24126FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$18,883</b>
24%	102%	27%	98	28	<b>65T24132FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$18,883</b>
24%	108%	27%	98	28	<b>65T24138FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$18,883</b>
24%	114%	27%	98	28	<b>65T24144FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$18,883</b>
24%	120%	27%	99	39	<b>65T24150FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$27,530</b>
24%	126%	27%	99	39	<b>65T24156FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$27,530</b>
24%	132%	27%	99	39	<b>65T24162FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$27,530</b>
24%	138%	27%	99	39	<b>65T24168FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$27,530</b>
24%	144%	27%	99	39	<b>65T24174FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$27,530</b>
24%	150%	27%	119	41	<b>65T24180FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$27,781</b>
24%	156%	27%	119	41	<b>65T24186FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$27,781</b>
24%	162%	27%	119	41	<b>65T24192FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$27,781</b>
24%	168%	27%	132	52	<b>65T24198FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$37,109</b>
24%	174%	27%	132	52	<b>65T24204FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$37,109</b>
24%	180%	27%	132	52	<b>65T24210FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$37,109</b>
24%	186%	27%	132	52	<b>65T24216FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$37,109</b>
24%	192%	27%	152	54	<b>65T24222FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$37,464</b>
24%	198%	27%	152	54	<b>65T24228FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$37,464</b>
24%	204%	27%	152	54	<b>65T24234FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$37,464</b>
24%	210%	27%	152	54	<b>65T24240FCYBW</b>	Fluted Cylinder Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$37,464</b>

**Model Base Wood**

see Anthology Solid Wood Finishes

**Square Single Access Base**

- available in TFL and Veneer surfaces
- top shapes: Square and Soft Square
- specify 18" base for 36" and 42" tops
- specify 24" base for 48", 54" and 60" tops
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Square Single Access Base Kit for 36/42"deep Table</b>									
18	18	27 7/8	124	8	<b>65T1828SQAB_</b>	Square Single Access Base Kit for 42/48"d Top Surfaces	<b>\$1,420</b>	<b>\$1,926</b>	<b>\$2,119</b>
<b>Square Single Access Base Kit for 48/54/60"deep Table</b>									
24	24	27 7/8	154	12	<b>65T2428SQAB_</b>	Square Single Access Base Kit for 48/54/60"d Top Surfaces	<b>\$1,533</b>	<b>\$1,983</b>	<b>\$2,182</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Square Base Kit**

- available in TFL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Square Base Kit for 42/48" deep Table</b>									
18	66	27 7/8	270	24	<b>65T18102SQB_</b>	Square Base Kit for 42/48"d x 102"w Top Surfaces	<b>\$3,204</b>	<b>\$3,731</b>	<b>\$4,105</b>
18	72	27 7/8	271	24	<b>65T18108SQB_</b>	Square Base Kit for 42/48"d x 108"w Top Surfaces	<b>\$3,208</b>	<b>\$3,743</b>	<b>\$4,118</b>
18	78	27 7/8	272	24	<b>65T18114SQB_</b>	Square Base Kit for 42/48"d x 114"w Top Surfaces	<b>\$3,212</b>	<b>\$3,755</b>	<b>\$4,131</b>
18	84	27 7/8	273	25	<b>65T18120SQB_</b>	Square Base Kit for 42/48"d x 120"w Top Surfaces	<b>\$3,216</b>	<b>\$3,767</b>	<b>\$4,144</b>
<b>Square Base Kit for 48" deep Table</b>									
18	90	27 7/8	274	25	<b>65T18126SQB_</b>	Square Base Kit for 48"d x 126"w Top Surfaces	<b>\$3,220</b>	<b>\$3,779</b>	<b>\$4,157</b>
18	96	27 7/8	275	25	<b>65T18132SQB_</b>	Square Base Kit for 48"d x 132"w Top Surfaces	<b>\$3,225</b>	<b>\$3,791</b>	<b>\$4,171</b>
18	102	27 7/8	276	25	<b>65T18138SQB_</b>	Square Base Kit for 48"d x 138"w Top Surfaces	<b>\$3,229</b>	<b>\$3,803</b>	<b>\$4,184</b>
18	108	27 7/8	277	25	<b>65T18144SQB_</b>	Square Base Kit for 48"d x 144"w Top Surfaces	<b>\$3,232</b>	<b>\$3,815</b>	<b>\$4,197</b>
18	114	27 7/8	327	37	<b>65T18150SQB_</b>	Square Base Kit for 48"d x 150"w Top Surfaces	<b>\$4,820</b>	<b>\$5,438</b>	<b>\$5,982</b>
18	120	27 7/8	328	37	<b>65T18156SQB_</b>	Square Base Kit for 48"d x 156"w Top Surfaces	<b>\$4,824</b>	<b>\$5,451</b>	<b>\$5,997</b>
18	126	27 7/8	329	37	<b>65T18162SQB_</b>	Square Base Kit for 48"d x 162"w Top Surfaces	<b>\$4,827</b>	<b>\$5,462</b>	<b>\$6,009</b>
18	132	27 7/8	330	37	<b>65T18168SQB_</b>	Square Base Kit for 48"d x 168"w Top Surfaces	<b>\$4,832</b>	<b>\$5,475</b>	<b>\$6,023</b>
18	138	27 7/8	331	38	<b>65T18174SQB_</b>	Square Base Kit for 48"d x 174"w Top Surfaces	<b>\$4,836</b>	<b>\$5,486</b>	<b>\$6,035</b>
18	144	27 7/8	332	38	<b>65T18180SQB_</b>	Square Base Kit for 48"d x 180"w Top Surfaces	<b>\$4,839</b>	<b>\$5,499</b>	<b>\$6,049</b>
18	150	27 7/8	333	38	<b>65T18186SQB_</b>	Square Base Kit for 48"d x 186"w Top Surfaces	<b>\$4,839</b>	<b>\$5,510</b>	<b>\$6,061</b>
18	156	27 7/8	334	38	<b>65T18192SQB_</b>	Square Base Kit for 48"d x 192"w Top Surfaces	<b>\$4,848</b>	<b>\$5,524</b>	<b>\$6,077</b>
18	162	27 7/8	443	47	<b>65T18198SQB_</b>	Square Base Kit for 48"d x 198"w Top Surfaces	<b>\$7,573</b>	<b>\$8,283</b>	<b>\$9,112</b>
18	168	27 7/8	445	47	<b>65T18204SQB_</b>	Square Base Kit for 48"d x 204"w Top Surfaces	<b>\$7,577</b>	<b>\$8,296</b>	<b>\$9,126</b>
18	174	27 7/8	446	47	<b>65T18210SQB_</b>	Square Base Kit for 48"d x 210"w Top Surfaces	<b>\$7,582</b>	<b>\$8,308</b>	<b>\$9,139</b>
18	180	27 7/8	447	48	<b>65T18216SQB_</b>	Square Base Kit for 48"d x 216"w Top Surfaces	<b>\$7,582</b>	<b>\$8,320</b>	<b>\$9,152</b>
18	186	27 7/8	449	48	<b>65T18222SQB_</b>	Square Base Kit for 48"d x 222"w Top Surfaces	<b>\$7,589</b>	<b>\$8,332</b>	<b>\$9,166</b>
18	192	27 7/8	450	49	<b>65T18228SQB_</b>	Square Base Kit for 48"d x 228"w Top Surfaces	<b>\$7,594</b>	<b>\$8,344</b>	<b>\$9,179</b>
18	198	27 7/8	452	49	<b>65T18234SQB_</b>	Square Base Kit for 48"d x 234"w Top Surfaces	<b>\$7,597</b>	<b>\$8,356</b>	<b>\$9,192</b>
18	204	27 7/8	453	49	<b>65T18240SQB_</b>	Square Base Kit for 48"d x 240"w Top Surfaces	<b>\$7,601</b>	<b>\$8,368</b>	<b>\$9,205</b>

Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**Square Base Kit**

- available in TFL and Veneer surfaces
- top shapes: Rectangular, Soft Rectangular, Arc Rectangular, Boat, Arc Boat and Racetrack
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89




D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Square Base Kit for 54/60"deep Table</b>									
24	84	277%	265	34	<b>65T24120SQB_</b>	Square Base Kit for 54/60"d x 120"w Top Surfaces	<b>\$3,404</b>	<b>\$3,992</b>	<b>\$4,392</b>
24	90	277%	267	34	<b>65T24126SQB_</b>	Square Base Kit for 54/60"d x 126"w Top Surfaces	<b>\$3,408</b>	<b>\$4,004</b>	<b>\$4,405</b>
24	96	277%	267	34	<b>65T24132SQB_</b>	Square Base Kit for 54/60"d x 132"w Top Surfaces	<b>\$3,412</b>	<b>\$4,017</b>	<b>\$4,419</b>
24	102	277%	268	35	<b>65T24138SQB_</b>	Square Base Kit for 54/60"d x 138"w Top Surfaces	<b>\$3,416</b>	<b>\$4,029</b>	<b>\$4,432</b>
24	108	277%	269	33	<b>65T24144SQB_</b>	Square Base Kit for 54/60"d x 144"w Top Surfaces	<b>\$3,419</b>	<b>\$4,041</b>	<b>\$4,446</b>
24	114	277%	396	52	<b>65T24150SQB_</b>	Square Base Kit for 54/60"d x 150"w Top Surfaces	<b>\$5,110</b>	<b>\$5,774</b>	<b>\$6,352</b>
24	120	277%	396	52	<b>65T24156SQB_</b>	Square Base Kit for 54/60"d x 156"w Top Surfaces	<b>\$5,113</b>	<b>\$5,788</b>	<b>\$6,367</b>
24	126	277%	398	52	<b>65T24162SQB_</b>	Square Base Kit for 54/60"d x 162"w Top Surfaces	<b>\$5,118</b>	<b>\$5,799</b>	<b>\$6,379</b>
24	132	277%	399	52	<b>65T24168SQB_</b>	Square Base Kit for 54/60"d x 168"w Top Surfaces	<b>\$5,121</b>	<b>\$5,812</b>	<b>\$6,394</b>
24	138	277%	400	53	<b>65T24174SQB_</b>	Square Base Kit for 54/60"d x 174"w Top Surfaces	<b>\$5,125</b>	<b>\$5,823</b>	<b>\$6,406</b>
24	144	277%	401	53	<b>65T24180SQB_</b>	Square Base Kit for 54/60"d x 180"w Top Surfaces	<b>\$5,130</b>	<b>\$5,836</b>	<b>\$6,420</b>
24	150	277%	402	53	<b>65T24186SQB_</b>	Square Base Kit for 54/60"d x 186"w Top Surfaces	<b>\$5,133</b>	<b>\$5,847</b>	<b>\$6,432</b>
24	156	277%	403	53	<b>65T24192SQB_</b>	Square Base Kit for 54/60"d x 192"w Top Surfaces	<b>\$5,137</b>	<b>\$5,860</b>	<b>\$6,446</b>
24	162	277%	535	69	<b>65T24198SQB_</b>	Square Base Kit for 54/60"d x 198"w Top Surfaces	<b>\$7,944</b>	<b>\$8,710</b>	<b>\$9,581</b>
24	168	277%	537	69	<b>65T24204SQB_</b>	Square Base Kit for 54/60"d x 204"w Top Surfaces	<b>\$7,948</b>	<b>\$8,722</b>	<b>\$9,595</b>
24	174	277%	538	69	<b>65T24210SQB_</b>	Square Base Kit for 54/60"d x 210"w Top Surfaces	<b>\$7,951</b>	<b>\$8,734</b>	<b>\$9,608</b>
24	180	277%	539	69	<b>65T24216SQB_</b>	Square Base Kit for 54/60"d x 216"w Top Surfaces	<b>\$7,956</b>	<b>\$8,747</b>	<b>\$9,622</b>
24	186	277%	540	70	<b>65T24222SQB_</b>	Square Base Kit for 54/60"d x 222"w Top Surfaces	<b>\$7,960</b>	<b>\$8,759</b>	<b>\$9,635</b>
24	192	277%	541	70	<b>65T24228SQB_</b>	Square Base Kit for 54/60"d x 228"w Top Surfaces	<b>\$7,963</b>	<b>\$8,771</b>	<b>\$9,649</b>
24	198	277%	542	71	<b>65T24234SQB_</b>	Square Base Kit for 54/60"d x 234"w Top Surfaces	<b>\$7,968</b>	<b>\$8,783</b>	<b>\$9,662</b>
24	204	277%	543	71	<b>65T24240SQB_</b>	Square Base Kit for 54/60"d x 240"w Top Surfaces	<b>\$7,972</b>	<b>\$8,795</b>	<b>\$9,675</b>


Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes

**X Single Base**

- available in standard metal powdercoat paint and two-tone finishes with metal powdercoat paint column and with polished aluminum foot and stretcher rail
- top shapes: Round, Square and Soft Square
- Seated Height
  - specify 26" base for 30" Round, Square and Soft Square tops
  - specify 32" base for 36" Round, 36", 42" and 48" Round and 36" Square and Soft Square tops
  - specify 38" base for 42" Square and Soft Square tops
- Counter and Bar Height
  - specify 26" base for 30" Round, Square and Soft Square tops
  - specify 32" base for 36" and 42" Round and 36" Square and Soft Square tops
  - specify 38" base for 48" Round and 42" Square and Soft Square tops
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89



Single Base




Single Access Base

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>X Single Base (Seated Height)</b>							
26 3/8	26 3/8	27 3/4	20	16	<b>65T2628XBM</b>	X Single Base	<b>\$642</b>
32 1/2	32 1/2	27 3/4	21	22	<b>65T3228XBM</b>	X Single Base	<b>\$655</b>
38 1/2	38 1/2	27 3/4	22	31	<b>65T3828XBM</b>	X Single Base	<b>\$734</b>
<b>X Single Access Base (Seated Height)</b>							
26 3/8	26 3/8	27 3/4	19	16	<b>65T2628XABM</b>	X Single Access Base	<b>\$660</b>
32 1/2	32 1/2	27 3/4	19	22	<b>65T3228XABM</b>	X Single Access Base	<b>\$664</b>
38 1/2	38 1/2	27 3/4	20	31	<b>65T3828XABM</b>	X Single Access Base	<b>\$798</b>
<b>X Single Base (Counter Height)</b>							
26 3/8	26 3/8	34 3/4	19	19	<b>65T2635XBM</b>	X Single Base	<b>\$706</b>
32 1/2	32 1/2	34 3/4	20	27	<b>65T3235XBM</b>	X Single Base	<b>\$729</b>
38 1/2	38 1/2	34 3/4	21	37	<b>65T3835XBM</b>	X Single Base	<b>\$777</b>
<b>X Single Access Base (Counter Height)</b>							
26 3/8	26 3/8	34 3/4	20	19	<b>65T2635XABM</b>	X Single Access Base	<b>\$710</b>
32 1/2	32 1/2	34 3/4	21	27	<b>65T3235XABM</b>	X Single Access Base	<b>\$761</b>
38 1/2	38 1/2	34 3/4	22	37	<b>65T3835XABM</b>	X Single Access Base	<b>\$795</b>
<b>X Single Base (Bar Height)</b>							
26 3/8	26 3/8	40 3/4	21	22	<b>65T2641XBM</b>	X Single Base	<b>\$721</b>
32 1/2	32 1/2	40 3/4	22	32	<b>65T3241XBM</b>	X Single Base	<b>\$735</b>
38 1/2	38 1/2	40 3/4	22	43	<b>65T3841XBM</b>	X Single Base	<b>\$785</b>
<b>X Single Access Base (Bar Height)</b>							
26 3/8	26 3/8	40 3/4	22	22	<b>65T2641XABM</b>	X Single Access Base	<b>\$770</b>
32 1/2	32 1/2	40 3/4	23	32	<b>65T3241XABM</b>	X Single Access Base	<b>\$777</b>
49 1/8	49 1/8	40 3/4	23	43	<b>65T3841XABM</b>	X Single Access Base	<b>\$825</b>

Model	Metal Finish
	<p><b>SMF Single Metal Finishes</b> see Anthology Single Metal Finishes</p> <p><b>TTF Two Tone Metal Finish</b> see Anthology Two Tone Metal Finishes</p>

**X4 Single Base**

- available in standard metal powdercoat paint and two-tone finishes with metal powdercoat paint column and with polished aluminum foot and stretcher rail
- top shapes: Round, Square and Soft Square
- Seated Height
  - specify 38" base for 48", 54" and 60" Square and Soft Square tops
- Counter and Bar Height
  - specify 38" base for 48", 54" and 60" Square and Soft Square tops
- planning top to base matrix page 9
- planning base placement: dimensions pages 10-13
- planning base specifications and features pages 24-47
- planning power and data specifications and features pages 80-89













D	W	H	CTN WT	CU FT	① Model	Description	List Price
49 1/8	49 1/8	27 3/4	46	31	<b>65T3828X4BM</b>	<b>X4 Single Base (Seated Height)</b> X4 Single Base	<b>\$1,339</b>
49 1/8	49 1/8	34 3/4	53	37	<b>65T3835X4BM</b>	<b>X4 Single Base (Counter Height)</b> X4 Single Base	<b>\$1,595</b>
49 1/8	49 1/8	40 3/4	58	43	<b>65T3841X4BM</b>	<b>X4 Single Base (Bar Height)</b> X4 Single Base	<b>\$1,651</b>

Model	Metal Finish
	<b>SMF Single Metal Finishes</b> see Anthology Single Metal Finishes
	<b>TTF Two Tone Metal Finish</b> see Anthology Two Tone Metal Finishes

**Media Table Tops**

• planning specification page 47




① Model	W	D	Top Pieces	T	H	H	KH	KH	V	V	KV	KV
<b>D Shape</b>												
65T4236MDS_	36	42	1	\$436	\$631	\$663	\$852	\$895	\$1,203	\$1,324	\$1,231	\$1,355
65T4248MDS_	48	42	1	\$524	\$759	\$797	\$1,007	\$1,058	\$1,398	\$1,538	\$1,437	\$1,581
65T4260MDS_	60	42	1	\$612	\$886	\$931	\$1,163	\$1,222	\$1,593	\$1,753	\$1,643	\$1,808
65T4272MDS_	72	42	1	\$699	\$1,014	\$1,065	\$1,319	\$1,385	\$1,788	\$1,967	\$1,849	\$2,034
<b>View</b>												
65T4248MVT_	48	42	1	\$524	\$759	\$797	\$1,007	\$1,058	\$1,398	\$1,538	\$1,437	\$1,581
65T4260MVT_	60	42	1	\$612	\$886	\$931	\$1,163	\$1,222	\$1,593	\$1,753	\$1,643	\$1,808
65T5460MVT_	60	54	1	\$726	\$1,057	\$1,110	\$1,373	\$1,442	\$1,859	\$2,045	\$1,927	\$2,120
65T5472MVT_	72	54	1	\$835	\$1,217	\$1,278	\$1,567	\$1,646	\$2,104	\$2,315	\$2,188	\$2,407


Model	TFL Top Surface	HPL Top Surface	Top Profile	Veneer Top Material	Top Surface Electrical Cut Out
	see Anthology TFL Top Surface Finishes	see Anthology HPL Top Surface Finishes	see Anthology Top Profile Finishes (when applicable)	see Anthology Veneer Top Material Finishes	see Anthology Top Surface Electrical Cut Out

**Media Table Tops (continued)**

• planning specification page 47



① Model	W	D	Top Pieces	Glass G	Solid Surface S	W	D	COM B
<b>D Shape</b>								
65T4236MDS_	36	42	1	\$4,338	\$4,425	36	42	\$490
65T4248MDS_	48	42	1	\$5,146	\$5,249	48	42	\$586
65T4260MDS_	60	42	1	\$5,954	\$6,074	60	42	\$681
65T4272MDS_	72	42	1	\$6,762	\$6,898	72	42	\$777




<b>View</b>								
65T4248MVT_	48	42	1	\$5,146	\$5,249	48	42	\$586
65T4260MVT_	60	42	1	\$5,954	\$6,248	60	42	\$681
65T5460MVT_	60	54	1	\$7,105	\$7,248	60	54	\$813
65T5472MVT_	72	54	1	\$8,136	\$8,299	72	54	\$935

Model	Glass Top Surface	Solid Surface Top Surface	Subtop Surface Top Surface	Top Surface Electrical Cut Out
	see Anthology Glass Top Surface Finishes	see Anthology Solid Surface Top Surface Finishes	Standard Painted Black	see Anthology Top Surface Electrical Cut Out


**Media Bases**

- available in TFL and Veneer surfaces
- media top shapes: D Shape and View
- planning specification page 47



D	W	H	CTN WT	CU FT	① Model	Description	TFL Laminate T	ESS Veneer V	ART Veneer V
<b>Conference Base</b>									
5	36	27½	57	6	65T53628MB_	Conference Base	\$1,198	\$1,607	\$1,768
<b>Counter Base</b>									
5	36	34½	63	8	65T53635MB_	Counter Base	\$1,267	\$1,685	\$1,854
<b>Bar Base</b>									
5	36	40½	71	9	65T53641MB_	Bar Base	\$1,298	\$1,714	\$1,886


Model	Laminate	Veneer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes



- flush mount design
- one spill-proof design, black power outlet
- 10' cord with 15-amp three-prong molded plug
- powdercoat aluminum faceplate
- UL listed


D	W	H	CTN WT	CU FT	① Model	Description	List Price
4	4	3 ¼	3	1	<b>9PCA1C</b>	Node Electrical Single Unit Power + Open- Corded	<b>\$273</b>

Model	Metal Finish
B	Black
S	Silver



- available in 2, 3, and 4-unit power kit models with single power infeed
- flush mount design with two power outlets
- spill-proof design, black outlets
- 10' cord with 15 amp three-prong molded plug
- powdercoat aluminum faceplate
- UL listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
4	4	3 1/4	3	1	<b>9PCA2C</b>	Node Electrical Single Unit Power- Corded	<b>\$283</b>




**Pattern Modular Component System with Node Power Units**

- available in 2-, 3-, and 4-unit power kit models with single power infeed
- flush mount design
- spill-proof, black outlet
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10' - 15-amp molded plug infeed
- infeed power plug has an integrated circuit breaker with reset
- powder coat aluminum faceplate
- ETL listed
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>End Location</b>							
3 3/8	3 3/8	3 1/4	9	1	<b>9PCA2K2EAC</b>	Node Electrical 2 Unit Kit, Power- Corded, for 84- 114 Surfaces	<b>\$1,191</b>
3 3/8	3 3/8	3 1/4	9	1	<b>9PCA2K2EBC</b>	Node Electrical 2 Unit Kit, Power- Corded, for 120-174 Surfaces	<b>\$1,314</b>
3 3/8	3 3/8	3 1/4	9	1	<b>9PCA2K2ECC</b>	Node Electrical 2 Unit Kit, Power- Corded, for 180-192 Surfaces	<b>\$1,342</b>
3 3/8	3 3/8	3 1/4	9	1	<b>9PCA2K2EDC</b>	Node Electrical 2 Unit Kit, Power- Corded, for 198-240 Surfaces	<b>\$1,405</b>
<b>Mid Location</b>							
3 3/8	3 3/8	3 1/4	9	1	<b>9PCA2K2MBC</b>	Node Electrical 2 Unit Kit, Power- Corded, for 120-174 Surfaces	<b>\$1,219</b>
3 3/8	3 3/8	3 1/4	9	1	<b>9PCA2K2MCC</b>	Node Electrical 2 Unit Kit, Power- Corded, for 180-192 Surfaces	<b>\$1,258</b>
3 3/8	3 3/8	3 1/4	9	1	<b>9PCA2K2MDC</b>	Node Electrical 2 Unit Kit, Power- Corded, for 198-240 Surfaces	<b>\$1,303</b>
<b>Center + End Location</b>							
3 3/8	3 3/8	3 1/4	12	2	<b>9PCA2K3CEAC</b>	Node Electrical 3 Unit Kit, Power- Corded, for 102-114 Surfaces	<b>\$1,583</b>
3 3/8	3 3/8	3 1/4	12	2	<b>9PCA2K3CEBC</b>	Node Electrical 3 Unit Kit, Power- Corded, for 120-174 Surfaces	<b>\$1,640</b>
3 3/8	3 3/8	3 1/4	12	2	<b>9PCA2K3CECC</b>	Node Electrical 3 Unit Kit, Power- Corded, for 180-192 Surfaces	<b>\$1,668</b>
3 3/8	3 3/8	3 1/4	12	2	<b>9PCA2K3CEDC</b>	Node Electrical 3 Unit Kit, Power- Corded, for 198-240 Surfaces	<b>\$1,787</b>
<b>Center + Mid Location</b>							
3 3/8	3 3/8	3 1/4	12	2	<b>9PCA2K3CMDC</b>	Node Electrical 3 Unit Kit, Power- Corded, for 198-240 Surfaces	<b>\$1,653</b>
<b>Mid + End Location</b>							
3 3/8	3 3/8	3 1/4	15	2	<b>9PCA2K4MEDC</b>	Node Electrical 3 Unit Kit, Power- Corded, for 198-240 Surfaces	<b>\$2,081</b>


**Model | Metal Finish**

- B** Black
- S** Silver



- flush mount design with one power and one 20 watt USB A+C (10 watt each)
- spill-proof design, black outlets
- 10' cord with 15 amp three-prong molded plug
- powdercoat aluminum faceplate
- UL listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
4	4	3 ¼	3	1	<b>9PCA11C</b>	Node Electrical Single Unit Power + USB- Corded	<b>\$418</b>




**Pattern Modular Component System with Node Power Units**

- available in 2-, 3-, and 4-unit power kit models with single power infeed
- flush mount design
- spill-proof, black outlet
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10' - 15-amp molded plug infeed
- infeed power plug has an integrated circuit breaker with reset
- powder coat aluminum faceplate
- ETL listed
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>End Location</b>							
3 ¾	3 ¾	3 ¼	9	1	<b>9PCA11K2EAC</b>	Node Electrical 2 Unit Kit, Power + USB- Corded, for 84- 114 Surfaces	<b>\$1,474</b>
3 ¾	3 ¾	3 ¼	9	1	<b>9PCA11K2EBC</b>	Node Electrical 2 Unit Kit, Power + USB- Corded, for 120-174 Surfaces	<b>\$1,597</b>
3 ¾	3 ¾	3 ¼	9	1	<b>9PCA11K2ECC</b>	Node Electrical 2 Unit Kit, Power + USB- Corded, for 180-192 Surfaces	<b>\$1,541</b>
3 ¾	3 ¾	3 ¼	9	1	<b>9PCA11K2EDC</b>	Node Electrical 2 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$1,587</b>
<b>Mid Location</b>							
3 ¾	3 ¾	3 ¼	9	1	<b>9PCA11K2MBC</b>	Node Electrical 2 Unit Kit, Power + USB- Corded, for 120-174 Surfaces	<b>\$1,502</b>
3 ¾	3 ¾	3 ¼	9	1	<b>9PCA11K2MCC</b>	Node Electrical 2 Unit Kit, Power + USB- Corded, for 180-192 Surfaces	<b>\$1,625</b>
3 ¾	3 ¾	3 ¼	9	1	<b>9PCA11K2MDC</b>	Node Electrical 2 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$1,587</b>
<b>Center + End Location</b>							
3 ¾	3 ¾	3 ¼	12	2	<b>9PCA11K3CEAC</b>	Node Electrical 3 Unit Kit, Power + USB- Corded, for 102-114 Surfaces	<b>\$2,009</b>
3 ¾	3 ¾	3 ¼	12	2	<b>9PCA11K3CEBC</b>	Node Electrical 3 Unit Kit, Power + USB- Corded, for 120-174 Surfaces	<b>\$2,065</b>
3 ¾	3 ¾	3 ¼	12	2	<b>9PCA11K3CECC</b>	Node Electrical 3 Unit Kit, Power + USB- Corded, for 180-192 Surfaces	<b>\$2,093</b>
3 ¾	3 ¾	3 ¼	12	2	<b>9PCA11K3CEDC</b>	Node Electrical 3 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$2,212</b>
<b>Center + Mid Location</b>							
3 ¾	3 ¾	3 ¼	12	2	<b>9PCA11K3CMDC</b>	Node Electrical 3 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$2,079</b>
<b>Mid + End Location</b>							
3 ¾	3 ¾	3 ¼	15	2	<b>9PCA11K4MEDC</b>	Node Electrical 4 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$2,648</b>


**Model Metal Finish**

- B** Black
- S** Silver



- two power outlets one 72 watt USB A+C (A=12 watt, C=60 watt)
- flush mount design
- tamper resistant outlets
- 9' strain relief cord with 15 amp three-prong molded plug
- powdercoat metal faceplate
- ETL listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
2 1/2	7 3/8	3 5/8	4	1	<b>9PCB21C</b>	Electrolite Electrical Single Unit Power + USB - Corded	<b>\$710</b>




**PURL Modular Component System with Electrolite Power Units**

- individual power unit features: two power outlets/one 72 watt USB A+C (A =12 watt, C = 60 watt)
- available in 2-, 3-, and 4-unit power kit models with single power infeed
- flush mount design
- tamper resistant outlets
- PURL Single Circuit Linking Power System is non-sequential, connecting multiple units with one 9'-15-amp molded plug infeed
- infeed power plug has an integrated circuit breaker with reset
- powdercoat aluminum faceplate
- UL listed
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection components


D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>End Location</b>							
2 5/16	14 3/8	5 1/8	9	1	<b>9PCB21K2EAC</b>	Electrolite Electrical 2 Unit Kit, Power + USB- Corded, for 84- 114 Surfaces	<b>\$1,593</b>
2 5/16	7 5/16	3 5/8	8	1	<b>9PCB21K2EBC</b>	Electrolite Electrical 2 Unit Kit, Power + USB- Corded, for 120-174 Surfaces	<b>\$1,671</b>
2 5/16	7 5/16	3 5/8	8	1	<b>9PCB21K2ECC</b>	Electrolite Electrical 2 Unit Kit, Power + USB- Corded, for 180-192 Surfaces	<b>\$1,676</b>
2 5/16	7 5/16	3 5/8	8	1	<b>9PCB21K2EDC</b>	Electrolite Electrical 2 Unit Kit, Power + USB- Corded,, for 198-240 Surfaces	<b>\$1,752</b>
<b>Mid Location</b>							
2 5/16	7 5/16	3 5/8	8	1	<b>9PCB21K2MBC</b>	Electrolite Electrical 2 Unit Kit, Power + USB- Corded, for 120-174 Surfaces	<b>\$1,593</b>
2 5/16	7 5/16	3 5/8	8	1	<b>9PCB21K2MCC</b>	Electrolite Electrical 2 Unit Kit, Power + USB- Corded, for 180-192 Surfaces	<b>\$1,653</b>
2 5/16	7 5/16	3 5/8	8	1	<b>9PCB21K2MDC</b>	Electrolite Electrical 2 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$1,674</b>
<b>Center + End Location</b>							
2 5/16	7 5/16	3 5/8	12	2	<b>9PCB21K3CEAC</b>	Electrolite Electrical 3 Unit Kit, Power + USB- Corded, for 102-114 Surfaces	<b>\$2,135</b>
2 5/16	7 5/16	3 5/8	12	2	<b>9PCB21K3CEBC</b>	Electrolite Electrical 3 Unit Kit, Power + USB- Corded, for 120-174 Surfaces	<b>\$2,150</b>
2 5/16	7 5/16	3 5/8	12	2	<b>9PCB21K3CECC</b>	Electrolite Electrical 3 Unit Kit, Power + USB- Corded, for 180-192 Surfaces	<b>\$2,195</b>
2 5/16	7 5/16	3 5/8	12	2	<b>9PCB21K3CEDC</b>	Electrolite Electrical 3 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$2,292</b>
<b>Center + Mid Location</b>							
2 5/16	7 5/16	3 5/8	12	2	<b>9PCB21K3CMDC</b>	Electrolite Electrical 3 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$2,155</b>
<b>Mid + End Location</b>							
2 5/16	7 5/16	3 5/8	16	2	<b>9PCB21K4MEDC</b>	Electrolite Electrical 4 Unit Kit, Power + USB- Corded,, for 198-240 Surfaces	<b>\$2,715</b>

**Model Metal Finish**

- B** Black
- S** Silver




closed



open

- In-Surface Aluminum frame with soft closing lid and cord routing slot
- 4 port unit with two power, one 20 watt USB A+C (10 watt each), and one open data port
- open port accepts TCP300 series Telecom ports ordered separately. 12 pack data adapter kit included
- 10' cord with 15 amp three-prong molded plug
- powdercoat aluminum frame and lid
- inside faceplate and power/data outlets are black
- UL Listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21C</b>	Ellora Electrical Single Unit, Single Sided Power + USB - Corded	<b>\$699</b>





**Pattern Modular Component System with Ellora One Sided Power Units**

- available in 2-, 3-, and 4-unit kit models which include all components required: Ellora In-Surface Aluminum frame with soft closing lid and cord routing slot power units, single end power infeed, jumpers, distribution block, and mounting hardware
- Pattern Single Circuit Linking Power System is non-sequential and supports multiple Ellora units connected with one 10' cord and 15 amp molded plug
- each individual power unit features two power, one 20 watt USB A+C (10 watt each), and one open data port. Open port accepts TCP300 series Telecom ports ordered separately. 12 pack data adapter kit included
- powdercoat Aluminum; inside faceplate and power/data outlets are black
- ETL Listed modular solution
- specify the model for number of kits, top width range and cutout locations to provide required jumper lengths and connection components


D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>End Location</b>							
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K2EAC</b>	Ellora Electrical 2 Unit Kit, Single Sided Power + USB- Corded, for 84- 114 Surfaces	<b>\$2,114</b>
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K2EBC</b>	Ellora Electrical 2 Unit Kit, Single Sided Power + USB- Corded, for 120- 174 Surfaces	<b>\$2,242</b>
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K2ECC</b>	Ellora Electrical 2 Unit Kit, Single Sided Power + USB- Corded, for 180- 192 Surfaces	<b>\$2,183</b>
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K2EDC</b>	Ellora Electrical 2 Unit Kit, Single Sided Power + USB- Corded, for 198- 240 Surfaces	<b>\$2,230</b>
<b>Mid Location</b>							
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K2MBC</b>	Ellora Electrical 2 Unit Kit, Single Sided Power + USB- Corded, for 120- 174 Surfaces	<b>\$2,143</b>
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K2MCC</b>	Ellora Electrical 2 Unit Kit, Single Sided Power + USB- Corded, for 180- 192 Surfaces	<b>\$2,271</b>
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K2MDC</b>	Ellora Electrical 2 Unit Kit, Single Sided Power + USB- Corded, for 198- 240 Surfaces	<b>\$2,230</b>
<b>Center + End Location</b>							
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K3CEBC</b>	Ellora Electrical 3 Unit Kit, Single Sided Power + USB- Corded, for 120- 174 Surfaces	<b>\$3,020</b>
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K3CECC</b>	Ellora Electrical 3 Unit Kit, Single Sided Power + USB- Corded, for 180- 192 Surfaces	<b>\$3,020</b>
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K3CEDC</b>	Ellora Electrical 3 Unit Kit, Single Sided Power + USB- Corded, for 198- 240 Surfaces	<b>\$3,173</b>
<b>Center + Mid Location</b>							
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K3CMDC</b>	Ellora Electrical 3 Unit Kit, Single Sided Power + USB- Corded, for 198- 240 Surfaces	<b>\$3,035</b>
<b>Mid + End Location</b>							
5 3/8	8 3/8	3 1/2	3	1	<b>9PCD21K4MEDC</b>	Ellora Electrical 4 Unit Kit, Single Sided Power + USB- Corded, for 198- 240 Surfaces	<b>\$3,919</b>

Model	Metal Finish
B	Black
S	Silver



- In-surface with sliding, retractable door to access outlets
- two power, one USB A (10 watt) + C (15 watt)
- 10' cord with 15 amp three-prong molded plug
- black trim with gray retractable door and black outlet face
- ETL Listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
3½	8½	5	3	1	<b>9PCE21C</b>	Vault Z23 Electrical Single Unit, Retractable Door Power + USB- Coded	<b>\$698</b>




**Modular Connection System with Vault Z23 Retractable Power Units**

- available in 2-, 3-, and 4-unit kit models which include all connection required: Z23 In-Surface with sliding retractable door, single end power infeed, jumpers and mounting hardware
- Sequential single circuit connection kit supports multiple Z23 units connected with one 9' cord and 15 amp molded plug
- Each individual power unit features two power, one USB A (10 watt) + C (15 watt)
- Black trim with dark gray retractable door and black outlet face
- ETL Listed modular solution
- specify the model for number of kits, top width range and cutout locations to provide required jumper lengths and connection components



D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>End Location</b>							
3½	8½	5	3	1	<b>9PCE21K2EAC</b>	Vault Z23 Electrical 2 Unit Kit, Retractable Door Power + USB- Coded for 84- 114 Surfaces	<b>\$1,273</b>
<b>Mid Location</b>							
3½	8½	5	3	1	<b>9PCE21K2MBC</b>	Vault Z23 Electrical 2 Unit Kit, Retractable Door Power + USB- Coded for 120- 174 Surfaces	<b>\$1,273</b>
<b>Center + End Location</b>							
3½	8½	5	3	1	<b>9PCE21K3CEAC</b>	Vault Z23 Electrical 3 Unit Kit, Retractable Door Power + USB- Coded for 102- 114 Surfaces	<b>\$1,815</b>
3½	8½	5	3	1	<b>9PCE21K3CEBC</b>	Vault Z23 Electrical 3 Unit Kit, Retractable Door Power + USB- Coded for 120- 174 Surfaces	<b>\$1,815</b>
<b>Center + Mid Location</b>							
3½	8½	5	3	1	<b>9PCE21K3CMDC</b>	Vault Z23 Electrical 3 Unit Kit, Retractable Door Power + USB- Coded for 198- 234 Surfaces	<b>\$1,815</b>
<b>Mid + End Location</b>							
3½	8½	5	3	1	<b>9PCE21K4MEDC</b>	Vault Z23 Electrical 4 Unit Kit, Retractable Door Power + USB- Coded for 198- 234 Surfaces	<b>\$2,359</b>

Model



- two-Sided, In-Surface Aluminum frame with retractable one touch doors
- each side has 4 ports with two power, one 20 watt USB A+C (10 watt each), and one open data port
- unit total is four power, two 20 watt USB A+C (10 watt each) and two open data ports
- 12 pack data adapter kit included. Open ports accept TCP300 series Telecom ports ordered separately
- two 10' cord with 15 amp three-prong molded plug, one per side
- powdercoat Aluminum frame
- inside faceplate and power/data outlets are black
- UL Listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42C</b>	M2X Electrical Single Unit, Two Sided Power + USB- Corded	<b>\$1,225</b>




- two-Sided, In-Surface Aluminum frame with retractable one touch doors
- each side has 4 ports with two power, one 20 watt USB A+C (10 watt each), and one open data port
- unit total is four power, two 20 watt USB A+C (10 watt each) and two open data ports
- 12 pack data adapter kit included. Open ports accept TCP300 series Telecom ports ordered separately
- two 10' Chicago hardwire, one per side
- powdercoat Aluminum frame
- inside faceplate and power/data outlets are black
- UL Listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
8 1/8	8 1/4	1 1/2	9	1	<b>9PCF42H</b>	M2X Electrical Single Unit, Two Sided Power + USB- Hardwire	<b>\$1,402</b>

**Model** | **Metal Finish**

- B** Black
- S** Silver





**Pattern Modular Component System with M2X Two Sided Power Units**

- available in 1-, 2-, and 3-unit kit models which include all components required: M2X In-Surface aluminum frame with retractable one touch doors, single end power infeed, jumpers, distribution block, and mounting hardware
- Pattern Single Circuit Linking Power System is non-sequential and supports multiple M2X units connected with one 10' cord and 15 amp molded plug
- each individual power unit features four power, two 20 watt USB A+C (10 watt each) and two open data port
- 12 pack data adapter kit included. Open port accepts TCP300 series Telecom ports ordered separately
- powdercoat aluminum. Inside faceplate and power/data outlets are black
- ETL Listed modular solution
- specify the model for number of kits, top width range and cutout locations to provide required jumper lengths and connection components

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Center Location</b>							
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42K1C</b>	M2X Electrical 1 Unit Kit, Two Sided Power + USB- Coded	<b>\$1,910</b>
<b>End Location</b>							
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42K2EBC</b>	M2X Electrical 2 Unit Kit, Two Sided Power + USB- Coded for 120- 174 Surfaces	<b>\$3,446</b>
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42K2ECC</b>	M2X Electrical 2 Unit Kit, Two Sided Power + USB- Coded for 180- 192 Surfaces	<b>\$3,476</b>
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42K2EDC</b>	M2X Electrical 2 Unit Kit, Two Sided Power + USB- Coded for 198- 240 Surfaces	<b>\$3,566</b>
<b>Mid Location</b>							
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42K2MBC</b>	M2X Electrical 2 Unit Kit, Two Sided Power + USB- Coded for 120- 174 Surfaces	<b>\$3,348</b>
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42K2MCC</b>	M2X Electrical 2 Unit Kit, Two Sided Power + USB- Coded for 180- 192 Surfaces	<b>\$3,388</b>
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42K2MDC</b>	M2X Electrical 2 Unit Kit, Two Sided Power + USB- Coded for 198- 240 Surfaces	<b>\$3,460</b>
<b>Center + End Location</b>							
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42K3CEBC</b>	M2X Electrical 3 Unit Kit, Two Sided Power + USB- Coded for 120- 174 Surfaces	<b>\$4,727</b>
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42K3CECC</b>	M2X Electrical 3 Unit Kit, Two Sided Power + USB- Coded for 180- 192 Surfaces	<b>\$4,862</b>
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42K3CEDC</b>	M2X Electrical 3 Unit Kit, Two Sided Power + USB- Coded for 198- 240 Surfaces	<b>\$4,872</b>
<b>Center + Mid Location</b>							
8 1/8	8 1/4	1 1/2	6	1	<b>9PCF42K3CMDC</b>	M2X Electrical 3 Unit Kit, Two Sided Power + USB- Coded for 198- 240 Surfaces	<b>\$4,821</b>



**Model | Metal Finish**

- B** Black
- S** Silver



- two-Sided, In-Surface Aluminum frame with soft closing lid and cord routing slot
- each side has 6 ports with four power, one 20 watt USB A+C (10 watt each) and one open data port
- unit total is eight power, two 20 watt USB A+C (10 watt each), and two open data ports
- 12 pack data adapter kit included. Open ports accept TCP300 series Telecom ports ordered separately
- two 10' cord with 15 amp three-prong molded plug, one per side
- powdercoat Aluminum frame and lid
- inside faceplate and power/data outlets are black
- UL Listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82C</b>	Ellora Double Electrical Single Unit, Two Sided Power + USB- Corded	<b>\$1,701</b>




- two-Sided, In-Surface Aluminum frame with soft closing lid and cord routing slot
- each side has 6 ports with four power, one 20 watt USB A+C (10 watt each) and one open data port
- unit total is eight power, two 20 watt USB A+C (10 watt each) and two open data ports
- 12 pack data adapter kit included. Open ports accept TCP300 series Telecom ports ordered separately
- two 10' Chicago hardwire, one per side
- powdercoat Aluminum frame and lid
- inside faceplate and power/data outlets are black
- UL Listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
10 ¼	11 ¾	3 ½	12	1	<b>9PCG82H</b>	Ellora Double Electrical Single Unit, Two Sided Power + USB- Hardwire	<b>\$1,714</b>

**Model** | **Metal Finish**

- B** Black
- S** Silver




**Pattern Modular Component System with Ellora Double Power Units**

- available in 1-, 2-, and 3-unit kit models which include all components required: Ellora Double In-Surface Aluminum frame with soft closing lid and cord routing slot power units, single end power infeed, jumpers, distribution block, and mounting hardware
- Pattern Single Circuit Linking Power System is non-sequential and supports multiple Ellora Double units connected with one 10' cord and 15 amp molded plug
- each individual power unit features eight power, two 20 watt USB A+C (10 watt each) and two open data port. 12 pack data adapter kit included. Open port accepts TCP300 series Telecom ports ordered separately
- powdercoat aluminum. Inside faceplate and power/data outlets are black
- ETL Listed modular solution
- specify the model for number of kits, top width range and cutout locations to provide required jumper lengths and connection components lengths and connection components

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Center Location</b>							
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82K1C</b>	Ellora Double Electrical 1 Unit Kit, Two Sided Power + USB- Corded	<b>\$2,465</b>
<b>End Location</b>							
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82K2EBC</b>	Ellora Double Electrical 2 Unit Kit, Two Sided Power + USB- Corded for 120- 174 Surfaces	<b>\$4,127</b>
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82K2ECC</b>	Ellora Double Electrical 2 Unit Kit, Two Sided Power + USB- Corded for 180- 192 Surfaces	<b>\$4,230</b>
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82K2EDC</b>	Ellora Double Electrical 2 Unit Kit, Two Sided Power + USB- Corded for 198- 240 Surfaces	<b>\$4,333</b>
<b>Mid Location</b>							
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82K2MBC</b>	Ellora Double Electrical 2 Unit Kit, Two Sided Power + USB- Corded, for 120- 174 Surfaces	<b>\$4,127</b>
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82K2MCC</b>	Ellora Double Electrical 2 Unit Kit, Two Sided Power + USB- Corded, for 180- 192 Surfaces	<b>\$4,230</b>
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82K2MDC</b>	Ellora Double Electrical 2 Unit Kit, Two Sided Power + USB- Corded, for 198- 240 Surfaces	<b>\$4,333</b>
<b>Center + Ends Location</b>							
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82K3CEBC</b>	Ellora Double Electrical 3 Unit Kit, Two Sided Power + USB- Corded, for 120- 174 Surfaces	<b>\$6,498</b>
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82K3CECC</b>	Ellora Double Electrical 3 Unit Kit, Two Sided Power + USB- Corded, for 180- 192 Surfaces	<b>\$6,527</b>
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82K3CEDC</b>	Ellora Double Electrical 3 Unit Kit, Two Sided Power + USB- Corded, for 198- 240 Surfaces	<b>\$6,625</b>
<b>Center + Mid Location</b>							
10 ¼	11 ¾	3 ½	9	1	<b>9PCG82K3CMDC</b>	Ellora Double Electrical 3 Unit Kit, Two Sided Power + USB- Corded, for 198- 240 Surfaces	<b>\$6,491</b>


**Model Metal Finish**

- B** Black
- S** Silver



- In-Surface with metal hinged lids that flip up from center and cord routing slots when closed
- six power (three per face), two 72 watt USB A(12 watt) + C(60 watt). Two faceplate openings (one each end). Open ports accept TCP100 Telecom ports ordered separately. Data adapter kit included
- tamper resistant
- two 9' cords with 15 amp three-prong molded plug
- available in seven standard exterior trim finishes with interior and outlet faces in black
- UL Listed


D	W	H	CTN WT	CU FT	① Model	Description	List Price
9	14 3/8	5 1/2	9	1	<b>9PCH62C</b>	Oasis Electrical Single Unit, Two Sided Power + USB- Corded	<b>\$1,764</b>



**PURL Modular Component System with Oasis Power Units**

- available in 1-, 2-, and 3-unit kit models which include all components required: Oasis In-Surface power units, single end power infeed, jumpers, splitters and mounting hardware
- PURL Single Circuit Linking Power System is non-sequential and supports multiple Oasis power units connected with one 9' cord and 15 amp molded plug
- each individual power unit features six power (three per face), two 72 watt USB A(12 watt) + C(60 watt). Two faceplate openings (one each end). Open ports accept TCP100 series Telecom ports ordered separately
- available in seven standard exterior trim finishes with interior and outlet faces in black
- UL Listed modular solution
- specify the model for number of kits, top width range and cutout locations to provide required jumper lengths and connection components lengths and connection components

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Center Location</b>							
9	14 3/8	5 1/2	9	1	<b>9PCH62K1C</b>	Oasis Electrical 1 Unit Kit, Two Sided Power + USB- Corded	<b>\$1,932</b>
<b>Mid Location</b>							
9	14 3/8	5 1/2	9	1	<b>9PCH62K2MBC</b>	Oasis Electrical 2 Unit Kit, Two Sided Power + USB- Corded, for 120- 174 Surfaces	<b>\$3,495</b>
9	14 3/8	5 1/2	9	1	<b>9PCH62K2MCC</b>	Oasis Electrical 2 Unit Kit, Two Sided Power + USB- Corded, for 180- 192 Surfaces	<b>\$3,478</b>
9	14 3/8	5 1/2	9	1	<b>9PCH62K2MDC</b>	Oasis Electrical 2 Unit Kit, Two Sided Power + USB- Corded, for 198- 240 Surfaces	<b>\$3,497</b>
<b>Center + Mid Location</b>							
9	14 3/8	5 1/2	9	1	<b>9PCH62K3CMDC</b>	Oasis Electrical 3 Unit Kit, Two Sided Power + USB- Corded, for 198- 240 Surfaces	<b>\$4,803</b>




- each side features four power outlets/one blank Telecom plate on each end of tray
- blank Telecom plates can be replaced with TCP100 series punched or configured plates ordered separately
- metal hinged tilt lids lift up from center with center cord routing slot when closed
- metal hinged lid available in seven standard JSI metal finishes
- two 9' cords with 15 amp three-prong molded plug
- tamper resistant outlets
- inside tray, faceplates, outlets and blank Telecom plates are black
- UL Listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
9	14 3/8	5 1/2	9	1	<b>9PCH62H</b>	Oasis Electrical Single Unit, Two Sided Power + USB - Hardwire	<b>\$1,835</b>


**Model Metal Finish**

ABZ	Aged Bronze
ASL	Arctic Silver
BWH	Bright White
GLD	Gold
MBK	Matte Black
PEW	Pewter
SBZ	Soft Bronze
SNK	Soft Nickel



- In-Surface with metal hinged lids that flip up from center and cord routing slot when closed
- eight power (four per face), two faceplate openings (one each end). Open ports accept TCP100 series Telecom ports ordered separately. Data adapter kit included
- tamper resistant
- one 9' cord with 15 amp three-prong molded plug
- available in seven standard exterior trim finishes with interior and outlet faces in black
- UL Listed


D	W	H	CTN WT	CU FT	① Model	Description	List Price
9	14 3/8	5 1/8	9	1	<b>9PCH8C</b>	Oasis Electrical Single Unit, Two Sided Power- Corded	<b>\$1,540</b>



**PURL Modular Component System with Oasis Power Units**

- available in 1-, 2-, and 3-unit kit models which include all components required: Oasis In-Surface power units, single end power infeed, jumpers, splitters and mounting hardware.
- PURL Single Circuit Linking Power System is non-sequential and supports multiple Oasis power units connected with one 9' cord and 15 amp molded plug
- each individual power unit features eight power (four per face), two faceplate openings (one each end). Open ports accept TCP100 series Telecom ports ordered separately
- available in seven standard exterior trim finishes with interior and outlet faces in black
- UL Listed modular solution
- specify the model for number of kits, top width range and cutout locations to provide required jumper lengths and connection components lengths and connection components

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Center Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PCH8K1C</b>	Oasis Electrical 1 Unit Kit, Two Sided Power- Corded	<b>\$1,707</b>
<b>Mid Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PCH8K2MBC</b>	Oasis Electrical 2 Unit Kit, Two Sided Power- Corded, for 120- 174 Surfaces	<b>\$2,972</b>
9	14 3/8	5 1/8	9	1	<b>9PCH8K2MCC</b>	Oasis Electrical 2 Unit Kit, Two Sided Power- Corded, for 180- 192 Surfaces	<b>\$3,122</b>
9	14 3/8	5 1/8	9	1	<b>9PCH8K2MDC</b>	Oasis Electrical 2 Unit Kit, Two Sided Power- Corded, for 198-240 Surfaces	<b>\$3,052</b>
<b>Center + Mid Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PCH8K3CMD</b>	Oasis Electrical 3 Unit Kit, Two Sided Power- Corded, for 198- 240 Surfaces	<b>\$4,131</b>




- each side features: four power outlets/one blank Telecom plate on each end of tray
- power unit has total of: eight power outlets and two blank Telecom plates
- blank Telecom plates can be replaced with TCP100 series punched or configured plates ordered separately
- metal hinged tilt lids lift up from center with center cord routing slot when closed
- two 9' conduit shielded hardwire whips, one per side
- tamper resistant
- inside tray, faceplates, outlets and blank Telecom plates are black
- UL Listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
9	14 3/8	4 3/4	12	1	<b>9PCH8H</b>	Oasis Electrical Single Unit, Two Sided Power- Hardwire	<b>\$1,602</b>

**Model Metal Finish**

- ABZ Aged Bronze
- ASL Arctic Silver
- BWH Bright White
- GLD Gold
- MBK Matte Black
- PEW Pewter
- SBZ Soft Bronze
- SNK Soft Nickel

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Vault BTC Electrical Single Unit, Rotating Power + USB + HDMI - Corded	4 ¼	16	5	7	1	<b>9PCJ321C</b>	<b>\$1,729</b>




- In-Surface, one touch open to close mechanism, 180 degree motorized pivot rotation
- safety stop rotation sensors prevent closure when outlets in use or obstruction detected
- three power, one USB A (15 watt) + C (45 watt), one HDMI, plus one 15-watt USB-A
- 12' cord with 15 amp three-prong molded plug
- anodized aluminum with black outlet face
- UL Listed

---


Model

---



- two power outlets/one 20 watt USB A+C (10 watt each) / one open data port
- 12 pack data adapter kit included for open port/accepts TCP300 series Telecom ports ordered separately
- flush mount design with tilt up/retractable one touch operation
- 10' cord with 15-amp three-prong molded plug
- powdercoat aluminum frame and lid
- inside face plate and power/data outlets are black
- UL Listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
4½	8¼	3¾	3	1	<b>9PCC21C</b>	Mho Electrical Single Unit, Single Sided Power + USB- Corded	<b>\$575</b>




**Pattern Modular Component System with Mho Power Units**

- individual power units feature: two power outlets/one 20 watt USB A+C (10 watt each) / one open data port
- 12 pack data adapter kit included for open port/accepts TCP300 series Telecom ports ordered separately
- available in 2, 3, and 4-unit power kit models with single power infeed
- flush mount design with tilt up/retractable one touch operation
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10'- 15-amp molded plug infeed
- infeed power plug has an integrated circuit breaker with reset
- powdercoat aluminum frame and lid
- power/data outlets are black
- inside face plate and power/data outlets are black
- ETL listed
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths and connection components, and hardware

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Center Location</b>							
9	14¾	5½	9	1	<b>9PCC21K2EAC</b>	Mho Electrical 2 Unit Kit, Single Sided Power + USB-Corded, for 84-114 Surfaces	<b>\$1,967</b>
9	14¾	5½	9	1	<b>9PCC21K2EBC</b>	Mho Electrical 2 Unit Kit, Single Sided Power + USB-Corded, for 120-174 Surfaces	<b>\$2,163</b>
9	14¾	5½	9	1	<b>9PCC21K2ECC</b>	Mho Electrical 2 Unit Kit, Single Sided Power + USB-Corded, for 180-192 Surfaces	<b>\$2,107</b>
9	14¾	5½	9	1	<b>9PCC21K2EDC</b>	Mho Electrical 2 Unit Kit, Single Sided Power + USB-Corded, for 198-240 Surfaces	<b>\$2,153</b>
<b>Mid Location</b>							
9	14¾	5½	9	1	<b>9PCC21K2MBC</b>	Mho Electrical 2 Unit Kit, Single Sided Power + USB-Corded, for 120-174 Surfaces	<b>\$2,068</b>
9	14¾	5½	9	1	<b>9PCC21K2MCC</b>	Mho Electrical 2 Unit Kit, Single Sided Power + USB-Corded, for 180-192 Surfaces	<b>\$2,191</b>
9	14¾	5½	9	1	<b>9PCC21K2MDC</b>	Mho Electrical 2 Unit Kit, Single Sided Power + USB-Corded, for 198-240 Surfaces	<b>\$2,153</b>
<b>Center + Mid Location</b>							
9	14¾	5½	9	1	<b>9PCC21K3CEBC</b>	Mho Electrical 3 Unit Kit, Single Sided Power + USB-Corded, for 120-174 Surfaces	<b>\$2,914</b>
9	14¾	5½	9	1	<b>9PCC21K3CECC</b>	Mho Electrical 3 Unit Kit, Single Sided Power + USB-Corded, for 180-192 Surfaces	<b>\$2,794</b>
9	14¾	5½	9	1	<b>9PCC21K3CEDC</b>	Mho Electrical 3 Unit Kit, Single Sided Power + USB-Corded, for 198-240 Surfaces	<b>\$2,951</b>
9	14¾	5½	9	1	<b>9PCC21K3CMDC</b>	Mho Electrical 3 Unit Kit, Single Sided Power + USB-Corded, for 198-240 Surfaces	<b>\$2,808</b>
9	14¾	5½	9	1	<b>9PCC21K4MEDC</b>	Mho Electrical 4 Unit Kit, Single Sided Power + USB-Corded, for 198-240 Surfaces	<b>\$3,612</b>


**Model Metal Finish**

- B** Black
- S** Silver



- one power outlet/one open data port
- 12 pack data adapter kit included for open port/accepts TCP300 series Telecom ports ordered separately
- edge mount design with free-placement
- 10' cord with 15-amp three-prong molded plug
- metal trim faceplate
- black outlet face
- UL listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
3 5/8	3 7/8	1 7/16	3	1	<b>9PUM1C</b>	Undermount Electrical, Power + Open- Corded	<b>\$355</b>




**Pattern Modular Component System with Undermount Power Units**

- individual power unit features: one power outlet/one open data port
- 12 pack data adapter kit included for open port/accepts TCP300 series Telecom ports ordered separately
- available in 2, 4, 6, and 8-unit power kit models with single power infeed
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10'-15-amp molded plug infeed
- infeed power plug has an integrated circuit breaker with reset
- metal trim faceplate
- ETL listed
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths, cord covers and connection components and hardware

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Center Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM1K2EC</b>	Undermount Electrical 2 Unit Kit, Power + Open- Corded, for 42-60 Round & Square Surfaces	<b>\$1,327</b>
9	14 3/8	5 1/8	9	1	<b>9PUM1K4FC</b>	Undermount Electrical 4 Unit Kit, Power + Open- Corded, for 54-60 Round & Square Surfaces	<b>\$2,025</b>
9	14 3/8	5 1/8	9	1	<b>9PUM1K2UC</b>	Undermount Electrical 2 Unit Kit, Power + Open- Corded, for 72-240 Universal Surfaces	<b>\$1,280</b>
<b>Mid + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM1K4MEAC</b>	Undermount Electrical 4 Unit Kit, Power + Open- Corded, for 72-114 Surfaces	<b>\$2,122</b>
9	14 3/8	5 1/8	9	1	<b>9PUM1K4MEBC</b>	Undermount Electrical 4 Unit Kit, Power + Open- Corded, for 120-174 Surfaces	<b>\$2,454</b>
9	14 3/8	5 1/8	9	1	<b>9PUM1K4MECC</b>	Undermount Electrical 4 Unit Kit, Power + Open- Corded, for 180-192 Surfaces	<b>\$2,271</b>
9	14 3/8	5 1/8	9	1	<b>9PUM1K4MEDC</b>	Undermount Electrical 4 Unit Kit, Power + Open- Corded, for 198-240 Surfaces	<b>\$2,352</b>
<b>Center + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM1K6CEBC</b>	Undermount Electrical 6 Unit Kit, Power + Open- Corded, for 102-174 Surfaces	<b>\$3,033</b>
9	14 3/8	5 1/8	9	1	<b>9PUM1K6CECC</b>	Undermount Electrical 6 Unit Kit, Power + Open- Corded, for 180-192 Surfaces	<b>\$3,042</b>
<b>Center + Mid Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM1K6CMDC</b>	Undermount Electrical 6 Unit Kit, Power + Open- Corded, for 198-240 Surfaces	<b>\$2,994</b>
<b>Center + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM1K6CEDC</b>	Undermount Electrical 6 Unit Kit, Power + Open- Corded, for 198-240 Surfaces	<b>\$3,193</b>
<b>Mid + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM1K8MEDC</b>	Undermount Electrical 8 Unit Kit, Power + Open- Corded, for 198-240 Surfaces	<b>\$3,908</b>

Model	Metal Finish
	<p><b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors</p> <p><b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors</p>




**Pattern Modular Component with Undermount Power Units**

When additional power units are needed for a table equipped with a 2, 4, 6, or 8 unit Undermount Kits, Plus 1 and Plus 2 add-on kits are available. The Plus 1 and Plus 2 add-on requires a 2-, 4-, 6-, or 8-unit kit to supply connection to the building power source with single power infeed. Any Plus 1 or Plus 2 kit configurations; one power with open data port/two power/one power with USB A+C can be connected to any configuration Undermount kit.


**Individual Power Unit Features: one power outlet/one-open data port**

- 12 pack data adapter kit included for open port/accepts TCP300 series Telecom ports ordered separately
- available in Plus 1 and Plus 2 power kit models
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System, connect Plus 1 or Plus 2 units to existing Undermount Pattern kits
- metal trim faceplate
- ETL listed
- specify model for power kit based on location to provide required jumper lengths, cord covers and connection components and hardware


Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Undermount Electrical Plus 1 Unit Kit, Power + Open - Corded, for 72-240 Surfaces</b>	9	14 3/8	5 1/8	9	1	<b>9PUM1K1PC</b>	<b>\$684</b>



<b>Undermount Electrical Plus 2 Unit Kit, Power + Open - Corded, for 72-240 Surfaces</b>	9	14 3/8	5 1/8	9	1	<b>9PUM1KP2C</b>	<b>\$1,052</b>
--	---	--------	-------	---	---	------------------	----------------




Model	Metal Finish
	<p><b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors</p> <p><b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors</p>



- two power outlets
- edge mount design
- 10' cord with 15-amp three-prong molded plug
- metal trim faceplate
- black outlet faces
- UL listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
1 7/16	3	3 5/8	3 7/8	1	<b>9PUM2C</b>	Undermont Electrical, Power - Corded	<b>\$333</b>




**Pattern Modular Component System with Undermount Power Units**

- available in 2, 4, 6, and 8-unit power kit models with single power infeed.
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10'-15-amp molded plug infeed.
- infeed power plug has an integrated circuit breaker with reset
- metal trim faceplate
- ETL listed
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths, cord covers and connection

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Center Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM2K2EC</b>	Undermont Electrical 2 Unit Kit, Power - Corded, for 42-60 Round & Square Surfaces	<b>\$1,273</b>
9	14 3/8	5 1/8	9	1	<b>9PUM2K4FC</b>	Undermont Electrical 4 Unit Kit, Power - Corded, for 54-60 Round & Square Surfaces	<b>\$2,039</b>
9	14 3/8	5 1/8	9	1	<b>9PUM2K2UC</b>	Undermont Electrical 2 Unit Kit, Power - Corded, for 72-240 Universal Surfaces	<b>\$1,280</b>
<b>Mid + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM2K4MEAC</b>	Undermont Electrical 4 Unit Kit, Power - Corded, for 72-114 Surfaces	<b>\$2,122</b>
9	14 3/8	5 1/8	9	1	<b>9PUM2K4MEBC</b>	Undermont Electrical 4 Unit Kit, Power - Corded, for 120-174 Surfaces	<b>\$2,454</b>
9	14 3/8	5 1/8	9	1	<b>9PUM2K4MECC</b>	Undermont Electrical 4 Unit Kit, Power - Corded, for 180-192 Surfaces	<b>\$2,271</b>
9	14 3/8	5 1/8	9	1	<b>9PUM2K4MEDC</b>	Undermont Electrical 4 Unit Kit, Power - Corded, for 198-240 Surfaces	<b>\$2,352</b>
<b>Center + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM2K6CEBC</b>	Undermont Electrical 6 Unit Kit, Power - Corded, for 102-174 Surfaces	<b>\$3,033</b>
9	14 3/8	5 1/8	9	1	<b>9PUM2K6CECC</b>	Undermont Electrical 6 Unit Kit, Power - Corded, for 180-192 Surfaces	<b>\$3,042</b>
<b>Center + Mid Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM2K6CMDC</b>	Undermont Electrical 6 Unit Kit, Power - Corded, for 198-240 Surfaces	<b>\$2,994</b>
<b>Center + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM2K6CEDC</b>	Undermont Electrical 6 Unit Kit, Power - Corded, for 198-240 Surfaces	<b>\$3,193</b>
<b>Mid + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM2K8MEDC</b>	Undermont Electrical 8 Unit Kit, Power - Corded, for 198-240 Surfaces	<b>\$3,908</b>

Model	Metal Finish
	<p><b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors</p> <p><b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors</p>




**Pattern Modular Component with Undermount Power Units**

When additional power units are needed for a table equipped with a 2, 4, 6, or 8 unit Undermount Kits, Plus 1 and Plus 2 add-on kits are available. The Plus 1 and Plus 2 add-on requires a 2-, 4-, 6-, or 8-unit kit to supply connection to the building power source with single power infeed. Any Plus 1 or Plus 2 kit configurations; one power with open data port/two power/one power with USB A+C can be connected to any configuration Undermount kit.


**Individual Power Unit Features: two power outlets**

- available in Plus 1 and Plus 2 power kit models
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System, connect Plus 1 or Plus 2 units to existing Undermount Pattern kits
- metal trim faceplate
- ETL listed
- specify model for power kit based on location to provide required jumper lengths, cord covers and connection components and hardware


Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Undermount Electrical 1 Unit Kit, Power - Corded, for 72-240 Surfaces</b>	9	14 3/8	5 1/8	9	1	<b>9PUM2KP1C</b>	<b>\$684</b>



<b>Undermount Electrical 2 Unit Kit, Power - Corded, for 72-240 Surfaces</b>	9	14 3/8	5 1/8	9	1	<b>9PUM2KP2C</b>	<b>\$1,052</b>
--	---	--------	-------	---	---	------------------	----------------




Model	Metal Finish
	<p><b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors</p> <p><b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors</p>



- one power outlet/one 20 watt USB A+C (10 watt each)
- edge mount design
- 10' cord with 15-amp three-prong molded plug
- metal trim faceplate
- black outlet faces
- UL listed

D	W	H	CTN WT	CU FT	① Model	Description	List Price
3 5/8	3 7/8	1 7/16	3	1	<b>9PUM11C</b>	Undermount Electrical, Power + USB- Corded	<b>\$562</b>




**Pattern Modular Component System with Undermount Power Units**

- available in 2, 4, 6, and 8-unit power kit models with single power infeed.
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System is non-sequential, connecting multiple units with one 10'- 15-amp molded plug infeed.
- infeed power plug has an integrated circuit breaker with reset
- metal trim faceplate
- ETL listed
- specify model for power kit based on, top width range and cutout locations to provide required jumper lengths, cord covers and connection

D	W	H	CTN WT	CU FT	① Model	Description	List Price
<b>Center Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM11K2EC</b>	Undermount Electrical 2 Unit Kit, Power + USB- Corded, for 42-60 Round & Square Surfaces	<b>\$1,760</b>
9	14 3/8	5 1/8	9	1	<b>9PUM11K4FC</b>	Undermount Electrical 4 Unit Kit, Power + USB- Corded, for 54-60 Round & Square Surfaces	<b>\$2,990</b>
9	14 3/8	5 1/8	9	1	<b>9PUM11K2UC</b>	Undermount Electrical 2 Unit Kit, Power - Corded, for 72-240 Universal Surfaces	<b>\$1,744</b>
<b>Mid + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM11K4MEAC</b>	Undermount Electrical 4 Unit Kit, Power + USB- Corded, for 72-114 Surfaces	<b>\$3,050</b>
9	14 3/8	5 1/8	9	1	<b>9PUM11K4MEBC</b>	Undermount Electrical 4 Unit Kit, Power + USB- Corded, for 120-174 Surfaces	<b>\$3,382</b>
9	14 3/8	5 1/8	9	1	<b>9PUM11K4MECC</b>	Undermount Electrical 4 Unit Kit, Power + USB- Corded, for 180-192 Surfaces	<b>\$3,199</b>
9	14 3/8	5 1/8	9	1	<b>9PUM11K4MEDC</b>	Undermount Electrical 4 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$3,280</b>
<b>Center + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM11K6CEBC</b>	Undermount Electrical 6 Unit Kit, Power + USB- Corded, for 102-174 Surfaces	<b>\$4,425</b>
9	14 3/8	5 1/8	9	1	<b>9PUM11K6CECC</b>	Undermount Electrical 6 Unit Kit, Power + USB- Corded, for 180-192 Surfaces	<b>\$4,434</b>
<b>Center + Mid Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM11K6CMDC</b>	Undermount Electrical 6 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$4,386</b>
<b>Center + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM11K6CEDC</b>	Undermount Electrical 6 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$4,585</b>
<b>Mid + End Location</b>							
9	14 3/8	5 1/8	9	1	<b>9PUM11K8MEDC</b>	Undermount Electrical 8 Unit Kit, Power + USB- Corded, for 198-240 Surfaces	<b>\$5,763</b>

Model	Metal Finish
	<p><b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors</p> <p><b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors</p>




**Pattern Modular Component with Undermount Power Units**

When additional power units are needed for a table equipped with a 2, 4, 6, or 8 unit Undermount Kits, Plus 1 and Plus 2 add-on kits are available. The Plus 1 and Plus 2 add-on requires a 2-, 4-, 6-, or 8-unit kit to supply connection to the building power source with single power infeed. Any Plus 1 or Plus 2 kit configurations; one power with open data port/two power/one power with USB A+C can be connected to any configuration Undermount kit.


**Individual Power Unit Features: one power outlet/one 20 watt USB A+C (10 watt each)**

- available in Plus 1 and Plus 2 power kit models
- edge mount design
- flexible mounting placement of units at installation
- Pattern Single Circuit Linking Power System, connect Plus 1 or Plus 2 units to existing Undermount Pattern kits
- metal trim faceplate
- ETL listed
- specify model for power kit based on location to provide required jumper lengths, cord covers and connection components and hardware






Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Undermount Electrical 1 Unit Kit, Power + USB - Corded, for 72-240 Surfaces</b>	9	14 3/8	5 1/8	9	1	<b>9PUM11KP1C</b>	<b>\$916</b>



<b>Undermount Electrical 2 Unit Kit, Power - Corded, for 72-240 Surfaces</b>	9	14 3/8	5 1/8	9	1	<b>9PUM11KP2C</b>	<b>\$1,516</b>
--	---	--------	-------	---	---	-------------------	----------------




Model	Metal Finish
	<p><b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors</p> <p><b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors</p>

Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Blank Cap Data Plate, Type 1</b>  <ul style="list-style-type: none"> <li>• blank data plate</li> <li>• black</li> <li>• for use with Oasis power units</li> </ul>		1 3/4	3 1/8			<b>TCP101</b>	<b>\$19</b>
<b>Three Cord Bushing Data Plate, Type 1</b>  <ul style="list-style-type: none"> <li>• cord minder- three cord bushing</li> <li>• black</li> <li>• for use with Oasis power units</li> </ul>		1 3/4	3 1/8			<b>TCP102</b>	<b>\$86</b>
<b>One Jack Data Plate, Type 1</b>  <ul style="list-style-type: none"> <li>• one RJ-45 CAT6 Jack</li> <li>• black</li> <li>• for use with Oasis power units</li> </ul>		1 3/4	3 1/8			<b>TCP104</b>	<b>\$108</b>
<b>Two Jack Data Plate, Type 1</b>  <ul style="list-style-type: none"> <li>• two RJ-45 CAT6 Jacks</li> <li>• black</li> <li>• for use with Oasis power units</li> </ul>		1 3/4	3 1/8			<b>TCP105</b>	<b>\$181</b>
<b>Three Jack Data Plate, Type 1</b>  <ul style="list-style-type: none"> <li>• three RJ-45 CAT6 Jacks</li> <li>• black</li> <li>• for use with Oasis power units</li> </ul>		1 3/4	3 1/8			<b>TCP106</b>	<b>\$254</b>
<b>Two Open Data Ports, Type 1</b>  <ul style="list-style-type: none"> <li>• use with two Type 3 Telecom Jacks</li> <li>• black</li> <li>• for use with Oasis power units</li> </ul>		1 3/4	3 1/8			<b>TCP110</b>	<b>\$19</b>


Model

Description	D	W	H	CTN WT	CU FT	1 Model	List Price
<b>HDMI Data Plate, Type 1</b>		1 3/4	3 1/8			<b>TCP107</b>	<b>\$239</b>




- one HDMI female to female connection with 36" cord
- black
- for use with Oasis power units

<b>HDMI and Data Jack Plate, Type 1</b>		1 3/4	3 1/8			<b>TCP113</b>	<b>\$281</b>
---	--	-------	-------	--	--	---------------	--------------




- one HDMI female to female connection with 36" cord one RJ45 CAT6 punch down jack
- black
- for use with Oasis power units

<b>HDMI Connector Accessory, Type 3</b>						<b>TCP301</b>	<b>\$123</b>
---	--	--	--	--	--	---------------	--------------



- one HDMI coupler female to female connection with 18" cord
- use 12 pack data adapter kit CCC adapter trim shaped with unit
- black
- for use with Node, Mho, Ellora, M2X, Ellora Double, Undermount and Glenbeigh power units

<b>Network Jack Accessory, Type 3</b>						<b>TCP303</b>	<b>\$114</b>
---------------------------------------	--	--	--	--	--	---------------	--------------




- one RJ45 CAT6 coupler female to female connection with 10' cord
- use 12 pack data adapter kit FFF adapter trim shipped with unit
- black
- for use with Node, Mho, Ellora, M2X, Ellora Double, Undermount and Glenbeigh power units

Model


## Data Adapter Applications

12 Pack Data Adapter Kit ships with Power Units: Node, Mho, Ellora, Ellora Double, M2X, Undermount and Glenbeigh ships in box with power unit.


Black plastic adapter trims are marked on the back surface with letter designators that indicate the data jack manufacturer, series and style. Data jack manufactures websites are listed below for quick reference to verify data jack series and style.




Adapter	Manufacturer	Website
BBB*	L-Com Keystone Modular	<a href="http://www.L-Com.com">www.L-Com.com</a>
BBB*	NETCONNECT, and 110 Connect Series Modular Jack	<a href="http://www.Anixter.com">www.Anixter.com</a>
BBB	Siemon ZMAX Style	<a href="http://www.Siemon.com">www.Siemon.com</a>
BBB*	Allen Tel Versa Tap Series	<a href="http://www.Graybar.com">www.Graybar.com</a>
BBB*	Leviton Quick Port® Series	<a href="http://www.Leviton.com">www.Leviton.com</a>
BBB*	Belden REVConnect	<a href="http://www.Belden.com">www.Belden.com</a>
CCC	HDMI Adapter Cable	<a href="http://www.Byrne.com">www.Byrne.com</a>
CCC	Hubbell Nextspeed™ Keystone Series	<a href="http://www.Hubbell-premise.com">www.Hubbell-premise.com</a>
CCC	ADC Truenet series	<a href="http://www.Anixter.com">www.Anixter.com</a>
DDD	Blank (no coupler/jack)	
EEE	Ortronics TracJack Series	<a href="http://www.Ortronics.com">www.Ortronics.com</a>
FFF	Panduit Mini-Com Series	<a href="http://www.Panduit.com">www.Panduit.com</a>
HHH	Video Monitor Jack/DB-15, panel mount solder style	<a href="http://www.Bryne.com">www.Bryne.com</a>

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
	20	36	35 1/16	139	21	<b>65C203636CB_</b>	\$2,054	\$2,737	\$3,010
	20	60	35 1/16	224	33	<b>65C206036CB_</b>	\$2,599	\$3,520	\$3,871
	20	72	35 1/16	266	39	<b>65C207236CB_</b>	\$2,827	\$3,694	\$4,064
	20	90	35 1/16	342	49	<b>65C209036CB_</b>	\$3,269	\$4,275	\$4,702

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available on right and left sections of the credenza specify and order separately
- utility drawer will not fit in the middle section of the 90" units

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
	20 1/2	36	35 1/16	145	21	<b>65C203636CBG_</b>	\$3,196	\$3,879	\$4,267
	20 1/2	60	35 1/16	231	33	<b>65C206036CBG_</b>	\$4,315	\$5,236	\$5,760
	20 1/2	72	35 1/16	272	39	<b>65C207236CBG_</b>	\$4,792	\$5,659	\$6,225
	20 1/2	90	35 1/16	338	48	<b>65C209036CBG_</b>	\$5,565	\$6,571	\$7,229

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available on right and left sections of the credenza specify and order separately
- utility drawer will not fit in the middle section of the 90" units

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
	20 1/2	36	35 1/16	143	21	<b>65C203636CBS_</b>	\$3,230	\$3,913	\$4,305
	20 1/2	60	35 1/16	231	33	<b>65C206036CBS_</b>	\$4,368	\$5,287	\$5,816
	20 1/2	72	35 1/16	272	39	<b>65C207236CBS_</b>	\$4,850	\$5,717	\$6,289
	20 1/2	90	35 1/16	337	48	<b>65C209036CBS_</b>	\$5,633	\$6,639	\$7,303


- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available on right and left sections of the credenza specify and order separately
- utility drawer will not fit in the middle section of the 90" units

Laminate Chassis


Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Veneer Chassis


Model	Top Surface/Chassis/Door Front	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge- add \$365	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
	20	36	28 <sup>15</sup> / <sub>16</sub>	123	17	<b>65C203629CC_</b>	\$1,976	\$2,646	\$2,909
	20	60	28 <sup>15</sup> / <sub>16</sub>	205	27	<b>65C206029CC_</b>	\$2,547	\$3,429	\$3,771
	20	72	28 <sup>15</sup> / <sub>16</sub>	237	32	<b>65C207229CC_</b>	\$2,580	\$3,447	\$3,792
	20	90	28 <sup>15</sup> / <sub>16</sub>	308	40	<b>65C209029CC_</b>	\$2,922	\$3,658	\$4,025

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
	20 <sup>1</sup> / <sub>8</sub>	36	28 <sup>15</sup> / <sub>16</sub>	124	17	<b>65C203629CCG_</b>	\$3,118	\$3,788	\$4,167
	20 <sup>1</sup> / <sub>8</sub>	60	28 <sup>15</sup> / <sub>16</sub>	205	27	<b>65C206029CCG_</b>	\$4,263	\$5,145	\$5,660
	20 <sup>1</sup> / <sub>8</sub>	72	28 <sup>15</sup> / <sub>16</sub>	240	32	<b>65C207229CCG_</b>	\$4,545	\$5,412	\$5,954
	20 <sup>1</sup> / <sub>8</sub>	90	28 <sup>15</sup> / <sub>16</sub>	302	40	<b>65C209029CCG_</b>	\$5,218	\$5,954	\$6,550

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
	20 <sup>1</sup> / <sub>8</sub>	36	28 <sup>15</sup> / <sub>16</sub>	122	17	<b>65C203629CCS_</b>	\$3,152	\$3,822	\$4,205
	20 <sup>1</sup> / <sub>8</sub>	60	28 <sup>15</sup> / <sub>16</sub>	205	27	<b>65C206029CCS_</b>	\$4,314	\$5,196	\$5,716
	20 <sup>1</sup> / <sub>8</sub>	72	28 <sup>15</sup> / <sub>16</sub>	240	32	<b>65C207229CCS_</b>	\$4,603	\$5,470	\$6,017
	20 <sup>1</sup> / <sub>8</sub>	90	28 <sup>15</sup> / <sub>16</sub>	301	40	<b>65C209029CCS_</b>	\$5,286	\$6,022	\$6,625


- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

Laminate Chassis


Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Veneer Chassis


Model	Top Surface/Chassis/Door Front	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge- add \$365	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
	20	36	23 1/16	110	14	<b>65C203624CL_</b>	\$1,857	\$2,590	\$2,848
	20	60	23 1/16	184	23	<b>65C206024CL_</b>	\$2,442	\$3,300	\$3,629
	20	72	23 1/16	212	27	<b>65C207224CL_</b>	\$2,487	\$3,210	\$3,531
	20	90	23 1/16	281	34	<b>65C209024CL_</b>	\$2,832	\$3,506	\$3,857

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
	20 1/2	36	23 1/16	116	14	<b>65C203624CLG_</b>	\$2,999	\$3,732	\$4,106
	20 1/2	60	23 1/16	210	23	<b>65C206024CLG_</b>	\$4,158	\$5,016	\$5,518
	20 1/2	72	23 1/16	233	27	<b>65C207224CLG_</b>	\$4,452	\$5,175	\$5,693
	20 1/2	90	23 1/16	278	34	<b>65C209024CLG_</b>	\$5,128	\$5,802	\$6,363

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
	20 1/2	36	23 1/16	114	14	<b>65C203624CLS_</b>	\$3,033	\$3,766	\$4,143
	20 1/2	60	23 1/16	210	23	<b>65C206024CLS_</b>	\$4,209	\$5,067	\$5,574
	20 1/2	72	23 1/16	233	27	<b>65C207224CLS_</b>	\$4,510	\$5,233	\$5,757
	20 1/2	90	23 1/16	277	34	<b>65C209024CLS_</b>	\$5,196	\$5,870	\$6,457

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through


Laminate Chassis

Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - <b>add \$53 per door set</b> <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - <b>add \$116</b> <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - <b>add \$34</b> (not available on Glass)

Veneer Chassis


Model	Top Surface/Chassis/Door Front	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge- add \$365	<b>NLK</b> No Locking <b>YLK</b> Locking - <b>add \$53 per door set</b> <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - <b>add \$116</b> <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - <b>add \$34</b> (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
<b>Wall Mount Credenza</b>	20	36	17	73	11	<b>65C203617CW_</b>	\$1,699	\$2,342	\$2,577
	20	60	17	123	17	<b>65C206017CW_</b>	\$2,142	\$2,874	\$3,162
	20	72	17	145	20	<b>65C207217CW_</b>	\$2,282	\$3,098	\$3,408
	20	90	17	186	25	<b>65C209017CW_</b>	\$2,422	\$3,484	\$3,832




- 110° hinge doors
- touch latch doors
- unfinished back
- unfinished back, includes cutout in back side for wire management pass through

<b>Wall Mount Credenza with Glass Top</b>	20½	36	16¾	79	11	<b>65C203617CWG_</b>	\$2,841	\$3,484	\$3,833
	20½	60	16¾	129	17	<b>65C206017CWG_</b>	\$3,858	\$4,590	\$5,049
	20½	72	16¾	152	20	<b>65C207217CWG_</b>	\$4,247	\$5,063	\$5,570
	20½	90	16¾	195	25	<b>65C209017CWG_</b>	\$4,718	\$5,780	\$6,358



- 110° hinge doors
- touch latch doors
- unfinished back
- unfinished back, includes cutout in back side for wire management pass through

<b>Wall Mount Credenza with Solid Surface Top</b>	20½	36	16¾	77	11	<b>65C203617CWS_</b>	\$2,875	\$3,518	\$3,870
	20½	60	16¾	129	17	<b>65C206017CWS_</b>	\$3,909	\$4,641	\$5,106
	20½	72	16¾	152	20	<b>65C207217CWS_</b>	\$4,305	\$5,121	\$5,634
	20½	90	16¾	194	25	<b>65C209017CWS_</b>	\$4,786	\$5,848	\$6,433




- 110° hinge doors
- touch latch doors
- unfinished back
- unfinished back, includes cutout in back side for wire management pass through

**Laminate Chassis**


Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

**Veneer Chassis**


Model	Top Surface/Chassis/Door Front	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge- add \$365	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
	24	48	35 1/6	223	32	<b>65C244836CER_</b>	\$2,408	\$3,119	\$3,430
	24	48	35 1/6	295	32	<b>65C244836CEL_</b>	\$2,408	\$3,119	\$3,430
	24	72	35 1/6	223	46	<b>65C247236CER_</b>	\$3,286	\$4,324	\$4,757
	24	72	35 1/6	295	46	<b>65C247236CEL_</b>	\$3,286	\$4,324	\$4,757

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- thermostat control fan 65C1019TCF available specify and order separately
- pull out rotating AV rack 65C19PAV available specify and order separately
- pull out dual waste, recycle unit 65C2214PDW available order separately
- cut out side determines the handed side of the credenza

	24 1/2	48	35 1/6	216	31	<b>65C244836CEGR_</b>	\$3,816	\$4,527	\$4,980
	24 1/2	48	35 1/6	304	31	<b>65C244836CEGL_</b>	\$3,816	\$4,527	\$4,980
	24 1/2	72	35 1/6	216	46	<b>65C247236CEGR_</b>	\$5,416	\$6,454	\$7,100
	24 1/2	72	35 1/6	304	46	<b>65C247236CEGL_</b>	\$5,416	\$6,454	\$7,100

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- thermostat control fan 65C1019TCF available specify and order separately
- pull out rotating AV rack 65C19PAV available specify and order separately
- pull out dual waste, recycle unit 65C2214PDW available order separately
- cut out side determines the handed side of the credenza

	24 1/2	48	35 1/6	215	31	<b>65C244836CESR_</b>	\$3,857	\$4,568	\$5,025
	24 1/2	48	35 1/6	301	31	<b>65C244836CESL_</b>	\$3,857	\$4,568	\$5,025
	24 1/2	72	35 1/6	215	46	<b>65C247236CESR_</b>	\$5,476	\$6,514	\$7,166
	24 1/2	72	35 1/6	301	46	<b>65C247236CESL_</b>	\$5,476	\$6,514	\$7,166

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- thermostat control fan 65C1019TCF available specify and order separately
- pull out rotating AV rack 65C19PAV available specify and order separately
- pull out dual waste, recycle unit 65C2214PDW available order separately
- cut out side determines the handed side of the credenza



Laminate Chassis

Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Grommet	Electrical Cutout	Accessories
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Door Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - <b>add \$53 per door set</b> <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - <b>add \$116</b> <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - <b>add \$34</b> (not available on Glass)	Control Fan AV Rack Pull Out Dual Waste, Recycle Unit order separately

Veneer Chassis

Model	Top Surface/Chassis/Door Front	Locking	Grommet	Electrical Cutout	Accessories
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge - <b>add \$365</b>	<b>NLK</b> No Locking <b>YLK</b> Locking - <b>add \$53 per door set</b> <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - <b>add \$116</b> <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - <b>add \$34</b> (not available on Glass)	Control Fan AV Rack Pull Out Dual Waste, Recycle Unit order separately

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
<b>Waste Credenza with Solid Surface Top</b>	24 1/8	36	35 1/16	134	24	<b>65C243636CTS_</b>	<b>\$3,725</b>	<b>\$4,425</b>	<b>\$4,868</b>



- 110° hinge doors
- touch latch doors
- accommodates three Uline Thin #H-5148 (23 gallon) trash cans, NOT included


**Laminate Chassis**

Model	Top Surface Solid Surface	Chassis Laminate	Door Laminate	Locking
	see Anthology Top Surface Solid Surface Finishes	see Anthology Chassis Laminate Finishes	see Anthology Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - <b>add \$53</b> <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black

**Veneer Chassis**


Model	Top Surface/Chassis/Door Front	Locking
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge - <b>add \$365</b>	<b>NLK</b> No Locking <b>YLK</b> Locking - <b>add \$53</b> <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
<b>Buffet Credenza on Inset Panel Base</b>	20	36	35 1/6	137	21	<b>65C203636CBP_</b>	\$2,158	\$2,914	\$3,205
	20	60	35 1/6	221	33	<b>65C206036CBP_</b>	\$2,807	\$3,729	\$4,102
	20	72	35 1/6	262	39	<b>65C207236CBP_</b>	\$2,910	\$3,847	\$4,232
	20	90	35 1/6	327	49	<b>65C209036CBP_</b>	\$3,195	\$4,202	\$4,622




- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available order separately

<b>Buffet Credenza with Glass Top on Inset Panel Base</b>	20 1/8	36	35 1/6	144	21	<b>65C203636CBGP_</b>	\$3,300	\$4,056	\$4,462
	20 1/8	60	35 1/6	217	33	<b>65C206036CBGP_</b>	\$4,523	\$5,445	\$5,990
	20 1/8	72	35 1/6	269	39	<b>65C207236CBGP_</b>	\$4,875	\$5,812	\$6,394
	20 1/8	90	35 1/6	334	48	<b>65C209036CBGP_</b>	\$5,491	\$6,498	\$7,148



- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available order separately

<b>Buffet Credenza with Solid Surface Top on Inset Panel Base</b>	20 1/8	36	35 1/6	142	21	<b>65C203636CBSP_</b>	\$3,334	\$4,090	\$4,499
	20 1/8	60	35 1/6	217	33	<b>65C206036CBSP_</b>	\$4,576	\$5,498	\$6,048
	20 1/8	72	35 1/6	269	39	<b>65C207236CBSP_</b>	\$4,933	\$5,870	\$6,457
	20 1/8	90	35 1/6	333	48	<b>65C209036CBSP_</b>	\$5,559	\$6,566	\$7,223



- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available order separately


Laminate Chassis

Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Veneer Chassis


Model	Top Surface/Chassis/Door Front	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge - add \$365	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
Conference Credenza on Inset Panel Base	20	36	28 <sup>15</sup> / <sub>16</sub>	128	17	65C203629CCP_	\$2,110	\$2,859	\$3,144
	20	60	28 <sup>15</sup> / <sub>16</sub>	195	27	65C206029CCP_	\$2,701	\$3,602	\$3,963
	20	72	28 <sup>15</sup> / <sub>16</sub>	230	32	65C207229CCP_	\$2,810	\$3,752	\$4,128
	20	90	28 <sup>15</sup> / <sub>16</sub>	287	40	65C209029CCP_	\$3,096	\$4,136	\$4,549




- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

Conference Credenza with Glass Top on Inset Panel Base	20 <sup>1</sup> / <sub>8</sub>	36	28 <sup>15</sup> / <sub>16</sub>	127	17	65C203629CCGP_	\$3,252	\$4,001	\$4,402
	20 <sup>1</sup> / <sub>8</sub>	60	28 <sup>15</sup> / <sub>16</sub>	204	27	65C206029CCGP_	\$4,417	\$5,318	\$5,850
	20 <sup>1</sup> / <sub>8</sub>	72	28 <sup>15</sup> / <sub>16</sub>	237	32	65C207229CCGP_	\$4,775	\$5,717	\$6,289
	20 <sup>1</sup> / <sub>8</sub>	90	28 <sup>15</sup> / <sub>16</sub>	298	40	65C209029CCGP_	\$5,392	\$6,432	\$7,076



- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

Conference Credenza with Solid Surface Top on Inset Panel Base	20 <sup>1</sup> / <sub>8</sub>	36	28 <sup>15</sup> / <sub>16</sub>	125	17	65C203629CCSP_	\$3,286	\$4,035	\$4,439
	20 <sup>1</sup> / <sub>8</sub>	60	28 <sup>15</sup> / <sub>16</sub>	204	27	65C206029CCSP_	\$4,468	\$5,369	\$5,906
	20 <sup>1</sup> / <sub>8</sub>	72	28 <sup>15</sup> / <sub>16</sub>	237	32	65C207229CCSP_	\$4,833	\$5,775	\$6,353
	20 <sup>1</sup> / <sub>8</sub>	90	28 <sup>15</sup> / <sub>16</sub>	297	40	65C209029CCSP_	\$5,460	\$6,500	\$7,150




- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

Laminate Chassis


Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Veneer Chassis


Model	Top Surface/Chassis/Door Front	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge- add \$365	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
<b>Low Height Credenza on Inset Panel Base</b> 	20	36	23 <sup>11</sup> / <sub>16</sub>	107	14	<b>65C203624CLP_</b>	\$2,009	\$3,732	\$4,105
	20	60	23 <sup>11</sup> / <sub>16</sub>	176	23	<b>65C206024CLP_</b>	\$2,362	\$3,138	\$3,451
	20	72	23 <sup>11</sup> / <sub>16</sub>	205	27	<b>65C207224CLP_</b>	\$2,494	\$3,436	\$3,780
	20	90	23 <sup>11</sup> / <sub>16</sub>	261	34	<b>65C209024CLP_</b>	\$2,626	\$3,735	\$4,108

- 110° hinge doors
- touch latch doors
- unfinished back, includes cutout in back side for wire management pass through

<b>Low Height Credenza with Glass Top on Inset Panel Base</b> 	20 <sup>1</sup> / <sub>8</sub>	36	23 <sup>11</sup> / <sub>16</sub>	114	14	<b>65C203624CLGP_</b>	\$3,151	\$4,854	\$5,340
	20 <sup>1</sup> / <sub>8</sub>	60	23 <sup>11</sup> / <sub>16</sub>	182	23	<b>65C206024CLGP_</b>	\$4,078	\$4,874	\$5,362
	20 <sup>1</sup> / <sub>8</sub>	72	23 <sup>11</sup> / <sub>16</sub>	212	27	<b>65C207224CLGP_</b>	\$4,459	\$5,401	\$5,942
	20 <sup>1</sup> / <sub>8</sub>	90	23 <sup>11</sup> / <sub>16</sub>	270	34	<b>65C209024CLGP_</b>	\$4,922	\$6,031	\$6,635

- 110° hinge doors
- touch latch doors
- unfinished back, includes cutout in back side for wire management pass through

<b>Low Height Credenza with Solid Surface Top on Inset Panel Base</b> 	20 <sup>1</sup> / <sub>8</sub>	36	23 <sup>11</sup> / <sub>16</sub>	112	14	<b>65C203624CLSP_</b>	\$3,185	\$4,905	\$5,396
	20 <sup>1</sup> / <sub>8</sub>	60	23 <sup>11</sup> / <sub>16</sub>	182	23	<b>65C206024CLSP_</b>	\$4,129	\$4,908	\$5,399
	20 <sup>1</sup> / <sub>8</sub>	72	23 <sup>11</sup> / <sub>16</sub>	212	27	<b>65C207224CLSP_</b>	\$4,517	\$5,459	\$6,005
	20 <sup>1</sup> / <sub>8</sub>	90	23 <sup>11</sup> / <sub>16</sub>	269	34	<b>65C209024CLSP_</b>	\$4,990	\$6,099	\$6,709


- 110° hinge doors
- touch latch doors
- unfinished back, includes cutout in back side for wire management pass through

Laminate Chassis


Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Veneer Chassis


Model	Top Surface/Chassis/Door Front	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge- add \$365	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
<b>Buffet Credenza on Inset Metal Base</b> 	20	36	35 1/16	143	21	<b>65C203636CBM_</b>	\$3,679	\$3,962	\$4,358
	20	60	35 1/16	225	33	<b>65C206036CBM_</b>	\$4,455	\$5,377	\$5,914
	20	72	35 1/16	264	39	<b>65C207236CBM_</b>	\$4,690	\$5,655	\$6,221
	20	90	35 1/16	328	49	<b>65C209036CBM_</b>	\$4,925	\$5,934	\$6,527

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available order separately

<b>Buffet Credenza with Glass Top on Inset Metal Base</b> 	20 1/8	36	35 1/16	150	21	<b>65C203636CBGM_</b>	\$4,821	\$5,104	\$5,615
	20 1/8	60	35 1/16	221	33	<b>65C206036CBGM_</b>	\$6,171	\$7,093	\$7,803
	20 1/8	72	35 1/16	271	39	<b>65C207236CBGM_</b>	\$6,655	\$7,620	\$8,382
	20 1/8	90	35 1/16	335	48	<b>65C209036CBGM_</b>	\$7,221	\$8,230	\$9,053

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available order separately

<b>Buffet Credenza with Solid Surface Top on Inset Metal Base</b> 	20 1/8	36	35 1/16	148	21	<b>65C203636CBSM_</b>	\$4,855	\$5,138	\$5,652
	20 1/8	60	35 1/16	221	33	<b>65C206036CBSM_</b>	\$6,224	\$7,146	\$7,861
	20 1/8	72	35 1/16	271	39	<b>65C207236CBSM_</b>	\$6,713	\$7,678	\$8,446
	20 1/8	90	35 1/16	334	48	<b>65C209036CBSM_</b>	\$7,289	\$8,298	\$9,128

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available order separately


Laminate Chassis

Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Metal Finish	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Door Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors  <b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black  (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34  (not available on Glass)

Veneer Chassis


Model	Top Surface/Chassis/Door Front	Locking	Metal Finish	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  <b>Painted Door Front Upcharge - add \$365</b>	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors  <b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black  (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34  (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
<b>Conference Credenza on Inset Metal Base</b>	20	36	28 <sup>15</sup> / <sub>16</sub>	134	17	<b>65C203629CCM_</b>	<b>\$3,630</b>	<b>\$4,848</b>	<b>\$5,333</b>
	20	60	28 <sup>15</sup> / <sub>16</sub>	199	27	<b>65C206029CCM_</b>	<b>\$4,473</b>	<b>\$5,251</b>	<b>\$5,777</b>
	20	72	28 <sup>15</sup> / <sub>16</sub>	232	32	<b>65C207229CCM_</b>	<b>\$4,587</b>	<b>\$5,559</b>	<b>\$6,116</b>
	20	90	28 <sup>15</sup> / <sub>16</sub>	288	40	<b>65C209029CCM_</b>	<b>\$4,827</b>	<b>\$5,867</b>	<b>\$6,453</b>




- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

<b>Conference Credenza with Glass Top on Inset Metal Base</b>	20 <sup>1</sup> / <sub>8</sub>	36	28 <sup>15</sup> / <sub>16</sub>	133	17	<b>65C203629CCGM_</b>	<b>\$4,772</b>	<b>\$5,990</b>	<b>\$6,589</b>
	20 <sup>1</sup> / <sub>8</sub>	60	28 <sup>15</sup> / <sub>16</sub>	208	27	<b>65C206029CCGM_</b>	<b>\$6,189</b>	<b>\$6,967</b>	<b>\$7,664</b>
	20 <sup>1</sup> / <sub>8</sub>	72	28 <sup>15</sup> / <sub>16</sub>	239	32	<b>65C207229CCGM_</b>	<b>\$6,552</b>	<b>\$7,524</b>	<b>\$8,277</b>
	20 <sup>1</sup> / <sub>8</sub>	90	28 <sup>15</sup> / <sub>16</sub>	299	40	<b>65C209029CCGM_</b>	<b>\$7,123</b>	<b>\$8,163</b>	<b>\$8,980</b>



- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

<b>Conference Credenza with Solid Surface Top on Inset Metal Base</b>	20 <sup>1</sup> / <sub>8</sub>	36	28 <sup>15</sup> / <sub>16</sub>	131	17	<b>65C203629CCSM_</b>	<b>\$4,806</b>	<b>\$6,024</b>	<b>\$6,627</b>
	20 <sup>1</sup> / <sub>8</sub>	60	28 <sup>15</sup> / <sub>16</sub>	208	27	<b>65C206029CCSM_</b>	<b>\$6,240</b>	<b>\$7,018</b>	<b>\$7,720</b>
	20 <sup>1</sup> / <sub>8</sub>	72	28 <sup>15</sup> / <sub>16</sub>	239	32	<b>65C207229CCSM_</b>	<b>\$6,610</b>	<b>\$7,582</b>	<b>\$8,341</b>
	20 <sup>1</sup> / <sub>8</sub>	90	28 <sup>15</sup> / <sub>16</sub>	298	40	<b>65C209029CCSM_</b>	<b>\$7,191</b>	<b>\$8,231</b>	<b>\$9,055</b>




- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

**Laminate Chassis**


Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Metal Finish	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Door Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors  <b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black  (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34  (not available on Glass)

**Veneer Chassis**


Model	Top Surface/Chassis/Door Front	Locking	Metal Finish	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  <b>Painted Door Front Upcharge - add \$365</b>	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors  <b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black  (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34  (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
<b>Low Height Credenza on Inset Metal Base</b> 	20	36	23 1/16	113	14	<b>65C203624CLM_</b>	\$3,529	\$4,313	\$4,745
	20	60	23 1/16	180	23	<b>65C206024CLM_</b>	\$4,011	\$4,786	\$5,265
	20	72	23 1/16	207	27	<b>65C207224CLM_</b>	\$4,183	\$5,126	\$5,639
	20	90	23 1/16	262	34	<b>65C209024CLM_</b>	\$4,793	\$5,467	\$6,013

- 110° hinge doors
- touch latch doors
- unfinished back, includes cutout in back side for wire management pass through

<b>Low Height Credenza with Glass Top on Inset Metal Base</b> 	20 1/8	36	23 1/16	120	14	<b>65C203624CLGM_</b>	\$4,671	\$5,455	\$6,001
	20 1/8	60	23 1/16	186	23	<b>65C206024CLGM_</b>	\$5,727	\$6,502	\$7,153
	20 1/8	72	23 1/16	214	27	<b>65C207224CLGM_</b>	\$6,148	\$7,091	\$7,801
	20 1/8	90	23 1/16	271	34	<b>65C209024CLGM_</b>	\$7,089	\$7,763	\$8,540

- 110° hinge doors
- touch latch doors
- unfinished back, includes cutout in back side for wire management pass through

<b>Low Height Credenza with Solid Surface Top on Inset Metal Base</b> 	20 1/8	36	23 1/16	118	14	<b>65C203624CLSM_</b>	\$4,705	\$5,489	\$6,038
	20 1/8	60	23 1/16	186	23	<b>65C206024CLSM_</b>	\$5,778	\$6,553	\$7,209
	20 1/8	72	23 1/16	214	27	<b>65C207224CLSM_</b>	\$6,206	\$7,149	\$7,864
	20 1/8	90	23 1/16	270	34	<b>65C209024CLSM_</b>	\$7,157	\$7,831	\$8,615


- 110° hinge doors
- touch latch doors
- unfinished back, includes cutout in back side for wire management pass through

Laminate Chassis


Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Metal Finish	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Door Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors  <b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black  (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34  (not available on Glass)

Veneer Chassis


Model	Top Surface/Chassis/Door Front	Locking	Metal Finish	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  <b>Painted Door Front Upcharge - add \$365</b>	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors  <b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black  (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34  (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
<b>Buffet Credenza on Inset Wood Base</b> 	20	36	35 1/6	142	21	<b>65C203636CBW_</b>	\$2,864	\$3,700	\$4,070
	20	60	35 1/6	224	33	<b>65C206036CBW_</b>	\$3,512	\$4,848	\$5,333
	20	72	35 1/6	263	39	<b>65C207236CBW_</b>	\$3,189	\$4,057	\$4,462
	20	90	35 1/6	326	49	<b>65C209036CBW_</b>	\$3,899	\$4,900	\$5,389

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available order separately

<b>Buffet Credenza with Glass Top on Inset Wood Base</b> 	20 1/2	36	35 1/6	149	21	<b>65C203636CBGW_</b>	\$4,006	\$4,842	\$5,327
	20 1/2	60	35 1/6	220	33	<b>65C206036CBGW_</b>	\$5,154	\$6,022	\$6,625
	20 1/2	72	35 1/6	270	39	<b>65C207236CBGW_</b>	\$5,228	\$6,564	\$7,221
	20 1/2	90	35 1/6	333	48	<b>65C209036CBGW_</b>	\$6,195	\$7,196	\$7,916

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available order separately

<b>Buffet Credenza with Solid Surface Top on Inset Wood Base</b> 	20 1/2	36	35 1/6	147	21	<b>65C203636CBSW_</b>	\$4,040	\$4,876	\$5,364
	20 1/2	60	35 1/6	220	33	<b>65C206036CBSW_</b>	\$5,212	\$6,080	\$6,688
	20 1/2	72	35 1/6	270	39	<b>65C207236CBSW_</b>	\$5,279	\$6,615	\$7,277
	20 1/2	90	35 1/6	332	48	<b>65C209036CBSW_</b>	\$6,263	\$7,264	\$7,991


- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through
- utility drawer 65C1727UD\_ available order separately

Laminate Chassis


Model	Top Surface	Chassis Laminate	Door Laminate	Base Wood	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Door Laminate Finishes	see Anthology Base Wood Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Veneer Chassis


Model	Top Surface/Chassis/Door Front	Base Wood	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge - add \$365	see Anthology Base Wood Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
<b>Conference Credenza on Inset Wood Base</b> 	20	36	28 <sup>15</sup> / <sub>6</sub>	133	17	<b>65C203629CCW_</b>	\$2,814	\$3,644	\$4,007
	20	60	28 <sup>15</sup> / <sub>6</sub>	198	27	<b>65C206029CCW_</b>	\$3,406	\$4,301	\$4,730
	20	72	28 <sup>15</sup> / <sub>6</sub>	231	32	<b>65C207229CCW_</b>	\$3,398	\$4,568	\$5,025
	20	90	28 <sup>15</sup> / <sub>6</sub>	286	40	<b>65C209029CCW_</b>	\$3,800	\$4,834	\$5,318

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

<b>Conference Credenza with Glass Top on Inset Wood Base</b> 	20 <sup>1</sup> / <sub>8</sub>	36	28 <sup>15</sup> / <sub>6</sub>	132	17	<b>65C203629CCGW_</b>	\$3,956	\$4,786	\$5,265
	20 <sup>1</sup> / <sub>8</sub>	60	28 <sup>15</sup> / <sub>6</sub>	207	27	<b>65C206029CCGW_</b>	\$5,122	\$6,017	\$6,619
	20 <sup>1</sup> / <sub>8</sub>	72	28 <sup>15</sup> / <sub>6</sub>	238	32	<b>65C207229CCGW_</b>	\$5,363	\$6,533	\$7,187
	20 <sup>1</sup> / <sub>8</sub>	90	28 <sup>15</sup> / <sub>6</sub>	297	40	<b>65C209029CCGW_</b>	\$6,096	\$7,130	\$7,843

- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

<b>Conference Credenza with Solid Surface Top on Inset Wood Base</b> 	20 <sup>1</sup> / <sub>8</sub>	36	28 <sup>15</sup> / <sub>6</sub>	130	17	<b>65C203629CCSW_</b>	\$3,990	\$4,820	\$5,302
	20 <sup>1</sup> / <sub>8</sub>	60	28 <sup>15</sup> / <sub>6</sub>	207	27	<b>65C206029CCSW_</b>	\$5,173	\$6,068	\$6,675
	20 <sup>1</sup> / <sub>8</sub>	72	28 <sup>15</sup> / <sub>6</sub>	238	32	<b>65C207229CCSW_</b>	\$5,421	\$6,591	\$7,251
	20 <sup>1</sup> / <sub>8</sub>	90	28 <sup>15</sup> / <sub>6</sub>	296	40	<b>65C209029CCSW_</b>	\$6,164	\$7,198	\$7,918


- 110° hinge doors
- touch latch doors
- one adjustable shelf per compartment
- unfinished back, includes cutout in back side for wire management pass through

Laminate Chassis


Model	Top Surface	Chassis Laminate	Door Laminate	Base Wood	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Door Laminate Finishes	see Anthology Base Wood Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Veneer Chassis


Model	Top Surface/Chassis/Door Front	Base Wood	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge - add \$365	see Anthology Base Wood Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
<b>Low Height Credenza on Inset Wood Base</b> 	20	36	23 1/6	112	14	<b>65C203624CLW_</b>	\$2,715	\$3,579	\$3,937
	20	60	23 1/6	179	23	<b>65C206024CLW_</b>	\$3,068	\$3,836	\$4,220
	20	72	23 1/6	206	27	<b>65C207224CLW_</b>	\$3,105	\$4,009	\$4,411
	20	90	23 1/6	260	34	<b>65C209024CLW_</b>	\$3,330	\$4,985	\$5,483

- 110° hinge doors
- touch latch doors
- unfinished back, includes cutout in back side for wire management pass through

<b>Low Height Credenza with Solid Surface Top on Inset Wood Base</b> 	20 1/8	36	23 1/6	119	14	<b>65C203624CLGW_</b>	\$3,857	\$4,721	\$5,194
	20 1/8	60	23 1/6	185	23	<b>65C206024CLGW_</b>	\$4,784	\$5,552	\$6,108
	20 1/8	72	23 1/6	213	27	<b>65C207224CLGW_</b>	\$5,070	\$5,974	\$6,572
	20 1/8	90	23 1/6	269	34	<b>65C209024CLGW_</b>	\$5,626	\$7,281	\$8,010

- 110° hinge doors
- touch latch doors
- unfinished back, includes cutout in back side for wire management pass through

<b>Low Height Credenza with Solid Surface Top on Inset Wood Base</b> 	20 1/8	36	23 1/6	117	14	<b>65C203624CLSW_</b>	\$3,891	\$4,755	\$5,231
	20 1/8	60	23 1/6	185	23	<b>65C206024CLSW_</b>	\$4,835	\$5,603	\$6,164
	20 1/8	72	23 1/6	213	27	<b>65C207224CLSW_</b>	\$5,128	\$6,032	\$6,636
	20 1/8	90	23 1/6	268	34	<b>65C209024CLSW_</b>	\$5,694	\$7,349	\$8,084

- 110° hinge doors
- touch latch doors
- unfinished back, includes cutout in back side for wire management pass through

Laminate Chassis


Model	Top Surface	Chassis Laminate	Door Laminate	Base Wood	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Door Laminate Finishes	see Anthology Base Wood Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)

Veneer Chassis

Model	Top Surface/Chassis/Door Front	Base Wood	Locking	Grommet	Electrical Cutout
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge - add \$365	see Anthology Base Wood Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 per door set <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>NGR</b> No Grommet <b>YGR</b> Two Grommets - add \$116 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black (not available on Glass)	<b>NECU</b> No Electrical Cutout <b>YECU</b> Electrical Cutout - add \$34 (not available on Glass)


Description	D	W	H	CTN WT	CU FT	① Model	List Price
-------------	---	---	---	-----------	----------	---------	------------

<b>Glenbeigh Electrical Single Unit Power + Open - Corded</b>	4 ¼	5 ¼	1 7/8	3	1	<b>9PCK1C</b>	<b>\$395</b>
---	-----	-----	-------	---	---	---------------	--------------




- In-Surface metal frame with retractable one touch doors
- one power and one open data port. Accepts TCP300 Telecom ports ordered separately. 12 pack data adapter kit included
- 10' cord with 15 amp three-prong molded plug
- powdercoat Silver or Black
- UL Listed

<b>Glenbeigh Electrical Single Unit Power - Corded</b>	4 ¼	5 ¼	1 7/8	3	1	<b>9PCK2C</b>	<b>\$401</b>
--	-----	-----	-------	---	---	---------------	--------------



- In-Surface metal frame with retractable one touch doors
- two Power
- 10' cord with 15 amp three-prong molded plug
- powdercoat Silver or Black
- UL Listed


<b>Glenbeigh Electrical Single Unit Power + USB - Corded</b>	4 ¼	5 ¼	1 7/8	3	1	<b>9PCK11C</b>	<b>\$473</b>
--	-----	-----	-------	---	---	----------------	--------------



- In-Surface metal frame with retractable one touch doors
- one Power, one USB A + C (10 watt each)
- 10' cord with 15 amp three-prong molded plug
- powdercoat Silver or Black
- UL Listed


Model	Metal Finish
B	Black
S	Silver

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
Hospitality Cart	24 1/8	36	36	147	24	65C2436HC_	\$3,366	\$4,034	\$4,438




- 110° hinge doors
- self close door hinges with Prospect pulls
- full width pull-out drawer above hinge doors
- maximum 15 lbs distributed load in the drawer
- metal push/pull handles on both sides
- four pivot casters for mobility-nonlocking

Hospitality Cart with Glass Top	24 1/8	36	35 3/4	149	24	65C2436HCG_	\$3,636	\$4,439	\$4,883
---------------------------------	--------	----	--------	-----	----	-------------	---------	---------	---------



- 110° hinge doors
- self close door hinges with Prospect pulls
- full width pull-out drawer above hinge doors
- maximum 15 lbs distributed load in the drawer
- metal push/pull handles on both sides
- four pivot casters for mobility-nonlocking

Hospitality Cart with Solid Surface Top	24 1/8	36	35 3/4	145	24	65C2436HCS_	\$3,818	\$4,661	\$5,128
---	--------	----	--------	-----	----	-------------	---------	---------	---------



- 110° hinge doors
- self close door hinges with Prospect pulls
- full width pull-out drawer above hinge doors
- maximum 15 lbs distributed load in the drawer
- metal push/pull handles on both sides
- four pivot casters for mobility-nonlocking


Laminate Chassis

Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Metal Finish
	see Anthology Top Surface Material Finishes	see Anthology Chassis Laminate Finishes	see Anthology Laminate Finishes	NLK No Locking YLK Locking - add \$53 ASL Arctic Silver MBK Matte Black	<b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors  <b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors

Veneer Chassis


Model	Top Surface/Chassis/Door Front	Locking	Metal Finish
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge - add \$365	NLK No Locking YLK Locking - add \$53 ASL Arctic Silver MBK Matte Black	<b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors  <b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors

Description	D	W	H	CTN WT	CU FT	① Model	Laminate T	ESS Veneer V	ART Veneer V
<b>Lectern with Open Storage</b>	24	28	42½	140	21	<b>65C2428LECS_</b>	<b>\$2,667</b>	<b>\$2,826</b>	<b>\$3,109</b>



- 110° hinge door
- one adjustable shelf
- four pivot casters for mobility-nonlocking

<b>Lectern with Door Storage</b>	24	28	42½	140	21	<b>65C2428LECS_</b>	<b>\$2,709</b>	<b>\$3,432</b>	<b>\$3,776</b>
----------------------------------	----	----	-----	-----	----	---------------------	----------------	----------------	----------------



- 110° hinge door
- self close door hinges with Prospect pull
- right hinged door only
- one adjustable shelf
- four pivot casters for mobility-nonlocking


**Laminate**

Model	Top Surface	Chassis Laminate	Door Laminate	Locking	Metal Finish	Electrical Cutout	Metal Screen	Cup Holder
	see Anthology Top Surface Material Finishes	see Anthology Laminate Finishes	see Anthology Laminate Finishes	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors  <b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors  **Metal finish same on Pull, Metal Screen and Pencil Rail **	<b>NECU</b> No Electrical Cutout <b>CB1</b> One Cutout for Electrolite - add \$34 Metal Color - Black or Silver	<b>NSCR</b> No Metal Screen <b>YSCR</b> Yes Metal Screen - add \$75	<b>NCUP</b> No Cup Holder <b>YCUP</b> Yes Cup Holder - add \$50

**Veneer**


Model	Veneer Finish/Chassis/Door Front	Locking	Metal Finish	Electrical Cutout	Metal Screen	Cup Holder
	see Anthology Top Surface/Chassis/Door Front Finishes  see Contrasting Painted Door Front Colors  Painted Door Front Upcharge - add \$365	<b>NLK</b> No Locking <b>YLK</b> Locking - add \$53 <b>ASL</b> Arctic Silver <b>MBK</b> Matte Black	<b>Metal Finish Standard Colors</b> see Anthology Metal Finish Standard Colors  <b>Metal Finish Upcharge Colors</b> see Anthology Metal Finish Upcharge Colors  **Metal finish same on Pull, Metal Screen and Pencil Rail **	<b>NECU</b> No Electrical Cutout <b>CB1</b> One Cutout for Electrolite - add \$34 Metal Color - Black or Silver	<b>NSCR</b> No Metal Screen <b>YSCR</b> Yes Metal Screen - add \$75	<b>NCUP</b> No Cup Holder <b>YCUP</b> Yes Cup Holder - add \$50

Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Thermostat Control Fan</b>	10 7/8	19	1 3/4	5	1	<b>65C1019TCF</b>	<b>\$1,655</b>



- black brushed and anodized
- quiet blower panel airflow: 100CFM
- current draw: 840mA
- sound level: 32dBA
- static pressure: 0.31 IN H2O
- includes UL Listed 12V DC power supply and temperature probe with a 9' cord
- blower panel activates at 87°F, full speed reach at 95°F, switch off at 85°F
- use with the Equipment Credenza models

<b>Rotating Pull Out AV Rack</b>	19 1/4	19 3/8	24	55	5	<b>65C19PAV</b>	<b>\$3,222</b>
----------------------------------	--------	--------	----	----	---	-----------------	----------------




- black metal
- features slide out and rotating base
- recommended to use inconjunction with the thermostat control fan
- use with the Equipment Credenza models

<b>Pull Out Dual Waste, Recycle Unit</b>	21 3/4	14 1/4	19	18	6	<b>65C2214PDW</b>	<b>\$293</b>
--	--------	--------	----	----	---	-------------------	--------------




- dual 36 quart, plastic grey
- bottom mounted, soft close, steel, chrome
- use with the Equipment Credenza models

<b>Laminate Utility Drawer</b>	17 1/4	27	2 1/2	12	2	<b>65C1727UDT</b>	<b>\$374</b>
--------------------------------	--------	----	-------	----	---	-------------------	--------------




- use with Buffet Credenza models


Description	D	W	H	CTN WT	CU FT	① Model	Essentials Veneer	Artisan Veneer
<b>Veneer Utility Drawer</b>	17 3/8	27	2 1/2	12	2	<b>65C1727UDV</b>	<b>\$458</b>	<b>\$504</b>




- use with Buffet Credenza models

Model	Laminate for Utility Drawer	Veneer for Utility Drawer
	see Anthology Laminate Finishes	see Anthology Veneer Finishes


Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>L-Bracket</b> 	1	17	1	3	1	<b>GPLBRKT20</b>	<b>\$99</b>
	1	21	1	4	1	<b>GPLBRKT24</b>	<b>\$105</b>
<ul style="list-style-type: none"> <li>• GPLBRKT20 should be used with 42" d Media Top for wall mounted application</li> <li>• GPLBRKT24 should be used with 54" d Media Top for wall mounted application</li> <li>• silver finish</li> </ul>							

<b>Flexible Wire Manager</b> 	1 3/4	5 3/4	1 3/8			<b>9P26FWM</b>	<b>\$32</b>
<ul style="list-style-type: none"> <li>• black</li> <li>• mounts to underside of top to support cords</li> </ul>							

<b>Frame Base Magnetic Metal Wire Manager</b> 						<b>65T22WMM</b>	<b>\$256</b>
<ul style="list-style-type: none"> <li>• use with Frame and Frame BridgeLine bases only</li> <li>• magnetic attachment to inside of base frame over cords to floor</li> <li>• specify metal base colors</li> <li>• chrome upcharge applies</li> </ul>							


<b>Wire Management Velcro Straps (set of 4)</b> 	1 3/4	3 1/2	1/4			<b>04WVS</b>	<b>\$63</b>
<ul style="list-style-type: none"> <li>• set of four</li> <li>• field installed with adhesive tape provided</li> <li>• mounts under surface or on vertical panels</li> <li>• black</li> </ul>							

<b>TFL Wire Management Chase</b> 	7	7	27 7/8			<b>65T728WCT</b>	<b>\$1,128</b>
<ul style="list-style-type: none"> <li>• mounts to underside of table top to conceal cords to floor outlet</li> <li>• can be specified between bases where cord concealment to floor is required</li> <li>• one side has lift off panel to access interior</li> <li>• not for structural support</li> </ul>							

Description	D	W	H	CTN WT	CU FT	① Model	Essentials Veneer	Artisan Veneer
<b>Veneer Wire Management Chase</b> 	7	7	27 7/8			<b>65T728WCV</b>	<b>\$1,159</b>	<b>\$1,276</b>
<ul style="list-style-type: none"> <li>• mounts to underside of table top to conceal cords to floor outlet</li> <li>• can be specified between bases where cord concealment to floor is required</li> <li>• one side has lift off panel to access interior</li> <li>• not for structural support</li> </ul>								


Model	Laminate for Wire Chase	Veneer for Wire Chase	Metal Color
	see Anthology Laminate Finishes	see Anthology Veneer Finishes	see Anthology Metal Colors Chrome Magnetic Wire Manager Upcharge- add \$320

Description	D	W	H	CTN WT	CU FT	① Model	List Price
<b>Vertical Fabric Cable Manager</b>	2 ¼	2 ¼	28	1	1	<b>9P28VFCM</b>	<b>\$183</b>
	2 ¼	2 ¼	35	1	1	<b>9P35VFCM</b>	<b>\$200</b>
	2 ¼	2 ¼	41	1	1	<b>9P41VFCM</b>	<b>\$218</b>



- use when other integrated cord routing is not available
- fabric with full length hook- loop closure
- screw attachment through eyelet to under-side of table top
- available in two neutral colors
- 3 heights for use with seated, counter and bar height tables

<b>Horizontal Metal Cable Manager</b>	4 ¾	18	4 ¼	3	1	<b>9P518HCM</b>	<b>\$108</b>
	2 ½	20	3 ½	3	1	<b>9P320HCM</b>	<b>\$112</b>



- mounts to underside of top to support cords
- access slots in sides and bottom surface
- side opening for easy cord lay in
- black finish

<b>Vertical Leather Cable Manager (set of 3)</b>	3	3	¾	1	1	<b>9P3LECM</b>	<b>\$166</b>
--	---	---	---	---	---	----------------	--------------



- use when other integrated cord routing is not available
- leather screw mount to wood bases with punched holes for closure and adjustment
- natural tanned leather color
- screw attachment will create a hole in material surface
- set of 3 to support seated, counter and bar height bases

Model