

Training - Table of Contents



Training



Teamwork



Conference



Lounge

Lok - Training

Product Information

Training Overview	3
Tables Shapes & Sizes	4
Laminate Specifications	5
Base Styles - Features	6
Nesting Details	7
Modesty Details	8-9
Screen Details	10-11
Electrical Planning - Options	12-13
How To Specify	14-15


Pricing Pages

Training Table Tops	16-37
Bases	17-63
Modesty Panels	64-66
Privacy Screens	67
Portable Slide On Screens	68-69
Instructor Stations	70-71
Podiums	72
Mobile & Fixed Screens	73
ECONO Electrical	74-75
LINK Electrical	76-77
Wire Management	78
Accessories	79


Training - Overview




rectangular
pages 22-26




trapezoid
pages 28




lecture
pages 30




crescent
pages 32




half round
pages 34



bullet
pages 36



hive
pages 37




intersect
pages 38



huddle
pages 39



one twenty
pages 40



quarter round
pages 42



wedge link
pages 43

Training - Top Shapes

Lok offers 12 training table top shapes. Tables are available in 29" and are always laminate. Compatible bases are: T Base, Cantilever T Base or In Line. Seating capacity below assumes that only one side is used.

LOK - TRAINING



rectangular

29"h


- 20" x 36" Seats 1
- 20" x 48" Seats 1
- 20" x 60" Seats 2
- 20" x 66" Seats 2
- 20" x 72" Seats 3
- 20" x 84" Seats 3
- 20" x 96" Seats 4
- 24" x 36" Seats 1
- 24" x 48" Seats 1
- 24" x 60" Seats 2
- 24" x 66" Seats 2
- 24" x 72" Seats 3
- 24" x 84" Seats 3
- 24" x 96" Seats 4
- 30" x 36" Seats 1
- 30" x 48" Seats 1
- 30" x 60" Seats 2
- 30" x 72" Seats 3
- 30" x 84" Seats 3
- 30" x 96" Seats 4



trapezoid

29"h


- 24" x 48" Seats 1
- 30" x 48" Seats 1



lecture

29"h


- 24" x 48" Seats 1
- 24" x 60" Seats 2
- 30" x 48" Seats 1
- 30" x 60" Seats 2



crescent

29"h


- 24" x 48" Seats 1
- 30" x 48" Seats 1



half round

29"h


- 24" x 48" Seats 2
- 30" x 60" Seats 2



bullet

29"h

- 30" x 60" Seats 4
- 30" x 66" Seats 4
- 30" x 72" Seats 5
- 36" x 60" Seats 4
- 36" x 66" Seats 5
- 36" x 72" Seats 5
- 48" x 72" Seats 6



hive

29"h

- 30" x 60" Seats 4
- 30" x 66" Seats 4
- 30" x 72" Seats 5
- 36" x 60" Seats 4
- 36" x 66" Seats 5
- 36" x 72" Seats 5
- 48" x 72" Seats 6



intersect

29"h

- 24" x 60" Seats 6
- 30" x 60" Seats 6



huddle

29"h


- 30" x 72" Seats 6
- 36" x 84" Seats 6



one twenty

29"h


- 42" x 73" Seats 4
- 45" x 84" Seats 4



quarter round

29"h

- 24" Seats 1
- 30" Seats 1



wedge link

29"h

- 24" Seats 1
- 30" Seats 1

Training - Surface Materials


Laminate Tops

Lok training table worksurfaces are offered in both TFL (Thermal Fused Laminate) and HPL (High Pressure Laminate).

The tops are 1 3/8" thick, 3 ply balanced construction.

HPL - Particle board core, HPL face and a phenolic backer sheet complete the balanced construction.

TFL - Particle board core, TFL thermally fused face and matching backer complete the balanced construction.



Eased Edge (R3)

PVC

Standard PVC Edge Colors

JSI supports 25 standard PVC edge colors listed below. These coordinate with our Standard TFL and HPL (T1) Laminates.

When selecting a Standard TFL or HPL 1 Laminate, the coordinating PVC edge color is automatically applied. When selecting a Graded-In Laminate (HPL 2), you will be prompted to choose between one of those 25 PVC edge colors to be applied to the edge.

BEL	Belair	MIN	Mineral
BLK	Black	MCH	Mocha
BRK	Brickdust	OBK	Outback
BBL	Bridal Blanco	PIL	Pilsner
CSK	Cask	PIN	Pinnacle Walnut
CLY	Clay	SHD	Shadow
DWH	Designer White	SLG	Slate Grey
EGR	Egret	UMB	Umber
FAW	Fawn	VAL	Valley
FLN	Flint	WAL	Walnut Heights
FLO	Florence Walnut	WEA	Weathered Ash
LOF	Loft	ZEN	Zen Grey
MES	Mesa		

Standard Laminates

JSI Standard Laminate program consists of 25 solid and wood grain patterns, and establish our standard TFL and HPL (T1) laminate pricing. Each has a coordinating PVC edge color that is automatically used with the Standard Laminates.

Wood Grain Laminate

BEL	Belair	MIN	Mineral
BRK	Brickdust	MCH	Mocha
CSK	Cask	OBK	Outback
CLY	Clay	PIL	Pilsner
EGR	Egret	PIN	Pinnacle Walnut
FAW	Fawn	UMB	Umber
FLN	Flint	VAL	Valley
FLO	Florence Walnut	WLH	Walnut Heights
LOF	Loft	WEA	Weathered Ash
MES	Mesa		

Solid Laminate


BLK	Black
BBL	Bridal Blanco
DWH	Designer White
SHD	Shadow
SLG	Slate Grey
ZEN	Zen Grey

See pages 456-461 for Tier 2 Laminates.

Training - Base Styles


Lok provides a choice selection of bases in both function and aesthetics to serve a variety of needs. The training offering includes: T-base, Cantilever T-Base, and In-Line T-Base

LOK - TRAINING




T-Base

- models offered in fixed leg with glide or caster, tilt with caster, or 9 pin adjustable height leg
- compatible with the following top shapes: bullet, crescent, half round, lecture, rectangular, trapezoid, intersect, huddle, hive, one-twenty
- base finish - select single metal finish or two-tone metal finish. See options listed below.



Cantilever T-Base

- models offered in fixed leg with glide or caster, tilt with caster, or 9 pin adjustable height leg
- compatible with the following top shapes: crescent, half round, lecture, rectangular, trapezoid
- base finish - select single metal finish or two-tone metal finish. See options listed below.




In-Line T-Base

- available in 29" h leg with caster
- compatible with the following top shapes: crescent, half round, lecture, rectangular, trapezoid
- base finish - select single metal finish or two-tone metal finish. See options listed below.
- allows tables to nest inline
- not available on 30" d rectangular tops

Single Metal Finish

- ABZ** Aged Bronze Feet & Post
- ASL** Arctic Silver Feet & Post
- BWH** Bright White Feet & Post
- GLD** Gold Feet & Post
- PEW** Pewter Feet & Post
- MBK** Matte Black Feet & Post
- SBZ** Soft Bronze Feet & Post
- SNK** Soft Nickel Feet & Post




Two - Tone Metal Finish

Two - Tone Aesthetics can be achieved by specifying Polished Aluminum on the foot and a contrasting finish on the post

Polished Aluminum Feet



- ABZ** Aged Bronze Post
- ASL** Arctic Silver Post
- BWH** Bright White Post
- GLD** Gold Post
- PEW** Pewter Post
- MBK** Matte Black Post
- SBZ** Soft Bronze Post
- SNK** Soft Nickel Post



9-Pin Adjustable Height

Pin adjustment located on column offers the ability to adjust tables from 26" to 34" high.







Easy operation by pushing in spring loaded latch pins, slide to desired height position and release pins to lock into place.



Training - Nesting/Space Planning

Lok In line and Offset Nesting



- adapt to ever changing multi-purpose areas, providing reconfigurability
- modularity, flexibility and ease of use by a single individual with single paddle release
- tilt and lock in position for easy nested storage
- T-Base & Cantilever T-Base allows nesting applications with the offset spacing, while In Line nesting is achieved by the In Line T-Base
- offset or in line nesting limit storage space required to move the tables out of the way
- compact tilted tables easily move to another location
- wire management clips are incorporated into the horizontal top cross beam in 48" or wider tables



Training - Modesty Panels

Modesty Panels

Full table width panels provide user 9" of privacy and conceal electrical components and wire channels.



Laminate

- 3/4" thick
- 21 standard TFL or Tier 1 HPL with matching PVC edge
- additional graded in laminates, select from standard PVC edges
- supported with concealed hinge or support brackets
- 5/8" space provided between top edge of modesty panel and bottom surface of top to route electrical wires from top of table to under side



Frosted Acrylic

- 1/4" two sided frosted acrylic
- acrylic panels supported with hinge or bracket with powder-coated cover plate to conceal support hardware
- 5/8" space provided between top edge of modesty panel and bottom surface of top to route electrical wires from top of table to under side
- specify trim cap Aged Bronze, Arctic Silver, Gold, Pewter, Matte Black, Soft Bronze, Soft Nickel

3 Attachment Methods


Acrylic and laminate modesty panels can be specified with 3 different attachment methods. Select from Hinged, Removable, or Fixed - see pages 70-72.

1 Hinged Modesty Panels with Tilt Table Option




When table is tilted, modesty panel folds into place for organized storage. Magnetic hinge holds modesty panel vertical in use position and automatically releases for self-storage in tilted position

Hinged Modesty Panels allows for table nesting




Training - Modesty Panel Attachment Methods

2 Removable Modesty Panels with Tilt Table Option




Removable modesty panels allows for single and dual users and storage




3 Fixed Modesty Panels

Fixed modesty panels are intended to always be attached and should not be specified in conjunction with tilt top tables.





Training - Screens

Portable Slide-On Divider Screen



Portable divider panel divides space between seats and acoustic materials muffles sound in high traffic areas



Acoustic

- screen provides 16" above and 4" user side concealment
- 1" tackable acoustic 100% polyester screens in silver or ash grey
 - acoustic rating: 0.45 - 0.90 NRC
 - fire rating: ASTM-E84 / class A
 - colorfastness to light: AACC 16.3 option 3 color change @ 20AFU = 4.5
 - vacuum to remove dust, remove spills immediately using a clean damp cloth or with soap and water
 - carpet or fabric cleaner can be used for difficult spills - always test on an inconspicuous area first
- easily repositioned by user to divide space or as end of table privacy
- can be secured to any surface 1 ¼" - 1 ½" thickness and 20" or greater depth
- knob on underside of table temporarily clamps screen in position for easy repositioning

HPL

- particle board core
- HPL laminate surfaces - JSI standards
- matching PVC edge

Markerboard

- plywood core
- white marker HPL surfaces
- white PVC edge

Magnetic Markerboard


- plywood core
- white magnetic marker HPL surfaces
- white PVC edge

Training - Screens


Privacy Panel Screens

Full width panel to provide user privacy concealing electrical components, wire channels and equipment on table top. Screens provide 8 1/2" below and 14" above top concealment

Privacy Panel



Privacy Acrylic Panel



Acoustic

- 1/2" tackable acoustic 100% polyester screens in silver or ash grey
 - acoustic rating: 0.45 - 0.90 NRC
 - fire rating: ASTM-E84 / class A
 - colorfastness to light: AACC 16.3 option 3 color change @ 20AFU = 4.5
 - vacuum to remove dust, remove spills immediately using a clean damp cloth or with soap and water
 - carpet or fabric cleaner can be used for difficult spills - always test on an inconspicuous area first

Acrylic


- 1/4" two sided frosted acrylic

Privacy Panel Colors

ASH	Ash Grey
SIL	Silver Grey

Screen Mounting

- screens supported by brackets with powder coated cover plates fastened to underside of top
- mounting brackets can be fastened out for routing cables to underside of top or to install monitor arm
- screens available for approach and end of table applications
- linking kits available for shared privacy screen application between two tables approach or end applications
- screens must be removed before tilting



Trim Cap Finishes

- ABZ Aged Bronze
- ASL Arctic Silver
- GLD Gold
- MBK Matte Black
- PEW Pewter
- SBZ Soft Bronze
- SNK Soft Nickel


Training - Electrical - LINK System

Overview


LINK has in-surface 110 power with USB A charging. Non-direction/non-sequential power cables plug together with red, green, white and black terminal connections. Configure with single or dual circuit units to maximize power flexibility. LINK provides three power infeed models; NEMA 15amp or 20amp three prong plug single circuit, quick disconnect or hardwire to support single or dual circuit applications.

- two 110 power and dual USB type A charging
- Metal unit - black or white color selection
- Non-directional/non-sequential power
- Three building power connection infeed models to select from
- Up to eight duplex devices per infeed circuit

Components included when LINK Power selected:



Top Unit x 1




Jumper x 2

- 1 - female to female
- 1 - female to male

Above quantity shows when C (Center) is specified.

When L (Left) / R (Right) are specified, the quantity is double.
Top Unit x 2 and Jumper x 3




Electrical


Power Packages are measured and located out from the center of the table. Shown on rectangular tops, these dimensions are the same from center regardless of table shape. Power in-feed is specified separately to support building electrical connection.

LINK Components:

Ganged Tables	Power In-Feed	Power Centers	Jumpers
48" - 96" Tables - CT1			
8	1	8	16
7	1	7	14
6	1	6	12
5	1	5	10
4	1	4	8
3	1	3	6
2	1	2	4
1	1	1	2
66" - 96" Tables - LRT2			
4	1	8	12
3	1	6	9
2	1	4	6
1	1	2	3



L-CT1-C0 - Single Power in Center Location on top cutout locations



Jumper connection at edge of tables.


Training - Electrical - ECONO System

Overview


ECONO electrical system allows up to eight duplex power modules to be daisy-chained together (non-direction/non-sequential) and powered from a single power in-feed. The number of power modules connected is limited to the maximum allowed under UL Standard 962. If too many are connected, the control module disconnects all power to the system and signals red. Power is restored to the system after the extra power module(s) are disconnected, which is indicated by a green light. Econo will not work with GFI or GFCI - Ground Fault Circuit Interrupter Wall or Floor Outlets.

- Two 110 power and two data openings
- Single circuit power with 12 amp total system
- Plastic unit with retractable lid - black or grey color selection
- Over-current protection
- Up to eight duplex devices per infeed

Electrical Power
EC-E-CT1-66



Components included when ECONO Power selected:



Top Unit x 1



Jumper x 1

Above quantity shows when C (Center) is specified.

When L (Left) / R (Right) are specified, the quantity is double.
Top Unit x 2 and Jumper x 2

Electrical

Power is measured and located out from the center of the table. Shown on rectangular tops, these dimensions are the same from center regardless of table shape. Power in-feed is specified separately to support building electrical connection.

ECONO Components:


Ganged Tables	Power In-Feed	Power Centers	Jumpers
---------------	---------------	---------------	---------

48" - 96" Tables - CT1


8	1	8	8
7	1	7	7
6	1	6	6
5	1	5	5
4	1	4	4
3	1	3	3
2	1	2	2
1	1	1	1

66" - 96" Tables - LRT2

4	1	8	8
3	1	6	6
2	1	4	4
1	1	2	2



E-CT1-CO - Single Power in Center Location on top cutout locations



Training - Cantilever Tilt Specifying

Overview

Lok Training was created with the simple a la carte, select of top, base, electrical, and screens. Pages with tops list all the necessary details to determine your budget with page references to guide you to the detail selections, including all the available options, colors and finishes. Build it your way in 5 easy steps!

1. Specify Top

- a. power cut out (optional)
- b. link (optional)

2. Specify Base

3. Specify Modesty Panel


- a. (optional)

4. Specify Electrical

- a. (optional) - not shown below

5. Specify Accessories

- a. (optional) - not shown below



Model Number Breakdown

1 - Top

LK-TT29-2460T

LK	TT	29	2460	T	
Lok Designator	Top Shape - Rectangular	Table Height - 29"	Top Size - 24" x 60"	Top Material - Laminate	

2 - Base

LK-CBT-TT29-2460

LK	CBT	TT	29	2460	
Lok Designator	Base Type - Cantilever T-Base Tilt (with casters option)	29" Table Height	Table Height - 29"	Top Size - 24" x 60"	

3 - Modesty Panel

LK-MPH-60A


LK	MP	H	60	A	
Lok Designator	Panel Type - Modesty	Function - Hinged	Panel Size - 60"	Panel Material - Frosted Acrylic	

Training - Fixed T Specifying

Overview

Lok Training table offer the many configurations and room layouts to support todays diverse learning environments. When planning a space, select the size and shape tops that best fit the space you are planning. Then select the base type that supports the function the space requires, static setting with T-Base and glides, additional knee space with cantilever T-base, easy reconfiguration by adding casters, compact storage with offset or inline tilt/nest, special height considerations with pin height adjustment.

1. Specify Top
 - a. power cut out (optional)
 - b. link (optional)
2. Specify Base
3. Specify Modesty Panel
 - a. (optional)
4. Specify Electrical
 - a. (optional) - not shown below
5. Specify Accessories
 - a. (optional) - not shown below



Model Number Breakdown

1 - Top

LK-TT29-2460T					
LK	TT	29	2460	T	
Lok Designator	Top Shape - Rectangular	Table Height - 29"	Top Size - 24" x 60"	Top Material - Laminate	

2 - Base

LK-TBF-TT29-2460					
LK	TBF	TT	29	2460	
Lok Designator	Base Type - Fixed T-Base (standard with glides)	29" Table Height	Table Height - 29"	Top Size - 24" x 60"	

3 - Modesty Panel


LK-MPH-60A					
LK	MP	H	60	A	
Lok Designator	Panel Type - Modesty	Function - Hinged	Panel Size - 60"	Panel Material - Frosted Acrylic	

Description

Rectangular Training Top



top shape



Eased Edge (R3)

D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
20	36	29	22	2	LK-TT29-2036T	\$273	\$368	\$384
24	36	29	26	2	LK-TT29-2436T	\$308	\$394	\$415
30	36	29	33	3	LK-TT29-3036T	\$322	\$437	\$462
20	48	29	29	2	LK-TT29-2048T	\$308	\$424	\$444
24	48	29	35	3	LK-TT29-2448T	\$350	\$460	\$486
30	48	29	43	3	LK-TT29-3048T	\$368	\$517	\$549

LAMINATE
LOK - TRAINING


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$66 list

Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



(36"- 48" wide)

To Order Specify


① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout

Model Number Breakdown

LK-TT29-2036T					
LK	TT	29	2036	T	
LOK	Rectangular Top Shape	Height	20" x 36"	Laminate	

Training Table Bases


Select base preference below to go with corresponding Top. **Note:** Base depth and width must match Top depth (D) and width (W).



T-Bases

(center column)

Fixed



T-Base Fixed


Width	Model	List Price
36"	LK-TBF-TT29-2036	+\$533
	LK-TBF-TT29-2436	+\$562
	LK-TBF-TT29-3036	+\$597
48"	LK-TBF-TT29-2048	+\$533
	LK-TBF-TT29-2448	+\$562
	LK-TBF-TT29-3048	+\$597



T-Base Adjustable


Width	Model	List Price
36"	LK-TBA-TT29-2036	+\$655
	LK-TBA-TT29-2436	+\$685
	LK-TBA-TT29-3036	+\$718
48"	LK-TBA-TT29-2048	+\$655
	LK-TBA-TT29-2448	+\$685
	LK-TBA-TT29-3048	+\$718

Tilt




T-Base Tilt

Width	Model	List Price
36"	LK-TBT-TT29-2036	+\$931
	LK-TBT-TT29-2436	+\$960
	LK-TBT-TT29-3036	+\$997
48"	LK-TBT-TT29-2048	+\$1,066
	LK-TBT-TT29-2448	+\$1,093
	LK-TBT-TT29-3048	+\$1,129



Inline T-Base

Width	Model	List Price
48"	LK-IBT-TT29-2048	+\$976
	LK-IBT-TT29-2448	+\$976




Cantilever T-Bases

Fixed



Cantilever T-Base Fixed


Width	Model	List Price
36"	LK-CBF-TT29-2036	+\$549
	LK-CBF-TT29-2436	+\$564
	LK-CBF-TT29-3036	+\$594
48"	LK-CBF-TT29-2048	+\$549
	LK-CBF-TT29-2448	+\$564
	LK-CBF-TT29-3048	+\$594



Cantilever T-Base Adj.

Width	Model	List Price
36"	LK-CBA-TT29-2036	+\$670
	LK-CBA-TT29-2436	+\$688
	LK-CBA-TT29-3036	+\$715
48"	LK-CBA-TT29-2048	+\$670
	LK-CBA-TT29-2448	+\$688
	LK-CBA-TT29-3048	+\$715

Tilt



Cantilever T-Base Tilt

Width	Model	List Price
36"	LK-CBT-TT29-2036	+\$963
	LK-CBT-TT29-2436	+\$978
	LK-CBT-TT29-3036	+\$1,008
48"	LK-CBT-TT29-2048	+\$1,096
	LK-CBT-TT29-2448	+\$1,113
	LK-CBT-TT29-3048	+\$1,142

See pages 6-7 for additional information on Lok Bases.

See pages 38-44 on how to order/specify Lok Bases for Rectangular Tops, including caster color options.

Training Table Modesty Panels



Fixed Modesty

Material	Model	Standard List	Graded In HPL 2
Acrylic	LK-MPF-36A	+\$339	--
	LK-MPF-48A	+\$380	--
TFL	LK-MPF-36T	+\$183	--
	LK-MPF-48T	+\$192	--
HPL	LK-MPF-36H	+\$266	+\$276
	LK-MPF-48H	+\$282	+\$295

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.



Removable Modesty

Material	Model	Standard List	Graded In HPL 2
Acrylic	LK-MPR-36A	+\$381	--
	LK-MPR-48A	+\$420	--
TFL	LK-MPR-36T	+\$224	--
	LK-MPR-48T	+\$232	--
HPL	LK-MPR-36H	+\$306	+\$317
	LK-MPR-48H	+\$324	+\$336

Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.



Hinged Modesty

Material	Model	Standard List	Graded In HPL 2
Acrylic	LK-MPH-36A	+\$362	--
	LK-MPH-48A	+\$417	--
TFL	LK-MPH-36T	+\$223	--
	LK-MPH-48T	+\$231	--
HPL	LK-MPH-36H	+\$305	+\$315
	LK-MPH-48H	+\$323	+\$335


Note: Hinged modesty panels are intended to be used with Tilt T-Bases for tilting and table nesting. Not to be specified with Fixed T-Bases.

See pages 8-9 for additional information on Lok Modesty Panels.


See pages 64-66 on how to order/specify Lok Modesty Panels.

Description

Rectangular Training Top



top shape



Eased Edge (R3)

D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
20	60	29	36	3	LK-TT29-2060T	\$339	\$473	\$500
24	60	29	43	3	LK-TT29-2460T	\$393	\$518	\$552
30	60	29	54	4	LK-TT29-3060T	\$414	\$589	\$626
20	66	29	39	3	LK-TT29-2066T	\$391	\$501	\$529
24	66	29	47	4	LK-TT29-2466T	\$469	\$554	\$591
30	66	29	60	5	LK-TT29-3066T	\$493	\$639	\$682
20	72	29	43	3	LK-TT29-2072T	\$412	\$528	\$561
24	72	29	52	4	LK-TT29-2472T	\$490	\$581	\$622
30	72	29	65	5	LK-TT29-3072T	\$517	\$669	\$715


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$66 list


Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



LRT2 : Dual Power Left/Right Top Cutout Location



To Order Specify


① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout L-LRT2-CO Link System - Left/Right Top Dual Power Cutout E-LRT2-CO Econo System - Left/Right Top Dual Power Cutout

Model Number Breakdown

LK-TT29-2060T					
LK	TT	29	2060	T	
LOK	Rectangular Top Shape	Height	20" x 60"	Laminate	

Training Table Bases

Select base preference below to go with corresponding Top. **Note:** Base depth and width must match Top depth (D) and width (W).



T-Bases
(center column)


Fixed	Width	Model	List Price
 T-Base Fixed	60"	LK-TBF-TT29-2060	+\$595
		LK-TBF-TT29-2460	+\$623
		LK-TBF-TT29-3060	+\$657
	66"	LK-TBF-TT29-2066	+\$595
		LK-TBF-TT29-2466	+\$623
		LK-TBF-TT29-3066	+\$657
	72"	LK-TBF-TT29-2072	+\$605
		LK-TBF-TT29-2472	+\$634
		LK-TBF-TT29-3072	+\$669



T-Base Adjustable


Width	Model	List Price
60"	LK-TBA-TT29-2060	+\$716
	LK-TBA-TT29-2460	+\$745
	LK-TBA-TT29-3060	+\$781
66"	LK-TBA-TT29-2066	+\$716
	LK-TBA-TT29-2466	+\$745
	LK-TBA-TT29-3066	+\$781
72"	LK-TBA-TT29-2072	+\$727
	LK-TBA-TT29-2472	+\$757
	LK-TBA-TT29-3072	+\$792

Tilt




T-Base Tilt

Width	Model	List Price
60"	LK-TBT-TT29-2060	+\$1,082
	LK-TBT-TT29-2460	+\$1,111
	LK-TBT-TT29-3060	+\$1,145
66"	LK-TBT-TT29-2066	+\$1,082
	LK-TBT-TT29-2466	+\$1,111
	LK-TBT-TT29-3066	+\$1,145
72"	LK-TBT-TT29-2072	+\$1,113
	LK-TBT-TT29-2472	+\$1,144
	LK-TBT-TT29-3072	+\$1,178



Inline T-Base

Width	Model	List Price
60"	LK-IBT-TT29-2060	+\$1,111
	LK-IBT-TT29-2460	+\$1,111
66"	LK-IBT-TT29-2066	+\$1,111
	LK-IBT-TT29-2466	+\$1,111
72"	LK-IBT-TT29-2072	+\$1,127
	LK-IBT-TT29-2472	+\$1,127



Cantilever T-Bases
(offset column)


Fixed	Width	Model	List Price
 Cantilever T-Base Fixed	60"	LK-CBF-TT29-2060	+\$608
		LK-CBF-TT29-2460	+\$625
		LK-CBF-TT29-3060	+\$655
	66"	LK-CBF-TT29-2066	+\$608
		LK-CBF-TT29-2466	+\$625
		LK-CBF-TT29-3066	+\$655
	72"	LK-CBF-TT29-2072	+\$620
		LK-CBF-TT29-2472	+\$637
		LK-CBF-TT29-3072	+\$665



Cantilever T-Base Adj.

Width	Model	List Price
60"	LK-CBA-TT29-2060	+\$732
	LK-CBA-TT29-2460	+\$747
	LK-CBA-TT29-3060	+\$778
66"	LK-CBA-TT29-2066	+\$732
	LK-CBA-TT29-2466	+\$747
	LK-CBA-TT29-3066	+\$778
72"	LK-CBA-TT29-2072	+\$742
	LK-CBA-TT29-2472	+\$759
	LK-CBA-TT29-3072	+\$787

Tilt



Cantilever T-Base Tilt

Width	Model	List Price
60"	LK-CBT-TT29-2060	+\$1,112
	LK-CBT-TT29-2460	+\$1,129
	LK-CBT-TT29-3060	+\$1,158
66"	LK-CBT-TT29-2066	+\$1,112
	LK-CBT-TT29-2466	+\$1,129
	LK-CBT-TT29-3066	+\$1,158
72"	LK-CBT-TT29-2072	+\$1,145
	LK-CBT-TT29-2472	+\$1,160
	LK-CBT-TT29-3072	+\$1,190

See pages 6-7 for additional information on Lok Bases.

See pages 38-44 on how to order/specify Lok Bases for Rectangular Tops, including caster color options.

Training Table Modesty Panels

 Fixed Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPF-60A	+\$465	--
LK-MPF-66A		+\$497	--	
LK-MPF-72A		+\$524	--	
TFL	LK-MPF-60T	+\$216	--	
	LK-MPF-66T	+\$222	--	
	LK-MPF-72T	+\$225	--	
	LK-MPF-60H	+\$318	+\$333	
HPL	LK-MPF-66H	+\$327	+\$343	
	LK-MPF-72H	+\$337	+\$352	

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.

 Removable Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPR-60A	+\$526	--
LK-MPR-66A		+\$558	--	
LK-MPR-72A		+\$583	--	
TFL	LK-MPR-60T	+\$278	--	
	LK-MPR-66T	+\$282	--	
	LK-MPR-72T	+\$287	--	
	LK-MPR-60H	+\$380	+\$393	
HPL	LK-MPR-66H	+\$388	+\$405	
	LK-MPR-72H	+\$398	+\$416	

Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

See pages 8-9 for additional information on Lok Modesty Panels.


See pages 64-66 on how to order/specify Lok Modesty Panels.

 Hinged Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPH-60A	+\$521	--
LK-MPH-66A		+\$556	--	
LK-MPH-72A		+\$578	--	
TFL	LK-MPH-60T	+\$268	--	
	LK-MPH-66T	+\$273	--	
	LK-MPH-72T	+\$278	--	
	LK-MPH-60H	+\$371	+\$385	
HPL	LK-MPH-66H	+\$381	+\$395	
	LK-MPH-72H	+\$389	+\$407	

Note: Hinged modesty panels are intended to be used with Tilt T-Bases for tilting and table nesting. Not to be specified with Fixed T-Bases.

Description

Rectangular Training Top



top shape



Eased Edge (R3)

D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
20	84	29	51	4	LK-TT29-2084T	\$438	\$589	\$625
24	84	29	61	4	LK-TT29-2484T	\$517	\$648	\$693
30	84	29	76	5	LK-TT29-3084T	\$539	\$740	\$795
20	96	29	58	4	LK-TT29-2096T	\$456	\$639	\$680
24	96	29	69	5	LK-TT29-2496T	\$536	\$709	\$758
30	96	29	86	6	LK-TT29-3096T	\$562	\$812	\$875

LAMINATE
LOK - TRAINING


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$66 list

Electrical Options/Cutout Locations:


- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



(84"- 96" wide)

LRT2 : Dual Power Left/Right Top Cutout Location



(84"- 96" wide)

To Order Specify


① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout L-LRT2-CO Link System - Left/Right Top Dual Power Cutout E-LRT2-CO Econo System - Left/Right Top Dual Power Cutout

Model Number Breakdown


LK-TT29-2084T				
LK	TT	29	2084	T
LOK	Rectangular Top Shape	Height	20" x 84"	Laminate


Training Table Bases

Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).



T-Bases


Fixed	Width	Model	List Price
 T-Base Fixed	84"	LK-TBF-TT29-2084	+\$605
		LK-TBF-TT29-2484	+\$634
		LK-TBF-TT29-3084	+\$669
	96"	LK-TBF-TT29-2096	+\$625
		LK-TBF-TT29-2496	+\$655
		LK-TBF-TT29-3096	+\$690



T-Base Adjustable


Width	Model	List Price
84"	LK-TBA-TT29-2084	+\$727
	LK-TBA-TT29-2484	+\$757
	LK-TBA-TT29-3084	+\$792
96"	LK-TBA-TT29-2096	+\$747
	LK-TBA-TT29-2496	+\$778
	LK-TBA-TT29-3096	+\$812

Tilt




T-Base Tilt

Width	Model	List Price
84"	LK-TBT-TT29-2084	+\$1,113
	LK-TBT-TT29-2484	+\$1,144
	LK-TBT-TT29-3084	+\$1,178
96"	LK-TBT-TT29-2096	+\$1,175
	LK-TBT-TT29-2496	+\$1,203
	LK-TBT-TT29-3096	+\$1,235





Inline T-Base

Width	Model	List Price
84"	LK-IBT-TT29-2084	+\$1,159
	LK-IBT-TT29-2484	+\$1,159
96"	LK-IBT-TT29-2096	+\$1,220
	LK-IBT-TT29-2496	+\$1,220



Cantilever T-Bases


Fixed	Width	Model	List Price
 Cantilever T-Base Fixed	84"	LK-CBF-TT29-2084	+\$620
		LK-CBF-TT29-2484	+\$637
		LK-CBF-TT29-3084	+\$665
	96"	LK-CBF-TT29-2096	+\$642
		LK-CBF-TT29-2496	+\$657
		LK-CBF-TT29-3096	+\$686



Cantilever T-Base Adj.

Width	Model	List Price
84"	LK-CBA-TT29-2084	+\$742
	LK-CBA-TT29-2484	+\$759
	LK-CBA-TT29-3084	+\$787
96"	LK-CBA-TT29-2096	+\$763
	LK-CBA-TT29-2496	+\$781
	LK-CBA-TT29-3096	+\$808

Tilt



Cantilever T-Base Tilt

Width	Model	List Price
84"	LK-CBT-TT29-2084	+\$1,145
	LK-CBT-TT29-2484	+\$1,160
	LK-CBT-TT29-3084	+\$1,190
96"	LK-CBT-TT29-2096	+\$1,206
	LK-CBT-TT29-2496	+\$1,222
	LK-CBT-TT29-3096	+\$1,250

See pages 6-7 for additional information on Lok Bases.

See pages 38-44 on how to order/specify Lok Bases for Rectangular Tops, including caster color options.

Training Table Modesty Panels

 Fixed Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPF-84A	+\$577	--
LK-MPF-96A		+\$631	--	
TFL	LK-MPF-84T	+\$234	--	
	LK-MPF-96T	+\$242	--	
HPL	LK-MPF-84H	+\$357	+\$375	
	LK-MPF-96H	+\$374	+\$397	

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.

 Removable Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPR-84A	+\$640	--
LK-MPR-96A		+\$692	--	
TFL	LK-MPR-84T	+\$296	--	
	LK-MPR-96T	+\$303	--	
HPL	LK-MPR-84H	+\$418	+\$437	
	LK-MPR-96H	+\$435	+\$459	

Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

 Hinged Modesty	Material	Model	Standard List	Graded In HPL 2
	Acrylic	LK-MPH-84A	+\$633	--
LK-MPH-96A		+\$686	--	
TFL	LK-MPH-84T	+\$287	--	
	LK-MPH-96T	+\$296	--	
HPL	LK-MPH-84H	+\$409	+\$429	
	LK-MPH-96H	+\$429	+\$452	



Note: Hinged modesty panels are intended to be used with Tilt T-Bases for tilting and table nesting. Not to be specified with Fixed T-Bases.

See pages 8-9 for additional information on Lok Modesty Panels.

See pages 64-66 on how to order/specify Lok Modesty Panels.

Description

Trapezoid Training Top



Eased Edge (R3)

D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
24	48	29	35	3	LK-TZ29-2448T	\$399	\$518	\$529
30	48	29	43	3	LK-TZ29-3048T	\$420	\$579	\$596


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$66 list

Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



To Order Specify


① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout

Model Number Breakdown




LK-TZ29-2448T					
LK	TZ	29	2448	T	
LOK	Trapezoid Top Shape	Height	24" x 48"	Laminate	


Training Table Bases

Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).





T-Bases
(center column)

Fixed			
	Width	Model	List Price
 T-Base Fixed	48"	LK-TBF-TZ29-2448	+\$562
		LK-TBF-TZ29-3048	+\$597
T-Base Adjustable			
	Width	Model	List Price
 T-Base Adjustable	48"	LK-TBA-TZ29-2448	+\$685
		LK-TBA-TZ29-3048	+\$718
Tilt			
	Width	Model	List Price
 T-Base Tilt	48"	LK-TBT-TZ29-2448	+\$1,093
		LK-TBT-TZ29-3048	+\$1,129
Inline T-Base			
	Width	Model	List Price
 Inline T-Base	48"	LK-IBT-TZ29-2448	+\$976
		LK-IBT-TZ29-3048	+\$1,012



Cantilever T-Bases
(offset column)

Fixed			
	Width	Model	List Price
 Cantilever T-Base Fixed	48"	LK-CBF-TZ29-2448	+\$564
		LK-CBF-TZ29-3048	+\$594
Cantilever T-Base Adj.			
	Width	Model	List Price
 Cantilever T-Base Adj.	48"	LK-CBA-TZ29-2448	+\$688
		LK-CBA-TZ29-3048	+\$715
Tilt			
	Width	Model	List Price
 Cantilever T-Base Tilt	48"	LK-CBT-TZ29-2448	+\$1,113
		LK-CBT-TZ29-3048	+\$1,142

See pages 6-7 for additional information on Lok Bases.

See pages 46-49 on how to order/specify Lok Bases for Trapezoid Tops, including caster color options.

Training Table Modesty Panels

	Material	Model	Standard List	Graded In HPL 2
 Fixed Modesty	Acrylic	LK-MPF-26A	+\$336	--
		LK-MPF-30A	+\$337	--
	TFL	LK-MPF-26T	+\$177	--
		LK-MPF-30T	+\$180	--
	HPL	LK-MPF-26H	+\$263	+\$270
		LK-MPF-30H	+\$264	+\$272

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.

	Material	Model	Standard List	Graded In HPL 2
 Removable Modesty	Acrylic	LK-MPR-26A	+\$376	--
		LK-MPR-30A	+\$379	--
	TFL	LK-MPR-26T	+\$220	--
		LK-MPR-30T	+\$222	--
	HPL	LK-MPR-26H	+\$303	+\$312
		LK-MPR-30H	+\$304	+\$313

Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

	Material	Model	Standard List	Graded In HPL 2
 Hinged Modesty	Acrylic	LK-MPH-26A	+\$358	--
		LK-MPH-30A	+\$359	--
	TFL	LK-MPH-26T	+\$220	--
		LK-MPH-30T	+\$222	--
	HPL	LK-MPH-26H	+\$302	+\$311
		LK-MPH-30H	+\$303	+\$312

Note: Hinged modesty panels are intended to be used with Tilt T-Bases for tilting and table nesting. Not to be specified with Fixed T-Bases.


See pages 8-9 for additional information on Lok Modesty Panels.

See pages 64-66 on how to order/specify Lok Modesty Panels.

LOK - TRAINING

Description

Lecture Training Top



top shape



Eased Edge (R3)

D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
24	48	29	35	3	LK-LC29-2448T	\$407	\$538	\$553
30	48	29	43	3	LK-LC29-3048T	\$524	\$601	\$617
24	60	29	43	3	LK-LC29-2460T	\$455	\$607	\$624
30	60	29	54	4	LK-LC29-3060T	\$598	\$685	\$704

LAMINATE


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$66 list

Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



To Order Specify


① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout

Model Number Breakdown

LK-LC29-2448T					
LK	LC	29	2448	T	
LOK	Lecture Top Shape	Height	24" x 48"	Laminate	

Training Table Bases

Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).



T-Bases


(center column)

Fixed		Width	Model	List Price
 T-Base Fixed	48"	60"	LK-TBF-LC29-2448	+\$578
			LK-TBF-LC29-3048	+\$614
	60"	60"	LK-TBF-LC29-2460	+\$623
			LK-TBF-LC29-3060	+\$657

Adjustable		Width	Model	List Price
 T-Base Adjustable	48"	60"	LK-TBA-LC29-2448	+\$701
			LK-TBA-LC29-3048	+\$737
	60"	60"	LK-TBA-LC29-2460	+\$745
			LK-TBA-LC29-3060	+\$781

Tilt		Width	Model	List Price
 T-Base Tilt	48"	60"	LK-TBT-LC29-2448	+\$1,111
			LK-TBT-LC29-3048	+\$1,146
	60"	60"	LK-TBT-LC29-2460	+\$1,127
			LK-TBT-LC29-3060	+\$1,160

Inline		Width	Model	List Price
 Inline T-Base	48"	60"	LK-IBT-LC29-2448	+\$976
			LK-IBT-LC29-3048	+\$1,012
	60"	60"	LK-IBT-LC29-2460	+\$1,111
			LK-IBT-LC29-3060	+\$1,146



Cantilever T-Bases

Fixed		Width	Model	List Price
 Cantilever T-Base Fixed	48"	60"	LK-CBF-LC29-2448	+\$564
			LK-CBF-LC29-3048	+\$609
	60"	60"	LK-CBF-LC29-2460	+\$608
			LK-CBF-LC29-3060	+\$655

Adjustable		Width	Model	List Price
 Cantilever T-Base Adj.	48"	60"	LK-CBA-LC29-2448	+\$688
			LK-CBA-LC29-3048	+\$733
	60"	60"	LK-CBA-LC29-2460	+\$732
			LK-CBA-LC29-3060	+\$778

Tilt		Width	Model	List Price
 Cantilever T-Base Tilt	48"	60"	LK-CBT-LC29-2448	+\$1,129
			LK-CBT-LC29-3048	+\$1,142
	60"	60"	LK-CBT-LC29-2460	+\$1,113
			LK-CBT-LC29-3060	+\$1,158

See pages 6-7 for additional information on Lok Bases.

See pages 50-53 on how to order/specify Lok Bases for Lecture Tops, including caster color options.

Training Table Modesty Panels



Fixed Modesty

Material	Model	List Price
Acrylic	LK-MPF-48A	+\$380
	LK-MPF-60A	+\$465

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.



Removable Modesty

Material	Model	List Price
Acrylic	LK-MPR-48A	+\$420
	LK-MPR-60A	+\$526




Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

See pages 8-9 for additional information on Lok Modesty Panels.

See pages 64-66 on how to order/specify Lok Modesty Panels.

Description

Crescent Training Top



Eased Edge (R3)

LAM

LOK - TRAINING

D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
24	48	29	35	3	LK-CR29-2448T	\$415	\$560	\$574
30	48	29	43	3	LK-CR29-3048T	\$529	\$622	\$639


Table Components: (order separately)

- base, electrical, and privacy screens sold and ship separately
- top does not accommodate modesty panel
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$66 list

Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout

Model Number Breakdown

LK-CR29-2448T					
LK	CR	29	2448	T	
LOK	Crescent Top Shape	Height	24" x 48"	Laminate	





Training Table Bases


Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).





T-Bases

(center column)

Fixed			
	Width	Model	List Price
 T-Base Fixed	48"	LK-TBF-CR29-2448	+\$562
		LK-TBF-CR29-3048	+\$597
Adjustable			
	Width	Model	List Price
 T-Base Adjustable	48"	LK-TBA-CR29-2448	+\$685
		LK-TBA-CR29-3048	+\$718
Tilt			
	Width	Model	List Price
 T-Base Tilt	48"	LK-TBT-CR29-2448	+\$1,093
		LK-TBT-CR29-3048	+\$1,129
Inline			
	Width	Model	List Price
 Inline T-Base	48"	LK-IBT-CR29-2448	+\$976
		LK-IBT-CR29-3048	+\$1,012



Cantilever T-Bases

Fixed			
	Width	Model	List Price
 Cantilever T-Base Fixed	48"	LK-CBF-CR29-2448	+\$564
		LK-CBF-CR29-3048	+\$594
Adjustable			
	Width	Model	List Price
 Cantilever T-Base Adj.	48"	LK-CBA-CR29-2448	+\$688
		LK-CBA-CR29-3048	+\$715
Tilt			
	Width	Model	List Price
 Cantilever T-Base Tilt	48"	LK-CBT-CR29-2448	+\$1,113
		LK-CBT-CR29-3048	+\$1,142

See pages 6-7 for additional information on Lok Bases.

See pages 54-57 on how to order/specify Lok Bases for Crescent Tops, including caster color options.

Note: Standard Training Table Modesty Panels are not available for Crescent Top shaped tables

Description

Half Round Training Top



top shape



Eased Edge (R3)

D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
24	48	29	35	3	LK-HR29-2448T	\$409	\$518	\$518
30	60	29	54	4	LK-HR29-3060T	\$525	\$579	\$579


Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option or power jumper, see below
- optional set of (2) linking bracket, specify and add an additional \$66 list

Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top Cutout Location



(48"- 60" wide)

To Order Specify


① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout

Model Number Breakdown




LK-HR29-2448T					
LK	HR	29	2448	T	
LOK	Half Round Top Shape	Height	24" x 48"	Laminate	


Training Table Bases

Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).






T-Bases
(center column)

Fixed	Width	Model	List Price
 T-Base Fixed	48"	LK-TBF-HR29-2448	+\$562
	60"	LK-TBF-HR29-3060	+\$657
 T-Base Adjustable	48"	LK-TBA-HR29-2448	+\$685
	60"	LK-TBA-HR29-3060	+\$781
 T-Base Tilt	48"	LK-TBT-HR29-2448	+\$976
	60"	LK-TBT-HR29-3060	+\$1,146
 Inline T-Base	48"	LK-IBT-HR29-2448	+\$976
	60"	LK-IBT-HR29-3060	+\$1,146



Cantilever T-Bases
(offset column)

Fixed	Width	Model	List Price
 Cantilever T-Base Fixed	48"	LK-CBF-HR29-2448	+\$549
	60"	LK-CBF-HR29-3060	+\$655
 Cantilever T-Base Adj.	48"	LK-CBA-HR29-2448	+\$670
	60"	LK-CBA-HR29-3060	+\$778
 Cantilever T-Base Tilt	48"	LK-CBT-HR29-2448	+\$978
	60"	LK-CBT-HR29-3060	+\$1,142

See pages 6-7 for additional information on Lok Bases.

See pages 58-61 on how to order/specify Lok Bases for Half Round Tops, including caster color options.

Training Table Modesty Panels

	Material	Model	Standard List	Graded In HPL 2
 Fixed Modesty	Acrylic	LK-MPF-48A	+\$380	--
		LK-MPF-60A	+\$465	--
	TFL	LK-MPF-48T	+\$192	--
		LK-MPF-60T	+\$216	--
	HPL	LK-MPF-48H	+\$282	+\$295
		LK-MPF-60H	+\$318	+\$333

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.

	Material	Model	Standard List	Graded In HPL 2
 Removable Modesty	Acrylic	LK-MPR-48A	+\$420	--
		LK-MPR-60A	+\$526	--
	TFL	LK-MPR-48T	+\$232	--
		LK-MPR-60T	+\$278	--
	HPL	LK-MPR-48H	+\$324	+\$336
		LK-MPR-60H	+\$380	+\$393

Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

	Material	Model	Standard List	Graded In HPL 2
 Hinged Modesty	Acrylic	LK-MPH-48A	+\$417	--
		LK-MPH-60A	+\$521	--
	TFL	LK-MPH-48T	+\$231	--
		LK-MPH-60T	+\$268	--
	HPL	LK-MPH-48H	+\$323	+\$335
		LK-MPH-60H	+\$371	+\$385

Note: Hinged modesty panels are intended to be used with Tilt T-Bases for tilting and table nesting. Not to be specified with Fixed T-Bases.



See pages 8-9 for additional information on Lok Modesty Panels.

See pages 64-66 on how to order/specify Lok Modesty Panels.

LOK - TRAINING

Description

Bullet Training Top



D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
30	60	29	54	4	LK-BU29-3060T	\$455	\$607	\$624
36	60	29	61	5	LK-BU29-3660T	\$608	\$711	\$768
30	66	29	58	4	LK-BU29-3066T	\$497	\$649	\$677
36	66	29	67	5	LK-BU29-3666T	\$634	\$740	\$798
30	72	29	61	5	LK-BU29-3072T	\$533	\$682	\$731
36	72	29	73	6	LK-BU29-3672T	\$698	\$821	\$862
48	72	29	96	7	LK-BU29-4872T	\$794	\$927	\$1,002


LOK - TRAINING LAMINATE

Table Components: (order separately)

- base, electrical, and privacy screens sold and ship separately
- optional set of (2) linking bracket, specify and add an additional \$66 list
- specify power option, see below for options


Electrical Options/Cutout Locations:

- specify power cutout
- reference drawing below for approximate location



Select base preference below to go with corresponding Top.

Note: Base depth and width must match Top depth (D) and width (W).



T-Bases

Fixed



Width	Model	List Price
60"	LK-TBF-BU29-3060	+\$657
	LK-TBF-BU29-3660	+\$697
66"	LK-TBF-BU29-3066	+\$657
	LK-TBF-BU29-3666	+\$697
72"	LK-TBF-BU29-3072	+\$669
	LK-TBF-BU29-3672	+\$709
	LK-TBF-BU29-4872	+\$709

See intro page 6 for additional information on Lok Bases, including base color options.

See pricing page 62 on how to order/specify Lok Bases for Bullet Tops, including caster color options.

To Order Specify



① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None CTEC23-CO Electrical Cutout for EC23 CTEC24-CO Electrical Cutout for EC24

Model Number Breakdown

LK-BU29-3060T					
LK	BU	29	3060	T	
LOK	Bullet Top Shape	Height	30" x 60"	Laminate	

Description

Hive Training Top




LAMINATE	W	D	H	CTN WT	CU FT	① Model	TFL	Standard HPL 1	Graded In HPL 2
	30	60	29	54	4	LK-HV29-3060T	\$457	\$609	\$626
36	60	29	61	5	LK-HV29-3660T	\$610	\$713	\$770	
30	66	29	58	4	LK-HV29-3066T	\$499	\$651	\$679	
36	66	29	67	5	LK-HV29-3666T	\$637	\$742	\$801	
30	72	29	61	5	LK-HV29-3072T	\$535	\$685	\$733	
36	72	29	73	6	LK-HV29-3672T	\$700	\$824	\$864	
48	72	29	96	7	LK-HV29-4872T	\$797	\$931	\$1,005	

Table Components: (order separately)

- base, electrical, and privacy screens sold and ship separately
- optional set of (2) ganging bracket, specify and add an additional \$66 list
- specify power option, see below for options

Electrical Options/Cutout Locations:


- specify power cutout
- reference drawing below for approximate location




(60"- 72" wide)

Select base preference below to go with corresponding Top.

Note: Base depth and width must match Top depth (D) and width (W).



Fixed



T-Base Fixed

T-Bases

Width	Model	List Price
60"	LK-TBF-HV29-3060	+\$657
	LK-TBF-HV29-3660	+\$697
66"	LK-TBF-HV29-3066	+\$657
	LK-TBF-HV29-3666	+\$697
72"	LK-TBF-HV29-3072	+\$669
	LK-TBF-HV29-3672	+\$697
	LK-TBF-HV29-4872	+\$697

See page 6 for additional information on Lok Bases.

See page 62 on how to order/specify Lok Bases for Hive Tops, including caster color options.

To Order Specify


① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None CTEC23-CO Electrical Cutout for EC23 CTEC24-CO Electrical Cutout for EC24

Model Number Breakdown

LK-HV29-3060T					
LK	HV	29	3060	T	
LOK	Hive Top Shape	Height	30" x 60"	Laminate	

Description

Intersect Training Top



top shape



Eased Edge (R3)

LAM

LOK - TRAINING

D	W	H	CTN WT	CU FT	1 Model
24	60	29	88	7	LK-IN29-2460T
30	60	29	96	7	LK-IN29-3060T


TFL	Standard	Graded In
	HPL 1	HPL 2
\$664	\$960	\$1,040
\$668	\$965	\$1,043

Table Components: (order separately)

- base, electrical, and privacy screens sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$66 list

Electrical Options/Cutout Locations:


- specify power cutout
- reference drawing below for approximate location



(60" wide)

Select base preference below to go with corresponding Top.


Note: Base depth and width must match Top depth (D) and width (W).



(center column)

Fixed

T-Bases



T-Base Fixed

Width	Model	List Price
60"	LK-TBF-IN29-2460	+\$837
	LK-TBF-IN29-3060	+\$837

See intro page 6 for additional information on Lok Bases, including base color options.

See pricing page 63 on how to order/specify Lok Bases for Intersect Tops, including caster color options.

To Order Specify




1 Model #	2a Laminate Selection	2b PVC Edge Color	3 Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None CTEC23-CO Electrical Cutout for EC23 CTEC24-CO Electrical Cutout for EC24

Model Number Breakdown

LK-IN29-2460T				
LK	IN	29	2460	T
LOK	Intersect Top Shape	Height	24" x 60"	Laminate

Description

Huddle Training Top




W	D	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
30	72	29	65	5	LK-HU29-3072T	\$533	\$682	\$731
36	84	29	91	6	LK-HU29-3684T	\$774	\$848	\$914

Table Components: (order separately)

- base and electrical sold and ship separately
- specify power option, see below
- optional set of (2) linking bracket, specify and add an additional \$66 list

Electrical Options/Cutout Locations:


- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location




(72"- 84" wide)

Select base preference below to go with corresponding Top.

Note: Base depth and width must match Top depth (D) and width (W).



Fixed



T-Base Fixed

T-Bases

Width	Model	List Price
72"	LK-TBF-HU29-3072	+\$1,091
84"	LK-TBF-HU29-3684	+\$1,091

See page 6 for additional information on Lok Bases.

See page 63 on how to order/specify Lok Bases for Huddle Tops, including caster color options.

To Order Specify




① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None CTEC23-CO Electrical Cutout for EC23 CTEC24-CO Electrical Cutout for EC24

Model Number Breakdown

LK-HU29-3072T					
LK	HU	29	3072	T	
LOK	Huddle Top Shape	Height	30" x 72"	Laminate	

Description

One-twenty Training Top



D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
42	72	29	81	6	LK-YG29-4272T	\$771	\$851	\$918
45	84	29	95	8	LK-YG29-4584T	\$801	\$980	\$1,064

Table Components: (order separately)

- base, modesty panel, electrical, and privacy screens sold and ship separately
- specify power option, see below


Options:

- optional set of (2) linking bracket, specify and add an additional \$66 list


Electrical Options/Cutout Locations:

- specify power cutout and indicate if Link or Econo System will be used
- reference drawing below for approximate location

CT1 : Single Power Center Top



LRT2 : Dual Power Left/Right Top



To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	N None L-CT1-CO Link System - Center Top Single Power Cutout E-CT1-CO Econo System - Center Top Single Power Cutout L-LRT2-CO Link System - Left/Right Top Dual Power Cutout E-LRT2-CO Econo System - Left/Right Top Dual Power Cutout

Model Number Breakdown

LK-YG29-4272T				
LK	YG	29	4272	T
LOK	One-twenty Top Shape	Height	42" x 72"	Laminate

Training Table Bases


Select base preference below to go with corresponding Top. Note: Base depth and width must match Top depth (D) and width (W).



T-Bases

(center column)

Fixed



T-Base Fixed

Width	Model	List Price
72"	LK-TBF-YG29-4272	+\$794
84"	LK-TBF-YG29-4584	+\$794

Training Table Modesty Panels



Fixed Modesty

Material	Model	Standard List	Graded In HPL 2
Acrylic	LK-MPF-36A	+\$339	--
	LK-MPF-42A	+\$376	--
TFL	LK-MPF-36T	+\$183	--
	LK-MPF-42T	+\$189	--
HPL	LK-MPF-36H	+\$266	+\$276
	LK-MPF-42H	+\$280	+\$292

Note: Fixed modesty panels are intended to always be attached to top and should not be specified in conjunction with Tilt T-Bases.



Removable Modesty

Material	Model	Standard List	Graded In HPL 2
Acrylic	LK-MPR-36A	+\$381	--
	LK-MPR-42A	+\$417	--
TFL	LK-MPR-36T	+\$224	--
	LK-MPR-42T	+\$230	--
HPL	LK-MPR-36H	+\$306	+\$317
	LK-MPR-42H	+\$322	+\$334



Note: Removable modesty panels when used with Tilt T-bases must be removed before tilting table.

See pages 8-9 for additional information on Lok Modesty Panels.

See pages 64-66 on how to order/specify Lok Modesty Panels.

Description

Quarter Round Training Top



top shape



Eased Edge (R3)

LAM

LOK - TRAINING

D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
							HPL 1	HPL 2
24			15	2	LK-Q90-24T	\$336	\$404	\$409
30			22	2	LK-Q90-30T	\$360	\$472	\$482

Features:

- electrical sold and ship separately
- base not required; flat plates included - use for attachment between two tables

Options:

- power continued from adjacent tables with jumper; specify no (PJN) or yes Link(PJY-L) - add \$125 list or Econo(PJY-E) - add \$140 list



To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	PJY-L LINK System Jumper PJY-E ECONO System Jumper

Model Number Breakdown

LK-Q90-24T					
LK	Q	90	24	T	
LOK	Quarter Round Top Shape	90° Quarter Round	24" Depth	Laminate	

Wedge LinkTraining Top




LAMINATE	D	W	H	CTN WT	CU FT	① Model	TFL	Standard HPL 1	Graded In HPL 2
		24			6	1	LK-W18-24T	\$246	\$303
	30			7	1	LK-W18-30T	\$260	\$329	\$333
	24			7	1	LK-W30-24T	\$264	\$324	\$327
	30			9	1	LK-W30-30T	\$289	\$362	\$365
	24			9	1	LK-W45-24T	\$283	\$357	\$360
	30			11	2	LK-W45-30T	\$323	\$407	\$414
	24			13	2	LK-W90-24T	\$312	\$384	\$388
	30			17	2	LK-W90-30T	\$338	\$453	\$460

Features:

- electrical sold and ship separately
- base not required; flat plates included - use for attachment between two tables

Options:

- power continued from adjacent tables with jumper; specify no (PJN) or yes Link(PJY-L) - add \$125 list or Econo(PJY-E) -add \$140 list





To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color	③ Electrical
Model (LK)	See Laminate Selection	See PVC Edge Color Options	PJY-L LINK System Jumper PJY-E ECONO System Jumper

Model Number Breakdown

LK-W18-24T				
LK	W	18	24	T
LOK	Wedge Top Shape	18° Wedge	24" Depth	Laminate


Description	D	W	H	CTN WT	CU FT	① Model	List Price
 <p>36" & 48" w</p>	20	36	29	22	4	LK-TBF-TT29-2036	\$533
	24	36	29	23	5	LK-TBF-TT29-2436	\$562
	30	36	29	24	7	LK-TBF-TT29-3036	\$597
	20	48	29	22	4	LK-TBF-TT29-2048	\$533
	24	48	29	23	5	LK-TBF-TT29-2448	\$562
	30	48	29	24	7	LK-TBF-TT29-3048	\$597
 <p>60" - 96" w includes a metal support rail</p>	20	60	29	26	5	LK-TBF-TT29-2060	\$595
	24	60	29	27	6	LK-TBF-TT29-2460	\$623
	30	60	29	28	8	LK-TBF-TT29-3060	\$657
	20	66	29	26	5	LK-TBF-TT29-2066	\$595
	24	66	29	27	6	LK-TBF-TT29-2466	\$623
	30	66	29	28	8	LK-TBF-TT29-3066	\$657
	20	72	29	27	5	LK-TBF-TT29-2072	\$605
	24	72	29	28	6	LK-TBF-TT29-2472	\$634
	30	72	29	29	8	LK-TBF-TT29-3072	\$669
	20	84	29	27	5	LK-TBF-TT29-2084	\$605
	24	84	29	28	6	LK-TBF-TT29-2484	\$634
	30	84	29	29	8	LK-TBF-TT29-3084	\$669
	20	96	29	28	6	LK-TBF-TT29-2096	\$625
	24	96	29	29	7	LK-TBF-TT29-2496	\$655
	30	96	29	30	9	LK-TBF-TT29-3096	\$690

Features:



- bases include all necessary field assembly hardware

Options:



- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$47 list for casters
- specify metal finish, see below for options and two-tone capabilities



To Order Specify

① Model #	② Feet & Post Finish	Dual Finish	③ Glides or Casters
Lok (LK)	See Feet & Post Finish Options  <p>Example</p>	2a Feet Finish See Feet Finish Options 2b Post Finish See Post Finish Options  <p>Example</p>	G Glides  Standard (no upcharge) C Casters - BL Black +\$47 - WG White w/Grey Wheels +\$47

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Cantilever Fixed T-Base for Rectangular Top	20	36	29	22	4	LK-CBF-TT29-2036	\$549
	24	36	29	23	5	LK-CBF-TT29-2436	\$564
	30	36	29	24	7	LK-CBF-TT29-3036	\$594
 36" & 48" w	20	48	29	22	4	LK-CBF-TT29-2048	\$549
	24	48	29	23	5	LK-CBF-TT29-2448	\$564
	30	48	29	24	7	LK-CBF-TT29-3048	\$594
	20	60	29	26	5	LK-CBF-TT29-2060	\$608
	24	60	29	27	6	LK-CBF-TT29-2460	\$625
	30	60	29	28	8	LK-CBF-TT29-3060	\$655
	20	66	29	26	5	LK-CBF-TT29-2066	\$608
	24	66	29	27	6	LK-CBF-TT29-2466	\$625
	30	66	29	28	8	LK-CBF-TT29-3066	\$655
 60" - 96" w includes a metal support rail	20	72	29	27	5	LK-CBF-TT29-2072	\$620
	24	72	29	28	6	LK-CBF-TT29-2472	\$637
	30	72	29	29	8	LK-CBF-TT29-3072	\$665
	20	84	29	27	5	LK-CBF-TT29-2084	\$620
	24	84	29	28	6	LK-CBF-TT29-2484	\$637
	30	84	29	29	8	LK-CBF-TT29-3084	\$665
	20	96	29	28	6	LK-CBF-TT29-2096	\$642
	24	96	29	29	7	LK-CBF-TT29-2496	\$657
	30	96	29	30	9	LK-CBF-TT29-3096	\$686



Features:

- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster (C) - choice of Black (BL) or White/Grey (WG) Caster; add \$47 list for casters

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish	③ Glides or Casters
Lok (LK)	See Feet & Post Finish Options  Example	2a Feet Finish See Feet Finish Options 2b Post Finish See Post Finish Options  Example	G Glides  Standard (no upcharge) C Casters - BL Black +\$47 - WG White w/Grey Wheels +\$47

LK-CBF-TT29-3072					
LK	CBF	TT	29	3072	
LOK	Cantilever T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Adjustable T Base for Rectangular Top 36" & 48" w	20	36	29	22	4	LK-TBA-TT29-2036	\$655
	24	36	29	23	5	LK-TBA-TT29-2436	\$685
	30	36	29	24	7	LK-TBA-TT29-3036	\$718
	20	48	29	22	4	LK-TBA-TT29-2048	\$655
	24	48	29	23	5	LK-TBA-TT29-2448	\$685
	30	48	29	24	7	LK-TBA-TT29-3048	\$718
	20	60	29	26	5	LK-TBA-TT29-2060	\$716
	24	60	29	27	6	LK-TBA-TT29-2460	\$745
	30	60	29	28	8	LK-TBA-TT29-3060	\$781
	60" - 96" w includes a metal support rail	20	66	29	26	5	LK-TBA-TT29-2066
24		66	29	27	6	LK-TBA-TT29-2466	\$745
30		66	29	28	8	LK-TBA-TT29-3066	\$781
20		72	29	27	5	LK-TBA-TT29-2072	\$727
24		72	29	28	6	LK-TBA-TT29-2472	\$757
30		72	29	29	8	LK-TBA-TT29-3072	\$792
20		84	29	27	5	LK-TBA-TT29-2084	\$727
24		84	29	28	6	LK-TBA-TT29-2484	\$757
30		84	29	29	8	LK-TBA-TT29-3084	\$792
20		96	29	28	6	LK-TBA-TT29-2096	\$747
24	96	29	29	7	LK-TBA-TT29-2496	\$778	
30	96	29	30	9	LK-TBA-TT29-3096	\$812	

Features:



- pin adjustment base provides range of 26"-34"
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities



To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		G Glides
Lok (LK)	See Feet & Post Finish Options  Example	②a Feet Finish See Feet Finish Options	②b Post Finish See Post Finish Options  Example	 Standard (no upcharge)

LK-TBA-TT29-3072				
LK	TBA	TT	29	3072
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops

Description	D	W	H	CTN WT	CU FT	① Model	List Price
 36" & 48" w	20	36	29	22	4	LK-CBA-TT29-2036	\$670
	24	36	29	23	5	LK-CBA-TT29-2436	\$688
	30	36	29	24	7	LK-CBA-TT29-3036	\$715
	20	48	29	22	4	LK-CBA-TT29-2048	\$670
	24	48	29	23	5	LK-CBA-TT29-2448	\$688
	30	48	29	24	7	LK-CBA-TT29-3048	\$715
 60" - 96" w includes a metal support rail	20	60	29	26	5	LK-CBA-TT29-2060	\$732
	24	60	29	27	6	LK-CBA-TT29-2460	\$747
	30	60	29	28	8	LK-CBA-TT29-3060	\$778
	20	66	29	26	5	LK-CBA-TT29-2066	\$732
	24	66	29	27	6	LK-CBA-TT29-2466	\$747
	30	66	29	28	8	LK-CBA-TT29-3066	\$778
	20	72	29	27	5	LK-CBA-TT29-2072	\$742
	24	72	29	28	6	LK-CBA-TT29-2472	\$759
	30	72	29	29	8	LK-CBA-TT29-3072	\$787
	20	84	29	27	5	LK-CBA-TT29-2084	\$742
	24	84	29	28	6	LK-CBA-TT29-2484	\$759
	30	84	29	29	8	LK-CBA-TT29-3084	\$787
20	96	29	28	6	LK-CBA-TT29-2096	\$763	
24	96	29	29	7	LK-CBA-TT29-2496	\$781	
30	96	29	30	9	LK-CBA-TT29-3096	\$808	



Features:

- pin adjustment base provides range of 26"-34"
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		G Glides
Lok (LK)	See Feet & Post Finish Options  Example	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  Example	 Standard (no upcharge)

LK-CBA-TT29-3072					
LK	CBA	TT	29	3072	
LOK	Cantilever T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

LOK - TRAINING


Description	D	W	H	CTN WT	CU FT	1 Model	List Price
Tilt T Base for Rectangular Top	20	36	29	27	5	LK-TBT-TT29-2036	\$931
	24	36	29	28	6	LK-TBT-TT29-2436	\$960
	30	36	29	28	8	LK-TBT-TT29-3036	\$997
	20	48	29	28	6	LK-TBT-TT29-2048	\$1,066
	24	48	29	29	7	LK-TBT-TT29-2448	\$1,093
	30	48	29	30	9	LK-TBT-TT29-3048	\$1,129
	20	60	29	29	6	LK-TBT-TT29-2060	\$1,082
	24	60	29	30	7	LK-TBT-TT29-2460	\$1,111
	30	60	29	31	9	LK-TBT-TT29-3060	\$1,145
	20	66	29	31	9	LK-TBT-TT29-2066	\$1,082
	24	66	29	30	7	LK-TBT-TT29-2466	\$1,111
	30	66	29	29	6	LK-TBT-TT29-3066	\$1,145
	20	72	29	30	6	LK-TBT-TT29-2072	\$1,113
	24	72	29	31	7	LK-TBT-TT29-2472	\$1,144
	30	72	29	32	9	LK-TBT-TT29-3072	\$1,178
	20	84	29	30	6	LK-TBT-TT29-2084	\$1,113
	24	84	29	31	7	LK-TBT-TT29-2484	\$1,144
	30	84	29	32	9	LK-TBT-TT29-3084	\$1,178
	20	96	29	32	6	LK-TBT-TT29-2096	\$1,175
	24	96	29	32	7	LK-TBT-TT29-2496	\$1,203
	30	96	29	33	9	LK-TBT-TT29-3096	\$1,235

Features:



- base nests in offset position when top is tilted
- bases include all necessary field assembly hardware

Options:


- specify Black (BL) or White/Grey (WG) Caster
- specify metal finish, see below for options and two-tone capabilities



To Order Specify

1 Model #	2 Feet & Post Finish	Dual Finish	3 Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options 2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels 

LK-TBT-TT29-3072					
LK	TBT	TT	29	3072	
LOK	T-Base Tilt	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Inline Tilt T-Base for Rectangular Top 	20	48	29	28	6	LK-IBT-TT29-2048	\$976
	24	48	29	28	6	LK-IBT-TT29-2448	\$976
	20	60	29	29	7	LK-IBT-TT29-2060	\$1,111
	24	60	29	29	7	LK-IBT-TT29-2460	\$1,111
	20	66	29	29	7	LK-IBT-TT29-2066	\$1,111
	24	66	29	29	7	LK-IBT-TT29-2466	\$1,111
	20	72	29	30	7	LK-IBT-TT29-2072	\$1,127
	24	72	29	30	7	LK-IBT-TT29-2472	\$1,127
	20	84	29	31	7	LK-IBT-TT29-2084	\$1,159
	24	84	29	31	7	LK-IBT-TT29-2484	\$1,159
	20	96	29	32	7	LK-IBT-TT29-2096	\$1,220
	24	96	29	32	7	LK-IBT-TT29-2496	\$1,220




Features:

- base nests in inline position when top is tilted
- bases include all necessary field assembly hardware

Options:

- specify Black (BL) or White/Grey (WG) Caster
- specify metal finish, see below for options and two-tone capabilities

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		③ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/Grey Wheels 

LK-IBT-TT29-2472				
LK	IBT	TT	29	2472
LOK	Inline T-Base Tilt	Rectangular Top Shape	Height	Used on 24" x 72" Tops

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Cantilever Tilt T-Base for Rectangular Top	20	36	29	27	5	LK-CBT-TT29-2036	\$963
	24	36	29	28	6	LK-CBT-TT29-2436	\$978
	30	36	29	28	8	LK-CBT-TT29-3036	\$1,008
	20	48	29	28	6	LK-CBT-TT29-2048	\$1,096
	24	48	29	29	7	LK-CBT-TT29-2448	\$1,113
	30	48	29	30	9	LK-CBT-TT29-3048	\$1,142
	20	60	29	29	6	LK-CBT-TT29-2060	\$1,112
	24	60	29	30	7	LK-CBT-TT29-2460	\$1,129
	30	60	29	31	9	LK-CBT-TT29-3060	\$1,158
	20	66	29	29	6	LK-CBT-TT29-2066	\$1,112
	24	66	29	30	7	LK-CBT-TT29-2466	\$1,129
	30	66	29	31	9	LK-CBT-TT29-3066	\$1,158
	20	72	29	30	6	LK-CBT-TT29-2072	\$1,145
	24	72	29	31	7	LK-CBT-TT29-2472	\$1,160
	30	72	29	32	9	LK-CBT-TT29-3072	\$1,190
	20	84	29	30	6	LK-CBT-TT29-2084	\$1,145
	24	84	29	31	7	LK-CBT-TT29-2484	\$1,160
	30	84	29	32	9	LK-CBT-TT29-3084	\$1,190
	20	96	29	32	6	LK-CBT-TT29-2096	\$1,206
	24	96	29	32	7	LK-CBT-TT29-2496	\$1,222
	30	96	29	33	9	LK-CBT-TT29-3096	\$1,250

Features:

- base nests in offset position when top is tilted
- bases include all necessary field assembly hardware

Options:


- specify Black (BL) or White/Grey (WG) Caster
- specify metal finish, see below for options and two-tone capabilities

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		③ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels
LK-CBT-TT29-3072				
LK	CBT	TT	29	3072
LOK	Cantilever T-Base Tilt	Rectangular Top Shape	Height	Used on 30" x 72" Tops

Page left intentionally blank

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Fixed T Base for Trapezoid Top	24	48	29	23	5	LK-TBF-TZ29-2448	\$562
	30	48	29	24	7	LK-TBF-TZ29-3048	\$597




Features:


- specify Glide (G) or Caster(C) -choice of Black(BL) or White/Grey (WG) Caster; add \$47 list for casters

Options:

- bases include all necessary field assembly hardware
- specify metal finish, see below for options and two-tone capabilities



Cantilever Fixed T-Base for Trapezoid Top	24	48	29	23	5	LK-CBF-TZ29-2448	\$564
	30	48	29	24	7	LK-CBF-TZ29-3048	\$594





Features:

- specify Glide (G) or Caster(C) -choice of Black(BL) or White/Grey (WG) Caster; add \$47 list for casters

Options:


- bases include all necessary field assembly hardware
- specify metal finish, see below for options and two-tone capabilities

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		③ Glides or Casters		
Lok (LK)	See Feet & Post Finish Options  Example	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  Example	G Glides  Standard (no upcharge)	C Casters - BL Black  +\$47	- WG White w/Grey Wheels  +\$47

LK-TBF-TZ29-3072					
LK	TBF	TZ	29	3072	
LOK	T-Base Fixed	Trapezoid Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Adjustable T Base for Trapezoid Top	24	48	29	23	5	LK-TBA-TZ29-2448	\$685
	30	48	29	24	7	LK-TBA-TZ29-3048	\$718




Features:


- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities



Description	D	W	H	CTN WT	CU FT	① Model	List Price
Cantilever Adjustable T-Base for Trapezoid Top	24	48	29	23	5	LK-CBA-TZ29-2448	\$688
	30	48	29	24	7	LK-CBA-TZ29-3048	\$715




Features:


- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities




To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		G Glides
Lok (LK)	See Feet & Post Finish Options  <p>Example</p>	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options	 Standard (no upcharge)

LK-TBF-TZ29-3072					
LK	TBA	TZ	29	3072	
LOK	T-Base Adjustable	Trapezoid Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	1 Model	List Price
Tilt T Base for Trapezoid Top	24	48	29	29	7	LK-TBT-TZ29-2448	\$1,093
	30	48	29	30	9	LK-TBT-TZ29-3048	\$1,129




Features:


- base nests in offset position when top is tilted
- bases include all necessary field assembly hardware

Options:

- specify Black (BL) or White/Grey (WG) Caster
- specify metal finish, see below for options and two-tone capabilities



Inline Tilt T-Base for Trapezoid Top	24	48	29	27	6	LK-IBT-TZ29-2448	\$976
	30	48	29	28	8	LK-IBT-TZ29-3048	\$1,012





Features:

- base nests in inline position when top is tilted
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities
- specify Black (BL) or White/Grey (WG) Caster

To Order Specify

1 Model #	2 Feet & Post Finish	Dual Finish		3 Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels 

LK-TBT-TZ29-3048					
LK	TBT	TZ	29	3048	
LOK	T-Base Tilt	Trapezoid Top Shape	Height	Used on 30" x 48" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Cantilever Tilt T-Base for Trapezoid Top	24	48	29	29	7	LK-CBT-TZ29-2448	\$1,113
	30	48	29	30	9	LK-CBT-TZ29-3048	\$1,142





Features:

- base nests in offset position when top is tilted
- bases include all necessary field assembly hardware

Options:


- specify Black (BL) or White/Grey (WG) Caster
- specify metal finish, see below for options and two-tone capabilities

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		③ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/Grey Wheels 

LK-CBT-TZ29-2448					
LK	CBT	TZ	29	2448	
LOK	Cantilever Tilt T-Base	Trapezoid Top Shape	Height	Used on 24" x 48" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Fixed T Base for Lecture Top	24	48	29	23	5	LK-TBF-LC29-2448	\$578
	30	48	29	24	7	LK-TBF-LC29-3048	\$614
	24	60	29	27	6	LK-TBF-LC29-2460	\$623
	30	60	29	28	8	LK-TBF-LC29-3060	\$657




Features:



- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) -choice of Black(BL) or White/Grey (WG) Caster; add \$47 list for casters



Description	D	W	H	CTN WT	CU FT	① Model	List Price
Cantilever Fixed T-Base for Lecture Top	24	48	29	22	4	LK-CBF-LC29-2448	\$564
	30	48	29	24	7	LK-CBF-LC29-3048	\$609
	24	60	29	26	5	LK-CBF-LC29-2460	\$608
	30	60	29	28	8	LK-CBF-LC29-3060	\$655





Features:

- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$47 list for casters

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish	③ Glides or Casters					
Lok (LK)	See Feet & Post Finish Options  <p>Example</p>	<table border="0"> <tr> <td> 2a Feet Finish See Feet Finish Options </td> <td> 2b Post Finish See Post Finish Options </td> </tr> </table>  <p>Example</p>	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options	<table border="0"> <tr> <td> G Glides  Standard (no upcharge) </td> <td> C Casters - BL Black +\$47  </td> <td> - WG White w/Grey Wheels +\$47  </td> </tr> </table>	G Glides  Standard (no upcharge)	C Casters - BL Black +\$47 	- WG White w/Grey Wheels +\$47 
2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options							
G Glides  Standard (no upcharge)	C Casters - BL Black +\$47 	- WG White w/Grey Wheels +\$47 						

LK-CBF-LC29-3072					
LK	CBF	LC	29	3060	
LOK	T-Base Fixed	Lecture Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Adjustable T Base for Lecture Top	24	48	29	23	5	LK-TBA-LC29-2448	\$701
	30	48	29	24	7	LK-TBA-LC29-3048	\$737
	24	60	29	27	6	LK-TBA-LC29-2460	\$745
	30	60	29	28	8	LK-TBA-LC29-3060	\$781




Features:



- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities



Description	D	W	H	CTN WT	CU FT	Model	List Price
Cantilever Adjustable T-Base for Lecture Top	24	48	29	22	4	LK-CBA-LC29-2448	\$688
	30	48	29	24	7	LK-CBA-LC29-3048	\$733
	24	60	29	26	5	LK-CBA-LC29-2460	\$732
	30	60	29	28	8	LK-CBA-LC29-3060	\$778







Features:

- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish						
Lok (LK)	See Feet & Post Finish Options  <p>Example</p>	<table border="0"> <tr> <td> 2a Feet Finish See Feet Finish Options </td> <td> 2b Post Finish See Post Finish Options </td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>Example</td> <td>Example</td> </tr> </table>	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options			Example	Example
2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options							
								
Example	Example							

LK-CBA-LC29-3060					
LK	CBA	LC	29	3060	
LOK	Cantilever T-Base Adjustable	Lecture Top Shape	Height	Used on 30" x 60" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Tilt T Base for Lecture Top	24	48	29	29	7	LK-TBT-LC29-2448	\$1,111
	30	48	29	30	9	LK-TBT-LC29-3048	\$1,146
	24	60	29	30	7	LK-TBT-LC29-2460	\$1,127
	30	60	29	31	9	LK-TBT-LC29-3060	\$1,160




Features:


- base nests in offset position when top is tilted
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities



Description	D	W	H	CTN WT	CU FT	① Model	List Price
Inline Tilt T-Base for Lecture Top	24	48	29	28	6	LK-IBT-LC29-2448	\$976
	30	48	29	28	8	LK-IBT-LC29-3048	\$1,012
	24	60	29	29	7	LK-IBT-LC29-2460	\$1,111
	30	60	29	30	9	LK-IBT-LC29-3060	\$1,146





Features:

- base nests in inline position when top is tilted
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities
- specify Black (BL) or White/Grey (WG) Caster

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish	③ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options 2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels 

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Cantilever Tilt T-Base for Lecture Top	24	48	29	29	7	LK-CBT-LC29-2448	\$1,129
	30	48	29	30	9	LK-CBT-LC29-3048	\$1,142
	24	60	29	30	7	LK-CBT-LC29-2460	\$1,113
	30	60	29	31	9	LK-CBT-LC29-3060	\$1,158





Features:

- bases include all necessary field assembly hardware
- specify metal finish, see below for options and two-tone capabilities

Options:


- specify Black (BL) or White/Grey (WG) Caster

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		③ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels  

LK-TBF-TT29-3072					
LK	TBA	TT	29	3072	
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Fixed T Base for Crescent Top	24	48	29	23	5	LK-TBF-CR29-2448	\$562
	30	48	29	24	7	LK-TBF-CR29-3048	\$597




Features:


- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$47 list for casters



Cantilever Fixed T-Base for Crescent Top	24	48	29	23	5	LK-CBF-CR29-2448	\$564
	30	48	29	24	7	LK-CBF-CR29-3048	\$594





Features:

- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$47 list for casters

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		③ Glides or Casters		
Lok (LK)	See Feet & Post Finish Options  <p>Example</p>	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  <p>Example</p>	G Glides  Standard (no upcharge)	C Casters - BL Black +\$47 	- WG White w/Grey Wheels +\$47 

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Adjustable T Base for Crescent Top	24	48	29	23	5	LK-TBA-CR29-2448	\$685
	30	48	29	24	7	LK-TBA-CR29-3048	\$718




Features:


- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities



Cantilever Adjustable T-Base for Crescent Top	24	48	29	23	5	LK-CBA-CR29-2448	\$688
	30	48	29	24	7	LK-CBA-CR29-3048	\$715





Features:

- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish	
Lok (LK)	See Feet & Post Finish Options  <p>Example</p>	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  <p>Example</p>

LK-TBF-TT29-3072					
LK	TBA	TT	29	3072	
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	1 Model	List Price
Tilt T Base for Crescent Top	24	48	29	29	7	LK-TBT-CR29-2448	\$1,093
	30	48	29	30	9	LK-TBT-CR29-3048	\$1,129




Features:


- base nests in offset position when top is tilted
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities



Inline Tilt T-Base for Crescent Top	24	48	29	28	6	LK-IBT-CR29-2448	\$976
	30	48	29	28	8	LK-IBT-CR29-3048	\$1,012





Features:

- base nests in inline position when top is tilted
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities
- specify Black (BL) or White/Grey (WG) Caster

To Order Specify

1 Model #	2 Feet & Post Finish	Dual Finish		3 Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels 

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Cantilever Tilt T-Base for Crescent Top	24	48	29	29	7	LK-CBT-CR29-2448	\$1,113
	30	48	29	30	9	LK-CBT-CR29-3048	\$1,142



Features:



- bases include all necessary field assembly hardware
- specify metal finish, see below for options and two-tone capabilities

Options:

- specify Black (BL) or White/Grey (WG) Caster


LOK - TRAINING

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		③ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels 

LK-TBF-TT29-3072					
LK	TBA	TT	29	3072	
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Fixed T Base for Half Round Top	24	48	29	23	5	LK-TBF-HR29-2448	\$562
	30	60	29	28	8	LK-TBF-HR29-3060	\$657




Features:


- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$47 list for casters



Cantilever Fixed T-Base for Half Round Top	24	48	29	23	5	LK-CBF-HR29-2448	\$549
	30	60	29	28	8	LK-CBF-HR29-3060	\$655





Features:

- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$47 list for casters

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		③ Glides or Casters		
Lok (LK)	See Feet & Post Finish Options  <p>Example</p>	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  <p>Example</p>	G Glides  Standard (no upcharge)	C Casters - BL Black +\$47 	- WG White w/Grey Wheels +\$47 

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Adjustable T Base for Half Round Top	24	48	29	23	5	LK-TBA-HR29-2448	\$685
	30	60	29	28	8	LK-TBA-HR29-3060	\$781




Features:


- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities



Description	D	W	H	CTN WT	CU FT	① Model	List Price
Cantilever Adjustable T-Base for Half Round Top	24	48	29	23	5	LK-CBA-HR29-2448	\$670
	30	60	29	28	8	LK-CBA-HR29-3060	\$778





Features:

- pin adjustment base provides range of 26"-34"
- ADA Compliant
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities

To Order Specify

① Model #	② Feet & Post Finish	Dual Finish	
Lok (LK)	See Feet & Post Finish Options  Example	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  Example

LK-TBF-TT29-3072					
LK	TBA	TT	29	3072	
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	1 Model	List Price
Tilt T Base for Half Round Top	24	48	29	28	6	LK-TBT-HR29-2448	\$976
	30	60	29	30	9	LK-TBT-HR29-3060	\$1,146




Features:


- base nests in offset position when top is tilted
- bases include all necessary field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities



Description	D	W	H	CTN WT	CU FT	1 Model	List Price
Inline Tilt T-Base for Half Round Top	24	48	29	28	6	LK-IBT-HR29-2448	\$976
	30	60	29	30	9	LK-IBT-HR29-3060	\$1,146





Features:

- base nests in inline position when top is tilted
- bases include all necessary field assembly hardware

Options:


- specify metal finish, see below for options and two-tone capabilities
- specify Black (BL) or White/Grey (WG) Caster

To Order Specify

1 Model #	2 Feet & Post Finish	Dual Finish		3 Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options 	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels 

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Cantilever Tilt T-Base for Half Round Top	24	48	29	28	6	LK-CBT-HR29-2448	\$978
	30	60	29	30	9	LK-CBT-HR29-3060	\$1,142




Features:


- bases include all necessary field assembly hardware
- specify metal finish, see below for options and two-tone capabilities

Options:


- specify Black (BL) or White/Grey (WG) Caster



To Order Specify

① Model #	② Feet & Post Finish	Dual Finish		③ Casters
Lok (LK)	See Feet & Post Finish Options 	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options	C Casters - Standard (no upcharge) - BL Black - WG White w/ Grey Wheels 

LK-TBF-TT29-3072						
LK	TBA	TT	29	3072		
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops		


Description	D	W	H	CTN WT	CU FT	① Model	List Price
	30	60	29	28	8	LK-TBF-BU29-3060	\$657
	36	60	29	29	8	LK-TBF-BU29-3660	\$697
	30	66	29	28	8	LK-TBF-BU29-3066	\$657
	36	66	29	29	8	LK-TBF-BU29-3666	\$697
	30	72	29	29	8	LK-TBF-BU29-3072	\$669
	36	72	29	29	8	LK-TBF-BU29-3672	\$709
	48	72	29	29	8	LK-TBF-BU29-4872	\$709


Features:

- bases include all necessary top support and field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$47 list for casters




Description	D	W	H	CTN WT	CU FT	① Model	List Price
	30	60	29	28	8	LK-TBF-HV29-3060	\$657
	36	60	29	29	8	LK-TBF-HV29-3660	\$697
	30	66	29	28	8	LK-TBF-HV29-3066	\$657
	36	66	29	29	8	LK-TBF-HV29-3666	\$697
	30	72	29	29	8	LK-TBF-HV29-3072	\$669
	36	72	29	29	8	LK-TBF-HV29-3672	\$697
	48	72	29	29	8	LK-TBF-HV29-4872	\$697

Features:



- specify metal finish, see below for options and two-tone capabilities

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$47 list for casters




To Order Specify

① Model #	② Feet & Post Finish	Dual Finish	③ Glides or Casters
Lok (LK)	See Feet & Post Finish Options  <p>Example</p>	2a Feet Finish See Feet Finish Options 2b Post Finish See Post Finish Options  <p>Example</p>	G Glides  Standard (no upcharge) C Casters - BL Black +\$47  - WG White w/Grey Wheels +\$47 

LK-TBF-TT29-3072					
LK	TBF	TT	29	3072	
LOK	T-Base Fixed	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Fixed T Base for Huddle Top	30	72	29	45	9	LK-TBF-HU29-3072	\$1,091
	36	84	29	45	9	LK-TBF-HU29-3684	\$1,091




Features:

- bases include all necessary top support and field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$90 list for casters

Fixed T Base for One-twenty Top	42	72	29	33	7	LK-TBF-YG29-4272	\$794
	45	84	29	33	7	LK-TBF-YG29-4584	\$794




Features:

- bases include all necessary top support and field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$67 list for casters

Fixed T Base for Intersect Top	24	60	29	35	8	LK-TBF-IN29-2460	\$837
	30	60	29	35	8	LK-TBF-IN29-3060	\$837





Features:

- bases include all necessary top support and field assembly hardware

Options:

- specify metal finish, see below for options and two-tone capabilities
- specify Glide (G) or Caster(C) - choice of Black(BL) or White/Grey (WG) Caster; add \$67 list for casters

To Order Specify


① Model #	② Feet & Post Finish	Dual Finish	
Lok (LK)	See Feet & Post Finish Options  <p>Example</p>	2a Feet Finish See Feet Finish Options	2b Post Finish See Post Finish Options  <p>Example</p>

LK-TBF-TT29-3072					
LK	TBA	TT	29	3072	
LOK	T-Base Adjustable	Rectangular Top Shape	Height	Used on 30" x 72" Tops	

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
								HPL 1	HPL 2
 Fixed Laminate Modesty Panel	¾	26	8	10	2	LK-MPF-26T	\$177		
	¾	26	8	10	2	LK-MPF-26H		\$263	\$270
	¾	30	8	10	2	LK-MPF-30T	\$180		
	¾	30	8	10	2	LK-MPF-30H		\$264	\$272
	¾	36	8	10	2	LK-MPF-36T	\$183		
	¾	36	8	10	2	LK-MPF-36H		\$266	\$276
	¾	42	8	10	3	LK-MPF-42T	\$189		
	¾	42	8	10	3	LK-MPF-42H		\$280	\$292
	¾	48	8	10	3	LK-MPF-48T	\$192		
	¾	48	8	10	3	LK-MPF-48H		\$282	\$295
	¾	60	8	11	3	LK-MPF-60T	\$216		
	¾	60	8	11	3	LK-MPF-60H		\$318	\$333
	¾	66	8	12	3	LK-MPF-66T	\$222		
	¾	66	8	12	3	LK-MPF-66H		\$327	\$343
	¾	72	8	12	4	LK-MPF-72T	\$225		
	¾	72	8	12	4	LK-MPF-72H		\$337	\$352
	¾	84	8	14	4	LK-MPF-84T	\$234		
	¾	84	8	14	4	LK-MPF-84H		\$357	\$375
	¾	96	8	15	5	LK-MPF-96T	\$242		
	¾	96	8	15	5	LK-MPF-96H		\$374	\$397


Features:

- not intended to be used on a table with tilt bases.

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
								HPL 1	HPL 2
 Hinged Laminate Modesty Panel	¾	26	8	10	2	LK-MPH-26T	\$220		
	¾	26	8	10	2	LK-MPH-26H		\$302	\$311
	¾	30	8	10	2	LK-MPH-30T	\$222		
	¾	30	8	10	2	LK-MPH-30H		\$303	\$312
	¾	36	8	10	2	LK-MPH-36T	\$223		
	¾	36	8	10	2	LK-MPH-36H		\$305	\$315
	¾	48	8	10	3	LK-MPH-48T	\$231		
	¾	48	8	10	3	LK-MPH-48H		\$323	\$335
	¾	60	8	11	3	LK-MPH-60T	\$268		
	¾	60	8	11	3	LK-MPH-60H		\$371	\$385
	¾	66	8	12	3	LK-MPH-66T	\$273		
	¾	66	8	12	3	LK-MPH-66H		\$381	\$395
	¾	72	8	12	4	LK-MPH-72T	\$278		
	¾	72	8	12	4	LK-MPH-72H		\$389	\$407
	¾	84	8	14	4	LK-MPH-84T	\$287		
	¾	84	8	14	4	LK-MPH-84H		\$409	\$429
	¾	96	8	15	5	LK-MPH-96T	\$296		
	¾	96	8	15	5	LK-MPH-96H		\$429	\$452

Features:

- not intended to be used on a table with fixed bases.
- magnetic hinge holds modesty panel in vertical position
- magnetic hinge releases for self-storage when table is tilted

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
								HPL 1	HPL 2
Removable Laminate Modesty Panel 	¾	26	8	10	2	LK-MPR-26T	\$220		
	¾	26	8	10	2	LK-MPR-26H		\$303	\$312
	¾	30	8	10	2	LK-MPR-30T	\$222		
	¾	30	8	10	2	LK-MPR-30H		\$304	\$313
	¾	36	8	10	2	LK-MPR-36T	\$224		
	¾	36	8	10	2	LK-MPR-36H		\$306	\$317
	¾	42	8	10	3	LK-MPR-42T	\$230		
	¾	42	8	10	3	LK-MPR-42H		\$322	\$334
	¾	48	8	10	3	LK-MPR-48T	\$232		
	¾	48	8	10	3	LK-MPR-48H		\$324	\$336
	¾	60	8	11	3	LK-MPR-60T	\$278		
	¾	60	8	11	3	LK-MPR-60H		\$380	\$393
	¾	66	8	12	3	LK-MPR-66T	\$282		
	¾	66	8	12	3	LK-MPR-66H		\$388	\$405
	¾	72	8	12	4	LK-MPR-72T	\$287		
	¾	72	8	12	4	LK-MPR-72H		\$398	\$416
	¾	84	8	14	4	LK-MPR-84T	\$296		
	¾	84	8	14	4	LK-MPR-84H		\$418	\$437
	¾	96	8	15	5	LK-MPR-96T	\$303		
	¾	96	8	15	5	LK-MPR-96H		\$435	\$459

Features:

- when selecting removable modesty panels on a tilt training table, modesty must be removed prior to tilting


To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color
Model (LK)	See Laminate Selection	See PVC Edge Color Options

Model Number Breakdown

LK-MPF-48H				
LK	MPF	48	H	
LOK	Modesty Panel Fixed	48" Wide	HPL Laminate	

LOK - TRAINING


Description	D	W	H	CTN WT	CU FT	① Model	List Price
	¼	26	8	10	2	LK-MPF-26A	\$336
	¼	30	8	10	2	LK-MPF-30A	\$337
	¼	36	8	10	2	LK-MPF-36A	\$339
	¼	42	8	10	3	LK-MPF-42A	\$376
	¼	48	8	10	3	LK-MPF-48A	\$380
	¼	60	8	11	3	LK-MPF-60A	\$465
	¼	66	8	12	3	LK-MPF-66A	\$497
	¼	72	8	12	4	LK-MPF-72A	\$524
	¼	84	8	14	4	LK-MPF-84A	\$577
	¼	96	8	15	5	LK-MPF-96A	\$631

Features:

- not intended to be used on a table with tilt bases.

Options:

- specify trim cap; Matte Black (MBK), Pewter (PEW), Arctic Silver (ASL), Soft Nickel (SNK)

Description	D	W	H	CTN WT	CU FT	① Model	List Price
	¼	26	8	10	2	LK-MPH-26A	\$358
	¼	30	8	10	2	LK-MPH-30A	\$359
	¼	36	8	10	2	LK-MPH-36A	\$362
	¼	48	8	10	3	LK-MPH-48A	\$417
	¼	60	8	11	3	LK-MPH-60A	\$521
	¼	66	8	12	3	LK-MPH-66A	\$556
	¼	72	8	12	4	LK-MPH-72A	\$578
	¼	84	8	14	4	LK-MPH-84A	\$633
	¼	96	8	15	5	LK-MPH-96A	\$686

Features:

- not intended to be used on a table with fixed bases.
- magnetic hinge holds modesty panel in vertical position

Options:

- specify trim cap; Matte Black (MBK), Pewter (PEW), Arctic Silver (ASL), Soft Nickel (SNK)

Description	D	W	H	CTN WT	CU FT	① Model	List Price
	¼	26	8	10	2	LK-MPR-26A	\$376
	¼	30	8	10	2	LK-MPR-30A	\$379
	¼	36	8	10	2	LK-MPR-36A	\$381
	¼	42	8	10	3	LK-MPR-42A	\$417
	¼	48	8	10	3	LK-MPR-48A	\$420
	¼	60	8	11	3	LK-MPR-60A	\$526
	¼	66	8	12	3	LK-MPR-66A	\$558
	¼	72	8	12	4	LK-MPR-72A	\$583
	¼	84	8	14	4	LK-MPR-84A	\$640
	¼	96	8	15	5	LK-MPR-96A	\$692


Features:

- when selecting removable modesty panels on a tilt training table, modesty must be removed prior to tilting

Options:


- specify trim cap; Matte Black (MBK), Pewter (PEW), Arctic Silver (ASL), Soft Nickel (SNK)

To Order Specify

① Model #	② Trim Cap Finish
Lok (LK)	See Trim Cap Finish Options 

Model Number Breakdown

LK-MPF-48A				
LK	MPF	48	A	
LOK	Modesty Panel Fixed	48" Wide	Acrylic	


Description	D	W	H	CTN WT	CU FT	① Model	List Price
 Acoustic Privacy Screen	½	20	23 ¾	10	2	LK-PSP-2024P	\$427
	½	24	23 ¾	10	2	LK-PSP-2424P	\$473
	½	30	23 ¾	10	2	LK-PSP-3024P	\$554
	½	36	23 ¾	10	4	LK-PSP-3624P	\$561
	½	42	23 ¾	10	4	LK-PSP-4224P	\$728
	½	48	23 ¾	10	5	LK-PSP-4824P	\$735
	½	60	23 ¾	10	6	LK-PSP-6024P	\$1,252
	½	66	23 ¾	10	7	LK-PSP-6624P	\$1,255
	½	72	23 ¾	10	7	LK-PSP-7224P	\$1,260
	½	84	23 ¾	10	8	LK-PSP-8424P	\$1,268
½	96	23 ¾	10	9	LK-PSP-9624P	\$1,278	

Features:

- when adding privacy screen on tilting training table, privacy screen must be removed prior to tilting
- acoustic privacy screen can only be installed on straight edge of tables
- 13 ¾" height above surface

Options:

- specify Ash Grey (ASH) or Silver Grey (SIL)

Description	D	W	H	CTN WT	CU FT	① Model	List Price
 Frosted Acrylic Privacy Screen	¼	20	23 ¾	10	3	LK-PSP-2024A	\$411
	¼	24	23 ¾	10	3	LK-PSP-2424A	\$452
	¼	30	23 ¾	10	3	LK-PSP-3024A	\$512
	¼	36	23 ¾	10	3	LK-PSP-3624A	\$573
	¼	42	23 ¾	10	4	LK-PSP-4224A	\$652
	¼	48	23 ¾	10	5	LK-PSP-4824A	\$696
	¼	60	23 ¾	10	6	LK-PSP-6024A	\$855
	¼	66	23 ¾	10	7	LK-PSP-6624A	\$914
	¼	72	23 ¾	10	7	LK-PSP-7224A	\$976
	¼	84	23 ¾	10	8	LK-PSP-8424A	\$1,101
¼	96	23 ¾	10	9	LK-PSP-9624A	\$1,225	

Features:

- when adding privacy screen on tilting training table, privacy screen must be removed prior to tilting
- acrylic privacy screen can be installed on rectangular, crescent or lecture tables
- 13 ¾" height above surface

Options:


- specify trim cap; Matte Black (MBK), Pewter (PEW), Arctic Silver (ASL)

Model Number Breakdown

LK-PSP-4824A					
LK	PSP	48	24	A	
LOK	Privacy Screen Panel	48" Wide	24" Height	Acrylic	

LOK - TRAINING

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Acoustic Portable Slide On Screen	1	24	21½	10	2	GP-PSO-2422P	\$873
	1	28	29½	14	3	GP-PSO-2830P	\$1,151




Features:

- works with any surface material
- works in any location, with the exception of where tilt release paddle is located on tilting tables
- GP-PSO-2422P - 16" height above surface; GP-PSO-2830P - 24" height above surface
- GP-PSO-2830P - not for use with surfaces 20" depth

Options:

- Specify Ash Grey (ASH) or Silver Grey (SIL)

Markerboard Portable Slide On Screen	1	28	29½	26	3	GP-PSO-2830MB	\$1,005
---	---	----	-----	----	---	---------------	---------




Features:

- works with any surface material
- works in any location, with the exception of where tilt release paddle is located on tilting tables
- not for use with surfaces 20" depth
- white marker laminate surfaces with white PVC edges
- 24" height above surface

Model Number Breakdown

GP-PSO-2830MB						
GP	PSO	28	30	MB		
General Product	Portable Screen On	28" Wide	30" Height	Markerboard		

Description	D	W	H	CTN WT	CU FT	① Model	List Price
HPL Portable Slide On Screen	1	28	29 1/2	26	3	GP-PSO-2830H	\$1,059



Features:

- works with any surface material
- works in any location, with the exception of where tilt release paddle is located on tilting tables
- 24" height above surface
- not for use with surfaces 20" depth

Options:

- specify standard JSI laminates with matching PVC edges, [see page 5](#)

Model Number Breakdown

GP-PSO-2830H					
GP	PSO	28	30	H	
General Product	Portable Screen On	28" Wide	30" Height	HPL	

LOK - TRAINING

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard HPL 1
Rounded Arc Rectangular	26	66	42	51	38	LK-29IRL0-2666RT	\$2,439	\$2,613
Instructor Mobile Station Left with T Base	26	66	42	51	38	LK-29IRRO-2666RT	\$2,439	\$2,613
	26	66	42	51	38	LK-29IRL7-2666RT	\$2,604	\$2,777
	26	66	42	51	38	LK-29IRR7-2666RT	\$2,604	\$2,777
	26	72	42	56	41	LK-29IRL0-2672RT	\$2,453	\$2,636
	26	72	42	56	41	LK-29IRRO-2672RT	\$2,453	\$2,636
	26	72	42	56	41	LK-29IRL7-2672RT	\$2,617	\$2,801
	26	72	42	56	41	LK-29IRR7-2672RT	\$2,617	\$2,801



LK-29IRL7-2666RT
(door unit, left)



LK-29IRRO-2666RT
(open unit, right)


Features:

- price reflects complete station
- ships KD in multiple cartons
- one adjustable shelf in podium
- cable routing opening at back of podium slanted surface
- wire access grommets in surface of top, as well as side and bottom panel of podium
- hand of model dictates what side the podium is located from user side
- models ending in OT have open compartment, models ending in 7T have a door.
- table surface is at 29" high
- contact customer service for graded in HPL on worksurface pricing
- podium is always TFL

Options:

- order 48" fixed or removable modesty panel separately
- specify Podium grommet; None (GN) or tablet and cup holder grommets (GY) add \$101 list
- specify power option; see below

**Laminate Tops
"LKT" Models**



Eased Edge (R3)


To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color	③ Grommet
Model (LK)	See Laminate Selection	See PVC Edge Color Options	GN No Grommet
			GY Tablet and Cup Holder Grommet
			④ Electrical
			N No Cutout
			CTEC23-CO EC23 - Cut Out Center of Top
			CTEC24-CO EC24 - Cut Out Center of Top
			⑤ Caster
			C Caster
			- BL Black Caster
			- WG White Caster w/ Grey Wheels
			⑥ Metal Finish
			See Metal Finish Color Options

Model Number Breakdown

LK-29IRL0-2672RT									
LK	29	IR	L	0	26	72	R	T	
LOK	Height	Rectangular Instructor Top	Left	Open Compartment	Depth	Wide	Rounded Arc	Laminate	

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard HPL 1
Interactive Instructor Mobile Station Left with T Base	31	66	42	52	44	LK-29IIL0-3166T	\$2,528	\$2,677
	31	66	42	52	44	LK-29IIR0-3166T	\$2,528	\$2,677
	31	66	42	52	44	LK-29IIL7-3166T	\$2,693	\$2,842
	31	66	42	52	44	LK-29IIR7-3166T	\$2,693	\$2,842
	31	72	42	57	48	LK-29IIL0-3172T	\$2,542	\$2,705
	31	72	42	57	48	LK-29IIR0-3172T	\$2,542	\$2,705
	31	72	42	57	48	LK-29IIL7-3172T	\$2,707	\$2,869
	31	72	42	57	48	LK-29IIR7-3172T	\$2,707	\$2,869



LK-29IIL7-3166T (door unit, left)



LK-29IIR0-3166T (open unit, right)


Features:

- price reflects complete station
- ships KD in multiple cartons
- one adjustable shelf in podium
- cable routing opening at back of podium slanted surface
- wire access grommets in surface of top, as well as side and bottom panel of podium
- hand of model dictates what side the podium is located from user side
- models ending in OT have open compartment, models ending in 7T have a door.
- table surface is at 29" high
- contact customer service for graded in HPL on worksurface pricing
- podium is always TFL

Options:

- order 48" fixed or removable modesty panel separately
- specify Podium grommet; None (GN) or tablet and cup holder grommets (GY) add \$101 list
- specify power option; see below

Laminate Tops "LKT" Models



Eased Edge (R3)


To Order Specify

① Model #	②a Laminate Selection	②b PVC Edge Color	③ Grommet
Model (LK)	See Laminate Selection	See PVC Edge Color Options	<p>GN No Grommet GY Tablet and Cup Holder Grommet</p> <p>④ Electrical</p> <p>N No Cutout CTEC23-CO EC23 - Cut Out Center of Top CTEC24-CO EC24 - Cut Out Center of Top</p> <p>⑤ Caster</p> <p>C Caster - BL Black Caster - WG White Caster w/Grey Wheels</p> <p>⑥ Metal Finish</p> <p>See Metal Finish Color Options</p>

Model Number Breakdown

LK-29IIL0-3172T							
LK	29	II	L	7	26	72	T
LOK	Height	Interactive Instructor Top	Left	Door Unit	Depth	Wide	Laminate

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Mobile Podium Open	22	24	42	18	19	LK-PDO-2224	\$1,654
	22	24	42	18	19	LK-PDL-2224	\$1,818
	22	24	42	18	19	LK-PDR-2224	\$1,818




Features:

- one adjustable shelf
- wire access grommet in bottom panel
- cable routing opening at back of slanted surface

Options:

- specify grommet; None (GN) or tablet and cup holder grommets (GY) add \$101 list
- specify caster color option, Black (BL) or White with Grey Wheels (WG)

LOK - TRAINING




LK-PDO-2224
(open unit)



LK-PDR-2224
(door unit, right)

Description	D	W	H	CTN WT	CU FT	① Model	TFL	Standard	Graded In
								HPL 1	HPL 2
Adjustable Mobile Stand	22	24	29	36	14	LK-29ISA-2224T	\$1,878	\$1,987	\$2,001



Features:

- pneumatic height adjustment range 29" - 41"
- inner column of adjustable table base will be silver

Options:

- specify caster color option, Black (BL) or White with Grey Wheels (WG)
- specify grommet; None (GN) or tablet and cup holder grommets (GY) add \$101 list


To Order Specify

① Model #	② Chasis	③ Grommet	④ Caster	⑤ Metal Finish
Model (LK)	See Laminate Selection	GN No Grommet GY Tablet and Cup Holder Grommet	C Caster - BL Black Caster - WG White Caster w/Grey Wheels	See Metal Finish Color Options

Model Number Breakdown

LK-PDL-2224					
LK	PD	L	22	24	
Lok	Podium	Left	22" Depth	24" Wide	

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Marker Board Mobile Screen	27	36	72	75	13	LKB-MS-3672M	\$1,824
	27	48	72	95	16	LKB-MS-4872M	\$2,070




Features:

- marker board HPL on both surfaces
- capable for hanging flip charts on both sides

Options:

- specify caster color option, Black (BL) or White caster with Grey (WG)

Mobile Laminate Screen	27	36	72	75	13	LKB-MS-3672T	\$1,199
	27	48	72	95	16	LKB-MS-4872T	\$1,262




Features:

- laminate on both surfaces, [see page 5](#)

Options:

- specify caster color option, Black (BL) or White caster with Grey (WG)

Fixed Laminate Screen	27	36	72	75	13	LKB-FS-3672T	\$1,076
	27	48	72	95	16	LKB-FS-4872T	\$1,146




Features:

- laminate on both surfaces, [see page 5](#)
- black leveling glides

Model Number Breakdown

LKB-MS-3672M						
LKB	MS	36	72	M		
Lok	Mobile Screen	36" Wide	72" Height	Markerboard		

ECONO Power


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Electrical CT1 for Econo 	36			4	1	EC-E-CT1-36	\$294
	48			4	1	EC-E-CT1-48	\$300
	60			4	1	EC-E-CT1-60	\$302
	66			4	1	EC-E-CT1-66	\$306
	72			5	1	EC-E-CT1-72	\$308
	84			5	1	EC-E-CT1-84	\$321
	96			5	1	EC-E-CT1-96	\$324

cables included:
1 male-to-male



Features:

- (1) econo electrical unit to be placed in top of surface
- use in conjunction with other econo electrical items
- table link bracket MUST be used in conjunction with electrical to meet code requirements
- data jack openings only accepts Type 2 jacks - two .58 x .76 hole openings (customer supplied)
- must order power infeed separately

Electrical LRT2 for Econo 	66			7	1	EC-E-LRT2-66	\$585
	72			7	1	EC-E-LRT2-72	\$585
	84			8	1	EC-E-LRT2-84	\$585
	96			8	1	EC-E-LRT2-96	\$589

cables included:
2 male-to-male



Features:

- (2) econo electrical unit to be placed in top of surface
- use in conjunction with other econo electrical items
- data jack openings accepts Type 2 jacks - two .58 x .76 hole openings (customer supplied)
- must order power infeed separately


Options:

- specify color black (BL) or grey (SG)

3 Prong Plug - 110 Power Smart-box Infeed for Econo System				1	1	EC-PI-E-72A	\$574
--	--	--	--	---	---	-------------	-------

Features:

- 72" plug power infeed
- 20 amps/110 volts max
- 3 prong plug - 15 amp adapter plug
- single circuit use only
- use in conjunction with other econo electrical items



Electrical Jumper for Econo System	84			3	1	EC-E-J-84	\$140
------------------------------------	----	--	--	---	---	-----------	-------

Features:

- use to jump power around a corner configuration
- one male and one female H-block cable end




male

female


Data Jacks for ECONO

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Telecom Phone Jack - Type 2				1	1	TCP201	\$76




- Features:**
- RJ-11 phone jack
 - for use with Econo system

Telecom Data Jack - Type 2				1	1	TCP202	\$99
----------------------------	--	--	--	---	---	--------	------




- Features:**
- CAT6-RJ45 data jack
 - for use with Econo system

TCP201 and TCP202 telecom jacks to be used with ECONO system



Corded Power


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Moire Power Unit	3 3/8	3 3/8	2	5	1	EC23	\$532



- Features:**
- three 110 outlets
 - dual USB-A charging ports
 - 72" 3-prong - 15amp plug power feed
 - 15amp/110 volt

- Options:**
- specify Black(BL) or White(WH)


Node Power Unit	3 3/8	3 3/8	3/8	5	1	EC24	\$425
-----------------	-------	-------	-----	---	---	------	-------



- Features:**
- one 110 outlet
 - dual USB-A charging ports
 - 72" 3-prong - 15amp plug power feed
 - 15amp/110 volt

- Options:**
- specify Black(BL) or White(WH)


Power Strip	1 1/2	1 7/8	8	3	1	GP9ACP1-0212	\$103
-------------	-------	-------	---	---	---	--------------	-------




- Features:**
- power surge with 10" cord
 - four electrical outlets
 - includes switch
 - field installed
 - use in conjunction with other econo electrical items

LINK Power

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Electrical CT1 for Link	36			4	1	EC-L-CT1-36	\$650
	48			4	1	EC-L-CT1-48	\$661
	60			4	1	EC-L-CT1-60	\$675
	66			4	1	EC-L-CT1-66	\$680
	72			5	1	EC-L-CT1-72	\$686
	84			5	1	EC-L-CT1-84	\$700
	96			5	1	EC-L-CT1-96	\$713



cables included:
1 female-to-female
1 male-to-female




Features:

- (1) link electrical unit to be placed in top of surface
- use in conjunction with other link electrical items
- table link bracket MUST be used in conjunction with electrical to meet code requirements


Options:

- specify circuit (C1 or C2); specify color black (BL) or white (WH)
- must order power infeed separately

Electrical LRT2 for Link	66			7	1	EC-L-LRT2-66	\$1,191
	72			7	1	EC-L-LRT2-72	\$1,186
	84			8	1	EC-L-LRT2-84	\$1,197
	96			8	1	EC-L-LRT2-96	\$1,211



cables included:
2 female-to-female
1 male-to-female




Features:

- (2) link electrical unit to be placed in top of surface
- use in conjunction with other link electrical items
- circuit 1 - 8 units can be connected on 3 prong infeed
- circuit 1 & 2 - 16 units (8) circuit 1 & (8) circuit 2 on hardwire or quick disconnect infeed options


Options:

- specify circuit (C1 or C2); specify color black (BL) or white (WH)
- must order power infeed separately

3 Prong Plug - 110 Power Infeed for Link System	72			1	1	EC-PI-L-72-A	\$301
---	----	--	--	---	---	--------------	-------




plug included:
15 amp adapter



Features:

- 72" plug power infeed
- 20 amps/110 volts max
- 3 prong plug - 15 amp adapter plug
- single circuit use only
- use in conjunction with other link electrical items

Quick Disconnect Power Infeed for Link System				1	1	EC-PI-L-72-QD	\$252
---	--	--	--	---	---	---------------	-------




Features:

- must be used with QD1
- 72" modular power infeed
- 20 amps/120 volts max
- works for both single or double circuit
- use in conjunction with other link electrical items

LINK Power


Description	D	W	H	CTN WT	CU FT	❶ Model	List Price
Quick Disconnect Wall Outlet for Link System				1	1	EC-L-QD1	\$129



Features:

- must be used with MP72
- works for both single or double circuit
- 20 amps/120 volts max
- electrical contractor responsible for connection to building power source
- use in conjunction with other link electrical items


Hardwire Power Infeed for Link System	72			1	1	EC-PI-L-72-H	\$196
---------------------------------------	----	--	--	---	---	--------------	-------



Features:

- 72" hardwire power infeed
- 20 amps/120 volts max
- single or two circuit
- electrical contractor responsible for connection to building power source
- use in conjunction with other link electrical items


Electrical Jumper for Link System	12			2	1	EC-L-J-12	\$125
-----------------------------------	----	--	--	---	---	-----------	-------



Features:

- use to jump power around a corner configuration
- use with Link EC-L-3W 3 way electrical connector when additional cable is required
- one male and one female cable end

3 way electrical connector for Link System				1	1	EC-L-3W	\$200
--	--	--	--	---	---	---------	-------




Features:

- branches power for infeed or T-connection
- two male and one female connector plugs
- may require repositioning of jumper cables

Wire Management

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Vertical Wire Manager	2	2 ¼	17	1	1	AVL17	\$90
	2	2 ¼	22	1	1	AVL20	\$95
	2	2 ¼	25	1	1	AVL25	\$117



Features:

- field installed
- use AVL17 for 29" h tables
- use AVL20 for 36" h tables
- use AVL25 for 42" h tables

Options:

- specify plastic color, Black (B) or Silver (S)


Flexible Vertical Wire Manager	1 ½	1 ½	45	4	1	45VWM	\$146
--------------------------------	-----	-----	----	---	---	-------	-------



Features:

- black plastic
- field installed to bottom of table top, with screws provided
- wire manager is 1 ½" diameter
- weighted base is 4" diameter
- length can be adjusted by removing individual discs as required


Wire Management Velcro Straps	1 ¾	3 ½	¼	1	1	04WVS	\$63
-------------------------------	-----	-----	---	---	---	-------	------



Features:

- black, set of 4
- field installed to bottom of table top, with adhesive tape provided

Cable Management Clips	2 ⅝	3 ¾	1 ⅝	1	1	0304CMC	\$61
------------------------	-----	-----	-----	---	---	---------	------



Features:

- black plastic
- installed to bottom of table top
- four retention loops

Wire Manager Trough	2 ½	12	2 ½	2	1	12WCT	\$132
	2 ½	24	2 ½	3	1	24WCT	\$154
	2 ½	36	2 ½	4	1	36WCT	\$169



Features:

- black plastic
- field installed to bottom of table top, with screws provided


Wire Management Tray	7 ½	25	3	4	1	GP9WMT1-0825	\$205
	7 ½	35	3	6	1	GP9WMT1-0835	\$253
	7 ½	45	3	8	2	GP9WMT1-0845	\$300



Features:

- silver powder-coated finish
- four hanging brackets (CI2C00)


Description	D	W	H	CTN WT	CU FT	① Model	List Price
Table Link Bracket	2 ¾	3	7	1	1	LKB03TBL-LINK	\$66



Features:

- includes set of 2 brackets with attachment hardware
- can be installed on ends and approach edges of tables
- field installed
- MUST be used tables specifying electrical


Screen Link Bracket	1 ¾	2 ¾	1 ½	1	1	LKB03SCN-LINK	\$81
---------------------	-----	-----	-----	---	---	---------------	------



Features:

- links two tables along one edge with screen between tables
- set of 2 with attachment hardware
- field installed


Floor Mount Glide	3	2 ¼	½	1	1	LKB38-16ANCHOR	\$45
-------------------	---	-----	---	---	---	----------------	------



Features:

- field installed glides for mounting table base to floor
- ¼" diameter hole in the glide for mounting
- set of 4
- replaces standard leveling glide
- note: floor mounting hardware to be supplied by installer

Single Monitor Arm	4	11	10	9	1	GP5901MA	\$761
--------------------	---	----	----	---	---	----------	-------



Features:

- one-touch reposition monitor adjustment
- tension adjustment at each joint
- flat panel mount rotates for portrait or landscape viewing
- edge mount installation from above surface
- cable management routes cables below monitor arm
- quick install VESA mount adapter

Options:

- specify Black (B) or Silver (S)

Accessories/ Keyboard/ Tasklights

For an additional list of electrical units, grommets, keyboards, wire management, monitor arms & telecom jacks, please see our [accessories price list](#)

Contact your customer service representative for specific questions regarding which units can be used with Lok Training.

