



Impress the Senses

Brisa<sup>®</sup>, Brisa<sup>®</sup> Distressed, Tottori  
Promessa<sup>®</sup>, Ultraleather<sup>®</sup> & Wired

 JSI

 Uf  
Ultrafabrics<sup>®</sup>



**Brisa**

**BRO 3775 Mystic Beige**



**BRO 3019 Birch**



**BRD 3480 Navajo Ivory**




**BRO 3822 Bone**



**BRO 5820 Quicksilver**



**BRO 8269 Yukon Gold**



**BRD 3137 Saddle**



**BRO 3591 Caramel**



**BRO 3915 Putty**



**BRD 3273 Shield**



**BRD 3976 Bridle**



**BRO 3914 Bark**



**BRO 5802 Ash**




**BRO 3913 Truffle**



**BRO 1373 Salsa**



**BRO 6596 Ice Pink**



**Brisa Distressed**

**BRD 5679 Iron**




**BRO 3825 Canyon**



**BRO 9400 Cabernet**



**BRO 4345 Honeydew**



**BRO 2793 Harbor Mist**



**BRO 5703 Wrought Iron**



**BRD 5773 Stormy**



**BRO 4361 Lambs Ear**



**BRO 2794 Rising Tide**




**BRO 2645 Cambridge Blue**



**BRO 5749 Black Onyx**

Brisa & Brisa distressed are for non-clinical environments only- based on breathability



**Ultraleather**



**TO 3418 Origami White**




**WI 3282 Milkshake**



**PR 3464 Tusk**



**TO 3120 Udon**



**PR 3785 Desert Taupe**



**ULO 3286 Moth Wing**



**TO 5033 Sand Castle**




**TO 5998 Rice Paper**



**ULO 3609 Buff**




**TO 3386 Desert Dune**



**ULO 1256 Papyrus**




**TO 3280 Tatami Mat**



**PR 3786 Buttered Toffee**



**ULO 3778 Pecan**



**PR 3462 Woodpecker**



**WIred**



**WI 3284 Sugar Cone**




**TO 3348 Ginseng**



**PR 3037 Horsehair**



**WI 8236 Marmalade**



**PR 1444 Fireclay**



**PR 3145 Bronze**




**ULO 3612 Curry**




**ULO 1176 Red**



**PR 1443 Rumba Red**




**ULO 1312 Chianti**



**ULO 1412 Earthenware**


Can be used in multipurpose clinical and non-clinical environments / applications.




**Promessa**




**ULO 5668 Silver Pearl**




**WI 2591 Baby Blue**




**PR 2792 Lake Blue**



**PR 4362 Old Lime**



**PR 7239 Aqua Spring**




**WI 2592 Aquarius**



**ULO 7234 Emerald Isle**



**ULO 2716 High Seas**



**WI 4306 Rio**



**WI 5309 Glisten Grey**




**ULO 2508 Rain Dance**



**TO 4346 Dark Spruce**



**ULO 5666 Dove Grey**



**WI 6568 Faded Stone**



**ULO 5040 Elephant**



**Tottori**


**TO 2595 Hot Spring**




**PR 5354 Galaxy Fog**



**ULO 5763 Charcoal**




**WI 6563 Dust**




**ULO 5806 Schooner**




**TO 2515 Shibori Blue**




**WI 2779 Hale Navy**



**PR 5011 Battleship**



**WI 9421 Blackjack**



**ULO 5607 Raven Wing**



**ULO 2556 Admiral**

Can be used in multipurpose clinical and non-clinical environments / applications.

# Healthcare Environments

## Clinical

Hospital rooms  
Doctor rooms  
Patient rooms  
Emergency rooms  
Cafes

## Recommended Collections

Promessa  
Tottori  
Ultraleather  
Wired

---

## Non-Clinical

Waiting rooms  
Workspaces  
Meeting rooms  
Staff lounges

## Recommended Collections

Brisa  
Brisa Distressed  
Promessa  
Tottori  
Ultraleather  
Wired

Collection	Composition	Weight / Thickness	Repeat	Abrasion	Air Permeability / Sound Absorption
<b>Brisa (BRO)</b> <b>Brisa Distressed (BRD)</b> Breathable Technology Acoustical Properties	100% Polycarbonate Polyurethane Surface 65% Recycled Polyester, 35% Rayon Backing	8.9 oz. per sq. yard / Approx. 0.95 mm	8"V x 10.5"H (Brisa Distressed)	ASTM D4157 300,000 DR Wyzenbeek	ASTM D737 / ASTM C423
<b>Tottori (TO)</b>	100% Polycarbonate Polyurethane Surface 65% Recycled Polyester, 35% Rayon Backing	12.4 oz. per sq. yard / Approx. 1.1 mm	N/A	ASTM D4157 400,000 DR Wyzenbeek	N/A
<b>Promessa (PR)</b>	100% Polycarbonate Polyurethane Surface 65% Recycled Polyester, 35% Rayon Backing	11.5 oz. per sq. yard / Approx. 1.1 mm	N/A	ASTM D4157 400,000 DR Wyzenbeek	N/A
<b>Ultraleather (ULO)</b>	100% Polycarbonate Polyurethane Surface 100% Reinforced Rayon Backing containing TENCEL™ Modal fibers	9.7 oz. per sq. yard / Approx. 0.95 mm	N/A	ASTM D4157 400,000 DR Wyzenbeek	N/A
<b>Wired (WI)</b>	100% Polycarbonate Polyurethane Surface 65% Recycled Polyester, 35% Rayon Backing	10.3 oz. per sq. yard / Approx. 1.1 mm	27.55"V x 16.61"H	ASTM D4157 400,000 DR Wyzenbeek	N/A

**Width:** 54"

**Hydrolysis:** 16 Weeks  
ASTM D3690 SECT. 6.11 (Hydrolytic Stability) / ISO 1419 Method C (Accelerated Ageing)

**F/R Rating:** ASTM E84 (adhered) - Class A  
CA TB 117-2013 - Pass  
FMVSS 302 - Pass  
NFPA 260 - Class 1  
UFAC - Class 1  
AB 2998  
Can be treated to meet FR specifications. These fabrics, when treated and/or used with other compatible furniture components, have been shown to perform under the fire test conditions of ASTM E84 (unadhered), BS 5852 Source 0, 1 & 5 (Cig, Match and Crib 5), IMO FTPC Part 8, and BS EN 1021 Parts 1 & 2.

**Adhesion of Coating:** ASTM D751

**Tear Strength:** ASTM D2261

**Breaking Strength:** ASTM D751

**Seam Strength:** ASTM D751 (Tack Tear)

**Tensile Strength:** BS EN ISO 1421

**Colorfastness to Crocking:** AATCC 8, Grade 4-5 Wet & Dry

**Colorfastness to Light:** AATCC 16.3, 200 Hours, Grade 4  
ISO 105 B02, Grade 6

For more information on certifications and standards, sustainability, as well as cleaning and care instructions, click here to visit our website.

*love what you do*

JSI is quality furniture for work and life.

225 CLAY STREET  
JASPER IN 47546  
T: 800.457.4511  
JSIFURNITURE.COM

J.UF.IMPR.0923:1500

TENCEL™ is a trademark of Lenzing AG

**ultrafabricsinc.com**  
Ultrafabrics® and logo, Brisa, Promessa, and Ultraleather®  
are registered trademarks of Ultrafabrics Inc.  
Made in Japan.

