


# For rent

'Millennium Toren' Radarweg 29, Amsterdam





# **Property description**

Millennium Tower concerns office space in a high-quality and independent office building with 24 office floors and a 360-degree view on the city Amsterdam. The Millennium Tower is with it's 100 meters and in total 42,000 sq. m. the 8th tallest building in Amsterdam and is located on the corner of Radarweg and Basisweg. The entrance has been completely renovated and is fully up to date with its new manned reception desk. On the ground floor you will find the Coffee Corner (Café Millennium) where you can have lunch and coffee and tea as well. The space is arranged so that you can receive your guests in an informal way. Here you can also find the meeting rooms and the gym that can be used by all tenants. There is 24/7 security in the building. Millennium Tower has an energy label A.

The total surface area, in accordance with NEN 2580, available for renting is approx. 3,362 sq. m. for office space. In addition of leasing one office floor, it's also possible to lease a half floor of approx. 800 sq. m.

### Location

The building is situated in Amsterdam Sloterdijk between the inner city of Amsterdam, the harbour and the Western residential areas. The possibilities of Sloterdijk are still promising. In the main area of the building are situated among others, Chipsoft, Netflix, Booking.com, UWV, KPN, De Telegraaf, Belastingdienst and Reed Elsevier.

In the upcoming years, the former Sloterdijk working area will be transformed into an urban, innovative residential and working area by means of transformation, redevelopment and new construction.

In the future these developments will make Sloterdijk a new living and working city suburb where there is much to do and experience. The new Sloterdijk completes the city with new routes, destinations and meeting places. In and around the station Sloterdijk, you can find an extensive variety of facilities, which among others, Starbucks, Julia's, Smullers, several shops (Albert Heijn To Go, a Kiosk), a GWK office, an Asian restaurant, restaurants 'The Fork' & 'BRET' and a 'bicycle point'. In this area there are also various hotels; Meininger Hotel Amsterdam City West and Hotel Ibis Amsterdam City West.

# Accessibility

By car

From the ring road A10 the building is perfectly accessible via exit S102 and exit S103. The highways A1, A2, A4, A5, A8 and A9 are all less than a 10 minutes' drive away. The Westrandweg (N5) provides a direct connection between Schiphol Airport and Zaandam.

#### Public transport

The accessibility by public transport is very good as well. The Amsterdam Sloterdijk railway station is situated on walking distance. From here there are direct connections to Amsterdam Central Station, Haarlem, Leiden and Schiphol Airport. The Amsterdam Sloterdijk railway station also has a stop for the tram, metro and is connected to several bus services.

#### By Bike

The Houthavens, Staatsliedenbuurt and Bos en Lommer are approximately 10 minutes by bike from the Millennium Tower. A little further away, but also easily accessible by bike, are about 20 minutes by bike the Central Station, Dam Square and Vondelpark.





# Available spaces

The availability of this building is approximately 3,362 sq. m. Ifa.

Total	3,362 sq. m. lfa.
15 <sup>th</sup> floor	1,759 sq. m. lfa.
6 <sup>th</sup> floor	858 sq. m. lfa.
Ground floor	745 sq. m. lfa.

# **Parking**

In total there are 382 parking places available in the underlying parking garage. The parking ratio is 1:110.

#### Rent

Office Space:

€ 230.00 per sq. m. per year, excluding VAT.

Parking Place:

€ 2,100.00 per place per year, excluding VAT.

# Service charges

€ 42.50 per sq. m. per year, excluding VAT.

#### **Amenities**

The office building will be delivered, including:

- Representative entrance with a reception desk;
- 8 common lifts;
- Fire extinguish system through the entire building;
- Guarded bicycle storage;
- Mechanical ventilation with top cooling;
- Sprinkler installation;
- Modular ceilings with automatic light sensor;
- Sound barriers above the ceilings every 1.80 m;
- Raised computer floors with and flexible network pods;
- Internal sun blinds;
- Renovated sanitary facilities;
- Coffee/ sandwich bar on the ground floor open from 08.00 hrs until 16:00 hrs;

The building has the following services:

- Coffee bar from 07:30 hrs 16:30 hrs (on Fridays 15:30 hrs);
- Gym;
- Meeting rooms;
- Every Tuesday a food truck;
- Manned reception The Office Operators from 08:00 hrs - 18:00 hrs;
- Security from 18:00 hrs 23:00 hrs and from 05:00 hrs 08:15 hrs.





#### Lease term

5 years with 5-year renewal period.

## Commencement date

To be discussed.

## **VAT**

All amounts exclude service costs and Value Added Tax (VAT).

# Lease Agreement

Lease of Office Accommodation and other Commercial Accommodation established by the Real Estate Council (ROZ) 2015.

## Contact

Daphne Pronk Office Agency Amsterdam <u>Daphne.Pronk@eu.jll.com</u> 06 12 96 92 54

Sophie Fabius Office Agency Amsterdam Sophie.Fabius@eu.jll.com +31 6 82 50 26 65

























## **Ground floor**










15<sup>th</sup> floor bladnr.: 18 HUURDERSVERDELING Millennium Tower Amsterdam revisie: 11.07.2019 1.694,08 m2 verdeling verhuurbaar oppervlak (NEN 2580). De resultates zijn gebassert sp de meetresultates van meetingoort i 15e verdieping





Labelklasse maakt vergelijking met gebouwen met overeenkomstige samenstelling mogelijk. Reed Elsevier Kantoorfunctie (zie de bijlage voor de samenstelling) Gebruiksoppervlak Adviesbedriif 43718.0 m<sup>2</sup> Essent Local Energy Solutions (ELES) Inschrijfnummer Opnamedatum 1 december 2008 K45040/1 Energielabel geldig tot 1 december 2018 Afmeldnummer 447770482 Energielabel op basis van een ander representatief gebouw of gebouwdeel? nee Adres representatief gebouw of gebouwdeel:

Straat (zie bijlage)
Radarweg
Nummer/toevoeging
29
Postcode
1043 NX
Woonplaats
Amsterdam
Volgnummer gebouw



### Standaard energiegebruik voor dit gebouw

Energiegebruik per vierkante meter maakt vergelijking met andere gebouwen mogelijk.

- Het standaard jaarlijks energiegebruik wordt uitgedrukt in de eenheid 'megajoules' per vierkante meter gebruiksoppervlakte (MJ/m²), dit is gebaseerd op elektriciteit (kWh/m²), gas (m³/m²) en warmte (GJ/m²).
- De CO<sub>2</sub>-emissie als gevolg van het standaard energiegebruik wordt uitgedrukt in kilogram per vierkante meter gebruiksoppervlakte (kg/m²).
- Bij de berekening wordt uitgegaan van het gemiddelde Nederlandse klimaat, een gemiddelde bezettingsgraad van het gebouw en een gemiddeld gebruikersgedrag.
- Het standaard energiegebruik van dit gebouw is de hoeveelheid energie die jaarlijks nodig is voor verwarming, gebouwkoeling, de productie van warm tapwater, ventilatie en verlichting (exclusief apparatuur die geen deel uitmaakt van de klimaat- en verlichtingsinstallaties).

#### 566 MJ/m<sup>2</sup>

(megajoules)

41 kg/m<sup>2</sup> (CO<sub>2</sub>-emissie)

34 kWh/m² (elektriciteit) 0 m³/m² (gas) 0 GJ/m² (warmte)



## Advies voor dit gebouw

Een goed moment om energiebesparende maatregelen te treffen is tijdens het uitvoeren van (groot)onderhoud of een renovatie. De kosten van de energiebesparende maatregelen zullen dan lager zijn. U kunt een advies op maat aanvragen, speciaal op uw situatie afgestemd (maatwerkadvies). De adviseur zet op een rij hoe u energie kunt besparen, hoeveel u daarvoor moet investeren en op welke termijn u de investering kunt terugverdienen. In de praktijk blijkt dat aanvragers van het energielabel dit vaak combineren met een maatwerkadvies. Meer informatie over het energielabel en het maatwerkadvies kunt u vinden op www.vrom.nl/energielabel

De volgende verbetermaatregelen kunnen voor dit gebouw van belang zijn:

Toepassing van HR++glas.

Toepassing van warmteterugwinning uit ventilatieaflucht.

Toepassing van veegschakeling en/of dagschakeling en/of aanwezigheidsdetectie.

Sommige energiebesparende maatregelen kunnen gelijktijdig op het energielabel genoemd worden, terwijl slechts één van de maatregelen zinvol is om uit te voeren. Bijvoorbeeld bij 'HR-107 ketel' en 'warmtepomp voor verwarming'. U kunt hieruit dus een keuze maken. Een maatwerkadvies kan u hierbij helpen.

HR++glas

Warmteterugwinning

Energiezuinige schakeling



#### **BIJLAGE**

Toelichting gebruiksoppervlakte

De gebruiksoppervlakte is dat deel van de vloeroppervlakte dat direct gericht is op het gebruik van het gebouw of van afzonderlijke delen van het gebouw. De niet-dragende binnenwanden spelen bij de bepaling geen rol. De oppervlakte zal afwijken van Bruto vloeroppervlakte (BVO), Netto vloeropperlak (NVO) en Verhuurbare Vloeroppervlakte (VVO). De volledige definitie voor de bepaling van de oppervlakte is vastgelegd in de NEN 2580.

Een gebouw kan één of meerdere gebruiksfuncties hebben. De volgende gebruiksfuncties kunnen voorkomen: bijeenkomstgebouw-, celgebouw-, gezondheidsgebouw- (klinisch of nieet-klinisch, kantoor-, logiesgebouw-, onderwijsgebouw-, sportgebouw-, en winkelfunctie. Dit gebouw heeft de volgende samenstelling aan gebruiksfuncties.

Samenstelling/functie	Percentage
Kantoorfunctie	100 %

#### **Energie-Index**

Voor dit gebouw wordt een energie-index berekend. Deze bepaalt in welke labelklasse dit gebouw valt. De letter hieronder geeft de labelklasse aan. Het getal geeft de energie-index van dit gebouw aan. De energie-index wordt berekend op basis van de bouwkundige eigenschappen en gebouwgebonden installaties. De berekening gaat uit van een gemiddelde Nederlandse klimaat, een gemiddelde bezettingsgraad van het gebouw en gemiddeld gebruikersgedrag.



A 0,99 (energie-index)

#### Disclaimer

De maatregelen die genoemd worden op dit energielabel zijn maatregelen die op dit moment in de meeste gevallen kosteneffectief zijn of dit binnen de geldigheidsduur van het energielabel kunnen worden. Of de genoemde maatregelen daadwerkelijk verantwoord toegepast kunnen worden uit oogpunt van bijvoorbeeld binnenmileu, comfort, technische mogelijkheden, gezondheid, kosteneffectiviteit en dergelijke is afhankelijk van de huidige specifieke eigenschappen van dit gbebouw. U kunt hierover nader advies inwinnen door bij voorbeeld een maatwerkadvies.


Het energielabel geeft inzicht in het gestandaardiseerd gebouwgebonden primaire energiegebruik en niet in het daadwerkelijke energiegebruik van de gebruikers van dit gebouw. Daarom komt het jaarlijks energiegebruik op het energielabel niet overeen met de informatie op de jaarlijkse energierekening van dit gebouw.

Alleen een volledig ingevuld energielabel is rechtsgeldig.



#### **About JLL**

JLL (NYSE: JLL) is a leading professional services firm that specializes in real estate and investment management. JLL shapes the future of real estate for a better world by using the most advanced technology to create rewarding opportunities, amazing spaces and sustainable real estate solutions for our clients, our people and our communities. JLL is a Fortune 500 company with annual revenue of \$19.4 billion, operations in over 80 countries and a global workforce of more than 100,000 as of March 31, 2022. JLL is the brand name, and a registered trademark, of Jones Lang LaSalle Incorporated. For further information, visit jll.com.





activities in more than 80 countries



100,000 employees worldwide



3 offices in the Netherlands with an international connection



180 professionals in the Netherlands









© 2022 Jones Lang LaSalle IP, Inc. All rights reserved. The information contained in this document is proprietary to Jones Lang LaSalle and shall be used solely for the purposes of evaluating this proposal. All such documentation and information remains the property of Jones Lang LaSalle and shall be kept confi dential. Reproduction of any part of this document is authorized only to the extent necessary for its evaluation. It is not to be shown to any third party without the prior written authorization of Jones Lang LaSalle. All information contained herein is from sources deemed reliable; however, no representation or warranty is made as to the accuracy thereof.

