JACKSON SHAW



Total // 149.6 Acres // Up to ±1.3M SF
Phase I // 76.2 Acres // 3 Buildings // 594,300 SF
Phase II // 73.4 Acres // Up to ±700,000 SF
619 Old Beatty Ford Road, China Grove, North Carolina



FOR LEASING INFORMATION




JAY HILL Jay.Hill@jll.com 757.817.0333 SPENCER YORKE Spencer.Yorke@jll.com 704.996.7545

PROPERTY OVERVIEW

Landis Ridge capitalizes on tenant demand for interstate connectivity and access to strong labor markets. It is a modern, Class A, +1.3M square foot master planned business park situated on 149.6 acres in the Charlotte, North Carolina market. Best-in-class design features will be incorporated throughout the project, including concrete tilt wall construction, ample trailer and auto parking, and an exceptional Class A business park feel, all with easy access to I-85 via the newly constructed Exit 65 (I-85 at Old Beatty Ford Road) located less than a mile east of the site.

For tenants, access to the rapidly growing sunbelt markets is a major driver in their decision to establish operations along I-85. Coupled with its proximity to strong labor and rooftop growth, Landis Ridge will offer an ideal location for third-party logistics occupiers, e-commerce distribution, consumer goods warehousing, and manufacturing users.

MATTHEW GREER, CCIM, SIOR Matthew.Greer@jll.com 704.277.5675



BUILDING SIZE:	202,800 SF	
MINIMUM DIVISIBLE:	54,080 SF	
BUILDING CONFIG:	Rear Load	
BUILDING DIMENSIONS:	260' x 780'	
DRIVE-IN DOORS:	2	
DOCK DOORS:	43	
TRUCK COURT:	190'	
FIRE PROTECTION:	ESFR	
MIN. CLEAR HEIGHT:	32'	
TYPICAL BAY:	52' x 50'	
TRAILER PARKING:	38	

BLDG. 1A

188


3000 amps; 277/480V 3-Phase



JACKSON SHAW


CAR PARKING:

BUILDING POWER:



LANDIS RIDGE - PHASE I	BLDG. 1B
BUILDING SIZE:	121,800 SF
MINIMUM DIVISIBLE:	33,180 SF
BUILDING CONFIG:	Rear Load
BUILDING DIMENSIONS:	210' x 580'
DRIVE-IN DOORS:	2
DOCK DOORS:	31
TRUCK COURT:	130'
FIRE PROTECTION:	ESFR
MIN. CLEAR HEIGHT:	32'
TYPICAL BAY:	52′ 8″ x 50′
CAR PARKING:	103
BUILDING POWER:	2000 amps; 277/480V 3-Phase





LANDIS RIDGE - PHASE I BLDG. 2

BUILDING SIZE: 269,700 SF

MINIMUM DIVISIBLE: 83,700 SF

BUILDING CONFIG: Rear Load

BUILDING DIMENSIONS: 310' x 870'

DRIVE-IN DOORS: 2

DOCK DOORS: 51

TRUCK COURT: 190'

FIRE PROTECTION: ESFR

MIN. CLEAR HEIGHT: 36'

TYPICAL BAY: 54' x 50'

TRAILER PARKING: 65

CAR PARKING: 229

BUILDING POWER: 3000 amps; 277/480V 3-Phase

