



US RETAIL
LOAD DATA GUIDE

Effective November 28, 2022 until further notice.

US RETAIL LOAD DATA GUIDE

Effective November 1, 2022 until further notice.

BATT AND ROLL INSULATION PRODUCTS	1-5
Retail Roll Insulation	1
EcoBatt® Wood Frame Batt Insulation	2-3
Basement Wall Insulation	3
EcoBatt® Metal Frame Batt Insulation	4
LOOSE FILL INSULATION PRODUCTS	5
EcoFill® Wx Blowing Insulation	5
JetSpray® Thermal Spray-On Insulation	5
SPECIALITY BOARD AND INSULATION BOARD PRODUCTS	5-6
Black Acoustical Board	5
Wall and Ceiling Liner M	5
Insulation Board	6


US RETAIL LOAD DATA GUIDE

PRODUCT AVAILABILITY KEY

- Product Availability will be identified by geographic regions of Midwest, South, Northeast and West. Products will be identified by the following identifiers
 - SP** Standard Products
 - NS** Non-Standard Products
 - MTO** Custom Products
 - Not Available
- Standard Products are stocked and a minimum order per SKU is (half) stack.
- Non-Standard Products are generally available from stock, but may require a lead time of up to 21 days. Minimum order per SKU is a (half) stack.
- Custom Products require approval so please contact your Territory Manager. Special pricing and minimum order quantities will apply. Customers are responsible for taking over-runs of up to +/- 5%.
- Insulation Board, Black Acoustical Board, and Wall and Ceiling Liner M minimums differ from Batt and Roll products. Each is defined within its respective section.
- Changes in Product Availability will be indicated by the color of the cells in the Product Availability column.

Yellow	Indicates a change in Product Availability.
Green	Indicates a new product has been added.
Black	Indicates a product is not currently available.

- Below is an overview of the typical service regions associated with each Knauf production facility in the U.S. Based on fluctuations in demand, we may elect to leverage alternative ship points in order to optimize service levels.



US RETAIL LOAD DATA GUIDE

RETAIL ROLL INSULATION																	
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Half Stack	Pkgs/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Ref. Code	UPC	Product Availability			
	Thickness	Width	Length											Midwest	South	Northeast	West
Unfaced																	
R-11	3½"	15"	40.0'	1	50.00	12	36	72	0.063	1584	523897	UR07TAK	725387000176	SP	–	NS	–
	3½"	15"	70.5'	1	88.13	6	18	36	0.107	936	523898	UR01TAK	725387000183	NS	MTO	NS	–
R-19	6¼"	15"	39.2'	1	48.96	6	18	36	0.107	936	524176	UR05TAK	725387000350	SP	–	NS	–
	6¼"	23"	39.2'	1	75.06	6	12	24	0.160	624	524177	UR06TAK	725387000367	SP	–	NS	–
Kraft Faced																	
R-11	3½"	15"	40.0'	1	50.00	12	36	72	0.063	1584	524181	KR91TAK	725387000220	SP	–	NS	–
	3½"	15"	70.5'	1	88.13	6	18	36	0.107	936	524182	KR41TAK	725387000237	SP	NS	NS	SP
	3½"	23"	70.5'	1	135.12	6	12	24	0.160	624	524184	KR42TAK	725387000251	NS	NS	NS	–
R-13	3½"	15"	32.0'	1	40.00	12	36	72	0.053	1872	524187	KR94TAK	725387000305	SP	SP	SP	SP
	3½"	15"	62.7'	1	78.33	6	18	36	0.107	936	524188	KR43TAK	725387000312	NS	NS	SP	–
	3½"	23"	32.0'	1	61.33	12	24	48	0.080	1248	524189	KR93TAK	725387000329	SP	–	NS	NS
R-19	6¼"	15"	39.2'	1	48.96	6	18	36	0.107	936	524192	KR45TAK	725387000398	SP	SP	SP	SP
	6¼"	23"	39.2'	1	75.06	6	12	24	0.160	624	524195	KR46TAK	725387000411	SP	NS	SP	SP

US RETAIL LOAD DATA GUIDE

ECOBATT® WOOD FRAME BATT INSULATION																
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Stack	5' TL Load Factor	Pkgs/ 5' TL	Product Code	Item Ref. Code	UPC	Product Availability			
	Thickness	Width	Length										Midwest	South	Northeast	West
Unfaced																
R-11	3½"	15¼"	84"	16	142.00	5	30	0.128	780	520138	B89VAK	725387201382	MTO	NS	MTO	MTO
	3½"	15¼"	93"	16	157.58	5	30	0.128	780	505906	B61VAK	725387059068	SP	SP	SP	SP
	3½"	15¼"	105"	16	177.92	5	30	0.152	660	506065	X66VAK	725387060002	SP	SP	NS	NS
	3½"	23¾"	93"	16	240.25	4	16	0.240	416	506767	B63AK	725387067674	NS	SP	NS	NS
R-13	3½"	11"	105"	22	176.46	4	16	0.284	352	506964	4618AK	725387069647	MTO	NS	MTO	MTO
	3½"	15"	93"	12	116.25	5	30	0.128	780	505915	B65VAK	725387059150	SP	SP	SP	SP
	3½"	15"	105"	12	131.25	5	30	0.152	660	505911	X17VAK	725387059112	SP	SP	SP	NS
	3½"	23"	93"	11	163.40	4	16	0.240	416	506579	B66AK	725387065793	SP	SP	NS	NS
R-19	6¼"	15"	48"	20	100.00	4	24	0.160	624	5001577	B67E	725387015774				SP
	6¼"	15¼"	94"	10	99.55	4	24	0.160	624	5001581	B68E	725387015811	SP	SP	SP	SP
	6¼"	15¼"	106"	10	112.26	4	24	0.189	528	5003448	X20E	725387034485	SP	SP	SP	NS
	6¼"	19"	48"	18	114.00	4	20	0.192	520	5005079	X67E	725387050799				NS
	6¼"	23¾"	48"	18	139.50	4	16	0.240	416	513231	B103	725387132310	MTO	NS	MTO	MTO
	6¼"	23¾"	94"	9	136.59	4	16	0.240	416	5001589	B70E	725387015897	SP	NS	NS	SP
R-20	5½"	15"	105"	8	87.50	5	30	0.152	660	523840	X22VAK	725387238401	NS	MTO	MTO	MTO
R-22	6½"	23"	48"	16	122.67	4	16	0.240	416	5006297	B72E	725387062976	NS	NS	MTO	MTO
R-25	8"	16"	48"	16	85.33	4	24	0.160	624	5000865	B60E	725387008653	NS	NS	NS	SP
	8"	24"	48"	16	128.00	4	16	0.240	416	5000873	B62E	725387008738	NS	NS	NS	SP
R-30 AT	10"	16"	48"	13	69.33	4	24	0.160	624	5001631	B75E	725387016313	SP	SP	SP	SP
	10"	19¼"	48"	11	70.58	4	20	0.192	520	5005111	N76E	725387051116	NS	NS	NS	NS
	10"	24"	48"	11	88.00	4	16	0.240	416	5001641	B76E	725387016412	SP	SP	SP	SP
R-30 FL	9½"	16"	48"	11	58.67	4	24	0.160	624	5007456	B30E	725387074566	MTO	MTO	MTO	NS
	9½"	19¼"	48"	10	64.17	4	20	0.192	520	5007559	B32E	725387075594	MTO	MTO	MTO	NS
	9½"	24"	48"	10	80.00	4	16	0.240	416	5007560	B31E	725387075600	MTO	MTO	MTO	NS
R-38	12"	16"	48"	11	58.67	4	24	0.160	624	5001644	B77E	725387016443	SP	SP	SP	SP
	12"	19¼"	48"	8	51.00	4	20	0.192	520	602110	B224CK	725387002248	MTO	MTO	MTO	NS
	12"	24"	48"	8	64.00	4	16	0.240	416	5001657	B78E	725387016573	SP	SP	SP	SP
R-49	13¾"	16"	48"	6	32.00	4	24	0.160	624	511250	B58	725387112503	MTO	MTO	NS	MTO
	13¾"	24"	48"	6	48.00	4	16	0.240	416	5004347	B14E	725387043470	NS	NS	NS	SP
Unfaced - High Density																
R-15	3½"	15"	93"	8	77.50	5	30	0.128	780	468142	B92EVX	725387681429	SP	SP	SP	SP
	3½"	15"	105"	8	87.50	4	24	0.189	528	468153	X42EX	725387681535	SP	SP	SP	MTO
	3½"	23"	93"	6	89.13	4	16	0.240	416	5002895	B93E	725387028958	NS	NS	NS	SP
R-21	5½"	15"	93"	7	67.81	5	30	0.128	780	5001401	B94EV	725387014012	SP	SP	SP	SP
	5½"	15"	105"	7	76.56	5	30	0.152	660	506594	X92VAK	725387065946	SP	NS	NS	SP
	5½"	23"	93"	7	103.98	4	16	0.240	416	5003816	B95E	725387038162	NS	NS	NS	SP
R-23	5½"	15"	93"	4	38.75	5	30	0.128	780	5003716	B73EV	725387037165	MTO	MTO	MTO	NS
R-30	8¼"	15"	48"	11	55.00	5	30	0.128	780	5001946	B96EV	725387019468	NS	MTO	NS	NS
R-38	10¼"	15"	48"	8	40.00	5	30	0.128	780	5001955	B98EV	725387019550	NS	MTO	MTO	NS

US RETAIL LOAD DATA GUIDE

ECOBATT® WOOD FRAME BATT INSULATION																
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Ref. Code	UPC	Product Availability			
	Thickness	Width	Length										Midwest	South	Northeast	West
Kraft Faced																
R-11	3½"	15"	84"	16	140.00	5	30	0.128	780	5003132	E3132	725387031323	MTO	SP	MTO	MTO
	3½"	15"	93"	16	155.00	5	30	0.128	780	505904	B02VAK	725387059044	SP	SP	NS	NS
	3½"	23"	93"	16	237.67	4	16	0.240	416	506484	B04AK	725387064840	SP	NS	NS	NS
R-13	3½"	15"	93"	12	116.25	5	30	0.128	780	505912	B06VAK	725387059129	SP	SP	SP	SP
	3½"	15"	105"	12	131.25	5	30	0.152	660	505907	X06VAK	725387059075	SP	SP	NS	
	3½"	23"	93"	11	163.40	4	16	0.240	416	506576	B07AK	725387065762	SP	SP	SP	NS
R-19	6¼"	15"	48"	20	100.00	4	24	0.160	624	5001499	B08E	725387014999				
	6¼"	15"	94"	10	97.92	4	24	0.160	624	5001500	B09E	725387015002	SP	SP	SP	SP
	6¼"	15"	106"	10	110.42	4	24	0.189	528	5003766	X09E	725387037660	SP	SP	SP	MTO
	6¼"	19"	48"	18	114.00	4	20	0.192	520	5006922	B55E	725387069227	NS	SP	NS	MTO
R-25	8"	23"	94"	9	135.13	4	16	0.240	416	5001472	B11E	725387014722	SP	NS	SP	NS
	8"	23"	48"	16	122.67	4	16	0.240	416	5000870	B39E	725387008707	MTO	MTO	MTO	NS
	10"	16"	48"	13	69.33	4	24	0.160	624	5001485	B16E	725387014852	SP	SP	SP	SP
	10"	19"	48"	11	69.67	4	20	0.192	520	5009062	X16E	725387090627	NS	NS	NS	MTO
R-30	10"	24"	48"	11	88.00	4	16	0.240	416	5001489	B17E	725387014890	SP	SP	SP	SP
	12"	16"	48"	11	58.67	4	24	0.160	624	5001490	B18E	725387014906	SP	SP	SP	NS
	12"	19"	48"	8	50.67	4	20	0.192	520	5001270	E1270	725387012704	NS	NS	NS	MTO
R-38	12"	24"	48"	8	64.00	4	16	0.240	416	5001491	B19E	725387014913	SP	SP	SP	SP
	13¾"	16"	48"	6	32.00	4	24	0.160	624	5004735	B29E	725387047355	NS	MTO	SP	MTO
R-49	13¾"	24"	48"	6	48.00	4	16	0.240	416	5004372	B15E	725387043722	SP	NS	SP	NS
Kraft Faced - High Density																
R-15	3½"	15"	93"	8	77.50	5	30	0.128	780	468051	B45EVX	725387680514	SP	SP	SP	NS
	3½"	15"	105"	8	87.50	4	24	0.184	544	468148	X45EX	725387681481	NS	NS	SP	MTO
	3½"	23"	93"	6	89.13	4	16	0.240	416	5001403	B46E	725387014036	NS	NS	NS	MTO
R-21	5½"	15"	93"	7	67.81	5	30	0.128	780	5001671	B47EV	725387016719	SP	NS	SP	SP
	5½"	23"	93"	7	103.98	4	16	0.240	416	5003929	B48E	725387039299	SP	NS	SP	SP
R-30	8¼"	15"	48"	11	55.00	4	24	0.160	624	5006564	B49E	725387065649	NS	NS	NS	MTO
	8¼"	23"	48"	11	84.33	4	16	0.240	416	5006567	B50E	725387065670	NS	MTO	NS	MTO
R-38	10¼"	15"	48"	8	40.00	5	30	0.128	780	5006286	B51EV	725387062860	NS	MTO	NS	MTO
	10¼"	23"	48"	8	61.33	4	16	0.240	416	5006287	B52E	725387062877	NS	MTO	NS	NS

ECOBATT® WOOD FRAME BATT INSULATION																
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Ref. Code	UPC	Product Availability			
	Thickness	Width	Length										Midwest	South	Northeast	West
Staple-Free																
R-13	3½"	15¼"	93"	12	118.19	5	30	0.128	780	5004654	SF13EVX	725387046549	SP	NS	NS	MTO
	3½"	15¼"	105"	12	133.44	5	30	0.147	680	5004655	SF13XEVX	725387046556	SP	NS	NS	MTO
R-15	3½"	15¼"	93"	8	78.79	5	30	0.128	780	468157	SF15EVX	725387681573	SP	MTO	SP	MTO
	3½"	15¼"	105"	8	88.96	4	24	0.184	544	468158	SF15XEX	725387681580	SP	NS	SP	MTO
R-19	6¼"	15¼"	93"	10	98.49	4	24	0.160	624	5004155	SF19E	725387041551	SP	MTO	SP	MTO
R-21	5½"	15¼"	93"	7	68.94	5	30	0.128	780	661285	B236VEK	725387001173	SP	MTO	SP	NS
	5½"	15¼"	105"	7	77.84	5	30	0.147	680	5009801	SFX21EV	725387098012	SP	MTO	SP	NS

BASEMENT WALL INSULATION																
R-Value	Dimensions			Sq. Ft./ Roll	Rolls/ Unit	53' TL Load Factor	Rolls/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability					
	Thickness	Width	Length								Midwest	South	Northeast	West		
Unfaced																
R-11	3½"	48"	90'	360.00	4	0.481	208	591625	–	72538705916250	SP	SP	MTO	MTO		
	3½"	88"	90'	660.00	4	0.962	104	591629	–	72538705916298	SP	MTO	MTO	MTO		
WMP-VRR-PERF																
R-11	3½"	48"	60'	240.00	8	0.461	240	617148	B234CK	725387002538	SP	SP	SP	SP	–	–
	3½"	88"	50'	367.00	4	0.893	112	480375	GLW88	735276252173	SP	MTO	SP	SP	–	–

US RETAIL LOAD DATA GUIDE

ECOBATT® METAL FRAME BATT INSULATION																
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Stack	5' TL Load Factor	Pkgs/ 5' TL	Product Code	Item Ref. Code	UPC	Product Availability			
	Thickness	Width	Length										Midwest	South	Northeast	West
Unfaced																
R-8	2½"	16"	96"	22	234.67	5	30	0.128	780	5001673	B79EV	725387016733	NS	NS	NS	NS
	2½"	24"	96"	22	352.00	4	16	0.240	416	5001760	B80E	725387017600	NS	NS	NS	NS
R-11	3½"	16"	96"	16	170.67	5	30	0.128	780	5001405	B81EV	725387014050	SP	SP	SP	SP
	3½"	24"	96"	16	256.00	4	16	0.240	416	5005820	B82E	725387058207	SP	SP	SP	SP
R-13	3½"	16"	96"	12	128.00	5	30	0.128	780	5004657	X43EVX	725387046570	SP	SP	SP	SP
	3½"	24"	96"	11	176.00	4	16	0.240	416	5006257	X44E	725387062570	NS	NS	NS	SP
R-19	6¼"	16"	96"	10	106.67	4	24	0.160	624	5001817	B90E	725387018171	SP	SP	SP	SP
	6¼"	24"	48"	16	128.00	4	16	0.240	416	5005851	B85E	725387058511	SP	SP	NS	SP
	6¼"	24"	96"	9	144.00	4	16	0.240	416	5001825	B91E	725387018256	SP	SP	SP	MTO
R-21	5½"	16"	96"	7	74.67	4	24	0.160	624	5000393	B23E	725387003931	NS	NS	NS	NS
R-22	6½"	24"	48"	16	128.00	4	24	0.240	416	5002825	E2825	725387028255	MTO	NS	MTO	MTO
R-38	10¼"	24"	48"	8	64.00	4	16	0.240	416	586324	B221BK	725387001982	MTO	MTO	MTO	NS
Kraft Faced																
R-11	3½"	16"	96"	16	170.67	5	30	0.128	780	5001616	B24EV	725387016160	NS	NS	NS	MTO
	3½"	24"	96"	16	256.00	4	16	0.240	416	5003600	B100E	725387036007	MTO	NS	MTO	MTO
R-13	3½"	16"	96"	12	128.00	5	30	0.128	780	5004656	B43EVX	725387046563	NS	SP	NP	MTO
R-19	6¼"	16"	96"	10	106.67	4	24	0.160	624	5001561	B53E	725387015613	SP	SP	SP	NS
	6¼"	24"	48"	16	128.00	4	16	0.240	416	5005840	B28E	725387058405	NS	SP	NS	NS
	6¼"	24"	96"	8	128.00	4	16	0.240	416	5006808	B54E	725387068084	NS	NS	NS	MTO

US RETAIL LOAD DATA GUIDE

LOOSE FILL INSULATION												
Description	Pieces/ Pkg	Pkgs/ Half Stack	Pkgs/ Stack	Lbs/ Bag	53' TL Load Factor	Pkgs/ 53' TL	Product Code	UPC	Product Availability			
									Midwest	South	Northeast	West
EcoFill® Wx Blowing Insulation												
Bag	1	21	42	28.6	0.095	1,050	525089	725387000114	SP	SP	SP	SP
Pack	42	–	1	28.6	4.000	25	524947	725387000107	SP	SP	SP	SP
JetSpray™ Thermal Spray-On Insulation												
Bag	1	21	42	32	0.095	1,050	542629	725387001432	NS	NS	MTO	MTO
Pack	42	–	1	32	0.095	1,050	550313	725387001760	SP	SP	MTO	MTO

Please contact your Territory Manager for information on JetSpray and the special ordering process.

SPECIALITY BOARD PRODUCTS												
Density (PCF)	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Ref. Number	UPC	Product Availability
	Thickness	Width	Length									
Black Acoustical Board												
3.00	1"	48"	96"	8	256	1	0.641	156	5002331	E2331	72538750023316	NS
	1½"	24"	48"	8	64	8	0.260	384	5009971	E9971	725387099712	NS
	2"	24"	48"	6	48	8	0.260	384	5002652	BA03	725387026527	NS
	2"	24"	48"	24	768	1	4.167	24	5004293	E4293	72538750042935	NS
Wall and Ceiling Liner M												
1.50	1"	48"	100'	1	400	4	0.439	208	5002696	CL05E	725387026961	NS
	2"	48"	50'	1	200	4	0.439	208	5002805	CL07E	725387028057	NS

CUSTOM MINIMUMS FOR BLACK ACOUSTICAL BOARD			
Density (PCF)	1"	1½"	2"
2.25	34 MSF	22 MSF	17 MSF
3.0	24 MSF	16 MSF	12 MSF

CUSTOM MINIMUMS FOR WALL & CEILING LINER			
Density (PCF)	1"	1½"	2"
1.5	20 MSF	16 MSF	16 MSF

US RETAIL LOAD DATA GUIDE

INSULATION BOARD											
Density (PCF)	Thickness	R-Value	Width x Length	Pieces/ Carton	Sq. Ft./ Carton	Cartons/ Unit	53' TL Load Factor	Cartons/ 53' TL	Product Code	UPC	Product Availability (Shelbyville)
FSK Faced - Carton											
2.25	1"	R-4.3	24" x 48"	12	96	8	0.260	384	5004681	72538750046810	NS
	2"	R-8.7	24" x 48"	6	48	8	0.260	384	5003355	72538750033551	NS
3.00	1"	R-4.3	24" x 48"	12	96	8	0.260	384	5000116	72538750001161	SP
	1½"	R-6.5	24" x 48"	8	64	8	0.260	384	5000117	72538750001178	SP
	2"	R-8.7	24" x 48"	6	48	8	0.260	384	5000118	72538750001185	SP
	2"	R-8.7	48" x 96"	4	128	1	0.646	154	5000842	72538750008429	SP
	3"	R-13	24" x 48"	4	32	8	0.260	384	5001372	72538750013720	SP
6.00	1½"	R-6.7	24" x 48"	8	64	8	0.260	384	5000120	72538750001208	NS
	2"	R-8.9	24" x 48"	6	48	8	0.260	384	5000121	72538750001215	SP
ASJ+ Faced - Carton											
3.00	1"	R-4.3	24" x 48"	12	96	8	0.260	384	526487	72538705264870	NS
	1½"	R-6.5	24" x 48"	8	64	8	0.260	384	526491	72538705264917	SP
	2"	R-8.7	24" x 48"	6	48	8	0.260	384	526495	72538705264955	SP
	2"	R-8.7	48" x 96"	4	128	1	0.649	154	526501	72538705265013	NS
6.00	2"	R-8.9	24" x 48"	6	48	8	0.260	384	526561	72538705265617	SP
Unfaced - Carton											
3.00	1½"	R-6.5	24" x 48"	8	64	8	0.260	384	5000108	72538750001086	SP
	2"	R-8.7	24" x 48"	6	48	8	0.260	384	5000109	72538750001093	SP
6.00	1"	R-4.5	24" x 48"	12	96	8	0.260	384	5003425	72538750034251	NS
	2"	R-8.9	24" x 48"	6	48	8	0.260	384	5000112	72538750001123	NS
Unfaced - Sleeves											
1.60	1½"	R-6.3	24" x 48"	18	144	6	0.360	276	5004426	72538750044267	SP
	2"	R-8.3	24" x 48"	13	104	6	0.300	336	5004453	72538750044533	SP
2.25	2"	R-8.7	24" x 48"	12	96	6	0.360	276	5004430	72538750044304	NS
	4"	R-17.4	24" x 48"	6	48	6	0.300	336	5004461	72538750044618	NS
3.00	1"	R-4.3	24" x 48"	20	160	6	0.330	300	5002407	72538750024078	SP
	1"	R-4.3	48" x 120"	12	480	1	1.430	70	5003961	72538750039614	NS
	1½"	R-6.5	24" x 48"	14	112	6	0.330	300	5002408	72538750024085	SP
	2"	R-8.7	24" x 48"	10	80	6	0.330	300	5002367	72538750023675	SP
	2½"	R-10.9	24" x 48"	8	64	6	0.330	300	5006270	72538750062704	NS
	3"	R-13	24" x 48"	7	56	6	0.330	300	5002348	72538750023484	SP

CUSTOM MINIMUMS FOR INSULATION BOARD							
Density (PCF)	1"	1½"	2"	2½"	3"	3½"	4"
1.6	—	32 MSF	18 MSF	15 MSF	12 MSF	11 MSF	10 MSF
2.25	34 MSF	22 MSF	17 MSF	12 MSF	10 MSF	10 MSF	9 MSF
3.0	24 MSF	16 MSF	12 MSF	10 MSF	9 MSF	7 MSF	6 MSF
4.25	18 MSF	12 MSF	9 MSF	7 MSF	—	—	—
6.0	12 MSF	9 MSF	6 MSF	—	—	—	—



KNAUF INSULATION, INC.

One Knauf Drive
Shelbyville, IN 46176

Technical Support

(317) 398-4434 ext. 8727

info.us@knaufinsulation.com

11-22

© 2022 Knauf Insulation, Inc.

This product is covered by one or more U.S. and/or other patents.
See patent www.knaufnorthamerica.com/patents