



A world of work which is as flexible as you are

With the advent of new ways of working, individual offices and designated workstations are disappearing more and more from office landscapes. Teamwork, short pathways, quick meetings and a creative togetherness define everyday work and demand spaces for communication.

The question is simple: how do you allow for private space and provide the opportunity for individuals to withdraw at the same time? How is concentrated, quiet work possible?

As an expert in office furniture and room systems with decades of experience, König + Neurath has answers to these questions.

Allow us to convince you!

















Q

SPECIAL MENTION 2015



ALUMINIUM WITH A SMALLER CO₂ FOOTPRINT


The ASI-certified aluminium for our room systems is supplied by Hydro REDUXA and comes from Hydro's Norwegian smelters, who only use electricity from renewable sources (hydropower, wind and sun).













A conversation at moderate volume measures 65 decibels. That's considered a background noise level that can certainly disrupt focused working. To help employees stay relaxed, productive and healthy, it's a good idea to install an acoustic solution in an open space office. **There are different options – one of which is our TALK.BOX.**

The innovative phone booth only takes up a single square metre of floor space and is very effective when it comes to limiting noise in the office. Its black profiles are made of sustainably produced aluminium, which adds an elegant touch in offices with a loft style.

Products: TALK.BOX, TALO.YOU Bench, OKAY.III, ACTA.PLUS, QUICK.III, MOVE.MIX bar stool



calls undisturbed or to discuss confidential information.

Our smallest and simplest solution to this problem is the QUIET.BOX. It fits in harmoniously everywhere – even in passageways or canteens – with minimum impact. That's thanks to its understated design and optional transparent rear panel. We supply the QUIET.

BOX as a ready-assembled piece of furniture, so you just have to put it up and plug it in. Ventilation, lighting and

power connection are included!

Even in busy places people need space to make phone

Products: QUIET.BOX, Meeting tables, MOVE.MIX and MOVE.MIX bar stools, NET.WORK.PLACE elements



QUIET.BOX Organic A MODULAR APPROACH TO SPACE ORGANISATION You don't necessarily need much space for privacy. Do you want to share personal or confidential information in an open space office? Then you need to retreat to our QUIET.BOX Organic, which has a homely feel. The textile, acoustically effective back panel can be designed individually. The organic design of this modern-day phone box makes it the perfect complement for the open space solutions in our NET.WORK.PLACE Organic Products: QUIET,BOX Organic, TENSA.NEXT, NET.WORK.PLACE Organic elements, THINK.TANK, HORIZONTE


QUIET.BOX Duo Organic FOR FOCUSED WORKING AND MORE




QUIET.BOX Duo XL JUST THINK BIGGER









"The first step towards a better working culture is the choice of the correct furniture."

INSIDE.BASE INSIDE.CUBE MEET.IN TALK.BOX QUIET.BOX **QUIET.BOX Organic** QUIET.BOX Duo QUIET.BOX Duo Organic QUIET.BOX Duo XL QUIET.BOX Duo XL Organic THINK.TANK THINK.TANK.II

FORM FOLLOWS FUNCTION



INSIDE.BASE
Allows you to fit out open plan offices with five fixed sizes of multifunctional area.

Short installation time.



NSIDE.CUBE

A flexible room-in-room module to design offices and work zones for a wide range of requirements.

Medium length of installation time.





MEET.IN

A house module with design potential: a range of back wall options, various enclosure colours, ceiling or desk lights, and much more

Short installation time.



TALK.BOX

Our most compact room-in-room solution for making phone calls with sustainably manufactured aluminium profiles in black.

Quickly assembled on site.



QUIET.BOX

Our smallest room-in-room solution, we supply it ready-assembled so you just have to put it in place.

No fitting work required.



QUIET.BOX Organic

As space-saving as it's little sister: thanks to the modular construction it's quickly assembled on site

Quickly assembled on site.






QUIET.BOX Duo and QUIET.BOX Duo Organic Enough space for two: an independent room, fitted with state-of-the-art technology. Dimmable lighting and ventilation via flat screen

Dimmable lighting and ventilation via flat screen control. CO2 sensor also available.

Quickly assembled on site



QUIET.BOX Duo XL and QUIET.BOX Duo XL Organic

The QUIET.BOX Duo XL – our meeting solution for up to four people – is as quick and easy to install as the smaller variants.

Quickly assembled.



THINK.TANK

Our high-end solution with which you create additional prestigious rooms within open space.

Longer installation time, but without impact on the building structure.




THINK.TANK.II

Our high-end solution with double glazing is based on a modular concept and pre-assembled for quiet installation.


Short installation time, low noise and without impact on the building structure.

FIVE MODELS FOR YOUR OFFICE LANDSCAPE



PHONE BOX

The acoustically effective phone box is made from INSIDE.50 screens with glass top modules and a lightweight ceiling. It enables short periods of standing work or provides privacy for phone calls.




while at the same time providing a view of the adjoining area. Ideal for limited floor areas.

1750 mm PHONE BOX Duo Our phone box for two people creates a shield








TECHNOLOGY POIN

The Technology Point, with its glazed modules, optimum acoustics and light diffuser in the ceiling, provides a space for printers or other technical equipment and thus reduces the noise level across the whole floor.

CONCENTRATION SPOT


This private area with light coming through glazed modules and a light diffuser in the ceiling greets you with an agreeable atmosphere and is suitable for phases of concentrated work or for spontaneous small meetings. The snail-shell structure improves the acoustic separation from the open-plan office.





2500 mm





MEETING POINT

A private room in an open design for spontaneous meetings. An agreeable atmosphere is provided by the glazed modules, the good acoustics and the light diffuser in the light-weight ceiling.

DETAILS

1 | ATTRACTIVE CEILING PANEL AND


The ceiling panel with the diffuser for effective light distribution is fitted on top of

The glazed top modules are made from safety glass which amplifies the natural light, so

NATURAL LIGHT

the glazed top modules.







High-quality materials, long-lasting quality and a range of attractive new colours: our collection makes it easy for you to select light, harmonious and exciting combinations.









2 | ATTRACTIVE DUCT COVERS

The lateral duct covers and the flush construction give a quiet and elegant appearance to the structure.







4 | LATERAL GLASS PANEL

The glass panel, which is clamped at the sides, offers a line of sight to the surroundings. It is used in the PHONE BOX DUO or in the MEETING POINT.

5 | CORNER DETAIL OF THE FLOOR CONNECTION

The adjustable feet let you alter the height of the floor connection.

PRODUCT OVERVIEW



	INSIDE.BASE	
Description	Cubicle	
Technical details		
Ceiling	Light-weight board with diffuser	
Sizes	5 sizes	
	Predefined	
Absorption (echo)	Yes	
Sound insulation	-	
Door	-	
Surface finishes	Fabric, see sample book	
Ventilation	Passive ventilation (air circulation)	
Climate control	-	
Lighting	-	
Glazed overpanels	Yes	
Glazing	Enclosed	
Construction		
Installation time (excl. transport)	3 - 4 hours	
Reconfiguration on the same floor	4 - 5 hours	
Construction	Low-noise	
Flexibility	All components can be reused	
Fastened to the floor of the building	-	
Maximum size	2500 x 2500 mm	
Electrics		
	In the solid walls (as with INSIDE.50)	
Sound insulation		
	-	

MODULE OVERVIEW Modular construction + Different basic sizes: special sizes on request Installations + Internal lengths (can be combined): + Circulating ventilation system with 1600 mm, 2400 mm, 2800 mm, 3200 mm active supply and exhaust fans + Modular construction offers a wide range of design options + Ventilation slots in the shadow gap + Module grid: 200, 400, 600, 800, 1000 mm modules in fabric or glass + Ventilation ducts with acoustic Ceiling construction + Fabric-covered basic structure (corners, ceiling brackets) modification + Acoustically effective, printable and + Planning instructions: only use fabric modules to connect to corner + Wireless switches for simple easily exchangeable fabric ceiling posts; only use fabric modules to connect to a door element; do not put installation + Modular prefabricated cassette 2 glass modules next to each other structure + Integral ventilation ducts Fabric trims + Fabric selection from the K+N fabric collection, matching the screen + Glass modules in 8 mm VSG-S laminated safety glass + Cable management inside the modules via removable trims Installation and construction— + The design requires no floor fixings + Quiet and easy assembly + Standard door 800 mm centre-to-centre + Prefabricated modules allow rapid in 8 mm safety glass + Acoustic seal via drop-down threshold seal + Can be completely taken down and + Door threshold for increased stability re-erected at any time

DETAILS


1 | WELL-DESIGNED CORNER JUNCTION GLASS/FABRIC

The partly concealed module connection glass to fabric underpins the harmonious overall appearance.



2 | FINE CORNER DETAILS

And the completely fabric-covered corner junctions also fit into the overall appearance.







3 | FLUSH JUNCTION FABRIC/FABRIC

Good fabric/fabric junctions were part of the design brief.

4 | INTERNAL CORNER WITH FABRIC FACING

The concealed corner details allow a seam-free fabric cover; and the invisible construction produces fine corner junctions.





5 | PRINTABLE CEILING SAIL

The fabric ceiling with integral ventilation is available in white; on request, it can be printed in any pattern.





6 | A CONTRACT-QUALITY DOOR-FRAME

The door-frame is slim-line to match the system, and the door furniture is of contract quality.

7 | OPTIMISED CONTACT WITH THE FLOOR

Sound insulation

The floor connection requires no fixings to the floor, is telescopic and designed for good



PRODUCT OVERVIEW

INSIDE.CUBE




Description Room **Technical details** Ceiling Ceiling of stretched fabric Sizes 12 sizes Wall configuration Modular, no restrictions on design Absorption (echo) Yes Sound insulation Yes, 32 dB Door Hinged door Surface finishes MFC, fabric from collection, whiteboard, acoustic etc. Ventilation Active ventilation (ventilator) Climate control Ceiling lights and pendant lights are available Lighting Glazed overpanels Glazing Glass modules Construction Installation time (excl. transport) Approx. half a day Reconfiguration on the same floor Approx. half a day Construction Low-noise Flexibility All components can be reused Fastened to the floor of the building Depth 3200 mm, length 3200 mm Maximum size Hight 2440 mm **Electrics** In the solid walls (as with INSIDE.50)

Solid and glazed walls to 32 dB

8 | STABILISING THRESHOLD

The door has a threshold to increase the stability of the construction and to support the acoustic performance.

FAST AND FOCUSED **MEETINGS**



PRODUCT OVERVIEW





	MEET.IN (2-SEATER)	MEET.IN (4-SEATER)
Description	Booth	Booth
Technical details		
Ceiling	Melamine pitched roof	Melamine pitched roof
Sizes	One variant	One variant
Wall configuration	Closed or open	Closed or open
Absorption (echo)	Optional ceiling sound absorber	Optional ceiling sound absorber
Sound insulation	-	-
Surface finishes	Free choice	Free choice
Lighting	Optional	Optional
Floor	Own floor with carpet	Own floor with carpet
Construction		
Installation time (excl. transport)	1 hour	1 hour
Reconfiguration on the same floor	1,5 hours	1,5 hours
Construction	Quiet / modular	Quiet / modular
Flexibility	All components can be reused	All components can be reused
Fastened to the floor of the building	-	-
Maximum size	750 x 2000 mm	1500 x 2000 mm
Hight	2226 mm	2226 mm
Electrics		
	Closed variant with power module integrated centrally into back wall	Closed variant with power module integrated centrally into back wall

BREAKOUT SPACE FOR DISCRETE TELEPHONE CALLS

BUILT-IN LED

for uniform illumination. Controlled by presence detector.



FITS DIRECTLY TO THE FLOOR Does not have its own floor, no edge to trip over

PRODUCT OVERVIEW





TALK.BOX Angular profile

IALK.BU	K.
Rounded	profi

IALK.DU	^
Rounded	profi

Yes, same side as writing tablet

Angular profile	Kounaea profile
Room	Room
Fabric	Fabric
Fixed size	Fixed size
Closed on 3 sides, or with glass back panel	Closed on 3 sides, or with glass back panel
Yes	Yes
Yes, 38 dB	Yes, 38 dB
Glass door	Glass door
Free choice	Free choice
Active ventilation (ventilators)	Active ventilation (ventilators)
-	-
Yes, ceiling light	Yes, ceiling light
-	-
optional	optional
No built-in floor	No built-in floor
3 hours	3 hours
4,5 hours	4,5 hours
Sometimes noisy	Sometimes noisy
All components can be reused	All components can be reused
-	-
1106 x 1106 mm	1106 x 1106 mm
2226 mm	2226 mm
	Room Fabric Fixed size Closed on 3 sides, or with glass back panel Yes Yes, 38 dB Glass door Free choice Active ventilation (ventilators) - Yes, ceiling light - optional No built-in floor 3 hours 4,5 hours Sometimes noisy All components can be reused - 1106 x 1106 mm

Sound insulation


Opaque walls 42 dB Rw,P Glazing 38 dB Rw,P	Opaque walls 42 dB Rw,P Glazing 38 dB Rw,P

Yes, same side as writing tablet

1 M² QUIET ZONE FOR PERSONAL CONVERSATIONS

For uniform illumination **DOOR HINGES** 3D adjustable **OPAQUE PANELS** Chosen from the K+N plastic/melamine finishes (solid colour and patterned) **BACK PANEL** Acoustic insulation level Rw,p 42 dB Optionally available as a glazed unit (non-opening) With USB charger and socket **TEXTILE INSIDE SURFACES** For an ideal interior acoustic choose from the K+N fabric collection (Economy 14 and 82, Standard 22.28 and 29. Comfort 39. as well as Premium 42, 46 and 49) **ACOUSTIC GLAZING** With acoustic insulation level **SEAT UPHOLSTERY** Choose from the K+N fabric collection (Economy 14 and 82, Standard 22,28 and 29, Comfort 39, Oak natural, other types of wood / as well as Premium 42,46 and 49) painted finishes chosen from the RAL colour chart are available on request **ADJUSTABLE GLIDES** Are integrated into the base for stability


PRODUCT OVERVIEW




PEACE AND QUIET FOR TWO



COLOURS AND WOOD EFFECTSDETAILS







2 | CEILING TRIM PROFILE

Neat covering for ceiling structure and concealed technology

3 | OPERATING CONSOLE

Light and ventilation switches as standard version or available with touch function

4 | DOOR HINGES

3D-adjustable in silver, optional in white or black

5 | FLOOR CONNECTION

Flush-level entry

QUIET ZONE FOR TWO - IN THREE VERSIONS



INTERNAL VARIANT 1

Small meeting situation with integrated fabric-covered bench seats and side table.

Products: NET.WORK.PLACE bench and side table



Products: MOVE.MIX bar stool and standing bridge





INTERNAL VARIANT 3

Dynamic meeting situation for stand-up meetings.

Products: QUICK.III and side table.

PRODUCT OVERVIEW






	QUIET.BOX Duo	QUIET.BOX Duo Organic
Description	Room	Room
Technical details		
Ceiling	Acoustic ceiling in wooden material	Acoustic ceiling in wooden material
Sizes	Fix Size	Fix Size
Wall configuration	Unrestricted design	Unrestricted design
Absorption (echo)	Yes	Yes
Sound insulation	Yes, 37-43 dB	Yes, 37-43 dB
Door	Hinged or sliding door	Hinged or sliding door
Surface finishes	Free choice	Free choice
Ventilation	Controllable, active ventilation	Controllable, active ventilation
Climate control	Yes	Yes
Lighting	Built-in and pendant lights are available	Built-in and pendant lights are available
Glazed top modules	Yes	Yes
Glass modules	Large areas	Large areas
Construction		
Installation time (excl. transport)	Approx. half a day	Approx. half a day
Reconfiguration on the same floor	Approx. half a day	Approx. half a day
Construction	Noisy	Noisy
Flexibility	All components can be reused	All components can be reused
Fastened to the floor of the building	Only in the door area	Only in the door area
Maximum size	2200 x 1200 mm	2200 x 1200 mm
Hight	2226 mm	2226 mm
Electrics		
	In the solid walls, corner posts, ceiling frame, door frame	In the solid walls, corner posts, ceiling frame, door frame
Sound insulation		
	Solid walls up to 43 dB, glazed sections up to 38 dB	Solid walls up to 43 dB, glazed sections up to 38 dB


46 | **47**

PEACE AND QUIET - FOR TWO TO FOUR



as required

COLOURS AND WOOD EFFECTSDETAILS







1 | FABRIC CEILING

Acoustic properties

2 | CEILING TRIM PROFILE

Neat covering for ceiling structure and concealed technology

3 | OPERATING CONSOLE

Light and ventilation switches as standard version or available with touch function

4 | DOOR HINGES

3D-adjustable in silver, optional in white or black

5 | FLOOR CONNECTION

Flush-level entry

QUIET ZONE FOR TWO TO FOUR IN THREE VERSIONS



INTERNAL VARIANT 1

Stand-up working QUIET.BOX Duo bridging desk Premium wiring package Electrical equipment: Conference


Other products: MOVE.MIX bar stool



INTERNAL VARIANT 2

QUIET.BOX Duo standard stand-up table Basic II wiring package Electrical equipment: Work

Products: QUICK.III AND side table



INTERNAL VARIANT 3

Seated meeting QUIET.BOX Duo standard desk QUIET.BOX Duo bench seat Basic I wiring package Electrical equipment: Talk

Products: NET.WORK.PLACE bench and side table

PRODUCT OVERVIEW



QUIET.BOX Duo XL Organic also available as a version with rounded corners

	QUIET.BOX Duo XL	QUIET.BOX Duo XL Organic
Description	Room	Room
Technical details		
Ceiling	Acoustic ceiling in fabric	Acoustic ceiling in fabric
Sizes	Fixed size	Fixed size
Wall configuration	2 variants	2 variants
Absorption (echo)	Yes	Yes
Sound insulation	Yes, 37-43 dB	Yes, 37-43 dB
Door	Hinged door	Hinged door
Surface finishes	Free choice	Free choice
Ventilation	Controllable, active ventilation	Controllable, active ventilation
Climate control	On request	On request
Lighting	Ceiling mounted light	Ceiling mounted light
Glazed overpanels	No	No
Glass modules	Large areas	Large areas
Floor	Does not have its own floor, barrier-free (Optional floor available)	Does not have its own floor, barrier-free (Optional floor available)
Construction		
Installation time (excl. transport)	3 – 4 hours	3 – 4 hours
Reconfiguration on the same floor	approx. 1/2 day	approx. 1/2 day
Construction	Noisy at times	Noisy at times
Flexibility	All components can be reused	All components can be reused
Fastened to the floor of the building	No	No
Size	2200 x 1500 mm	2200 x 1500 mm
Height	2226 mm	2226 mm
Electrics		
	Wired post in the centre of the rear wall	Wired post in the centre of the rear wall
Sound insulation		
	Solid walls up to 43 dB, glazed sections 38 dB	Solid walls up to 43 dB, glazed sections 38 dB

MODULE OVERVIEW Ceiling construction + Acoustically effective claddings made of wood composite + Multilayer construction + Insulated air channels + Simple integration of equipment required by customer + Integration of lighting is planned Door element + Air recirculation system as standard + Available fully glazed, frame, solid leaf or sliding doors + Electro controls can be integrated into the door frame + Can be positioned at variable points in the walls Wall design + Free choice of wall/glass surface distribution + Multilayer structure + Diverse material and design options Glass surfaces + Central, side or double glass structure possible + Optional transparent glazing joins without profile insert Wall trims + Various glass styles can be + Interior spaces fully insulated selected if required + Free choice of cabling + Monitors can be fitted + Easy to fit switches and extra Construction sockets + Profile-based modular system + Sturdy post-and-rail construction + Aluminium-coloured or can be painted in RAL colours + Can be fully dismantled and reassembled + Plug-and-play-ready assembly by K+N

DETAILS




1 | LIGHTING Lighting available as downlight or pendant light.





















7 | DOOR HINGES 3D adjustable



2 | CEILING Acoustic properties

3 | CEILING TRIM PROFILE Neat covering for ceiling structure and concealed technology.



8 | GLAZING Generous glass area with transparent glazing join

9 | FLOOR CONNECTION Low floor connection, not offset.

PRODUCT OVERVIEW



Room	
Acoustic ceiling in wooden material	
Individual	
Unrestricted design	
Yes	
Yes, 32 – 43 dB	
Hinged or sliding door	
Free choice	
Controllable, active ventilation	
Yes	
Built-in and pendant lights are available	
Yes	
Large areas	
Approx. 1 day	
Approx. 1 day	
Noisy	
All components can be reused	
Only in the door area	
Depth approx. 4000 mm, length unlimited	
In the solid walls, corner posts, ceiling frame, door frame	
Solid walls up to 48 dB, glazed sections to 43 dB	
	THINK.TANK Room Acoustic ceiling in wooden material Individual Unrestricted design Yes Yes, 32 – 43 dB Hinged or stiding door Free choice Controllable, active ventilation Yes Built-in and pendant lights are available Yes Large areas Approx. 1 day Approx. 1 day Noisy All components can be reused Only in the door area Depth approx. 4000 mm, length unlimited In the solid walls, corner posts, ceiling frame, door frame

SAMPLE SITUATIONS

THINK.TANK 2400 x 2400 MM

Our small solution for stand-up meetings, private conversations and focused working. You select the furniture and outfitting that suits your needs and the required work culture.















THINK.TANK 4000 x 3200 MM

Ideal for meetings with small groups, equally suitable as a separate lounge area, or an office that provides space for efficient working.



room solution. We also offer you useful furnishing inspiration for seminars or


creative areas.





THINK.TANK 6000 x 4000 MM

Space for ideas. Formal meetings can be just as successful here as creative brainstorming. We offer you a selection of stylish furniture for diverse requirements.










MODULE OVERVIEW



DETAILS



Lighting available as downlight







4 | VENTILATION OUTLET Concealed in the all-round shadow gap for optimum air exchange.






6 | OPERATING CONSOLE


7 | DOOR HINGES

Light and ventilation switches standard version or with touch function.

Acoustic properties









8 | UPPER DOOR CLOSER Not visible when door is closed.

9 | FLOOR CONNECTION Low floor connection, not offset.

PRODUCT OVERVIEW



	THINK.TANK.II
Description	Room
Technical details	
Ceiling	Ceiling of stretched fabric
Sizes	Individual
Wall configuration	Unrestricted design
Absorption (echo)	Yes
Sound insulation	Yes, 36-45 dB
Door	Hinged or sliding door
Surface finishes	Free choice
Ventilation	Controllable, active ventilation
Climate control	Yes
Lighting	Built-in and pendant lights are available
Glazed top modules	Yes
Glass modules	Glass modules
Construction	
Installation time (excl. transport)	Approx. half a day
Reconfiguration on the same floor	Approx. half a day
Construction	Low-noise
Flexibility	All components can be reused
Fastened to the floor of the building	Only in the door area
Maximum size	Depth approx. 4000 mm, length unlimited
Electrics	
	In the solid walls, corner posts, ceiling frame, door frame
Sound insulation	
	Solid walls up to 45 dB, glazed sections up to 45 dB

MADE BY KÖNIG + NEURATH


YOU WILL FIND ALL THE PRODUCTS SHOWN HERE IN THE CATALOGUE





NET.WORK.PLACE Organic







MEETING TABLE and MOVE.MIX

The special mix for spontaneous meetings standing up.



TENSA.NEXT
The next generation

As a leading brand for office furniture and room systems, König + Neurath develops solutions for individual work cultures.

Together with specialist retailers, König + Neurath supports its customers throughout the entire process of outfitting offices. With differentiated style collections design-conscious furniture and digital solutions, the family-owned company, established in 1925, helps its customers to adapt successfully to the changing nature of the workplace



TALO.YOU

 $\ensuremath{\mathsf{A}}$ desk system that changes with you.

Deutschland

König + Neurath AG Industriestraße 1–3 61184 Karben T +49 6039 483-0 info@koenig-neurath.de

Great Britain

König + Neurath (UK) Ltd. Ground and Lower Ground Floor 75 Farringdon Road London EC1M 3JY T +44 20 74909340 info@koenig-neurath.co.uk

Nederland

König + Neurath Nederland Beethovenstraat 530 1082 PR Amsterdam T +31 20 4109410 info@konig-neurath.nl

France

König + Neurath AG 53, rue de Châteaudun 75009 Paris T +33 1 44632393 info@koenig-neurath.fr

Schweiz

König + Neurath (Schweiz) GmbH St. Gallerstrasse 106 d CH–9032 Engelburg / St. Gallen T +41 52 7702242 info@koenig-neurath.de

Österreich

König + Neurath AG Gonzagagasse 1 / Morzinplatz 1010 Wien T +43 676 4117512 info@koenig-neurath.de

