

FLEXIBLE SPACE SOLUTIONS

With INSIDE.CUBE, MEET.IN, TALK.BOX, QUIET.BOX, QUIET.BOX Duo, QUIET.BOX Duo XL, QUIET.BOX Live, THINK.TANK and THINK.TANK.II

SPACES WHERE PEOPLE CAN BE CREATIVE



KÖNIG+
NEURATH


A world of work which is as flexible as you are

With the advent of new ways of working, individual offices and designated workstations are disappearing more and more from office landscapes. Teamwork, short pathways, quick meetings and a creative togetherness define everyday work and demand spaces for communication.

The question is simple: how do you allow for private space and provide the opportunity for individuals to withdraw at the same time? How is concentrated, quiet work possible?

As an expert in office furniture and room systems with decades of experience, König + Neurath has answers to these questions.

Allow us to convince you!



ALUMINIUM WITH A SMALLER CO₂ FOOTPRINT

The ASI-certified aluminium for our room systems is supplied by Hydro REDUXA and comes from Hydro's Norwegian smelters, who only use electricity from renewable sources (hydropower, wind and sun).



Our room systems contain no VOC emissions.



INDOOR ADVANTAGE GOLD FURNITURE



ICO 2
NIC 0
AWA 1
RDS 7
INTERIOR
INNOVATION
selection

THINKING AND WORKING OUTSIDE THE BOX INSIDE.CUBE

Work that doesn't feel like work. You want to attract the right employees for your business and motivate them to personal development? With us, you can enable work which is concentrated, creative and networked. **With INSIDE.CUBE, you have the possibility of creating a special room experience.** In harmonious colours, with clear shapes and a wide range of design options.

Printed fabric
ceilings are available



Products:
INSIDE.CUBE, NET.WORK.PLACE Organic elements,
NET.WORK.PLACE Lounge Chair, BASIC.4 and pedestals

LET'S HAVE A MEET.IN

Open space management systems like our MEET.IN are an ideal way to create visual structure in your reception and lounge areas. These micro-houses are effective in more ways than one. For users they offer a quiet space with a pleasant atmosphere, while visually they evoke an attractive, homely feel.

MEET.IN is available as a solution for two or four people, with a back wall or open, and comes in a choice of finishes. It can be supplied with wall or desk lights to add a little luxury in the staff restaurant or cafeteria.



Products:
MEET.IN and NET.WORK.PLACE elements



TALK.BOX – WHEN PRIVACY BECOMES A SPACE.

A conversation at moderate volume measures 65 decibels. That's considered a background noise level that can certainly disrupt focused working. To help employees stay relaxed, productive and healthy, **it's a good idea to install an acoustic solution in an open space office. There are different options – one of which is our TALK.BOX.**

The innovative telephone booth only requires about one square metre of floor space. and is very effective when it comes to limiting noise in the office. Its black profiles are made of sustainably produced aluminium, which adds an elegant touch in offices for example with a loft style.

Products:
TALK.BOX, TALO.YOU Bench, OKAY.III, ACTA.PLUS,
QUICK.III, MOVE.MIX bar stool

QUIET.BOX

CLEAR FORM, MORE PRIVACY.

Even in busy places people need space to make phone calls undisturbed or to discuss confidential information. **Our smallest and simplest solution to this problem is the QUIET.BOX.** It fits in harmoniously everywhere – even in passageways or canteens – with minimum impact. That's thanks to its understated design and optional transparent rear panel. We supply the QUIET.BOX as a ready-assembled piece of furniture, so you just have to put it up and plug it in. Ventilation, lighting and power connection are included!



Products:
QUIET.BOX, Meeting tables, MOVE.MIX and
MOVE.MIX bar stools, NET.WORK.PLACE elements

QUIET.BOX Organic

A MODULAR APPROACH TO SPACE ORGANISATION

You don't necessarily need much space for privacy. Do you want to share personal or confidential information in an open space office?

Then you need to retreat to our QUIET.BOX Organic, which has a homely feel.

The textile, acoustically effective back panel can be designed individually.

The organic design of this modern-day phone box makes it the perfect complement for the open space solutions in our NET.WORK.PLACE Organic programme.



Products:
QUIET.BOX Organic, TENSA.NEXT,
NET.WORK.PLACE Organic elements, THINK.TANK, HORIZONTE

QUIET.BOX Duo Organic FOR FOCUSED WORKING AND MORE

Working in an open space brings teams closer together and encourages them to reach decisions quickly. But you're going to need areas suitable for discussions too, so that your employees still have a quiet atmosphere for tasks involving concentration. **The QUIET.BOX Duo is ideal for quick one-to-one meetings or focused working.** The solution is completely self-contained with its own ventilation and comes with a choice of furniture – for instance with bench seats and tables. The glass back panel creates a pleasant feeling of space. The fabric-covered internal walls and acoustic ceiling ensure perfect acoustics.

Products:
QUIET.BOX Duo Organic, TENSA.NEXT, Meeting table,
MOVE.MIX bar stools and NET.WORK.PLACE elements

QUIET.BOX Duo XL

JUST THINK BIGGER

Whatever your space situation and style – with the **QUIET.BOX Duo XL** we offer you a **Made in Germany room-in-room system that's quick to install and can be configured in many different ways.** This new addition to the QUIET.BOX Duo product family boasts an extra 30 cm in depth and has no floorplate so it's instantly ready for use, supplied with integral lighting and ventilation as well as in a wide selection of configuration options. Choose from our comprehensive range of décor finishes, fabrics and outfitting variants – to find the solution that's perfect for your premises, style and individual needs!



Products:
QUIET.BOX Duo XL, QUICK.III, TALO.YOU and OKAY.III

QUIET.BOX Live

VIRTUAL CLOSENESS FOR YOUR NEXT CALL

The **QUIET.BOX Live** room system creates a quiet working environment with uniform basic lighting and accent lighting for shadow-free illumination and interference-free sound transmission. Thanks to integrated ventilation with a recirculation system, you can be productive online and understand your conversation partner without any problems. Go into **your sales talks, presentations, training sessions or virtual meetings without stress.**



THINK.TANK

THE MOST CREATIVE WAY TO ACHIEVE NEW USE OF SPACE

The foyer is the company's business card. We work together with our partners to create a representative area that reflects an impression of their individual work culture. If you include areas for privacy and meetings here, the productive work can start right in the entrance hall: our **THINK.TANK** is incorporated into the architecture of the room, the glass partitions allow a view of what's happening – and the inspirational **NET.WORK.PLACE** upholstered elements and whiteboards really help people get creative.



Products:
THINK.TANK, HORIZONTE, DO IT.4,
NET.WORK.PLACE elements,

FOR A CREATIVE MEETING CULTURE **THINK.TANK**

**Develop your vision of the ideal working environment.
And realise it with our THINK.TANK.** We present to you our exclusive room-in-room concept as a high-end solution, which is designed and manufactured made-to-measure to meet your requirements. With it, you can design creative meeting rooms with high-quality materials, top of the range equipment and in all possible shapes and sizes. We support you all the way from the first idea through planning to the ready-to-use installation on site.



Products:
THINK.TANK, NET.WORK.PLACE Organic elements,
MOVE.MIX bar stools, Meeting tables, TALO.S Bench, JET.II

THINK.TANK.II

MORE TRANSPARENCY. MORE OUTPUT.

Work is becoming increasingly less desk-based. Brainstorming sessions, agile work methods and established creative techniques call for the cumulative expertise of a versatile team. You can create the right space for this with our **THINK.TANK.II**. This acoustically optimised retreat zone offers enhanced acoustic protection thanks to its double glazing, and can be stylishly integrated into open space areas.



Products:
THINK.TANK.II, NET.WORK.PLACE elements, TWO.2.BLOCK,
TALK.BOX and ACTA.LOCKER

“The first step towards a better working culture is the choice of the correct furniture.”

INSIDE.CUBE

MEET.IN

TALK.BOX

QUIET.BOX

QUIET.BOX Organic

QUIET.BOX Duo

QUIET.BOX Duo Organic

QUIET.BOX Duo XL

QUIET.BOX Duo XL Organic

QUIET.BOX Live

THINK.TANK

THINK.TANK.II

FORM FOLLOWS FUNCTION



INSIDE.CUBE
A flexible room-in-room module to design offices and work zones for a wide range of requirements.
Medium length of installation time.



MEET.IN
A house module with design potential: a range of back wall options, various enclosure colours, ceiling or desk lights, and much more
Short installation time.



TALK.BOX
Our most compact room-in-room solution for making phone calls with sustainably manufactured aluminium profiles in black.
Quickly assembled on site.



QUIET.BOX
Our smallest room-in-room solution, we supply it ready-assembled so you just have to put it in place.
No fitting work required.



QUIET.BOX Organic
As space-saving as it's little sister: thanks to the modular construction it's quickly assembled on site.
Quickly assembled on site.



QUIET.BOX Duo and QUIET.BOX Duo Organic
Enough space for two: an independent room, fitted with state-of-the-art technology. Dimmable lighting and ventilation via flat screen control. CO2 sensor also available.
Quickly assembled on site.



QUIET.BOX Duo XL and QUIET.BOX Duo XL Organic
The QUIET.BOX Duo XL – our meeting solution for up to four people – is as quick and easy to install as the smaller variants.
Quickly assembled.



QUIET.BOX Live
A quiet space for undisturbed video calls with lighting and excellent room acoustics.
Quickly assembled.



THINK.TANK
Our high-end solution with which you create additional prestigious rooms within open space.
Longer installation time, but without impact on the building structure.



THINK.TANK.II
Our high-end solution with double glazing is based on a modular concept and pre-assembled for quiet installation.
Short installation time, low noise and without impact on the building structure.

MODULE OVERVIEW

INSIDE.CUBE

Ceiling construction

- + Acoustically effective, printable and easily exchangeable fabric ceiling
- + Modular prefabricated cassette structure
- + Integral ventilation ducts

Installations

- + Circulating ventilation system with active supply and exhaust fans
- + Ventilation slots in the shadow gap
- + Ventilation ducts with acoustic modification
- + Wireless switches for simple installation

Modular construction

- + Different basic sizes: special sizes on request
- + Internal lengths (can be combined): 1,600 mm, 2,400 mm, 2,800 mm, 3,200 mm
- + Modular construction offers a wide range of design options
- + Module grid: 200, 400, 600, 800, 1,000 mm modules in fabric or glass
- + Fabric-covered basic structure (corners, ceiling brackets)
- + Planning instructions: only use fabric modules to connect to corner posts; only use fabric modules to connect to a door element; do not put 2 glass modules next to each other

Fabric trims


- + Fabric selection from the K+N fabric collection, matching the screen
- + Glass modules in 8 mm VSG-S laminated safety glass
- + Cable management inside the modules via removable trims

Installation and construction

- + The design requires no floor fixings
- + Quiet and easy assembly
- + Prefabricated modules allow rapid assembly
- + Can be completely taken down and re-erected at any time

Door

- + Standard door 800 mm centre-to-centre in 8 mm safety glass
- + Acoustic closure through drop-down seal
- + Door threshold for increased stability



DETAILS

1 | WELL-DESIGNED CORNER JUNCTION GLASS/FABRIC

The partly concealed module connection glass to fabric underpins the harmonious overall appearance.



2 | FINE CORNER DETAILS

And the completely fabric-covered corner junctions also fit into the overall appearance.



3 | INTERNAL CORNER WITH FABRIC FACING

The concealed corner details allow a seam-free fabric cover; and the invisible construction produces fine corner junctions.


4 | FLUSH JUNCTION FABRIC/FABRIC

Good fabric/fabric junctions were part of the design brief.



5 | PRINTABLE CEILING SAIL

The fabric ceiling with integral ventilation is available in white; on request, it can be printed in any pattern.



6 | A CONTRACT-QUALITY DOOR-FRAME

The door frame is slim-line to match the system, and the door furniture is of contract quality.



7 | OPTIMISED CONTACT WITH THE FLOOR

The floor connection requires no fixings to the floor, is telescopic and designed for good acoustics.



8 | STABILISING THRESHOLD

The door has a threshold to increase the stability of the construction and to support the acoustic performance.

PRODUCT OVERVIEW



INSIDE.CUBE

Description	Room
Technical details	
Ceiling	Ceiling of stretched fabric
Sizes	12 sizes
Wall configuration	Modular, no restrictions on design
Absorption (echo)	Yes
Sound insulation	Yes, Rw,P 32 dB
Door	Hinged door
Surface finishes	MFC, fabric from collection, whiteboard, acoustic etc.
Ventilation	Active ventilation (ventilator)
Climate control	Yes, optional
Lighting	Ceiling lights and pendant lights are available
Glazed overpanels	-
Glazing	Glass modules
Floor	No separate floor, barrier-free (floor optional)
Construction	
Installation time (excl. transport)	Approx. half a day
Reconfiguration on the same floor	Approx. half a day
Construction	Low-noise
Flexibility	All components can be reused
Fastened to the floor of the building	-
Maximum size	Depth 3,200 mm, length 3,200 mm
Height	2,440 mm
Electrics	
	In the solid walls (as with INSIDE.50)
Sound insulation	
	Solid and glazed walls to Rw,P 32 dB




FAST AND FOCUSED MEETINGS

CUSTOMISED
back wall design
+ fabric-covered
+ open (without back wall)
+ whiteboard and blackboard from inside or outside

LIGHTING
wall and table light options available

SOLID PANELS
can be chosen from the K+N plastic/melamine finish collection (solid colour and wood effect)



POWER MODULE
with power and USB points

FURNITURE
seating with back cushions and table



FABRIC
from the K+N fabric collection (Economy 13 and 71, Standard 22, 28, 201, 202, 203, 901 and 902, Comfort 33 and 92 also Premium 42, 43 and 44)

PRODUCT OVERVIEW



	MEET.IN (2-SEATER)	MEET.IN (4-SEATER)
Description	Booth	Booth
Technical details		
Ceiling	Melamine pitched roof	Melamine pitched roof
Sizes	One variant	One variant
Wall configuration	Closed or open	Closed or open
Absorption (echo)	Optional ceiling sound absorber	Optional ceiling sound absorber
Sound insulation	-	-
Surface finishes	Free choice	Free choice
Lighting	Optional	Optional
Floor	Own floor with carpet	Own floor with carpet
Construction		
Installation time (excl. transport)	1 hour	1 hour
Reconfiguration on the same floor	1.5 hours	1.5 hours
Construction	Quiet / modular	Quiet / modular
Flexibility	All components can be reused	All components can be reused
Fastened to the floor of the building	-	-
Maximum size	750 x 2,000 mm	1,500 x 2,000 mm
Hight	2,200 mm	2,200 mm
Electrics		
	Closed variant with power module integrated centrally into back wall	Closed variant with power module integrated centrally into back wall



INDOOR ADVANTAGE GOLD FURNITURE

**Two models,
for 2 or 4 people**

BREAKOUT SPACE FOR DISCRETE TELEPHONE CALLS

BUILT-IN LED
for uniform illumination.
Controlled by presence detector.

DOOR HINGES
3D-adjustable

BACK WALL
Optionally available
with fixed glazing
Rw,P 38 dB

SOLID PANELS
Can be chosen from the K+N
plastic/melamine finish collection
(in solid colour and wood effect)
Acoustic insulation level Rw,P 42 dB



VENTILATION

Ventilation and extraction through the shadow gap (left and right).
Controlled by presence detector.

ACOUSTIC GLAZING

Door with acoustic insulation
level Rw,P 37 dB

STORAGE SHELF

With USB charging point and power socket, size 330 x 700 mm

FITTINGS

Black to match profiles



TEXTILE INSIDE SURFACES

For an ideal interior acoustic choose from the K+N fabric collection (Economy 13 and 71, Standard 22, 28, 201, 202, 203, 901 and 902, Comfort 33 and 92, or Premium 42, 43 and 44)

FRAME
Black, fine structure
powder-coated

FITS DIRECTLY TO THE FLOOR
Does not have its own floor,
no edge to trip over

PRODUCT OVERVIEW

TALK.BOX Angular profile



TALK.BOX Rounded profile



Description	Room	Room
Technische Angaben		
Ceiling	Fabric	Fabric
Sizes	Fixed size	Fixed size
Wall configuration	Closed on 3 sides, or with glass back panel	Closed on 3 sides, or with glass back panel
Absorption (echo)	Yes	Yes
Sound insulation	Yes, Rw,P 38 dB	Yes, Rw,P 38 dB
Door	Glass door	Glass door
Surface finishes	Free choice	Free choice
Ventilation	Active ventilation (ventilators)	Active ventilation (ventilators)
Climate control	-	-
Lighting	Yes, ceiling light	Yes, ceiling light
Skylight	-	-
Glass panels	optional	optional
Floor	No built-in floor (Optionally available)	No built-in floor (Optionally available)
Aufbau		
Installation time (excl. transport)	3 hours	3 hours
Reconfiguration on the same floor	2 hours	2 hours
Construction	Sometimes noisy	Sometimes noisy
Flexibility	All components can be reused	All components can be reused
Fastened to the floor of the building	-	-
Maximum size	1,106 x 1,106 mm	1,106 x 1,106 mm
Height	2,226 mm	2,226 mm
Required room height	2,400 mm	2,400 mm
Electrics		
	Yes, same side as writing tablet	Yes, same side as writing tablet
Sound insulation		
	Opaque walls Rw,P 42 dB Glazing Rw,P 38 dB	Opaque walls Rw,P 42 dB Glazing Rw,P 38 dB



1 M² QUIET ZONE FOR PERSONAL CONVERSATIONS



BUILT-IN LED
For uniform illumination



BACK PANEL
Optionally available as a glazed unit (non-opening)



SHELF
With USB charger and socket



SEAT UPHOLSTERY
Choose from the K+N fabric collection.



DOOR HINGES
3D-adjustable


OPAQUE PANELS
Chosen from the K+N plastic/melamine finishes (solid colour and patterned)
Acoustic insulation level Rw,P 42 dB



TEXTILE INSIDE SURFACES
For an ideal interior acoustic choose from the K+N fabric collection (Economy 13 and 71, Standard 22, 28, 201, 202, 203, 901 and 902, Comfort 33, 92 also Premium 42, 43 und 44)

ACOUSTIC GLAZING
With acoustic insulation level **Rw,P 37 dB**

DOOR FRAME
Oak natural, other types of wood / painted finishes chosen from the RAL colour chart are available on request



ADJUSTABLE GLIDES
Are integrated into the base for stability

PRODUCT OVERVIEW

VOICE LEVEL REDUCTION
Classification B according to ISO 23351-1



	QUIET.BOX	QUIET.BOX Organic
Description	Room	Room
Technical details		
Ceiling	Fabric-covered	Fabric-covered
Sizes	Fix size	Fix size
Wall configuration	3 sides closed or glass back panel	3 sides closed or glass back panel
Absorption (echo)	Yes	Yes
Voice level reduction	Classification B according to ISO 23351-1	Classification B according to ISO 23351-1
Door	Hinged glass door	Hinged glass door
Surface finishes	Inside fabric (see K+N collection), outside melamine (optionally with fabric)	Inside fabric (see K+N collection), outside melamine (optionally with fabric)
Ventilation	Active ventilation (ventilator)	Active ventilation (ventilator)
Climate control	-	-
Lighting	Yes, integral ceiling light	Yes, integral ceiling light
Glazed overpanels	-	-
Glazing	Enclosed	Enclosed
Construction		
Installation time (excl. transport)	Pre-assembled approx. 30 minutes in kit form approx. 2-3 hours	Pre-assembled approx. 30 minutes in kit form approx. 1-2 hours
Reconfiguration on the same floor	30 minutes	30 minutes
Construction	Low-noise	Low-noise
Flexibility	All components can be reused	All components can be reused
Fastened to the floor of the building	-	-
Size	1,000 x 1,000 mm	1,000 x 1,000 mm
Height	2,226 mm	2,226 mm
Required room height	2,300 mm (delivered disassembled) 2,450 mm (mounted on pallet)	2,300 mm (delivered disassembled) 2,450 mm (mounted on pallet)
Electrics		
	In the solid walls	In the solid walls
Sound insulation		
	Solid walls up to Rw,P 42 dB Glazed sections up to Rw,P 38 dB	Solid walls up to Rw,P 42 dB Glazed sections up to Rw,P 38 dB



TRANQUILITY FOR TWO



CONTROL/ACCESSORIES
Customised equipment
as required




COLOURS AND DECORS DETAILS




FABRIC INNER SURFACES
for ideal interior acoustics according to K+N fabric collection
(Economy 13 and 71, Standard 22, 28, 201, 202, 203, 901 and 902,
Comfort 33 and 92, and Premium 42, 43 and 44)

PROFILES
Various colours,
including RAL shades,
to choose from



1 | FABRIC CEILING
Acoustic properties



2 | CEILING TRIM PROFILE
Neat covering for ceiling structure
and concealed technology

3 | OPERATING CONSOLE
Light and ventilation switches as standard
version or available with touch function

4 | DOOR HINGES
3D-adjustable in silver,
optional in white or black

5 | FLOOR CONNECTION
Flush-level entry

QUIET ZONE FOR TWO – IN THREE VERSIONS



INTERNAL VARIANT 1
Small meeting situation
with integrated fabric-covered bench seats
(optional with backrest padding)
and side table.

Products:
NET.WORK.PLACE bench and
side table.



INTERNAL VARIANT 2
Mini-office for focused working.

Products:
MOVE.MIX bar stool and standing bridge



INTERNAL VARIANT 3
Dynamic meeting situation for stand-up
meetings.

Products:
QUICK.III and side table.

PRODUCT OVERVIEW

**VOICE LEVEL
REDUCTION**
Classification A
according to
ISO 23351-1



	QUIET.BOX Duo	QUIET.BOX Duo Organic
Description	Room	Room
Technical details		
Ceiling	Acoustic ceiling in wooden material	Acoustic ceiling in wooden material
Sizes	Fix Size	Fix Size
Wall configuration	Unrestricted design	Unrestricted design
Absorption (echo)	Yes	Yes
Voice level reduction	Classification A according to ISO 23351-1	Classification A according to ISO 23351-1
Door	Hinged or sliding door	Hinged or sliding door
Surface finishes	Free choice	Free choice
Ventilation	Controllable, active ventilation	Controllable, active ventilation
Climate control	No	No
Lighting	Built-in and pendant lights are available	Built-in and pendant lights are available
Glazed top modules	No	No
Glass modules	Large areas	Large areas
Floor	Does not have its own floor, barrier-free (Optional floor available)	Does not have its own floor, barrier-free (Optional floor available)
Construction		
Installation time (excl. transport)	3 – 4 hours	3 – 4 hours
Reconfiguration on the same floor	3 hours	3 hours
Construction	Noisy	Noisy
Flexibility	All components can be reused	All components can be reused
Fastened to the floor of the building	No	No
Maximum size	2,200 x 1,200 mm	2,200 x 1,200 mm
Height	2,226 mm	2,226 mm
Required room height	2,400 mm	2,400 mm
Electrics		
	Electrical post in the centre of the rear wall	Electrical post in the centre of the rear wall
Sound insulation		
	Solid walls up to Rw,P 43 dB, glazed sections up to Rw,P 38 dB	Solid walls up to Rw,P 43 dB, glazed sections up to Rw,P 38 dB



PEACE AND QUIET - FOR TWO TO FOUR




CONTROL/ACCESSORIES
Customised equipment as required

ACOUSTIC GLAZING
with acoustic insulation level
Rw,P 38 dB.
Door Rw,P 37 dB
(optional DIN right/DIN left)

COLOURS AND DECORS DETAILS




FABRIC INNER SURFACES
for ideal interior acoustics according to K+N fabric collection
(Economy 13 and 71, Standard 22, 28, 201, 202, 203, 901 and 902, Comfort 33 and 92, and Premium 42, 43 and 44)



PROFILES
Various colours, including RAL shades, to choose from



1 | FABRIC CEILING
Acoustic properties




2 | CEILING TRIM PROFILE
Neat covering for ceiling structure and concealed technology

3 | OPERATING CONSOLE
Light and ventilation switches as standard version or available with touch function

4 | DOOR HINGES
3D-adjustable in silver, optional in white or black

5 | FLOOR CONNECTION
Flush-level entry, barrier-free.

QUIET ZONE FOR TWO TO FOUR IN THREE VERSIONS




INTERNAL VARIANT 1
Stand-up working
QUIET.BOX Duo bridging desk
Premium wiring package
Electrical equipment: Conference

Other products:
MOVE.MIX bar stool



INTERNAL VARIANT 2
QUIET.BOX Duo standard stand-up table
Basic II wiring package
Electrical equipment: Work

Products:
QUICK.III AND side table



INTERNAL VARIANT 3
Seated meeting
QUIET.BOX Duo standard desk
QUIET.BOX Duo bench seat
Basic I wiring package
Electrical equipment: Talk

Products:
NET.WORK.PLACE bench
(optional with backrest padding)
and side table

PRODUCT OVERVIEW

**VOICE LEVEL
REDUCTION**
Classification A
according to
ISO 23351-1



QUIET.BOX Duo XL
Organic
also available
as a version with
rounded corners



	QUIET.BOX Duo XL	QUIET.BOX Duo XL Organic
Description	Room	Room
Technical details		
Ceiling	Acoustic ceiling in fabric	Acoustic ceiling in fabric
Sizes	Fixed size	Fixed size
Wall configuration	2 variants	2 variants
Absorption (echo)	Yes	Yes
Voice level reduction	Classification A according to ISO 23351-1	Classification A according to ISO 23351-1
Door	Hinged door	Hinged door
Surface finishes	Free choice	Free choice
Ventilation	Controllable, active ventilation	Controllable, active ventilation
Climate control	No	No
Lighting	Ceiling mounted light	Ceiling mounted light
Glazed overpanels	No	No
Glass modules	Large areas	Large areas
Floor	Does not have its own floor, barrier-free (Optional floor available)	Does not have its own floor, barrier-free (Optional floor available)
Construction		
Installation time (excl. transport)	3 - 4 hours	3 - 4 hours
Reconfiguration on the same floor	3 hours	3 hours
Construction	Noisy at times	Noisy at times
Flexibility	All components can be reused	All components can be reused
Fastened to the floor of the building	No	No
Size	2,200 x 1,500 mm	2,200 x 1,500 mm
Height	2,226 mm	2,226 mm
Required room height	2,400 mm	2,400 mm
Electrics		
	Wired post in the centre of the rear wall	Wired post in the centre of the rear wall
Sound insulation		
	Solid walls up to Rw,P 43 dB, glazed sections Rw,P 38 dB	Solid walls up to Rw,P 43 dB, glazed sections Rw,P 38 dB



IDEAL CONDITIONS FOR VIDEO CALLS



COLOURS AND DECORS DETAILS



- 1 | CONSOLE UNIT**
Cockpit feature to store hardware on one side without obstructing the view of the screen.
- 2 | CABLE PASS-THROUGH**
to help organise tangled cables.
- 3 | ELECTRONIC CONTROLS**
Motion detector and TFT control.
- 4 | ELECTRICS**
In three variants.
Conference: 2x mains power, 1x HDMI, 1x USB
Work: 1x mains power, 1x USB
Talk: 1x mains power
- 5 | BACKGROUND LIGHTING**
Indirect lighting for shadow-free face illumination.
- 6 | FRONT LIGHTING**
for perfect front lighting during video conferences.

PHONE BOOTH FOR VIDEO CALLS

PRODUCT OVERVIEW



EQUIPMENT VARIANT 1
 Door position on the right (DIN right)
 Exterior surfaces in natural oak
 With K+N NOOK.SHELL (cosy shell chair)



EQUIPMENT VARIANT 2
 With base plate in black
 Door position left (DIN left)
 Writable exterior surface on the left


VOICE LEVEL REDUCTION
 Classification B according to ISO 23351-1



COMBINATION OPTIONS
 with the QUIET.BOX DUO and QUIET.BOX DUO XL

QUIET.BOX Live

Description	Room
Technische Angaben	
Ceiling	Acoustic ceiling with concealed air outlets and integrated ceiling spotlights
Sizes	1,200 x 1,500 x 2,226 mm
Wall configuration	2 variants
Absorption (echo)	Yes
Voice level reduction	Classification B according to ISO 23351-1
Door	Hinged door (DIN right, DIN left)
Surface finishes	Free choice
Ventilation	Controllable, active ventilation
Climate control	No
Lighting	Basic lighting via ceiling spotlights, optionally with ambient and video lighting
Floor	Does not have its own floor, barrier-free (Optional floor available)
Construction	
Installation time (excl. transport)	3 – 4 hours
Reconfiguration on the same floor	3 hours
Construction	Low noise
Flexibility	All components can be reused
Fastened to the floor of the building	No
Required room height	2,400 mm
Electrics	
	In 3 variants
Sound insulation	
	Solid walls up to $R_{w,P}$ 43 dB, glazed sections $R_{w,P}$ 38 dB




MODULE OVERVIEW

THINK.TANK

Door element

- + Available fully glazed, frame, solid leaf or sliding doors
- + Electro controls can be integrated into the door frame
- + Can be positioned at variable points in the walls



Ceiling construction

- + Acoustically effective claddings made of wood composite
- + Multilayer construction
- + Insulated air channels
- + Simple integration of equipment required by customer
- + Integration of lighting is planned
- + Air recirculation system as standard

Wall design

- + Free choice of wall/glass surface distribution
- + Multilayer structure
- + Diverse material and design options

Glass surfaces

- + Central, side or double glass structure possible
- + Optional transparent glazing joins without profile insert
- + Various glass styles can be selected if required

Construction

- + Profile-based modular system
- + Sturdy post-and-rail construction
- + Aluminium-coloured or can be painted in RAL colours
- + Can be fully dismantled and reassembled
- + Plug-and-play-ready assembly by K+N

Wall trims

- + Interior spaces fully insulated
- + Free choice of cabling
- + Monitors can be fitted
- + Easy to fit switches and extra sockets

DETAILS



1 | LIGHTING
Recessed or surface-mounted luminaires possible.



2 | CEILING
Acoustic properties



3 | CEILING TRIM PROFILE
Neat covering for ceiling structure and concealed technology.



4 | VENTILATION OUTLET
concealed in the all-round shadow gap for optimum air exchange.




5 | CORNER POSTS
Corner variant with delicate glazing join or post.



6 | OPERATING CONSOLE
Light and ventilation switches standard version or with touch function.



7 | DOOR HINGES
3D-adjustable



8 | GLAZING
Generous glass area with transparent glazing join



9 | FLOOR CONNECTION
Low floor connection, not offset.

PRODUCT OVERVIEW




THINK.TANK

Description	Room
Technical details	
Ceiling	Acoustic ceiling in wooden material
Sizes	Individual
Wall configuration	Unrestricted design
Absorption (echo)	Yes
Sound insulation	Yes, Rw,P 32 - 43 dB
Door	Hinged or sliding door
Surface finishes	Free choice
Ventilation	Controllable, active ventilation
Climate control	Yes, optional
Lighting	Built-in and pendant lights are available, pendant luminaire
Glazed top modules	Yes
Glass modules	Large areas
Construction	
Installation time (excl. transport)	Approx. 1 day
Reconfiguration on the same floor	Approx. 1 day
Construction	Noisy
Flexibility	All components can be reused
Fastened to the floor of the building	Only in the door area
Maximum size	Depth approx. 4,000 mm, length unlimited
Electrics	
	In the solid walls, corner posts, ceiling frame, door frame
Sound insulation	
	Solid walls up to Rw,P 48 dB, glazed sections to Rw,P 43 dB



SAMPLE SITUATIONS IN TWO DESIGN VARIANTS




THINK.TANK 2,400 x 2,400 MM
Our small solution for stand-up meetings, private conversations and focused working. You select the furniture and outfitting that suits your needs and the required work culture.



THINK.TANK 4,000 x 3,200 MM
Ideal for meetings with small groups, equally suitable as a separate lounge area, or an office that provides space for efficient working.



THINK.TANK 6,000 x 4,000 MM
Space for ideas. Formal meetings can be just as successful here as creative brainstorming. We offer you a selection of stylish furniture for diverse requirements.



THINK.TANK 8,400 x 4,200 MM
Your own work area. Large conferences can be held in this generously-sized room-in-room solution. We also offer you useful furnishing inspiration for seminars or creative areas.

MODULE OVERVIEW

THINK.TANK.II

Wall module

- + Organiser accessories and monitor mounting available
- + Wiring can be integrated in the modules
- + With reversible trims
- + Lots of design options (fabric, melamine, paint)

Ceiling construction

- + Modular panelled ceiling for fast, quiet assembly
- + Acoustic properties
- + Integral ventilation
- + Pendant or ceiling mounted light available

Glass modules

- + Supplied as complete modules
- + No need to bolt to the floor
- + Bonded glass surfaces (flush glazing)
- + Uniform thickness across all elements

Module system


- + Preassembled for fast installation, low noise and dust

System

- + Natural or coloured anodised finish
- + Individual size choice thanks to variable module width
- + Can be fully reversed and reassembled

Door element

- + Ready-assembled module
- + Same thickness as glass elements, opaque modules not set back
- + Glass or opaque material



DETAILS



1 | LIGHTING
Lighting available as downlight or pendant light.

2 | FABRIC CEILING
Acoustic properties



3 | CEILING TRIM PROFILE
Neat covering for ceiling structure and concealed technology.



4 | VENTILATION OUTLET
Concealed in the all-round shadow gap for optimum air exchange.

5 | CORNER POSTS

6 | OPERATING CONSOLE
Light and ventilation switches standard version or with touch function.



7 | DOOR HINGES
3D-adjustable



8 | UPPER DOOR CLOSER
Not visible when door is closed.

9 | FLOOR CONNECTION
Low floor connection, not offset, barrier-free.

PRODUCT OVERVIEW



THINK.TANK.II

Description	Room
Technical details	
Ceiling	Ceiling of stretched fabric
Sizes	Individual
Wall configuration	Unrestricted design
Absorption (echo)	Yes
Sound insulation	Yes, Rw,P 36-45 dB
Door	Hinged or sliding door
Surface finishes	Free choice
Ventilation	Controllable, active ventilation
Climate control	Yes, optional
Lighting	Built-in and pendant lights are available
Glazed top modules	Yes
Glass modules	Glass modules
Construction	
Installation time (excl. transport)	Approx. half a day
Reconfiguration on the same floor	Approx. half a day
Construction	Low-noise
Flexibility	All components can be reused
Fastened to the floor of the building	Only in the door area
Maximum size	Depth approx. 4,000 mm, length unlimited
Electrics	
	In the solid walls, corner posts, ceiling frame, door frame
Sound insulation	
	Solid walls up to Rw,P 45 dB, glazed sections up to Rw,P 45 dB





NET.WORK.PLACE Wave
Lounge system for communication and entrance areas.



NET.WORK.PLACE Organic
Upholstered elements for all communication areas.



TALO.YOU
As a single table or bench workstation in different design variants.



OKAY.III
The swivel chair with bounce effect.



K+N NOOK and K+N NOOK.SHELL
Versatile conference and visitor chair for communication areas and home offices.



reddot winner 2023



TALO.YOU CONFERENCE
Basis for your meeting with different tabletop shapes, heights and depths.

As a leading brand for office furniture and room systems, König + Neurath develops solutions for individual work cultures

Together with specialist retailers, König + Neurath supports its customers throughout the entire process of outfitting offices. With differentiated style collections, design-conscious furniture and digital solutions, the family-owned company, established in 1925, helps its customers to adapt successfully to the changing nature of the workplace.



Follow us on our social media channels

Deutschland

König + Neurath AG
Industriestraße 1-3
61184 Karben
T +49 6039 483-0
info@koenig-neurath.de

Great Britain

König + Neurath (UK) Ltd.
Ground and Lower Ground Floor
75 Farringdon Road
London EC1M 3JY
T +44 20 74909340
london@koenig-neurath.de

Nederland

König + Neurath Nederland
Beethovenstraat 530
1082 PR Amsterdam
T +31 20 4109410
info@konig-neurath.nl

Belgien/Luxemburg

König + Neurath Nederland
Beethovenstraat 530
1082 PR Amsterdam
T +32 475 270060
koen.meyers@koenig-neurath.de

France

König + Neurath AG
9 rue Ambroise Thomas
75009 Paris
T +33 1 44632393
paris@koenig-neurath.de

Schweiz

König + Neurath (Schweiz) GmbH
St. Gallerstrasse 106 d
CH-9032 Engelburg / St. Gallen
T +41 52 7702242
st.gallen@koenig-neurath.de

