


# DO IT.4 CLEAR DESIGN FOR DIVERSE TEAMS.

**FLY-BY PANEL**  
fully flexible with tool  
rail, pinboard function or  
acoustic option



**DISCOVER**  
more screen  
variants for visual  
and acoustic  
protection in our  
product portfolio

**DESK SCREEN**  
fits via adapters



**MODESTY PANEL**  
with visual screening  
function, perforated  
pattern, retrofittable


**CPU BRACKET METAL**  
can be fitted inside or  
outside the frame

**HEIGHT-ADJUSTABLE  
T-PROFILE**  
from 650 to 850 mm

**HEIGHT-ADJUSTABLE  
RECTANGULAR TUBE**  
from 650 to 850 mm



# DO IT.4 BENCH



**1 | BRUSH SEAL**  
Allows cables to be concealed and positioned exactly where needed.



**2 | BRUSH SEAL WITH RECESS**  
For precise positioning of a large number of cables.



**3 | OPEN SLIDING TOP**  
Easy access to the central cable tray and electrics.

# POSSIBLE COMBINATIONS



**Single bench**  
as starter or add-on desk  
(leg frame: T-profile)



**Team workstation**  
on double bench  
(leg frame: T-profile)



**Bench system**  
with header top for meetings and clip-on panels  
(leg frame: T-profile)



**Bench system**  
for temporary workstations with header top  
for meetings, centre screens and mobile screens  
(leg frame: rectangular tube)

# DO IT.4 INFOCARD



## 1 | CONVINCING DESIGN

The shadow gap is a consistent design feature that creates a delicate floating appearance. The desk top is available in two thicknesses: 13 mm or 25 mm (except the bench).

## 2 | SIMPLE HEIGHT ADJUSTMENT

The leg frame made of 75 x 30 mm rectangular tube or the T-profile offers infinitely variable height adjustment from 650 mm to 850 mm.



	Single workstation	Bench
T-profile, bolted	■	■
Rectangular tube (75 x 30 mm)	□	□
Widths	800 mm, 1000 mm, 1200 mm, 1400 mm, 1600 mm, 1800 mm, 2000 mm	1200 mm, 1400 mm, 1600 mm, 1800 mm, 2000 mm
Depths	800 mm, 900 mm, 1000 mm	Single bench: 800 mm Double bench: 1600 mm
<b>Height adjustment</b>		
Fixed 732 mm (25 mm top)	□	-
Infinitely variable 650-850 mm	■	■
<b>Accessories</b>		
3rd level	□	□
CPU holder, printer tray	□	□
Perforated steel modesty panel	□	-
Configurations	-	□
Desk screens	□	□
■ Standard □ Optional		



## 3 | TOOL-FREE ASSEMBLY

The desk has sliding clips for easy assembly.

## 4 | DISCREET CABLE MANAGEMENT

A sliding top allows easy access to the adapters and cable tray.



## 5 | WELL ORGANISED CABLE MANAGEMENT

The flexible umbilical keeps the electrics tidy and well-concealed.

## 6 | CORRECT HEIGHT

Easy to attach a monitor to the arm.



## 7 | ADDITIONAL SCREENS

Various elements can be hooked into the plug-in organiser screen.

## 8 | VARIABLE ASSEMBLY

CPU holders can be mounted on the inside or outside as required.