

BASIC.4

CLASSIC, FUNCTIONAL AND VARIABLE

FLYBY SCREEN

Acoustic effectiveness
(behind-the-table mounting)



DESK SCREEN

on adapter



MODESTY PANEL

Retrofittable visual
screening,
perforated patten



CPU BRACKET METAL

Can be fitted inside or
outside the frame



SQUARE TUBE



ROUND LEG



DISCOVER
more screen variants
for visual and
acoustic protection
in our product
portfolio



BASIC.4 BENCH


DESK SCREEN WITH RAIL
For sturdy mounting of flatscreens or shelf elements



CLAMP-ON SCREEN
For screening from the sides



DESK SCREEN
Suitable for use as a central divider



STANDARD SQUARE TUBE FRAME
With flush-fitting desk top



HEADER TOP
Extension to increase desk space



SQUARE TUBE FRAME
With floating desk top



SURFACE FINISHES
Numerous materials and colours are available.



Exemplary selection.



1 | BRUSH SEAL
Allows cables to be concealed and positioned exactly where needed.



2 | BRUSH SEAL WITH RECESS
For precise positioning of a large number of cables.



3 | OPEN SLIDING TOP
Easy access to the central cable tray and electrics.

POSSIBLE COMBINATIONS

3-seater workstation
with visual screening for focused working (leg frame: square tube with floating desk top)



Bench system for meetings
with header top and mobile screens (leg frame: square tube, mitre-cut, with floating desk top)

Bench system for temporary working
with header top for meetings, centre screens and clip-on panels plus shortened central leg frame (leg frame: square tube)



BASIC.4 INFOCARD



1 | FRAME SHAPE

Square tube or round tube - available with 13 mm or 25 mm worktop.

2 | INFINITELY VARIABLE HEIGHT ADJUSTMENT

Infinitely adjustable by means of an integrated thread - from 680 to 760 mm for round tubes, for square tubes to 680 to 820 mm.




	Single table	Bench
Square tube		
With loosely laid desk top	■	■
Round tube (loosely laid top)	■	-
Widths (in mm)	800 / 1,000 / 1,200 / 1,600 / 1,800 / 2,000	1,200 / 1,400 / 1,600 / 1,800 / 2,000
Depths (in mm)	600 / 800 / 900 / 1,000	Singlebench: 800 Doppelbench: 1.600
Height adjustment		
Fixed 732 mm [25 mm top]	□	-
Infinitely variable 680-820 mm for the square leg	■	□
Height adjustment 650-850 mm	□	-
Accessories		
3rd level Adapters	□	-
CPU holder, printer tray	□	□
Modesty panel	□	-
Configurations	□	-
Table Panels	□	□

■ Standard □ Optional



3 | TOOL-FREE ASSEMBLY

Worktop attaches with clips so it can be lifted off easily without tools.



4 | BOLTED FRAMES

Sturdy and simple to assemble, reconfigure and transport.



5 | CABLE COVER

Easy push-to-open feature with socket mounting strip including four-gang socket.



6 | RAIL ON BOTH SIDES

Can be used for organiser elements or flatscreen holders - with intelligent cable management.



7 | CPU-HOLDER

Can be mounted on the inside or outside of the frame as required.



8 | PERSONALBOX

Multifunctional - can be used as storage or seat (with a mobile base on castors and a seat pad).