K+N STANDBY.OFFICE 2.0

an | [] []

WORKSPACE REDEFINED FOR YOUR OFFICE

NEW

3

C.

3 6



C

NIT

MORE AGILITY. MORE EFFICIENCY. MORE FUN AT WORK!

More and more companies are embracing changes by adopting agile working methods – they are breaking down rigid processes and calling for increased flexibility, making it far easier to fall into step with the requirements of the digitised world. They allow more freedom for ideas and individuality – which includes short-term cooperation with changing project partners. It's already clear that the more agile a company can be, the greater its success.

König + Neurath has developed a solution for this new workplace culture: **K+N STANDBY.OFFICE 2.0.** A space for new ideas to evolve.





"The first step towards a better working culture is the choice of the correct furniture"





MAXIMUM FLEXIBILITY IN THE OPEN SPACE

In today's workplace you often have to react quickly to changing demands. Maybe a few new members are joining your team due to the requirements of the current project.

K+N STANDBY.OFFICE 2.0 from König + Neurath provides you with the perfect solution: A fold-away mobile workstation complete with accessories, which provides acoustic screening even in a busy office and can adapt to the individual needs of each user – perfect for focused work and privacy.

Products: K+N STANDBY.OFFICE 2.0, K+N BALANCE.CHAIR, NET.WORK.PLACE Organic elements and PUBLICA Bench



WORKPLACE ON THE MOVE

It's time to get your company ready for more growth: Progressive working methods need flexible, space-saving solutions that encourage cooperation in ever-changing teams – and therefore support efficient working.

With **K+N STANDBY.OFFICE 2.0** you can make work possible in many different places – and this means improved agility. You mobilise your staff and create new spaces for creative and highly efficient cooperation.



10 39

Products: K+N STANDBY.OFFICE 2.0, OKAY.II, QUICK.II, QUIET.BOX Organic, NET.WORK.PLACE and NET.WORK.PLACE Organic elements

GREAT FEATURES ALL ROUND



QUICK.II Healthy support – wherever you stand.

dynamic day in the office.

standing support functions

in a single chair.

As a leading brand for office furniture and room systems, König + Neurath develops solutions for individual work cultures

Together with specialist retailers, König + Neurath supports its customers throughout the entire process of outfitting offices. With differentiated style collections, design-conscious furniture and digital solutions, the family-owned company, established in 1925, helps its customers to adapt successfully to the changing nature of the workplace.

FURTHER DETAILS

PRODUCT OVERVIEW

Frame: Dimensions without accessories

| Frame: Dimensions without acce | essories | |
|--------------------------------------|---|--|
| Width | 1707 mm | |
| Depth | 800 mm | |
| Height | 1987 mm | |
| Cantilever foot | | |
| Castors | | |
| Glides | | |
| Height adjustments | | |
| Height-adjustable | Height-adjustable via lift from 600 to 1400 mm | |
| Gas lifts for extra weight +20 kg | | |
| Gas lifts for extra weight +40 kg | | |
| Worktop | Width x depth | |
| One-piece top, non-folding | 1600 x 800 mm | |
| Two-piece top, folding | 800 x 295 mm 1600 x 800 mm | |
| Accessories | | |
| Screening | Screening, fixed | |
| | Screening, separate, height-adjustable | |
| | Screening, vertical (canopy) | |
| Valuables compartment | Mounted on the sled base, lockable | |
| Cable management sleeve | Textile, black, fabric group 16/62, length 1259 mm Ø 57 mm | |
| Monitor support | Recommended model: CBS colebrook bosson saunders | |
| Electrics | | |
| Plug & Play | 1) Power socket 2) Twin USB charger 3) Twin Keystone elements | |
| | | |
| Lamp | Artemide light as an integral part of the structure (not retrofittable) | |
| Lamp Wireless charging in desktop | Artemide light as an integral part of the structure (not retrofittable) | |
| Wireless charging in desktop | Artemide light as an integral part of the structure (not retrofittable) | |
| | Artemide light as an integral part of the structure (not retrofittable) | |

| Frame: Dimensions without acce | essories | |
|-----------------------------------|---|---|
| Width | 1707 mm | |
| Depth | 800 mm | |
| Height | 1987 mm | |
| Cantilever foot | | |
| Castors | | |
| Glides | | |
| Height adjustments | | |
| Height-adjustable | Height-adjustable via lift from 600 to 1400 mm | |
| Gas lifts for extra weight +20 kg | | |
| Gas lifts for extra weight +40 kg | | |
| Worktop | Width x depth | |
| One-piece top, non-folding | 1600 x 800 mm | |
| Two-piece top, folding | 800 x 295 mm 1600 x 800 mm | • |
| Accessories | | |
| Screening | Screening, fixed | |
| | Screening, separate, height-adjustable | |
| | Screening, vertical (canopy) | |
| Valuables compartment | Mounted on the sled base, lockable | |
| Cable management sleeve | Textile, black, fabric group 16/62, length 1259 mm Ø 57 mm | |
| Monitor support | Recommended model: CBS colebrook bosson saunders | |
| Electrics | | |
| Plug & Play | 1) Power socket 2) Twin USB charger 3) Twin Keystone elements | |
| Lamp | Artemide light as an integral part of the structure (not retrofittable) | |
| | | |
| Wireless charging in desktop | | |
| | | |
| Wireless charging in desktop | Incl. Velcro strap (not for two-piece tops) | |

| Frame: Dimensions without acce | ssories | |
|-----------------------------------|---|--|
| Width | 1707 mm | |
| Depth | 800 mm | |
| Height | 1987 mm | |
| Cantilever foot | | |
| Castors | | |
| Glides | | |
| Height adjustments | | |
| Height-adjustable | Height-adjustable via lift from 600 to 1400 mm | |
| Gas lifts for extra weight +20 kg | | |
| Gas lifts for extra weight +40 kg | | |
| Worktop | Width x depth | |
| One-piece top, non-folding | 1600 x 800 mm | |
| Two-piece top, folding | 800 x 295 mm 1600 x 800 mm | |
| Accessories | | |
| Screening | Screening, fixed | |
| | Screening, separate, height-adjustable | |
| | Screening, vertical (canopy) | |
| Valuables compartment | Mounted on the sled base, lockable | |
| Cable management sleeve | Textile, black, fabric group 16/62, length 1259 mm Ø 57 mm | |
| Monitor support | Recommended model: CBS colebrook bosson saunders | |
| Electrics | | |
| Plug & Play | 1) Power socket 2) Twin USB charger 3) Twin Keystone elements | |
| Lamp | Artemide light as an integral part of the structure (not retrofittable) | |
| Wireless charging in desktop | | |
| | | |
| Cable grommet | | |
| Cable grommet Smart CPU holder | Incl. Velcro strap (not for two-piece tops) | |

| Frame: Dimensions without acce | essories | |
|-----------------------------------|---|---|
| Width | 1707 mm | |
| Depth | 800 mm | |
| Height | 1987 mm | |
| Cantilever foot | | |
| Castors | | |
| Glides | | |
| Height adjustments | | |
| Height-adjustable | Height-adjustable via lift from 600 to 1400 mm | |
| Gas lifts for extra weight +20 kg | | |
| Gas lifts for extra weight +40 kg | | |
| Worktop | Width x depth | |
| One-piece top, non-folding | 1600 x 800 mm | |
| Two-piece top, folding | 800 x 295 mm 1600 x 800 mm | • |
| Accessories | | |
| Screening | Screening, fixed | |
| | Screening, separate, height-adjustable | |
| | Screening, vertical (canopy) | |
| Valuables compartment | Mounted on the sled base, lockable | |
| Cable management sleeve | Textile, black, fabric group 16/62, length 1259 mm Ø 57 mm | |
| Monitor support | Recommended model: CBS colebrook bosson saunders | |
| Electrics | | |
| Plug & Play | 1) Power socket 2) Twin USB charger 3) Twin Keystone elements | |
| Lamp | Artemide light as an integral part of the structure (not retrofittable) | |
| Wireless charging in desktop | | |
| | | |
| Cable grommet | | |
| Cable grommet Smart CPU holder | Incl. Velcro strap (not for two-piece tops) | |

| Frame: Dimensions without acce | essories | |
|-----------------------------------|---|---|
| Width | 1707 mm | • |
| Depth | 800 mm | |
| Height | 1987 mm | |
| Cantilever foot | | |
| Castors | | |
| Glides | | |
| Height adjustments | | |
| Height-adjustable | Height-adjustable via lift from 600 to 1400 mm | |
| Gas lifts for extra weight +20 kg | | |
| Gas lifts for extra weight +40 kg | | |
| Worktop | Width x depth | |
| One-piece top, non-folding | 1600 x 800 mm | |
| Two-piece top, folding | 800 x 295 mm 1600 x 800 mm | • |
| Accessories | | |
| Screening | Screening, fixed | |
| | Screening, separate, height-adjustable | |
| | Screening, vertical (canopy) | |
| Valuables compartment | Mounted on the sled base, lockable | |
| Cable management sleeve | Textile, black, fabric group 16/62, length 1259 mm Ø 57 mm | |
| Monitor support | Recommended model: CBS colebrook bosson saunders | |
| Electrics | | |
| Plug & Play | 1) Power socket 2) Twin USB charger 3) Twin Keystone elements | |
| Lamp | Artemide light as an integral part of the structure (not retrofittable) | |
| Wireless charging in desktop | | |
| Cable grommet | | |
| | | |
| Smart CPU holder | Incl. Velcro strap (not for two-piece tops) | |

| Frame: Dimensions without acce | essories | |
|---|---|---|
| Width | 1707 mm | |
| Depth | 800 mm | |
| Height | 1987 mm | |
| Cantilever foot | | |
| Castors | | |
| Glides | | |
| Height adjustments | | |
| Height-adjustable | Height-adjustable via lift from 600 to 1400 mm | |
| Gas lifts for extra weight +20 kg | | |
| Gas lifts for extra weight +40 kg | | |
| Worktop | Width x depth | |
| One-piece top, non-folding | 1600 x 800 mm | |
| Two-piece top, folding | 800 x 295 mm 1600 x 800 mm | • |
| Accessories | | |
| Screening | Screening, fixed | |
| | Screening, separate, height-adjustable | |
| | Screening, vertical (canopy) | |
| Valuables compartment | Mounted on the sled base, lockable | |
| Cable management sleeve | Textile, black, fabric group 16/62, length 1259 mm Ø 57 mm | |
| j | | |
| Monitor support | Recommended model: CBS colebrook bosson saunders | |
| | Recommended model: CBS colebrook bosson saunders | |
| Monitor support | Recommended model: CBS colebrook bosson saunders 1) Power socket 2) Twin USB charger 3) Twin Keystone elements | |
| Monitor support Electrics | 1) Power socket 2) Twin USB charger | |
| Monitor support Electrics Plug & Play | 1) Power socket 2) Twin USB charger 3) Twin Keystone elements | |
| Monitor support Electrics Plug & Play Lamp | 1) Power socket 2) Twin USB charger 3) Twin Keystone elements | |
| Monitor support Electrics Plug & Play Lamp Wireless charging in desktop | 1) Power socket 2) Twin USB charger 3) Twin Keystone elements | |

Standard 🗆 Option





5 | LOCKABLE VALUABLES COMPARTMENT Made from solid steel for safekeeping of private property. Optionally available.

6 | FULLY ELECTRIFIED Power sockets, USB ports and wireless charging available on request.







7 | CANTILEVER FEET FOR STABILITY Available in two variants: With glides or on castors for mobility.

2 | CANOPY WITH ACOUSTIC PROPERTIES Cuts distracting noises, allows more privacy.

Space-saving storage for a mini PC base unit.

3 | SMART CPU BRACKET

4 | TEXTILE CABLE SLEEVE An elegant way to conceal electrics.









Deutschland

König + Neurath AG Büromöbel-Systeme Industriestraße 1–3 61184 Karben Fon +49 6039 483-0 info@koenig-neurath.de

Great Britain

K + N International (Office Systems) Ltd 52 Britton Street London EC1M 5UQ Fon +44 20 74909340 info@koenig-neurath.co.uk

Nederland

König + Neurath Nederland Office Furniture Beethovenstraat 530 1082 PR Amsterdam Fon +31 20 4109410 info@konig-neurath.nl

France

König + Neurath AG Showroom Paris 66, rue de la Victoire 75009 Paris Fon +33 1 44632393 info@koenig-neurath.fr

Schweiz

König + Neurath (Schweiz) GmbH Büromöbel-Systeme St. Gallerstrasse 106 d CH–9032 Engelburg / St. Gallen Fon +41 52 7702242 info@koenig-neurath.de

