

TALO.YOU CONFERENCE TABLE

- + **Shape form:** rectangular, boat and trapezoidal top and trapezoid, video conference table in rhombus and hexagonal shape
- + Leg frame design round or square tube
- + A-leg frame, also on castors
- + **Single tables in sizes:**
Width 1,600 to 2,400 mm, depth 1,400 to 1,600 mm
- + **Height adjustment**
Motorised height adjustment from 640 to 1,300 mm
- + **Gas lift version**
for nesting tables, conference and meeting tables, adjustable from 680 to 1,180 mm
- + **Fixed height 750 mm and standing height of 1,060 mm**
- + Metal cable tray/clip-down cable tray, plastic clip-down cable tray
- + Variety of extensions and accessories
- + Wide range of desktop electrics options, cable slot
- + Optional: delivery in component form, boxed



Conference
type hexagon




Type Video conference,
trapezoidal shape




CONFERENCE TABLES

- 1 Overhang 300 mm
- 2 Frame with desktop supports
- 3 Clip-down cable tray
- 4 T-leg frame, square tube with cast iron cantilever feet
- 5 Cantilever feet, FLAT
- 6 Cantilever feet, STEEL
- 7 T-leg frame, round tube with cast iron cantilever feet, SOLID
- 8 Cantilever feet, CURVE
- 9 Cantilever feet, FLAT
- 10 Cantilever feet, SOLID
- 11 A-leg frame - Square
- 12 A-leg frame - Round
- 13 Stadium form
- 14 Videoconference trapezoidal form



- 15 Central leg frame
- 16 Two-part top, depth 800-1200 mm
- 17 Boat form linking element
- 18 Trapezoid form linking element

- 19 Table depth 1400 / 1600 mm
- 20 4-leg frame, square tube
- 21 4-leg frame, round tube
- 22 Rechteckform Verkettungselement
- 23 Central leg frame
- 24 Bootsform Verkettungselement




TALO.YOU INFOCARD

CONFERENCE TABLE




1 | FRAME DESIGN

Square/round tube leg columns are also available with an A-leg frame in steel tube or real wood.



2 | FRAME TYPES

Symmetrical on glides or castors.



3 | FRAME LEGS

Square tube (70 x 70 mm), round tube (Ø 70 mm).



4 | VIDEO CONFERENCE TABLE IN RHOMBUS SHAPE

The top shape makes it possible to combine several tables to form a professional video conferencing table system.



8 | PRACTICAL AND DISCREET:

the cable outlet box made of plastic and stainless steel.

9 | TIDY SOLUTION

This flexible cable clip bundles up to eight cables together under the table top.

	Conference
Height adjustment	
Fixed height	750 mm
Standing height	1,060 mm
Electric motor, double telescopic action Adjustable in height: 640 to 1,300 mm	<input type="checkbox"/>
Gas lift, double telescopic action Adjustable in height: 680 to 1,180 mm	<input type="checkbox"/>
Legs/Frame	
T-leg (round and square tube)	<input checked="" type="checkbox"/>
Frame type, A-leg	<input checked="" type="checkbox"/>
Design cantilever feet	<input checked="" type="checkbox"/>
Castors	<input checked="" type="checkbox"/>
Wire management	
With matching clip-down cable tray or cable clip	<input type="checkbox"/>
Choice of electrics options	<input type="checkbox"/>
3rd level add-ons	
Modesty panel	-

☒ Basis ☐ Option



5 | WIRELESS CHARGING

Wireless charging for mobile devices, marked with a sticker on the table top.

6 | VARIABLE WIRE MANAGEMENT

Choose from all the usual electrics options.

7 | INTELLIGENT SOCKET

Rotating electrics with 3, 4 and 5-gang options.

