


# INSIDE.30 OPTIMISING SPACES - WITH A SYSTEM

## INSIDE.30

- + **Flexible to use, acoustically efficient**  
Fabric-covered screen system for acoustic optimisation and privacy or as a workshop tool
- + **Cleverly designed and constructed**  
Lightweight with variable dimensions for use as a desktop screen, side panel or free-standing partition
- + **Clear contours**  
Design variant with straight or rounded corners, fabric panel with no visible joints
- + **Practical accessories**  
Tool rail, file shelf, whiteboard, flipchart and more
- + **Material and added value**  
A sustainable, lightweight and versatile solution for optimising the room acoustics and adding Class C sound absorption



# SYSTEM OVERVIEW



## FABRICS AND COLOURS FOR GREATER SUSTAINABILITY

**FABRIC GROUP 71**  
99 % recycled Post-Consumer-Polyester,  
1% Polyester.



# DETAILS

## CHARACTERISTICS AND MATERIALS

- + Acoustic properties
- + Light-weight construction
- + Pinnable
- + Wide range of fabrics

### 1 | FREE-STANDING SCREENS

For individual privacy: desktop screen with metal storage tub that can be positioned freely or clamped onto the desktop.



### 2 | CONSTRUCTION WITH ACOUSTIC INFILL

Basic thickness 25 mm, plus a bonded fabric sleeve to give a total thickness of 32 mm. The fabric sleeve on rounded screens has a plastic sealing strip in **3 different colours** (grey, black, white); on the rectangular screens it has a double stepped seam.



### 3 | ORGANISER RAIL

Single-sided tool rail on desk screens and fly-by screens, double-sided on benches.




### 5 | FLOOR-STANDING SCREEN

In the widths 800, 1200 and 1600 mm. With flat cantilever foot (suitable for use in fire exit routes) or with frames on castors.

### 6 | MULTIFUNCTIONAL

Write-on whiteboard made of metal with marker ledge, can be fitted without tools. Flipchart to hang over screen, fitted with bolts for the tear-off block.



# PRODUCT OVERVIEW



Desk screen



Fly-by screen



Desk screen for bench



Desk screen with metal tray



Desk screen for clamping to desk top



Side screen



Floor-standing screen

## Construction principle

Constructed from an MDF frame with acoustic infill, fabric covered, pinnable



## Fitting options

Adapter bracket



Clamp adapter



Console fitting



Frame fitting



Flexible positioning



## Side screen / surround



## Dimensions

System thickness 32 mm



Heights in mm

430  
450  
Total height above desk

800  
450  
Total height above desk

Height-adjustable desks 627, motorised height adjustment 800

435

444

1545

1545

1920

Widths mm

800, 1000, 1200, 1400, 1600, 1800, 2000

800, 1000, 1200, 1400, 1600, 1800, 2000

1200, 1400, 1600, 1800, 2000

800

900

600, 700, 800, 900, 1000

800, 1200, 1600

## Material properties

Selection of fabrics as per K+N colour table



Acoustic effectiveness class C absorber



Pinnable



## Corner radius

Rounded 3D corners with plastic sealing strip



Rectangular 90° design



## Mobility

Cantilever flat foot, suitable for fire exit routes



Cantilever frame on castors, mobile



## Organisation

Tool rail for use on one side



Tool rail for use on both sides



## Accessories

Whiteboard, writeable



Flipchart



## Tool rail accessories

Binder tray, mirror, letter tray DIN A4, pencil tray, pencil box, magnetic strip



■ Standard □ Optional