
TABLE.T/A/W

ELEGANT SOLUTIONS

BASED ON A PRACTICAL IDEA:

THE TABLE WORKSTATION SYSTEM.



The aerofoil principle.

Lightness, elegance and high-quality materials define the design and stability and a well-designed concept defines the function: The load-bearing element of both the T-leg and A-leg TABLE workstation is the slender main beam made of aluminium, which gives the desk effective load-bearing capacity thanks to its wing-shaped design.

By choosing a desk top only 13 millimetres thick the slimline looks can be emphasised further – the work surface appears to float.



THE IDEA: A construction principle that ensures maximum stability and load-bearing capacity – just like the wing of an aircraft.

ERGONOMICS AND DESIGN FOR THE HIGHEST STANDARDS. *TABLE.T*

TABLE.T, THE SIT/STAND SOLUTION WITH A T-LEG IS A CONVINCING PRODUCT, NOT SOLELY BECAUSE OF THE HIGH-QUALITY MATERIALS AND FINISHES USED. OTHER OUTSTANDING FEATURES ARE THE EASY-TO-OPERATE TECHNOLOGY, BOTH FOR THE MANUAL HEIGHT ADJUSTMENT WORKSTATION AND THE MOTORISED MODEL. THE NEW SPLIT SLIDING TOP MAKES IT EASY TO ACCESS POWER AND DATA CABLES FAST, AND THE NEW PLEXIGLASS PANELS LOOK COOL. ACTA.PLUS STORAGE SOLUTIONS FORM THE IDEAL COMPLEMENT TO TABLE.T: SIDE-ACCESS STORAGE UNITS FUNCTION AS ROOM DIVIDERS AND WHEN THEY ARE OPEN THEY IMPROVE ACOUSTIC CONDITIONS. FLEXIBLE CADDIES CAN BE USED FOR STORAGE.

PRODUCTS:
TABLE.T, LAMIGA, ACTA.PLUS storage
and side-access storage, caddies



PRODUCTS:
TABLE.T, LAMIGA, ACTA.PLUS storage
and side-access storage, caddies



The combination of chrome-plated elements and powder-coated surfaces is a stylish mix of status and nonchalance.

MORE LIGHTNESS FOR THE MANAGEMENT FLOOR. *TABLE.A*



THE ELEGANT A-LEG LENDS UNIQUE STYLE TO THE ROOM WITH WORK-TOPS OF ALL KINDS. PARTICULARLY EFFECTIVE: THE COMBINATION OF A DUAL TOP AND A WORKSTATION EXTENSION IN GLASS OR VENEER. ITS LIGHTWEIGHT LOOKS GIVE AN IMPRESSION OF FLOATING, WHICH IS FURTHER REINFORCED BY INVISIBLE CABLE MANAGEMENT CONCEALED INSIDE THE LEG FRAME. THE PERFECT COMPLEMENT: THE CHARTA MANAGEMENT CHAIR.



PRODUCTS:
TABLE.A dual-top desk, CHARTA, ACTA.PLUS cupboard with sliding doors



SMALL GATHERINGS

TABLE.A in walnut veneer as a conference table for up to five people, with CHARTA conference chairs.

PERFECT IN EVERY VARIANT.

Three leg-frame types, numerous possibilities.



TABLE.T

The sit/stand workstation is available with manual or motorised height adjustment.



TABLE.A

The slimline leg frame with height alignment gives the desk an unmistakable look.



TABLE.W

The slab-ended leg frame with height alignment features a shadow gap for a light and aesthetic look.



THE DUAL TOP

The split sliding top makes it very easy to access the electrics.



USED AS A STANDARD WORKSTATION OR IN THE MANAGEMENT OFFICE: THE TABLE WORKSTATION SYSTEM IS ALWAYS AN AESTHETIC AND FUNCTIONAL SOLUTION. THERE ARE MANY DESK

MODELS WITH A VARIETY OF LEG FRAME OPTIONS. BUT IT IS RARE FOR THE RELATIONSHIP BETWEEN DESIGN, FUNCTION, ERGONOMICS AND QUALITY TO BE AS BALANCED AS IT IS IN TABLE.

ELEGANCE WITH CHARACTER. *TABLE.W*




PRODUCTS:
TABLE.W, OKAY.II, ACTA.PLUS storage,
pedestals



THIS REPRESENTATIVE WORKSTATION LOOKS ANYTHING BUT HEAVY WITH ITS VENEER TOP JUST 13 MM THICK AND THE SHADOW GAP EFFECT ON THE SLAB ENDS – PLUS IT HAS A SPLIT SLIDING TOP AS A PARTICULARLY PRACTICAL TOUCH. IDEAL COMPLEMENTS TO THE WORKSTATION ARE THE OKAY.II TASK CHAIR AND STORAGE UNITS FROM THE ACTA.PLUS RANGE: THIS IS THE NEW WAY OF INTERPRETING MANAGEMENT FURNITURE.

Everything to make work a pleasant experience.



1 | ADAPTABLE

The manual height adjustment from 650 to 890 mm is operated by means of a release lever.

2 | CONVENIENT

The worktop height for workstations with motorised height adjustment ranges between 650 mm and 1,250 mm. The beamless design allows plenty of leg space.



3 | PRACTICAL

The optional split top makes cable management absolutely straightforward.

4 | EXACT

The motorised height adjustment is done using digital displays. It couldn't be simpler.

5 | DISCREET

Flyby-panels provide visual screening and can be fitted and removed quickly as required.


6 | PLEASANT

The modesty panel in the leg space helps people to feel relaxed at their desk.

7 | STURDY

The height alignment feature ensures that TABLE.A and TABLE.W stand stable – even on uneven floors.

NEW



- 8 | UNUSUAL**
A combination that sets a new style: TABLE.A with its split dual top and integral round extension.
- 9 | TIDY**
The new split dual top is used to cover and expose the cable channel simply by sliding it backwards and forwards.
- 10 | VERSATILE**
The railing is available not only with fabric panels, but also with a fashionable Pexiglass panel or simply as a profile.
- 11 | UNDERSTATED**
The flip-up cable cover for direct access to data and power is integrated into the worktop.
- 12 | FUNCTIONAL**
The CPU bracket can be fitted on the inside or outside. This gives you as much leg room as you need.
- 13 | INDEPENDENT**
Everything in its place: The optional printer shelf is stable and its convenient location saves time.
- 14 | ORGANISED**
The electrics are integrated into the A-leg and extend to floor level. This ensures that the cables are practically invisible.
- 15 | COMFORTABLE**
The flexible cable sleeve is made of 3D woven fabric and is attached to the T-leg. If the workstation height is adjusted, the cables move invisibly with the worktop.
- 16 | FLEXIBLE**
The cables are fixed in the optional umbilical so that they move smoothly when the workstation height is adjusted.

Overview

TABLE.T/A/W

Product overview



Frame		T-leg	A-leg	Slab end leg
	T-leg, A-leg, slab end	•	•	•

Dimensions

Widths	1,600 mm, 1,800 mm, 2,000 mm	•	•	•
Depths	600 mm	•		
	800 mm, 900 mm, 1,000 mm	•	•	•

Height adjustments

Fix	720 mm (13 mm desk top) 732 mm (25 mm desk top)	•	•	•
Height-adjustable (HV)	650 – 890 mm (via release levers at each side)	•		
Electric motor	650 – 1,250 mm	○		

Desk tops

Wood-product panel Décor	13 mm and 25 mm, fixed	•	•	•
	13 mm and 25 mm, with sliding top	○	○	○
	13 mm and 25 mm, with split sliding top NEW	○	○	○
Wood-product panel Veneer	13 mm and 25 mm, fixed	○	○	○
	13 mm and 25 mm, with sliding top	○	○	○
	13 mm and 25 mm, with split sliding top NEW	○	○	○
	25 mm, 45° undercut NEW	○	○	○

Slab ends

40 mm				
K+N Decors				•
K+N Veneers				•

Variants

Desks		•	•	•
Meeting tables standard form		•	•	•
Meeting tables free-form, type D, R		•	•	•
Dual-top desk NEW		•	•	
Return desk		○		


Extensions

3rd level	Desk screen for adapter; Version: aluminium, fabric	○	○	○
	Desk rail for adapter; optionally integrated within fabric or acrylic glass screen	○	○	○
At sides	CPU holder, printer tray	○	○	○
Below the desk top	Modesty panel	○	○	○


Wire management

Horizontal	Clip-down cable tray, cable tray for sliding top, cable tray in 2 depths: 67 mm and 100 mm	○	○	○
Vertical	Umbilical	○	○	○
	Convenient cable management NEW	○		
Cut-outs	Adapter cut-outs and cable flap	○	○	○


• Standard ○ Option




Sliding top new with adapters



Sliding top new



Sliding top with adapters



Fixed desk top with flap and adapters

Fixed desk top with flap


Fixed desk top

Desk top shapes

Desks, frame flush T-/A-leg/ Slab end available in the widths 1,600, 1,800, 2,000 mm and the depths 800, 900, 1,000 mm


Split sliding top available in the widths 1,600, 1,800, 2,000 mm

Type of top 25 and 13 mm thick




Only T-leg

available in the widths 800, 1,000, 1,200 mm, depth 600 mm




Desks, with overhang T-/A-leg available in the widths 2,000, 2,200 mm and the depths 800, 900, 1,000 mm

Type of top 25 mm thick




Meeting tables T-/A-leg available in the widths 2,000, 2,100 mm and the depths 800, 1,100 mm

Type of top 25 mm thick



Meeting tables A-leg available with ø 1,200, 1,400, 1,600 mm, depth 1,600 mm, 1,600 x 1,600 mm, 1,600 and 800 or 1,600 mm

Type of top 25 mm thick



Dual top T-/A-leg

Split sliding top

Type of top 25 mm thick



Deutschland

König + Neurath AG
Büromöbel-Systeme
Industriestraße 1–3
61184 Karben
Tel.: +49 (0)6039 483-0
Fax: +49 (0)6039 483-214
e-mail: info@koenig-neurath.de
www.koenig-neurath.de

Great Britain

K + N International
(Office Systems) Ltd
52 Britton Street
London EC1M 5UQ
Tel.: +44 (0)20 74909340
Fax: +44 (0)20 74909349
e-mail: sales@kn-international.co.uk
www.kn-city.co.uk

Nederland

König + Neurath Nederland
Office Furniture
Airport Business Park Lijnden
Frankfurtstraat 18–22
1175 RH Lijnden
Tel.: +31 (0)20 4109410
Fax: +31 (0)20 4109419
e-mail: info@konig-neurath.nl
www.konig-neurath.nl

France

König + Neurath AG
Showroom Paris
66, rue de la Victoire
75009 Paris
Tel.: +33 (0)1 44 63 23 93
Fax: +33 (0)1 44 63 23 97
e-mail: info@koenig-neurath.fr
www.koenig-neurath.fr