


STAINLESS STEEL ENCLOSED SAFETY SWITCHES 25-1000A




- IP 66; Enclosure types H23, H32, H02 (AISI 316)
- IP 65; Enclosure types H03, H04, H06, H07 (AISI 316 or AISI 304)
- To environments where hygiene and corrosion resistance are important
- Meets AISI 316 requirements (acid proof) or AISI 304 (stainless steel)
- Padlockable
- Over 80 A: cable entries must be declared when ordering
- Available as EMC (1000A), EX (250A) or EMC/EX (250A) protected


H23




H32




H02




H03



H04



H07



STAINLESS STEEL ENCLOSED SAFETY SWITCHES 25-1000A



KATKO EMC safety switches installed to a water purification system at the Sydney International Airport.

Type	AC-23 / 400V	AC-23 / 690 V	Poles	Enclosure	EAN code 6419410...	E-NO	Weight kg
KUR 325T1.V	25 A / 11 kW	25 A / 22 kW	3P	H23	...312308	3600880	1.2
KUR 625T1.V	25 A / 11 kW	25 A / 22 kW	6P	H32	...312421	3600885	2.5
KUR 363T1.V	63 A / 30 kW	40 A / 37 kW	3P	H32	...312605	3600881	2.3
KUR 663T1.V	63 A / 30 kW	40 A / 37 kW	6P	H32	...312629	3600886	2.5
KUR 380T1.V	80 A / 45 kW	63 A / 55 kW	3P	H02	...372913	3600875	8.5
KUR 680T1.V	80 A / 45 kW	63 A / 55 kW	6P	H02	...372999	3600879	9.2
KUR 3125T1.V	125 A / 55 kW	80 A / 75 kW	3P	H02	...312902	3600882	8.5
KUR 6125T1.V	125 A / 55 kW	80 A / 75 kW	6P	H03	...312926	3600887	9.2
KUR 3160T1.V	160 A / 90 kW	100 A / 90 kW	3P	H02	...372883	3600848	8.5
KUR 6160T1.V	160 A / 90 kW	100 A / 90 kW	6P	H03	...372968	3600849	9.2
KUR 3250VT1.V	250 A / 132 kW	250 A / 250 kW	3P	H03	...312964	3600504	15
KUR 6250VT1.V	250 A / 132 kW	250 A / 250 kW	6P	H04	...312971	3600505	26
KUR 3400VT1.V	400 A / 200 kW	400 A / 355 kW	3P	H04	...312988	3600506	25
KUR 6400VT1.V	400 A / 200 kW	400 A / 355 kW	6P	H06	...312995	3600507	31
KUR 3630VT1.V	630 A / 355 kW	630 A / 630 kW	3P	H04	...313008	3600508	25
KUR 6630VT1.V	630 A / 355 kW	630 A / 630 kW	6P	H07	...313015	3600509	48
KUR 3800T1.V	800 A / 400 kW	800 A / 800 kW	3P	H07	...313022	3600510	48
KUR 31000T1.V	1000 A / 560 kW	1000 A / 800 kW	3P	H07	...313039	3600511	48

Switch delivered with following cable glands:


Type	A	Cable glands	Cable size mm
KUR	25	M25	11-16
KUR	32	M40	19-27
KUR	63	M40	19-27

STAINLESS STEEL ENCLOSED SAFETY SWITCHES 25A - 160A


- Designed for hygienic and heavy environments
- Easy to install and to keep clean
- IP66, stainless steel enclosure
- Acid proof, AISI 316
- Padlockable stainless steel handle LKR1
- Available as 3-4 pole
- Rainhood protection with angled top (RS)
- Available as EMC-version




H23T




H24T




H32T




H34T



H02T



H02TR



Type	AC-23 / 400V	AC-23 / 690 V	Poles	Enclosure & handle	EAN code 6419410...	E-NO	Weight kg
KUR 325T1.V R	25 A / 11 kW	25 A / 22 kW	3P	H23T	...312032	3600890	1.2
KUR 425T1.V R	25 A / 11 kW	25 A / 22 kW	4P	H23T	...312056	3600893	1.3
KUR 325T1.V RS	25 A / 11 kW	25 A / 22 kW	3P	H24T	...312049	3600891	1.7
KUR 425T1.V RS	25 A / 11 kW	25 A / 22 kW	4P	H24T	...312063	3600894	1.8
KUR 363T1.V R	63 A / 30 kW	40 A / 37 kW	3P	H32T	...306703	3600323	2.3
KUR 463T1.V R	63 A / 30 kW	40 A / 37 kW	4P	H32T	...306727	3600324	2.4
KUR 363T1.V RS	63 A / 30 kW	40 A / 37 kW	3P	H34T	...307052	3600327	2.9
KUR 463T1.V RS	63 A / 30 kW	40 A / 37 kW	4P	H34T	...307076	3600328	3.0
KUR 3125T1.V R	125 A / 55 kW	80 A / 75 kW	3P	H02T	...373040	3600939	8.0
KUR 4125T1.V R	125 A / 55 kW	80 A / 75 kW	4P	H02T	...376135	3600944	8.0
KUR 3125T1.V RS	125 A / 55 kW	80 A / 75 kW	3P	H02TR	...376187	3600950	8
KUR 4125T1.V RS	125 A / 55 kW	80 A / 75 kW	4P	H02TR	...376227	3600952	8
KUR 3160T1.V R	160 A / 90 kW	100 A / 90 kW	3P	H02T	...376269	3600943	8
KUR 4160T1.V R	160 A / 90 kW	100 A / 90 kW	4P	H02T	...376319	3600948	8
KUR 3160T1.V RS	160 A / 90 kW	100 A / 90 kW	3P	H02TR	...376361	3600951	8
KUR 4160T1.V RS	160 A / 90 kW	100 A / 90 kW	4P	H02TR	...376411	3600949	8

