

## Datasheet

**Gelatine Solution****Solution in PBS**

<b>Product</b>	<b>Description</b>	<b>Catalogue-No.</b>	<b>Size</b>
<b>Gelatine Solution</b>	<b>Solution 2% in PBS</b>	<b>P06-25200</b>	<b>100 ml</b>

**Product description**

Gelatin is a heterogeneous mixture of water soluble proteins of high average molecular weight present in collagen. The proteins are extracted by boiling skin, tendons, ligaments, or bones in water.

**Storage conditions**

Storage: 2-8°C  
Stability: 2 years from date of production  
Size: 100 ml, other sizes on request

Sterile solutions of gelatin, stored at 2-8°C, remain unchanged, but at elevated temperatures hydrolysis or rupture of peptide bonds occurs, increasing the number of free amino groups. This degradation is accelerated by extremes in pH, proteolytic enzymes, and bacterial action.

**Composition**

Gelatine 2% in PBS w/o: Ca, Mg

**Suitability**

FOR RESEARCH USE ONLY!

Not approved for human or animal diagnostic or therapeutic procedures.

**Special advantages**

Applications using gelatin include coating cell culture plates to improve cell attachment for a variety of cell types, addition to PCR to stabilize Taq DNA polymerase, and use as a blocking agent in Western blotting, ELISA, and immunohistochemistry. In bacteriology, gelatin can be used as a component of culture media.

Industrial applications include the use of gelatin as a stabilizer, thickener, and texturizer in foods and in manufacturing. In the pharmaceutical industry, gelatin is used as a suspending agent, encapsulating agent, and tablet binder.

**Coating procedure**

Coating of cell culture vessels using 2% solution:

Optimal conditions for attachment must be determined for each cell line and application.

- Allow gelatin solution to completely dissolve at 37° C.
- Coat culture surface with 5–10 µl gelatin solution per cm<sup>2</sup> (0.1–0.2 mg per cm<sup>2</sup> gelatin).
- Allow surface to dry at least 2 h before introducing cells and medium.

**Technical Support**

For technical support, questions or remarks please contact your local PAN-Biotech partner or the technical department of PAN-Biotech via email ([info@pan-biotech.com](mailto:info@pan-biotech.com)) or phone +49-8543-601630.