

# LAUFEN

## DECLARATION OF PERFORMANCE

DoP No 14516

1. Unique identification code of the product-type:

**For product number please see attached list**

Product-Type, batch or serial number or any other element allowing identification of the construction product

**BT: Bathtub**

**BT+P: Bathtub with Panel**

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Personal hygiene (PH)**

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**LAUFEN Bathrooms AG**

**Wahlenstrasse 46**

**CH - 4242 Laufen, Switzerland**

**Tel: +41 61 765 71 11 / e-mail: [info@laufen.ch](mailto:info@laufen.ch) / website: [www.laufen.com](http://www.laufen.com)**

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**not applicable**

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

**System 4**

6. Harmonised standard:

**EN 14516: 2015**

7. Declared performance

Essential characteristics	Performance
Cleanability (CA)	Confirmed
Durability (DA)	Confirmed

**The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.**

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

**not applicable**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer



Marc Viardot

Director Marketing and Products

## DECLARATION OF PERFORMANCE

DoP no 14516

Product No.	Name	Product type	Material	Designation code	Essential characteristics
H220950###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H220953###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H221950###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H221953###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H2223320006161	Kartell • Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H222500###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222501###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222505###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222506###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222510###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222511###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222512###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222950###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H222953###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H2233310006161	Kartell • Laufen	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2233320006161	Kartell • Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2233350006161	Kartell • Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H223500###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223501###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223505###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223506###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223510###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223511###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223520###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223521###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223950###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H223952###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H223953###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H2243310006161	Kartell • Laufen	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2243320006161	Kartell • Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2243360006161	Kartell • Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H224500###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224501###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224505###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224506###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224510###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224511###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224512###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224950###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H224952###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H224953###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225060###0401	modernaplus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225060###0411	modernaplus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225070###0401	modernaplus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225070###0411	modernaplus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225080###0401	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225083###0001	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225083###0401	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225083###0411	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225090###0401	thallium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225093###0001	thallium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225093###0401	thallium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225100###0401	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225100###0411	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225103###0401	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225110###0401	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225110###0411	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225112###0301	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225112###0441	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225113###0401	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225120###0401	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225130###0401	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225130###0411	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225132###0401	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225133###0401	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225140###0401	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225510###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H225511###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H225512###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H225520###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H225521###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H225950###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225952###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225953###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H226332###0001	Kartell • Laufen	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H226950###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H226952###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H227950###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H227952###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H2302820000001	VAL	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2303020000001	INO	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H230950###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H230951###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA

Signed for and on behalf of the manufacturer



Marc Viardot

Director Marketing and Products

## DECLARATION OF PERFORMANCE

DoP no 14516

Product No.	Name	Product type	Material	Designation code	Essential characteristics
H230955###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H230956###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H231282###0001	VAL	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2313020000001	INO	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H231800###0001	PALOMBA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H231950###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H231951###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H231955###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H231956###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232800###0001	PALOMBA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232801###0001	PALOMBA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232950###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232951###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232955###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232956###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H233950###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H233951###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H233955###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H233956###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H234950###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H234951###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H234955###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H234956###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2359500000001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2369500000001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2379500000001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2389500000001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H239952###0001	laufenpro	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2409500000001	laufenpro	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2419500000001	laufenpro	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H241970###0001	ILBAGNOALESSI One	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H242500###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H242501###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H242507###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H242800###0001	PALOMBA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H242801###0001	PALOMBA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2429500000001	laufenpro	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H243800###0001	PALOMBA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H243801###0001	PALOMBA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H243952###0001	laufenpro	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H243970###0001	ILBAGNOALESSI One	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H244970###0001	ILBAGNOALESSI One	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2458020000001	PALOMBA	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2458020006051	PALOMBA	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H245971###0001	ILBAGNOALESSI One	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H245971###06051	ILBAGNOALESSI One	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H245972###0001	ILBAGNOALESSI One	BT+P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2213420000001	SONAR	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2213420000361	SONAR	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2203470000001	SONAR	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2203470000361	SONAR	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2208520000001	THE NEW CLASSIC	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H245972###06051	ILBAGNOALESSI One	BT+P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H220972###0001	ILBAGNOALESSI One	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2459570000001	laufenpro	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H220082###0001	LUA	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2200870000001	LUA	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2200870000361	LUA	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2300800000001	LUA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2310800000001	LUA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2320800000001	LUA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2330800000001	LUA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2340800000001	LUA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2350800000001	LUA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2360800000001	LUA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2370800000001	LUA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2380800000001	LUA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2390800000001	LUA	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2209420000001	LINDEN	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2209450000001	LINDEN	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2209460000001	LINDEN	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2209470000001	LINDEN	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2219420000001	IMMERSE	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2219450000001	IMMERSE	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2219460000001	IMMERSE	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2229420000001	VERBANA	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2239420000001	PEBBLE	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2249420000001	ELGIN	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2259420000001	BROOK	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2259470000001	BROOK	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H220112###0001	MEDA	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2201150000001	MEDA	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2201160000001	MEDA	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA

Signed for and on behalf of the manufacturer



Marc Viardot

Director Marketing and Products

# LAUFEN

## DECLARATION OF PERFORMANCE

DoP no 14516

Product No.	Name	Product type	Material	Designation code	Essential characteristics
H2201170000001	MEDA	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H226180###0401	Laufen PRO S	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H226180###0411	Laufen PRO S	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H227180###0401	Laufen PRO S	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H227180###0411	Laufen PRO S	BT	Steel	EN 14516 - CL1 + CL2	CA - DA

Signed for and on behalf of the manufacturer



Marc Viardot

Director Marketing and Products