



PRODUCT CATALOG



**INTENTIONALLY LEFT BLANK
FOR TWO-PAGE VIEWING**

EVERYTHING YOU NEED

TO ENJOY A DAY ON THE WATER



LEWMAR

LIPPERT

SURE SHADE
by LIPPERT

TrendMarine

CURT



LIPPERT

Lippert is a leading, global manufacturer and supplier of highly engineered products and customized solutions dedicated to shaping, growing and bettering the RV, marine, automotive, commercial vehicle and building products industries. We combine our strategic manufacturing capabilities with the power of our winning team culture to deliver unrivaled customer service, award-winning innovation and premium products to every industry and person we serve.




BUSINESS AS A FORCE FOR GOOD



Learn how we're making a difference

OUR VISION: TO BE A FORCE FOR GOOD IN THE WORLD

Since 2016, Lippert has focused on designing a cultural foundation from which our success is based, and it stems from one simple driving force: At Lippert, Everyone Matters. From the shop floor to the C-suite, we simply care about people. Our culture is grounded in our five core values that we practice in our business every day.



OVER FIVE YEARS OF IMPACT



2,000+
non-profits served



550,000+
volunteer hours



\$2,000,000+
annually donated to charity

NEW PRODUCTS

BEAN
BAGS

52



COLORED
DOCK BOXES

57



DOCK PRO®
DOCK CART

60



FENDERS & BUOYS

Inflatable vinyl fenders, specialty fenders, fender-loc lines, covers, hardware and buoys

004 - 033

ANCHORING & MOORING

Mooring buoys, marker buoys, mooring whips, life rings and accessories

034 - 049

MARINE SEATING

Bean bags

050 - 053

DOCK PRODUCTS

Dock boxes, steps, floats and lines, dock edging, corners, wheels, bumpers and more

054 - 077

BIMINI TOPS & SHADES

Bimini BoaTops, pontoon biminis, specialty shades, sailshades and more

078 - 105

BOAT COVERS

Universal and semi-custom boat covers and personal watercraft covers

106 - 141

BOATING FLAGS & PENNANTS

USA, international, state and fisherman flags, signal flags and pennants, flag poles and mounts

142 - 161

BOAT MAINTENANCE

Windshield parts, hatch parts, shocks and more

162 - 172



FENDERS & BUOYS

FEATURED PRODUCTS



Super Gard™ fenders

Crafted using marine-grade vinyl, Super Gard fenders have a seamless one-piece construction and double molded ends for extra strength.

Pontoon fenders

Specially designed to fit snugly between the pontoon and deck of the boat, offering protection from docks, rafting boats and other objects.

Tuff-End™ buoys

Constructed from the same flexible, resilient vinyl as our Super Gard fenders, the end in each buoy is injection molded for extra strength.

PRODUCT INDEX



06
Inflatable Vinyl
Fenders



13
Tuff-End™
Buoys



15
Net
Buoys



16
Personal
Watercraft
Buoys



17
Raft
Cushions



17
Freeboard
Fenders



18
Specialty
Fenders



23
Fender
Covers



24
Fender
Lines



25
Fender Hangers
& Hardware



33
Yacht Fenders
& Covers



SUPER GARD™ INFLATABLE VINYL FENDERS

- Double-molded ends for enhanced durability
- Ribbed design minimizes rolling
- Rubber football needle valve for easy inflation (up to 2 psi)
- Patented True Color® technology for vibrant hues
- Marine-grade vinyl withstands harsh marine elements
- Two-eyelet shape fits 5/8" lines
- Lifetime guarantee against splitting or bursting



| Boat Length | Cylindrical Fender Diameter | Recommended Number of Fenders Per Side |
|-------------|-----------------------------|--|
| Under 15' | 3" - 4" | 3 |
| 15' - 20' | 5" - 5.5" | 3 |
| 20' - 25' | 6" - 6.5" | 3 |
| 25' - 35' | 8" - 8.5" | 4 |
| 35' - 50' | 10.5" - 12" | 5 |
| 50' - 60' | 12" | 6 |
| 60' - 72' | 15" - 24" | 7 |



**LIFETIME
GUARANTEE**
against splitting or bursting



Double-molded ends resist tearing and add strength against the stress of compression and flexing against docks or other boats



Discover the perfect shade to match your boat's gelcoat with our patented color matching technology



One-piece construction and ribbed design offer superior durability and enhanced protection that resists rolling



| Diameter | Length | Boat Size | Case Qty | White # | Mid Atlantic Blue # | Black Onyx # | Burgundy # | Emerald Green # | Captain's Navy # |
|----------|--------|------------|----------|---------|---------------------|--------------|------------|-----------------|------------------|
| 5-1/2" | 20" | 15' to 20' | 6 | 950520 | 951520 | 952520 | 953520 | 954520 | 957520 |
| 6-1/2" | 22" | 20' to 25' | 6 | 950622 | 951622 | 952622 | 953622 | 954622 | 957622 |
| 8-1/2" | 26" | 25' to 35' | 4 | 950824 | 951824 | 952824 | 953824 | 954824 | 957824 |
| 10-1/2" | 30" | 35' to 50' | 2 | 950128 | 951128 | 952128 | 953128 | 954128 | 957128 |



| Diameter | Length | Boat Size | Case Qty | Ruby Red # | Aurora Gold # | Yellow # | Lime Green # | Blaze Orange # |
|----------|--------|------------|----------|------------|---------------|----------|--------------|----------------|
| 5-1/2" | 20" | 15' to 20' | 6 | 955520 | 960520 | 958520 | 974520 | 730520 |
| 6-1/2" | 22" | 20' to 25' | 6 | 955622 | 960622 | 958622 | 974622 | 730622 |
| 8-1/2" | 26" | 25' to 35' | 4 | 955824 | 960824 | 958824 | 974824 | 730824 |
| 10-1/2" | 30" | 35' to 50' | 2 | 955128 | 960128 | 958128 | 974128 | 730128 |



BIG B™ INFLATABLE VINYL FENDERS

- Center line passage fits 5/8" lines for versatile hanging options
- Rubber football needle valve for easy inflation (up to 2 psi)
- Patented True Color® technology for vibrant colors
- Marine-grade vinyl withstands harsh marine elements
- Lifetime guarantee against splitting or bursting



Discover the perfect shade to match your boat's gelcoat with our patented color matching technology



End-to-end line passage enables effortless hanging in both horizontal and vertical orientations



Big B Fender hanger available for ease of use. See page 30.



| Diameter | Length | Boat Size | Case Qty | White # | Mid Atlantic Blue # | Black Onyx # | Burgundy # | Emerald Green # | Captain's Navy # | Aurora Gold # |
|----------|--------|------------|----------|---------|---------------------|--------------|------------|-----------------|------------------|---------------|
| 6" | 15" | 20' to 25' | 6 | 1025 | 41025 | 71025 | 531025 | 541025 | 571025 | 601025 |
| 8" | 20" | 25' to 35' | 4 | 1026 | 41026 | 71026 | 531026 | 541026 | 571026 | 601026 |
| 10" | 26" | 35' to 50' | 2 | 1032 | 41032 | 71032 | 531032 | 541032 | 571032 | 601032 |
| 12" | 34" | 50' to 60' | 2 | 1034 | 41034 | 71034 | 531034 | 541034 | 571034 | 601034 |



STORM GARD® INFLATABLE VINYL FENDERS

- Ribbed design minimizes rolling
- Rubber football needle valve for easy inflation (up to 2 psi)
- Patented True Color® technology for vibrant hues
- Marine-grade vinyl withstands harsh marine elements
- Two-eyelet shape fits 5/8" lines
- Lifetime guarantee against splitting or bursting



LIFETIME GUARANTEE

against splitting or bursting



Discover the perfect shade to match your boat's gelcoat with our patented color matching technology

One-piece construction and ribbed design offer superior durability and enhanced protection that resists rolling



White



Mid-Atlantic Blue



Black Onyx



Burgundy



Captain's Navy

| Diameter | Length | Boat Size | Case Qty | White # | Mid Atlantic Blue # | Black Onyx # | Burgundy # | Captain's Navy # |
|----------|--------|------------|----------|---------|---------------------|--------------|------------|------------------|
| 5-1/2" | 20" | 15' to 20' | 6 | 252000 | 252004 | 252007 | 252053 | 252057 |
| 6-1/2" | 22" | 20' to 25' | 6 | 262300 | 262304 | 262307 | 262353 | 262357 |
| 8-1/2" | 27" | 25' to 35' | 4 | 282600 | 282604 | 282607 | 282653 | 282657 |

| Diameter | Length | Boat Size | Case Qty | Silver Mist # |
|----------|--------|------------|----------|---------------|
| 5-1/2" | 20" | 15' to 20' | 6 | 252047 |
| 6-1/2" | 22" | 20' to 25' | 6 | 262347 |
| 8-1/2" | 27" | 25' to 35' | 4 | 282647 |



Silver Mist





HULL-GARD® INFLATABLE VINYL FENDERS

- Oval shape minimizes roll for secure positioning
- Rubber football needle valve for easy inflation (up to 2 psi)
- Patented True Color™ technology for vibrant colors
- Marine-grade vinyl withstands harsh marine elements
- Two-eyelet shape fits 5/8" lines
- Lifetime guarantee against splitting or bursting



against splitting or bursting



One-piece construction and oval design offer superior durability and enhanced protection that resists rolling



Replace with Patented True Color technology for vibrant colors



Twin-eye design with molded eyelets ensures versatile and secure attachment, facilitating easy installation and adjustment



| Diameter | Length | Boat Size | Case Qty | White # | Mid Atlantic Blue # | Black Onyx # | Captain's Navy # |
|----------|--------|------------|----------|---------|---------------------|--------------|------------------|
| 5-1/2" | 20" | 15' to 20' | 6 | 1022 | 41022 | 31722 | 571022 |
| 6-1/2" | 22" | 20' to 25' | 6 | 1023 | 41023 | 31723 | 571023 |
| 8-1/2" | 26" | 25' to 35' | 4 | 1028 | 41028 | 71028 | 571028 |
| 10-1/2" | 30" | 35' to 50' | 2 | 1024 | 41024 | 71024 | 571024 |





TUFF END™ INFLATABLE VINYL FENDERS

- Injection molded ends tested to 2,000 PSI tensile strength
- Patented True Color® technology for vibrant colors
- Marine-grade vinyl withstands harsh marine elements
- Large two-eyelet shape fits most lines and shackles
- 1-year limited warranty



Patented Trivalve technology allows for quick and easy inflation using a standard compressor and football needle



One-piece construction and injection molded ends offer superior durability and enhanced protection for heavy-duty marine applications



Twin-eye design with molded eyelets ensures versatile and secure attachment, facilitating easy installation and adjustment

| Diameter | Length | Boat Size | Line-Hole Diameter | Case Qty | White # | Blue # |
|----------|--------|-------------|--------------------|----------|---------|--------|
| 6" | 25" | Up to 30' | 1-1/6" | 12 | 1182 | 41182 |
| 8" | 27" | 25' to 40' | 1-1/6" | 8 | 1185 | 41185 |
| 10" | 30" | 40' to 50' | 1-1/2" | 5 | 1188 | 41188 |
| 12" | 35" | 50' to 60' | 1-1/2" | 4 | 1191 | 41191 |
| 15" | 41" | 60' to 70' | 1-1/2" | 2 | 1192 | 41192 |
| 19" | 50" | 70' to 80' | 1-1/2" | 2 | 1193 | 41193 |
| 24" | 57" | 80' to 100' | 1-1/2" | 1 | 1194 | 41194 |
| 32" | 77" | Over 100' | 1-1/2" | 1 | 1195 | 41195 |



TUFF-END™ BUOYS

- Seamless one-piece construction for superior strength
- Injection molded ends tested to 2,000 PSI tensile strength
- Flexible, resilient marine-grade vinyl for heavy-duty marine applications
- Features large line holes to fit most ropes and shackles
- 1-year performance guarantee



Tuff End buoys are designed with heavy-duty, marine-grade vinyl, seamless construction, and injection molded ends



Patented Trivalve™ technology allows quick, easy inflation. All you need is a standard pump or compressor with a football needle



Tuff End buoys feature line holes that will accept standard shackles and rope 1/2" and 5/8" in diameter

| White # | Orange # | Diameter | Circumference | Line Hole | Approx. Buoyancy | Case Qty |
|---------|----------|----------|---------------|-----------|------------------|----------|
| 1140 | 61140 | 9" | 28" | 1-1/16" | 14 lbs. | 18 |
| 1143 | 61143 | 12" | 38" | 1-1/16" | 33 lbs. | 14 |
| 1146 | 61146 | 15" | 47" | 1-1/2" | 65 lbs. | 6 |
| 1149 | 61149 | 18" | 57" | 1-1/2" | 112 lbs. | 5 |
| 1152 | 61152 | 21" | 66" | 1-1/2" | 180 lbs. | 3 |
| 1155 | 61155 | 27" | 85" | 1-1/2" | 375 lbs. | 2 |
| 1157* | 601157* | 34" | 107" | 1-1/2" | 790 lbs. | 1 |

* Rotationally molded end for extra strength

TUFF-END™ BUOY COVERS

- Constructed from 100% heavy-duty loop knit acrylic for durability
- UV-resistant, abrasion-resistant, and stain-resistant for long-lasting protection
- Features a heavy-duty sewn-in drawstring and barrel lock for a secure, custom fit
- Effectively prevents grime and dirt buildup on buoys

| Fits Tuff End Buoy Size | Black # | Navy # |
|-------------------------|---------|--------|
| 12" x 38" | 5200B | 5200N |
| 15" x 47" | 5201B | 5201N |
| 18" x 57" | 5202B | 5202N |
| 21" x 66" | 5203B | 5203N |
| 27" x 85" | 5204B | 5204N |



5203B (buoy not included)

5203N (buoy not included)



THE SPOILER® LOW DRAG BUOY


- Rounded shape and ribbed design generate turbulence, reducing drag by over 80%
- Large surface area and fade-resistant neon colors enhance visibility
- Curved body prevents rope chafing while increasing buoyancy



Unique rib design creates the turbulence necessary to lift the buoy from the water's surface, generating up to 88% less drag



Patented Trivalve allows for quick inflation without removing the valve



Large surface area and non-fading neon colors for more visibility

| Circumference | Diameter | Length | Salt Water Buoyancy | Fresh Water Flotation | Rope-Eye Diameter |
|---------------|----------|--------|---------------------|-----------------------|-------------------|
| 33" | 10-1/2" | 18" | 41 lbs. | 37 lbs. | 1-1/16" |
| 41" | 13" | 24" | 90 lbs. | 84 lbs. | 1-1/2" |
| 50" | 16" | 27" | 146 lbs. | 138 lbs. | 1-1/2" |

| Circumference | Orange # | Neon Red # | Rocket Red # | Neon Yellow # | Neon Green # | White # | Black # | Blue # | Blaze Orange # | Case Qty |
|---------------|----------|------------|--------------|---------------|--------------|---------|---------|--------|----------------|----------|
| 33" | 54000 | 54001 | 54002 | 54003 | 54004 | 54005 | 54006 | 54007 | 54009 | 10 |
| 41" | 54010 | 54011 | 54012 | 54013 | 54014 | 54015 | 54016 | 54017 | -- | 5 |
| 50" | 54020 | 54021 | 54022 | 54023 | 54024 | 54025 | 54026 | 54027 | -- | 4 |



NET BUOYS


- Crafted from heavy-duty marine-grade material with injection-molded ends for enhanced durability.
- Trivalve design allows for easy inflation using needles or a compressor, conveniently positioned on the side of the fender for quick access.
- Eyelet shape features a tapered design, enabling easy attachment of a standard shackle.



| Circumference | Diam. | Length | Salt Water Buoyancy | Fresh Water Flotation | Rope-Eye Diameter | Blaze Orange # | Rocket Red # | Neon Red # | Neon Yellow # | Neon Green # | Case Qty |
|---------------|-------|--------|---------------------|-----------------------|-------------------|----------------|--------------|------------|---------------|--------------|----------|
| 28" | 9" | 12" | 16 lbs. | 15 lbs. | 1-1/16" | -- | 502809 | 702809 | 802809 | 902809 | 18 |
| 38" | 12" | 16" | 38 lbs. | 36 lbs. | 1-1/16" | -- | 503812 | 703812 | 803812 | 903812 | 14 |
| 47" | 15" | 21" | 83 lbs. | 80 lbs. | 1-1/2" | 304715 | 504715 | 704715 | 804715 | 904715 | 6 |
| 57" | 18" | 24" | 132 lbs. | 128 lbs. | 1-1/2" | 305718 | 505718 | 705718 | 805718 | 905718 | 5 |
| 66" | 21" | 27" | 200 lbs. | 194 lbs. | 1-1/2" | 306621 | 506621 | 706621 | 806621 | 906621 | 3 |
| 85" | 27" | 33" | 421 lbs. | 408 lbs. | 1-1/2" | 308527 | 508527 | -- | 808527 | 908527 | 2 |
| 107" | 34" | 41" | 815 lbs. | 790 lbs. | 1-1/2" | 3010734 | 5010734 | 7010734 | 8010734 | 9010734 | 1 |

WATER SKI MARKER BUOYS

- Made with a durable PVC that withstands the rigors of water ski race courses
- Resilient and lightweight
- Meets American Water Ski Association specifications
- Clearly visible to racers and judges
- Molded 1/2" eyehole
- Easy-to-use valve for proper inflation



| Green # | Red # | Yellow # | Diameter | Eye Hole | Approximate Buoyancy | Case Qty |
|---------|-------|----------|----------|----------|----------------------|----------|
| 161 | 164 | 165 | 9" | 1/2" | 13 lbs. | 6 |



PERSONAL WATERCRAFT BUOYS

- Multi-use rugged float serves as a pick-up buoy, marker buoy, or fender
- Ideal marker for water ski events or as a fender for PWCs
- Unique double color technology ensures color retention and high visibility
- Measure 8" in diameter with an approximate buoyancy of 8 lbs.



Specifically engineered to withstand harsh marine environments, including exposure to saltwater, UV radiation, and extreme weather conditions, ensuring long-lasting durability and performance



Unique color technology resists fading, ensuring a vibrant appearance despite sun exposure and weathering



The football-needle inflation valve lets you easily adjust air pressure levels easily with a standard air pump

| White # | Neon Green # | Neon Red # | Orange # | Rocket Red # | Neon Yellow # | Diameter | Approximate Buoyancy | Case Qty |
|---------|--------------|------------|----------|--------------|---------------|----------|----------------------|----------|
| 140 | 141 | 142 | 143 | 144 | 145 | 8" | 8 lbs. | 6 |



HOT SPOT MARKER BUOYS

- Facilitates quick buoy deployment, swiftly sending weight to the bottom
- Sturdy nylon twine is durable and resistant to elements
- Made with marine-grade vinyl for durability in marine environments



The innovative design of our fishing buoys allows them to quickly deploy to the bottom of a fishing hotspot



Our buoy is built to last with marine-grade vinyl and 75 feet of nylon twine that is resistant to abrasions, acid, mildew, and rot



Available in vibrant solid colors including lime green, orange, and yellow, as well as a stylish camo swirl pattern

| Green # | Yellow # | Orange # | Camo # | Length | Width | Line Length | Weight | Case Qty |
|---------|----------|----------|--------|--------|--------|-------------|--------|----------|
| 151 | 152 | 153 | 154 | 4" | 4-1/2" | 75' | 6 oz. | 12 |



RAFTING CUSHIONS

- Lateral reinforcement resists compression
- Hangs both vertically and horizontally for adaptable placement options
- Rubber football needle valve for easy inflation (up to 2 psi)
- Marine-grade vinyl withstands harsh marine elements
- Patented design delivers unique protection



Patented design and increased surface area provides superior protection against boat collisions



Rectangular design and six molded tubes ensure crush resistance, preventing rolling or riding up and maintaining secure positioning

| Part # | Length | Width | Diameter |
|--------|--------|-------|----------|
| 46090 | 15" | 15" | 6-1/2" |
| 46095 | 20" | 20" | 7-5/8" |
| 46100 | 26" | 26" | 9-5/8" |



SQUARE LOW FREEBOARD FENDERS

- Square shape minimizes roll for secure positioning
- Rubber football needle valve for easy inflation (up to 2 psi)
- Designed to protect gunwales and rub rails of low freeboard boats
- Marine-grade vinyl withstands harsh marine elements



| Diameter | Length | White # | Metallic Black # | Metallic Red # | Camo # |
|----------|--------|---------|------------------|----------------|--------|
| 5" | 14" | 31005 | 31006 | 31055 | 31043 |
| 7" | 23" | 31007 | 31008 | -- | -- |



PONTOON FENDERS

- Patented design matches the contours of a pontoon perfectly
- Contoured shape hugs pontoon's curves for optimal fit
- Optional securing points fit most pontoon boat styles
- Rubber football needle valve for easy inflation (up to 2 psi)
- Marine-grade vinyl withstands harsh marine elements
- Included fender rail straps provide convenient and secure attachment



31037



31037 (back)



31035



Specially contoured to snugly fit pontoon curves, ensuring complete protection against damage



Molded-in ridge along the back side hooks underneath the pontoon deck to ensure the fender stays in place while docking



Extra tie-down points allow the fender to accommodate most styles of pontoon boats, ensuring adaptability for various needs

| Width | Length | White # | Aurora Gold # | Silver Mist # |
|-------|--------|---------|---------------|---------------|
| 9" | 16" | 31030 | 31037 | 31035 |



PONTOON FENCE SAVER

- Prevents contact to delicate aluminum fencing
- Constructed with marine-grade, UV-resistant polyethylene for added strength and protection



Easily attaches to the fence or railing with a buckle and adjustable strap



Provides extensive coverage to safeguard the pontoon's fencing from damage

| Part # | Width | Length |
|--------|-------|--------|
| 31032 | 9" | 36" |



31032



PONTOON CORNER GUARD

- Flexible PVC construction ensures tailored protection for radius and 90° corners
- Silver color seamlessly matches aluminum decking
- Included stainless steel fasteners provide durable attachment
- Air-cushioned impact protection safeguards your boat from damage



31038



Air-cushioned protection, effectively absorbs shocks and prevents damage while docking



Flexible PVC optimizes coverage and safeguards from docking damage



Silver color blends in with aluminum decking, preserving the boat's appearance

| Part # | Width | Length |
|--------|-------|--------|
| 31038 | 3" | 12" |

PONTOON RAIL FENDER ADJUSTER

- Securely clamps to square tubing, ensuring worry-free attachment
- Reposition quickly and easily for hassle-free adjustments on the go
- Crafted from durable ABS plastic for long-lasting reliability and strength

- Easily adjust heights for lines up to 1/2", providing versatility and convenience
- Fits over 1" or 1-1/4" square tube pontoon rails, offering compatibility with a range of setups



Easily clamps on to 1" to 1-1/4" square tube rails to position the fender in place when docking, mooring or rafting



11391

| Part # | Includes | Line Size |
|--------|---|------------|
| 1139 | Four fender adjusters | Up to 1/2" |
| 11391 | Counter top merchandiser with 36 pieces | Up to 1/2" |

HULL-SAVER™ VINYL COVERED FLAT & CONTOUR FENDERS

- Flat design prevents rolling and ride-up
- Tough, flexible polyethylene foam construction
- Covered with UV-resistant, tear-proof vinyl
- Double eyelet configuration for vertical or horizontal hanging
- Corrosion-proof grommets for easy attachment in any application



Contoured design wraps around your vessel, offering extensive coverage against docking damage



Flat fenders



Contoured fenders

| Width | Length | Diameter | White # | Blue # | Black # |
|-------------------------|--------|----------|---------|--------|---------|
| Flat Design | | | | | |
| 6" | 26" | 2-1/2" | 338 | 337 | 339 |
| 6" | 30" | 4" | 342 | 341 | 343 |
| Contoured Design | | | | | |
| 6" | 24" | 2-1/2" | 322 | 321 | 328 |
| 6" | 30" | 4" | 324 | 323 | 329 |

HULL-SAVER RAFTING CUSHIONS

- Contour design provides tailored protection for your boat's hull
- High-density polyethylene foam construction ensures superior impact absorption
- UV and tear-proof vinyl covering offers long-lasting durability
- Corrosion-resistant grommets for easy installation and lasting performance
- Easy storage



| Height | Length | Profile | White # | Mid-Atlantic Blue # |
|--------|--------|---------|---------|---------------------|
| 15" | 7' 4" | Small | 332 | 331 |
| 22" | 7' 4" | Medium | 334 | 333 |
| 26" | 9' | Large | 336 | 335 |





TRANSOM FENDER

- Fits sailboat stern or swim platform
- Soft, flexible vinyl for gentle yet durable protection
- Rubber football needle valve for easy inflation
- 3/4" pass-through tube for securing line
- Patented design for unbeatable safety



3/4" pass-through tube for secure attachment, preventing any shifting or slipping during use



Soft, flexible vinyl offers gentle yet robust protection against impacts and scratches



56090

| Part # | Height | Width | Pass-Through Tube |
|--------|--------|-------|-------------------|
| 56090 | 10" | 22" | 3/4" |



PERSONAL WATERCRAFT FENDERS

- Universally fits PWCs with open bond flanges for fender hooking
- Fender bottom hooks under bond flange for fast attachment
- Flex areas act as hinges, allowing the fender to conform to the watercraft's shape
- Inflation valve allows for easy air pressure adjustment
- Suction cup and securing line included for added stability
- Intended for slow-speed docking only; not suitable for use under full speed



Crafted from durable marine-grade vinyl to conform to the watercraft's shape and are the ideal defense for slow-speed docking



Integrated inflation valve to customize air pressure levels, ensuring optimal stability and protection in any docking scenario



Unique bottom hook with a 'hinge' action for quick attachment to the bond flange

| White # | Mid-Atlantic Blue # | Onyx Black # | Ruby Red # | Yellow # |
|---------|---------------------|--------------|------------|----------|
| 1069 | 1075 | 1062 | 1066 | 1067 |

PREMIUM FENDER COVERS

- 100% premium polyester fabric provides maximum durability for long-lasting performance
- UV, abrasion, and mildew resistant for longevity
- Hand wash with mild detergent and cold water for lasting performance



The high elasticity of the material ensures a snug and secure fit, offering peace of mind during use



Heavy-duty 100% polyester fabric offers exceptional durability and resilience for reliable performance in demanding conditions



Adjustable polypropylene rope at both the top and bottom of the cover offers secure, tailored coverage for your fenders

| Navy # | Black # | Fits Hull-Guard Size | Fits Super Gard Size | Fits Big B Size |
|--------|---------|----------------------|----------------------|-----------------|
| 9204N | 9204R | 6-1/2" x 23" | 5-1/2" x 20" | 6" x 15" |
| 9205N | 9205R | 8-1/2" x 27" | 8-1/2" x 26" | 8" x 20" |
| 9206N | 9206R | 10-1/2" x 30" | 10-1/2" x 30" | 10" x 26" |
| 9207N | 9207R | -- | -- | 12" x 34" |

TRADITIONAL FENDER COVERS

- Tough 100% polyester fabric resists dirt and grit while ensuring a secure, snug fit to safeguard your boat
- Includes two fender boots for complete protection



Neoprene elastic on the top and bottom of the cover allows for a fit that stays in place



Marine-grade polyester withstands harsh environments while snugly fitting your fender

| Blue # | Black # | Fits Hull-Guard Size | Fits Big B Size |
|--------|---------|----------------------|-----------------|
| 5002 | 5042 | 6-1/2" x 23" | 6" x 15" |
| 5003 | 5043 | 8-1/2" x 27" | 8" x 20" |
| 5004 | 5044 | 10-1/2" x 30" | 10" x 26" |

BIG B™ FLEECE FENDER COVERS

- Specially designed for center rope tube style fenders
- Provides ultimate hull protection without marring or color transfer
- Made from 100% polyester 12 oz. blizzard fleece for cushioning protection
- Features reinforced grommeted top and adjustable tie for a snug fit



| Navy # | Black # | Fits Fender Size |
|--------|---------|------------------|
| 9035 | 9031 | 8" x 20" |
| 9036 | 9032 | 10" x 26" |

FENDER-LOC FENDER LINES & TIDY-UPS™ KITS

- Built-in loop eliminates knot tying
- A secure and adjustable tie-off for your fenders
- Tough polypropylene material
- Fade-resistant and will not kink
- Includes two fender lines
- Kits include one fender line and one Tidy-Ups fender adjuster



Can be matched to our fenders thanks to our perfect match, True Color technology



Fade-resistant material will not kink and holds up against the harsh environment



Tough polypropylene braided rope with built-in loop for a secure and adjustable tie-off

| Diameter | Length | White # | Mid Atlantic Blue # | Black Onyx # | Burgundy # | Emerald Green # | Captain's Navy # | Aurora Gold # |
|---------------------------------|--------|---------|---------------------|--------------|------------|-----------------|------------------|---------------|
| Lines Only (2-Pack) | | | | | | | | |
| 3/8" | 6' | 11311 | 11312 | 11313 | 11315 | 11316 | 11317 | 11318 |
| Line & Adjuster Kits | | | | | | | | |
| 3/8" | 6' | 1131 | 1132 | 1133 | 1135 | 1136 | 1137 | 1138 |

TIDY-UPS™ FENDER ADJUSTERS

- Quick and easy to use
- Snap adjuster strap over your lifeline, railing, or stanchion
- Durable, UV-resistant vinyl straps will not crack or fade as they withstand to the damaging marine elements



Tightly holds to bow rails, grab rails, lifelines, cleats and more



These fender adjusters simply snap over your lifelines or railing and are ready to use



Holds lines up to 5/8" in diameter

| White # | Black # | Rail | Fits |
|---------|---------|----------|-------------------------|
| 1015 | 1016 | Standard | Up to 5/8" fender lines |
| 1018 | -- | Large | Up to 5/8" fender lines |

TIDY-UPS™ LINE HOLDERS

- Helps keep the deck clutter free
- Durable, UV-resistant vinyl straps will not crack or fade as they withstand the damaging marine elements
- Secures with swivel fastener
- Secure way to hold rope, electrical cords and more within an easy reach on your boat



These line holders simply snap over your lifelines or railing and are ready to use



Secures with swivel fastener

| Part # | Fits |
|--------|--------------------|
| 1019 | 1/2" to 2" rails |
| 1101 | 1" to 1-1/4" rails |

QUICK DRAW™ FENDER ADJUSTER

- Securely holds to bow rails, grab rails, lifelines, cleats, and more
- Corrosion-resistant stainless steel screws and spring
- Accommodates 1/4" to 1/2" fender lines for a versatile fitting without extra hardware



Can be used together to horizontally hang fenders



Instantly adjust fender height with a push of a button



1092

QUICK KNOT® FENDER HANGER

- Easy fender placement without tying knots
- Heavy-duty molded nylon construction securely holds the fender in place
- Perfect for use with 1/4" rope
- Includes four hangers



Boat fender hangers feature strong teeth inside, ensuring ropes are securely held without tearing, providing enhanced convenience and reliability



Insert the rope into the hanger, loop it over your hook, railing, or lifeline, then thread it back through the hanger and pull to secure



1098



The user-friendly design of the fender hanger ensures easy installation without the hassle of tying knots

| Part # | Height | Width | Diameter |
|--------|--------|--------|----------|
| 1098 | 2-1/8" | 1-1/8" | 3/4" |

OVERSIZED J-HOOK

- Easily mount your fender rack on your boat's 1" or 1-1/2" railing
- Replaces existing hook on your rack
- Corrosion-resistant stainless steel construction



32191

VERTICAL RAIL FENDER HANGER

- Made with heavy-duty marine grade nylon
- Fits 7/8" to 1" vertical rails
- Easy, two-screw installation
- Hassle-free attachment to fender line



1099

Attaches to rails and grips the fender rope with its heavy-duty teeth

| Part # | Fits | Includes |
|--------|------------|-------------|
| 1099 | Up to 5/8" | Two hangers |

RAIL MOUNT FENDER LINE CLIP

- Suspend fenders, power cords, and more from rails and lifelines
- Injection-molded polyethylene construction ensures durability



1093



| Part # | Fits | Includes |
|--------|------------------------|-----------|
| 1093 | 7/8" diameter railings | Two clips |

LINE HANGER

- Durable PVC mounting band snaps over any rail, lifeline or stanchion
- Snap around your coil of rope or cord to secure



1006

| Part # | Length |
|--------|--------|
| 1006 | 9-1/2" |



STAINLESS STEEL FENDER RACKS

- Anti-corrosive #316 stainless steel construction provides lasting protection
- Folds flat for easy storage when not in use
- Cross reinforced design ensures reliable support for your fenders
- Arrives ready to mount for hassle-free installation



Versatile design features moveable "j" hooks that easily mount on 1" rails and stanchion systems, ensuring compatibility with a wide range of boat configurations

- Securely tightens to fit any boat configuration, ensuring a snug and safe hold
- Holds two or three fenders for accessible protection that won't clutter your deck



2009



3009

| Part # | Fits Fender Size | Holds |
|--------|--------------------|---------------|
| 2009 | 7" to 9" diameter | Two fenders |
| 3009 | 7" to 9" diameter | Three fenders |
| 2011 | 9" to 11" diameter | Two fenders |
| 3011 | 9" to 11" diameter | Three fenders |

MINI FENDER KEYCHAIN FLOATS

- Keeps keys afloat if they fall overboard
- Red (port) and green (starboard) key chain fender floats help quickly identify the engine ignitions

| Part # | Width | Height |
|--------|--------|--------|
| 2059 | 1-1/4" | 4-1/2" |



2059

RAIL FENDER HANGER

- Made from injection molded, high impact and UV-resistant nylon
- Unique design makes it easy to adjust fender height and locks in place with a jam cleat – no knots
- Accepts 1/4" to 1/2" rope
- Finger tip adjusting
- No moving parts

| Part # | Fits |
|--------|--------------------|
| 1108 | Up to 1" rails |
| 1109 | Up to 1-1/4" rails |



1108

The fender hanger streamlines placement, eliminating the need for knot tying

HAND PUMP WITH HOSE ADAPTER

- Ideal for fenders and water toys
- Made from ABS plastic
- Hose adapter for hard-to-reach valves
- Compact, easy to stow size: 8" (L) x 1-1/2" (D)

| Part # | Includes |
|--------|---------------------------|
| 1005 | Pump and adapter hose |
| 31010 | Three replacement needles |



1005

Easily inflate boat fenders with a hand pump using the included rubber football needle

RATCHETING FENDER HANGER

- Versatile hanger design allows adjustable fender height from 6" to 24"
- UV-resistant 3/4" polyester webbing won't fray or unwind
- Effortlessly secure your fender by looping the strap over the rail or lifeline and adjusting with ease
- Includes one strap

| Part # | Adjustable Length |
|--------|-------------------|
| 1089 | 6" to 24" |



1089



Fasten by looping the strap over any rail or lifeline, threading it through the fender eye, adjusting length with the buckle, and tightening with the release tab

BIG B™ FENDER HANGER

- Designed for fenders with 3/4" internal diameter tubing
- Vented to prevent water accumulating in the fender tube
- Professional and finished look
- Injection molded reinforced nylon for added strength



Internal teeth provide a strong grip



Easily hangs fender vertically



1085



11085

BOATERS CLOTHESPINS

- Designed to fit 7/8" to 1" round railings
- Single piece with incredible holding power
- High quality plastic molded with UV inhibitors
- Unaffected by saltwater
- Sold as a 4-pack



1650

HOOK & LOOP FENDER STRAP

- Hassle-free fender adjustment
- User-friendly design: simply loop, pull, buckle, and secure
- Durable 3/4" polyester webbing with UV protection won't fray or unwind
- Includes two straps



1094



Crafted with tough polyester webbing for enhanced durability, ensuring long-lasting performance



Easily adjust your fenders for optimal positioning, saving you time and effort on the water.

RAIL / LIFELINE FENDER BRACKET

- Injection-molded nylon clamp brackets for durable and secure attachment
- Double-locking mechanism enables quick and effortless fender height adjustment
- Effortless installation onto lifeline or rail
- Each set includes two brackets for convenience



1097



Securely clamp onto your lifeline or rail, providing hassle-free attachment for enhanced safety and convenience

| Part # | Mounts To |
|--------|---|
| 1097 | 7/8" to 1" railings Up to 1/4" life lines |

LIFELINE FENDER CLIP

- Crafted from durable injection-molded polyethylene for long-lasting reliability
- Compact design measuring 3-3/8" (L) x 1-1/2" (W) x 1" (D)
- Simple installation process for added convenience
- Includes two brackets



1096



For hanging fenders, securing power cords, and more, providing versatile functionality to meet various needs with ease

| Part # | Mounts To |
|--------|--------------------------|
| 1096 | 3/16" to 1/4" life lines |

STAINLESS STEEL FENDER LOCK

- Crafted from resilient stainless steel for lasting durability
- Features both adjustable and fixed fender pegs for versatile fender positioning
- Secure your fender confidently with the one-way locking peg
- Comes complete with one fender lock and mounting screws for easy installation

Note: Locking pegs are not sold separately; they are exclusively available in the #1001 set

| Part # | Accepts |
|--------|-------------------|
| 1001 | 1/2" fender lines |



Stainless steel construction, adjustment peg, and fastening screws ensure many years of dependable service in the harsh marine environment



1001

TRADITIONAL STAINLESS STEEL FENDER LOCK SET

- Low-profile design facilitates quick and effortless fender hanging.
- Choose between fixed or adjustable fender pegs, with mounting screws provided for convenience
- Accommodates rope sizes up to 1/4", ensuring versatility for various fender setups



These low profile fender lock bases make hanging fenders fast and easy



1010

1009

| Part # | Includes |
|--------|-----------------------------------|
| 1010 | One lock, one peg and two screws |
| 1009 | Replacement locking peg for #1010 |



PREMIUM REMOVABLE CHAFE GUARDS

- Constructed from 1050 denier ballistic nylon for excellent durability
- Protects where fender or dock lines rub against paint or gelcoat surfaces
- Easy installation with hook-and-loop closure
- Includes one chafe per package

| 2' Long # | 3' Long # | 4' Long # | Line Diameter |
|-----------|-----------|-----------|---------------|
| BCG78.24 | BCG78.36 | BCG78.48 | 3/4" to 7/8" |
| BCG125.24 | BCG125.36 | BCG125.48 | 1" to 1-1/4" |
| BCG150.24 | BCG150.36 | BCG150.48 | 1-1/2" to 2" |



These 14" guards protect high-wear areas and prevent friction-induced wear as they slide through chocks, enhancing dock line longevity



SUPER DUTY INFLATABLE YACHT FENDERS & COVERS

- Constructed from sturdy PVC with a tensile strength of 4,500 lbs
- Spring-actuated valve features an easy quarter-turn lock for swift inflation or deflation
- Boat fenders are abrasion and tear resistant for long-lasting durability
- Welded seams ensure no glue to harden or breakdown over time
- Our covers, crafted from 100% heavy-duty loop knit acrylic, feature UV, abrasion, and stain resistance, making them durable and easy to maintain with machine washable convenience



SD1829G Fender



5104N Cover



2" tubular nylon webbing exceeds 4,500 lbs. tensile strength



Spring actuated valve has an easy, quarter-turn lock for quick inflation or deflation



Welded seams have no glue to harden or breakdown

| Diameter | Length | Yacht Size | Case Qty | Black Fender # | Grey Fender # | Navy Fender # | Black Cover # | Navy Cover # |
|----------|--------|------------|----------|----------------|---------------|---------------|---------------|--------------|
| 18" | 29" | Up to 75' | 4 | SD1829B | SD1829G | SD1829N | 5100B | 5100N |
| 18" | 42" | Up to 75' | 4 | SD1842B | SD1842G | SD1842N | 5101B | 5101N |
| 18" | 58" | Up to 75' | 2 | SD1858B | SD1858G | SD1858N | 5102B | 5102N |
| 24" | 42" | Up to 100' | 4 | SD2442B | SD2442G | SD2442N | 5103B | 5103N |
| 24" | 58" | Up to 100' | 2 | SD2458B | SD2458G | SD2458N | 5104B | 5104N |
| 36" | 48" | Up to 150' | 2 | SD3648B | SD3648G | SD3648N | 5105B | 5105N |



ANCHORING & MOORING

FEATURED PRODUCTS



Sur-Moor® mooring buoys

Our mooring buoys provide reliable anchorage, engineered to withstand waves and currents for vessel security and collision prevention.

Sur-Mark marker buoys

Our regulatory buoys are built to last with a tough UV protected polyethylene that stands up to the rugged marine elements.

Life rings

Our rings are United States Coast Guard approved, meeting testing and inspection standards for commercial and recreational use.

PRODUCT INDEX

**36**

Sur-Moor®
Mooring Buoys

**38**

Sully Stick
Winter Mooring
Buoy

**39**

Sur-Moor®
Mast Buoys

**40**


Sur-Mark
Marker Buoys

**41**

Regulatory
Buoys

**42**

Mooring
Whips

**46**

Life
Rings

**48**

Life Ring
Accessories

**48**

Eco Blast
Air Horn & Pump

**49**

Rope
Floats

**49**

Decorative
Ring Buoys




SUR-MOOR® TAPER BUOYS

- Taper shape design places more flotation area at the waterline, creating a higher visibility mooring
- Hard skin polyethylene shell is UV-protected to resist the weathering effects of sunlight
- Closed cell foam-filled to positively displace water
- The center line tube design enables the anchor chain to pass directly through the buoy, providing a secure attachment point for your boat at the buoy's top
- Reflective blue stripe for nighttime visibility
- 3-year flotation warranty

| Part # | Tube Diameter | Buoyancy Diameter | Buoy Height | Approx. Buoyancy* |
|--------|---------------|-------------------|-------------|-------------------|
| 46718 | 2-1/2" | 18" | 16-3/4" | 70 lbs. |
| 46724 | 2-1/2" | 24" | 22-11/16" | 165 lbs. |
| 46730 | 3" | 30" | 30" | 410 lbs. |

* The number provided represents the maximum flotation the buoy offers when fully submerged. At the level of the blue stripe, the buoy can support 50% of this value in weight.



SUR-MOOR® T3C™ BUOYS

- Seamless and tough, one-piece polyethylene shell
- Hard skin polyethylene shell is UV-protected to resist the weathering effects of sunlight
- Sandblasted finish allows the buoy to be painted for easy identification
- The center line tube design enables the anchor chain to pass directly through the buoy, providing a secure attachment point for your boat at the buoy's top
- Reflective blue stripe for nighttime visibility
- 3-year flotation warranty

| Part # | Tube Diameter | Buoyancy Diameter | Circumference | Approx. Buoyancy* |
|--------|---------------|-------------------|---------------|-------------------|
| 46370 | 2" | 12" | 38" | 30 lbs. |
| 46371 | 2" | 15" | 47" | 60 lbs. |
| 46372 | 2-1/2" | 18" | 57" | 100 lbs. |
| 46374 | 2-1/2" | 24" | 75" | 240 lbs. |
| 46375 | 3" | 30" | 95" | 460 lbs. |

* The number provided represents the maximum flotation the buoy offers when fully submerged. At the level of the blue stripe, the buoy can support 50% of this value in weight.





SUR-MOOR® SHACKLE BUOY

- Rope nest design has a built-in cup shape at the top of the buoy to allow the anchor shackle to nest below the buoy surface
- Recessed area helps shield the shackle from contacting the boat hull while making a convenient nesting place for the pennant line when the boat departs from the mooring
- Hard skin polyethylene shell is UV-protected to resist the weathering effects of sunlight
- The center line tube design enables the anchor chain to pass directly through the buoy, providing a secure attachment point for your boat at the buoy's top
- Reflective blue stripe for nighttime visibility
- 3-year flotation warranty

| Part # | Tube Diameter | Buoyancy Diameter | Circumference | Approx. Buoyancy* |
|--------|---------------|-------------------|---------------|-------------------|
| 46818 | 2-1/2" | 18" | 57" | 100 lbs. |

* The number provided represents the maximum flotation the buoy offers when fully submerged. At the level of the blue stripe, the buoy can support 50% of this value in weight.



SUR-MOOR® TRADITIONAL BUOYS

- Made with a tough, UV-resistant polyethylene shell that will not fade or crack
- EPS closed cell foam-filled core for optimal buoyancy
- Includes hot-dipped, galvanized-steel ring hardware
- Sandblasted finish allows the buoy to be painted for easy identification
- Reflective blue stripe for nighttime visibility
- 3-year flotation warranty

| Part # | Buoyancy Diameter | Circumference | Approximate Buoyancy* |
|--------|-------------------|---------------|-----------------------|
| 22170 | 12" | 38" | 30 lbs. |
| 22171 | 15" | 47" | 60 lbs. |
| 22172 | 18" | 57" | 100 lbs. |
| 22174 | 24" | 75" | 240 lbs. |

* The number provided represents the maximum flotation the buoy offers when fully submerged. At the level of the blue stripe, the buoy can support 50% of this value in weight.



T3C™ MOORING COLLARS

- Protective collar prevents anchor chain from damaging the neck of mooring buoy
- Extends the life of mooring buoys
- Simple installation
- Wide collar fits standard shackles (not included)
- Constructed from hot-dipped galvanized steel that is sturdy and corrosion resistant
- Hardware and shackle not included
- For use with both taper and shackle buoys

| Part # | Tube Diameter | Fits T3C Part # |
|--------|---------------|-------------------------------------|
| 33020 | 2" | 46370 & 46371 |
| 33025 | 2-1/2" | 46372, 46374, 46718, 46724, & 46818 |
| 33028 | 3" | 46730 & 46375 |



SUR-MOOR® TRADITIONAL BUOY REPLACEMENT HARDWARE

- Made from hot-dip galvanized steel
- Rod assemblies include two galvanized washers and nylon core lock nut

| Part # | Description | Fits Sur-Moor Traditional Buoy # | Buoyancy Diameter |
|--------|-------------------|----------------------------------|-------------------|
| 35647 | Swivel only | All | All |
| 33012 | Full rod assembly | 22170 | 12" |
| 33015 | Full rod assembly | 22171 | 15" |
| 33018 | Full rod assembly | 22172 | 18" |
| 33024 | Full rod assembly | 22174 | 24" |



SULLY STICK™ WINTER MOORING BUOY

- Visibly marks your mooring location during winter months
- Closed cell foam construction displaces water for ideal buoyancy
- Anticorrosive galvanized base eyelet for reliable rope attachment
- Blue reflective stripe for higher visibility
- Tapered design helps escape ice entrapment



Representative Image


Used in place of a standard round mooring buoy during the winter months



22120

| Part # | Diameter | Length | Pick up eye | Anchoring Eye | Internal Ballast | Additional Chain Weight | Water Line Visibility | Approximate Buoyancy* |
|--------|-------------------|--------|-------------|---------------|------------------|-------------------------|-----------------------|-----------------------|
| 22120 | 6" (widest point) | 31" | None | 1-1/2" | None | 6-1/2 lbs. | 18" | 15 lbs. |
| 22135 | 6" (widest point) | 60" | None | 1-1/2" | None | 6-1/2 lbs. | 18" | 15 lbs. |

* The number indicated is the maximum flotation the buoy provides while fully submerged. 50% of this value will be the weight the buoy can support at the level of the blue stripe.



SUR-MOOR® MAST BUOYS

- Ideal for pick-up buoy and diving applications
- 5/16" diameter pultruded fiberglass mast offers a strong yet flexible attachment point
- Sealed urethane foam construction facilitates excellent flotation and durability
- Corrosion-resistant, high-density polyethylene-coated cast metal weight ensures your boat's finish remains unmarred



Corrosion-resistant, high density polyethylene coated cast metal weight provides stability and reliability



Solid urethane foam float ensures exceptional buoyancy, providing reliable flotation season after season

| Part # | Mast Length | Mast Diameter | Approximate Buoyancy* |
|--------|-------------|---------------|-----------------------|
| 22105 | 48" | 5/16" | 6 lbs. |
| 22106 | 74" | 5/16" | 6 lbs. |
| 22107 | 96" | 5/16" | 6 lbs. |

* The number indicated is the maximum flotation the buoy provides while fully submerged. 50% of this value will be the weight the buoy can support at the level of the blue stripe.



SUR-MARK MARKER BUOYS

- Internal concrete ballast helps buoy remain stable during inclement weather conditions
- Tough, UV-protected polyethylene stands up to the rugged marine elements
- One-piece seamless construction is filled with closed cell foam to positively displace water
- Galvanized, recessed eye (chain and hardware not included)
- Labels and LED warning lights sold separately



46103

46104

950400

950410


| Part # | Style | Color | Height | Column Diameter | Base Diameter | Approximate Buoyancy | Water Line Visibility |
|--------|-----------------------------------|-------|--------|-----------------|---------------|----------------------|-----------------------|
| 46103* | Sure-Mark II marker buoy | White | 61" | 9" | -- | 15 lbs. | 37" |
| 46104* | Sur-Mark marker buoy | White | 49" | 10" | 18" | 40 lbs. | 39" |
| 950400 | Sur-Mark can buoy (port side) | Green | 49" | 10" | 18" | 40 lbs. | 39" |
| 950410 | Sur-Mark can nun (starboard side) | Red | 49" | 10" | 18" | 40 lbs. | 39" |

* Orange marking tape included. Labels sold separately.

SUR-MARK BUOY LABELS

- Self-adhesive vinyl is fade-resistant and brightly colored for high visibility day and night
- Each label is 13" wide x 24" long
- Compatible with Sur-Mark marker buoys models #46103 and #46104
- Includes two labels per package
- Five-year warranty against weathering or fading

| Part # | Style |
|--------|-----------------|
| 46171 | Shallow area |
| 46173 | No boats |
| 46175 | Keep out |
| 46180 | Slow 5 MPH |
| 46181 | Slow no wake |
| 46182 | No swimming |
| 46183 | Danger |
| 46184 | Danger rocks |
| 46185 | Swim area |
| 46187 | Hazard area |
| 46188 | Idle speed |
| 46191 | Danger keep out |



SOLAR LED WARNING LIGHT


- Tough, water-resistant plastic housing (not for submersion)
- Clear cover with solar-powered colored LED lights
- Solar-powered light charges during the day and activates automatically at dusk, enhancing hazard visibility for boaters
- Easily attaches with included 1/4" diameter hardware to buoys, docks, or moorings for nighttime identification
- Specifically designed to fit atop Sur-Mark buoy model #46104 (well-nuts recommended for buoy mounting)
- Three lighting modes: steady on, slow-fast, and fast-flash
- Features three built-in flash modes (15, 30, 60 flashes per minute)
- Equipped with replaceable AA NiMH batteries (two per light)
- Always verify installation requirements with local waterway authorities before mounting



46105 Amber



46106 White



46107 Red



46108 Green

| Part # | Light Height | Light Diameter | Base Height | Base Diameter | Mount Hole | Color |
|--------|--------------|----------------|-------------|---------------|------------|-------|
| 46105 | 4-1/4" | 3-3/4" | 1/2" | 4-3/4" | 1/4" | Amber |
| 46106 | 4-1/4" | 3-3/4" | 1/2" | 4-3/4" | 1/4" | White |
| 46107 | 4-1/4" | 3-3/4" | 1/2" | 4-3/4" | 1/4" | Red |
| 46108 | 4-1/4" | 3-3/4" | 1/2" | 4-3/4" | 1/4" | Green |



REGULATORY BUOYS

- Rotationally molded high density polyethylene UV stabilized shells
- Uniform wall thickness inhibits cracking over time
- Stronger engineering ensures better longevity under extreme temperature changes
- Compliance with regulations set by states, municipalities, marinas, and private harbors



950010



950020



950290



950280



950300

| Part # | Style | Height | Diameter | Approx. Buoyancy |
|--------|-----------------|---------|----------|------------------|
| 950010 | Small Green can | 23-1/2" | 13" | 40 lbs. |
| 950020 | Small Red nun | 23-1/2" | 13" | 40 lbs. |
| 950290 | Large Green can | 48" | 24" | 235 lbs. |
| 950280 | Large Red nun | 48" | 24" | 235 lbs. |
| 950300 | Danger can | 48" | 24" | 235 lbs. |



PREMIUM MOORING WHIPS

- For fresh or saltwater use and larger tidal areas
- Roller tip for easy retrieval
- The 1" fiberglass pole and aluminum-magnesium rocker-arm base establish an adjustable angle secure zone between dock and boat
- Includes two whips and installation hardware



| Part # | Length | Pole Diameter | Boat Size | Boat Weight |
|----------|--------|---------------|-----------|-----------------------|
| PMW.1400 | 14' | 1" | >33' | Up to 20,000 lbs. |
| PMW.1600 | 16' | 1" | 34'-46' | 20,000 to 36,000 lbs. |
| PMW.1800 | 18' | 1" | 47'-56' | 36,000 to 48,000 lbs. |



PMW.1400

STANDARD MOORING WHIPS

- For fresh or saltwater use and moderate wake areas
- Roller tip for easy retrieval
- The 13/16" fiberglass pole and aluminum-magnesium base, set at a fixed 60-degree angle, establishing a secure zone between dock and boat
- Includes two whips and installation hardware



| Part # | Length | Pole Diameter | Boat Size | Boat Weight |
|--------|--------|---------------|-----------|-----------------------|
| MW.080 | 8' | 13/16" | >20' | Up to 2,500 lbs. |
| MW.120 | 12' | 13/16" | 18' - 23' | 2,500 to 5,000 lbs. |
| MW.140 | 14' | 13/16" | 24' - 28' | 5,000 to 10,000 lbs. |
| MW.160 | 16' | 13/16" | 29' - 33' | 10,000 to 20,000 lbs. |



MW.080



MOORING WHIPS SELECTION GUIDE



BOATGUARD® MOORING WHIPS

- For fresh water use in low wake areas and non-tidal regions
- Roller tip for easy retrieval
- The 3/4" fiberglass pole and injection-molded reinforced plastic base, set at a fixed 60-degree angle, establishing a secure zone between dock and boat
- Includes two whips and installation hardware



| Part # | Length | Pole Diameter | Boat Size* | Boat Weight |
|--------|--------|---------------|------------|----------------------|
| 99079 | 8' | 3/4" | Up to 25' | Up to 2,500 lbs. |
| 99080 | 12' | 3/4" | Up to 25' | 2,500 to 5,000 lbs. |
| 99081 | 14' | 3/4" | Up to 25' | 5,000 to 10,000 lbs. |



* When determining whip, model weight is more important than length.
Some docking conditions may be too rugged for this product.

MOORING WHIP REPLACEMENT POLES

- All poles include epoxy
- Rope and cleats sold separately

| Part # | Length | Replaces |
|----------|--------|-----------------|
| 70056-01 | 8' | BoatGuard whips |
| 70057-01 | 12' | BoatGuard whips |
| 70058-01 | 14' | BoatGuard whips |
| 70067-01 | 8' | Standard whips |
| 70063-01 | 12' | Standard whips |

| Part # | Length | Replaces |
|----------|--------|----------------|
| 70068-01 | 14' | Standard whips |
| 70069-01 | 16' | Standard whips |
| 70070-01 | 14' | Premium whips |
| 70071-01 | 16' | Premium whips |
| 70072-01 | 18' | Premium whips |

MOORING WHIP HARDWARE

- Complete set mounts a single whip base

| Part # | Compatibility |
|----------|-----------------|
| 70050-01 | BoatGuard whips |
| 70051-01 | Standard whips |
| 70052-01 | Premium whips |

MOORING WHIP COUPLERS

- Joins poles together (does not go into base)

| Part # | Compatibility |
|----------|-----------------|
| 70059-01 | BoatGuard whips |
| 70082-01 | Standard whips |
| 70081-01 | Premium whips |

MOORING WHIP BASES

- Includes all necessary replacement components

| Part # | Compatibility |
|-----------|-----------------------------------|
| 70099-01F | BoatGuard base and cap with epoxy |
| 70064-03F | Standard fixed-angle style |
| 70066-03F | Premium rocker-arm style |

MOORING WHIP BASE COLLARS & GROMMETS

- For replacing base collars

| Part # | Description |
|----------|---|
| 70083-01 | Collar for standard fixed-angle style |
| 70084-01 | Collar for premium rocker-arm style |
| 70073-01 | Rubber grommet for premium rocker-arm style |

MOORING WHIP REPLACEMENT PARTS

| Part # | Description | Compatibility |
|----------|---|---------------|
| 70060-01 | Cleat with clamp halves screws (for one pole) | All models |
| 70065-01 | Roller tip | All models |
| 70074-01 | Epoxy packet | All models |

LINESAVER RUBBER MOORING SNUBBER

- Crafted from super elastic isoprene natural rubber for durability and flexibility
- Prevents mooring line breakage and compensates for sudden jolting and excessive stretching
- Offers maximum protection against stress from wind, waves, and wakes
- Absorbs dock line loads, extending dock line life
- Tool-free installation for added convenience

| Part # | Length | Fits |
|--------|---------|------------|
| 307 | 15" | 3/8" lines |
| 308 | 19-1/4" | 5/8" lines |
| 309 | 22-1/8" | 3/4" lines |








LIFE RINGS


- All life rings meet USCG (U.S. Coast Guard) approval for recreational and commercial use
- Polyethylene grab lines contain UV stabilizers to enhance sunlight resistance
- Molded becket design minimizes ring mildew or deterioration of life ring
- Vinyl skin life rings can be easily painted or numbered with stickers
- Energy-absorbent vinyl skin has more puncture resistance and is less likely to tear or scuff
- Equipped with reflective tape (#571 only)



Vinyl-coated foam



Vinyl-coated foam



Polyethylene shell


| Style | White # | Rope Color | Orange # | Rope Color | Diameter | Minimum Buoyancy |
|--------------------|---------|------------|----------|------------|----------|------------------|
| Vinyl-coated | 360 | White | 363 | White | 20" | 16-1/2 lbs. |
| Vinyl-coated | 361 | White | 364 | White | 24" | 16-1/2 lbs. |
| Vinyl-coated | 380 | White | 383 | White | 30" | 32 lbs. |
| Polyethylene shell | 567 | White | 569 | Black | 24" | 16-1/2 lbs. |
| Polyethylene shell | 568 | White | 570 | Black | 30" | 32 lbs. |
| Polyethylene shell | -- | -- | 571* | Black | 30" | 32 lbs. |

* Saving of Lives at Sea (SOLAS) approved



AER-O-BUOY® LIFE RINGS

- Meets Canadian Coast Guard approval for recreational and commercial use
- 9.5 mm polyethylene grab lines contain UV stabilizers to enhance sunlight resistance
- Molded becket design minimizes ring mildew or deterioration of life ring
- Tough outer polyethylene shell is resistant to gasoline, oil, saltwater, and pool chemicals
- Closed cell foam core for optimal buoyancy
- Reflective tape on 30" diameter rings only



| Style | White # | Rope Color | Orange # | Rope Color | Diameter | Weight | Minimum Buoyancy |
|--------------------|---------|------------|----------|------------|--------------|--------------------|----------------------|
| Polyethylene shell | 570002 | White | 570001 | White | 24" (610 mm) | 5.9 lbs. (2,68kg) | 16-1/2 lbs. (7,5 kg) |
| Polyethylene shell | -- | White | 570003* | White | 30" (762 mm) | 8.0 lbs. (3,62kg) | 32 lbs. (15,5 kg) |
| Polyethylene shell | -- | -- | 570004** | White | 30" (762 mm) | 11.0 lbs. (4,98kg) | 32 lbs. (15,5 kg) |

* Saving of Lives at Sea (SOLAS) approved

** SOLAS-approved ring suitable for quick release from a bridge

LIFE RING STATION

- Rugged polyethylene case houses one 24" ring
- Houses and protects life ring from constant weather exposure
- Bright yellow color for high visibility
- Clear vinyl cover quickly detaches to access life ring (#570007)




| Part # | Description | Accepts | Includes |
|--------|----------------------------------|----------------------|---|
| 570006 | Life ring station and cover | Up to 24" life rings | One ring station and #570007 cover |
| 570008 | Life ring station with life ring | Up to 24" life rings | Ring station and #570001 ring & 50' of 3/8" yellow rope |
| 570009 | Life ring station with life ring | Up to 24" life rings | Ring station and #570002 ring & 50' of 3/8" yellow rope |
| 570007 | Vinyl station cover | -- | One vinyl cover |

LIFE RING LETTER STICKER KIT

- Customize your life rings with ease
- Made from waterproof marine-grade 4-mil vinyl
- Resistant to fading and chemicals
- Includes application template for convenient installation



600015



Example

| Part # | Letter Size | Color | Includes Four Of Each |
|--------|-------------|-------|--|
| 600015 | 2" | Black | Letters (A-Z), numbers 0-9 and symbols |

LIFE RING HOLDER

- Securely holds life rings with stainless steel bracket
- Elastic cord maintains position even in rough conditions
- Versatile mounting options: vertical, angled, or horizontal
- Includes mounting hardware for easy bolt-on installation



2013



Part # Mounts To

| | |
|--------|-------------------------------|
| Part # | Mounts To |
| 2013 | 7/8" - 1" diameter boat rails |

LIFE RING J-HOOKS

- Stainless steel brackets ensure rust and corrosion resistance
- Simple installation on boat, fence, or dock
- Securely cradles life ring for easy retrieval during water emergencies
- Includes two brackets; mounting hardware sold separately



2016



Part # Mounts To

| | |
|--------|------------------|
| Part # | Mounts To |
| 2016 | Any flat surface |

ECO BLAST RECHARGEABLE AIR HORN & MINI AIR-PUMP

- Emits a powerful 120 decibel audible distress signal that can be heard up to one mile away
- Refill valve in airhorn for easy refill, no air canisters needed
- USCG approved
- Operates in all weather conditions
- Environmentally-friendly
- Approximately 20 blasts per charge
- Two interchangeable valves
- Mini air pump generates up to 100 psi



617



616

Part # Includes

| | |
|-----|----------------------------|
| 616 | Horn only |
| 617 | Hand pump only |
| 618 | Air horn and hand pump kit |

RING BUOY HOLDER WITH HEAVING LINE

- Essential white floating heaving line with attached rope float for water emergencies
- Corrosion-resistant anodized aluminum holder
- Strong and sturdy polypropylene line, resistant to mildew and UV rays
- Bolt-on installation (hardware not included)
- Compatible with all ring sizes



| Part # | Float Size | Line Length | Includes |
|--------|-----------------|-------------|--|
| 375 | 5-1/4" L x 3" D | 30' | Mounting bracket, float and heaving line |
| 374 | 5-1/4" L x 3" D | 60' | Mounting bracket, float and heaving line |

ROPE FLOATS

- Painted to provide UV-protection
- Designate swim areas in pools, lakes, oceans, etc.
- Can also be used for ski ropes, anchor lines, marker buoys, and crab traps
- Accommodates rope up to 3/8" diameter
- Approximate buoyancy is 2 lbs.

| Part # | Float Size | Color |
|--------|---------------------|-------------|
| 378 | 5-1/4" L x 2-3/4" D | Red |
| 377 | 5-1/4" L x 2-3/4" D | Yellow |
| 376 | 5-1/4" L x 2-3/4" D | Red / white |



DECORATIVE RING BUOY

- Not a life saving device
- Spruce up your pool or spa area
- Made from nonabsorbent closed-cell foam
- Equipped with sewn-in polypropylene grab lines and decorative blue bands

| Part # | Diameter | Color |
|--------|----------|----------------|
| 371 | 17" | White and blue |
| 372 | 20" | White and blue |
| 373 | 25" | White and blue |





MARINE SEATING

FEATURED PRODUCTS



Bean Bags

Comfy portable seating for boating, dockside, beaches, and more!

Teardrop design for comfort and stability while underway.

PRODUCT INDEX



52

Bean
Bags



MARINE BEAN BAGS

- Heavy-duty 20 oz. marine grade vinyl is water repellent, strong, and easy to clean
- Twin zipper design with interior pocket keeps beads in
- Secure lockstitch sewing using UV-resistant thread withstands prolonged sun exposure
- Tough webbed handles offer convenient carrying
- Teardrop design is comfortable and stable while underway



Engineered to withstand the elements, our marine bean bag chairs are weather-resistant and water-repellent



Robust construction features lockstitch sewing with UV-resistant thread, guaranteeing exceptional longevity and style



The twin-zipper design, complemented by an interior pocket, ensures that the bean bag chair's beads stay securely in place

| Part # | Color |
|--------|-----------------|
| 81000 | White |
| 81002 | White / Blue |
| 81004 | White / Navy |
| 81006 | White / Seafoam |





DOCK PRODUCTS

FEATURED PRODUCTS



| Stow 'N Go™ dock boxes

Built for docks and large boats, offering high resilience to the marine environment to protect your boating accessories.

| StepSafe™ dock steps

Our single, double, and triple tread dock steps provide safety and stability for anyone getting on or off a boat in wet or dry conditions.

| Dock edging

Double-molded profiles give you the extra durability and protection you need dockside, with easy installation using screws or nails.

PRODUCT INDEX



57
Fiberglass
Dock Boxes



59
Polyethylene
Dock Boxes



60
DockPro®
Dock Cart



61
StepSafe™
Dock Steps



63
Dock
Floats



64
Dock
Lines



66
Dock
Edging

68
Dock Bumpers
& Corners

70
Perimeter™
Cushions &
Guards

74
Dock
Wheels

75
Dock
Cushions

75
Dock
Lights





STOW 'N GO™ STANDARD FIBERGLASS DOCK BOXES

- Durable, molded fiberglass construction
- UV-resistant gelcoat prevents fading and cracking associated with prolonged sun exposure
- Corrosion resistant stainless-steel hardware and lockable latch
- Gas shock lift assist for controlled opening and closing
- Smooth interior finish eliminates snagged and scratched items
- One-year warranty

83556




83553



83562

COLORS



White



Seafoam Green



Ice Blue

Ice blue and Seafoam Green available in select sizes only



Molded fiberglass design with a smooth UV gel-coat finish inside and out, holds up in all types of marine environments



Two built-in gas lift shocks allow for easy and controlled opening and closing (low-profile options only have one shock)



Corrosion-resistant heavy duty stainless steel lockable latch and hinges

| Part # | Box Style | Height | Width | Depth | Part # | Box Style | Height | Width | Depth |
|---------|---------------|--------|-------|-------|---------|---------------|---------|---------|---------|
| 83562 | Standard | 24" | 54" | 22" | 83554 | Standard deep | 28-3/4" | 72-3/4" | 28-1/4" |
| 83552 | Standard | 24" | 72" | 23" | 83554IB | Standard deep | 28-3/4" | 72-3/4" | 28-1/4" |
| 83552IB | Standard | 24" | 72" | 23" | 83554SF | Standard deep | 28-3/4" | 72-3/4" | 28-1/4" |
| 83552SF | Standard | 24" | 72" | 23" | 83550 | Low-profile | 20" | 40" | 19" |
| 83551 | Standard | 24" | 85" | 22" | 83557 | Low-profile | 18" | 48" | 20" |
| 83559 | Standard | 24" | 95" | 22" | 83556 | Top-seat | 27" | 46" | 26" |
| 83553 | Standard deep | 27" | 46" | 26" | 83555 | Top-seat | 30" | 73" | 28-1/4" |

Part numbers ending in "IB" indicates Ice Blue as color. Part numbers ending in "SF" indicate Seafoam Green as color.

PNEUMATIC LID LIFTS FOR DOCK BOXES

- Includes two lift arms
- Fits all models excluding #83560 fisherman's box

| Part # | Includes |
|--------|---------------|
| 83610 | Two lift arms |



83610



STOW 'N GO™ FISHERMEN'S DOCK BOX

- Built-in rod holders under the lid can store poles up to 7' long
- Durable, molded fiberglass construction
- UV-resistant gelcoat prevents fading and cracking associated with prolonged sun exposure
- Corrosion resistant stainless-steel hardware and lockable latch
- Gas shock lift assist for controlled opening and closing
- Smooth interior finish eliminates snagged and scratched items
- One-year warranty



Store your fishing poles and accessories neatly under the lid with built-in rod holders, keeping everything organized and easily accessible.



Gas shocks help keep the lid open on rocking docks and in higher winds



Latch and hinges are made from heavy-duty stainless steel

| Part # | Color | Material | Height | Width | Depth |
|---------|---------------|------------|--------|-------|-------|
| 83560 | White | Fiberglass | 24" | 95" | 22" |
| 83560SF | Seafoam Green | Fiberglass | 24" | 95" | 22" |
| 83560IB | Ice Blue | Fiberglass | 24" | 95" | 22" |



STOW 'N GO™ TRIANGLE DOCK BOXES

- Space saver electrical inset dock box design allows the box to straddle the water over any 90°, such as two adjoining docks
- Electrical inset accommodates power units like Eaton™, Ensign™ and other popular suppliers
- Durable, molded fiberglass construction
- UV-resistant gelcoat prevents fading and cracking associated with prolonged sun exposure
- Corrosion resistant stainless-steel hardware and lockable latch
- Gas shock lift assist for controlled opening and closing
- Smooth interior finish eliminates snagged and scratched items
- One-year warranty



| Part # | Style | Material | Height | Width | Depth |
|--------|--|------------|---------|---------|---------|
| 83561 | Standard triangle | Fiberglass | 27" | 54" | 33" |
| 83563 | Triangle space saver box with electrical inset | Fiberglass | 34-1/2" | 51-3/8" | 26-5/8" |



STOW 'N GO™ STANDARD POLYETHYLENE DOCK BOXES

- Secure and dry place to stow boat and pool accessories while you're out on the boat or enjoying some time poolside
- UV-stable, rotomolded polyethylene construction that will stand up to the harsh elements
- Waterproof design ensures durable outdoor storage, ideal for protecting marine gear in all weather conditions
- Stainless steel lockable latch accepts a standard padlock, offering peace of mind
- Double-walled lid adds strength and rigidity



123750



The perfect storage box for your dock, pool or patio



The double-walled lid is secured with a stainless latch, creating a weatherproof design



Latch and hinges are made from heavy-duty stainless steel

| White # | Material | Height | Width | Depth |
|---------|--------------|--------|---------|---------|
| 123650 | Polyethylene | 26" | 43" | 21" |
| 123750 | Polyethylene | 26" | 67-3/4" | 27-3/4" |



STOW 'N GO™ TRIANGLE POLYETHYLENE DOCK BOXES

- Space saver electrical inset dock box design allows the box to straddle the water over any 90° angle, such as two adjoining docks
- Electrical inset accommodates power units like Eaton™, Ensign™ and other popular suppliers

| Part # | Material | Height | Width | Depth |
|--------|--------------|--------|-------|-------|
| 123661 | Polyethylene | 36" | 50" | 32" |



123661



NEW AND IMPROVED DOCK PRO® DOCK CART

- Molded in leg design eliminates corroded metal legs
- Reinforced axle mounting area eliminates the need for metal bracing
- Flat-free tire design
- Black plastic rim resists UV exposure
- Curved handle is galvanized and powder coated steel tubing to resist corrosion
- Poly-tub impervious to rotting and rust
- Now 64% Larger.



1060



Flat-free tire design gives you the confidence to wheel over almost anything without puncturing the tire



Has a weight capacity of 350 lbs., which means no more multiple trips back and forth to the boat

| Part # | Weight Capacity | Wheel Size | Tub Length | Tub Width | Tub Depth |
|--------|-----------------|------------|------------|-----------|-----------|
| 1060 | 350 lbs. | 20" | 51" | 32" | 23" |

REPLACEMENT DOCK CART WHEEL

- Flat-free tire design
- Corrosion resistant hardware

| Part # | Wheel Size |
|--------|------------|
| 1060W | 20" |

Replacement parts are available



1060W



STEPSAFE™ DOCK STEPS

- Designed with a molded UV-resistant polyethylene that withstands the effects of harsh sun exposure.
- Can be directly mounted to your dock
- Patented, non-slip pad on the top of each dock step for maximum safety and protection
- 1-1/2" wide flange provides a stable base on any flat surface



47300

47200

47100



StepSafe™ non-slip tread is adhered to the top of each dock step for maximum safety and protection



Designed with molded UV-resistant polyethylene to resist fading and cracking caused by prolonged exposure to the sun



Aluminum handrail available for two and three step models (sold separately)

| White # | Tread Count | Flange Width | Weight Capacity | Length | Width | Height |
|---------|--------------|--------------|-----------------|---------|---------|---------|
| 47100 | Single tread | 1-1/2" | 300 lbs. | 22" | 18" | 11-3/4" |
| 47200 | Double tread | 1-1/2" | 300 lbs. | 26-3/4" | 23-3/4" | 17" |
| 47300 | Triple tread | 1-1/2" | 300 lbs. | 35" | 25" | 25-1/2" |



STEPSAFE™ DOCK STEP RAILINGS

- Made for Taylor Made StepSafe Dock Steps
- Aluminum construction
- Available for two and three step models (sold separately)

| Part # | Tread Model | Width | Height |
|--------|--------------|---------|--------|
| 47201 | Double tread | 19-1/2" | 49" |
| 47301 | Triple tread | 26" | 58" |



STEP SAFE™ ANTI-SLIP TREAD

- Retains its grip wet or dry and is resistant to gas, oil and UV rays
- Also great for the pool area, aluminum ladders, or any surface where slipping is a concern
- Comes with a pressure sensitive backing for easy installation
- Trims easily with scissors
- 12-pack master comes pre-packed and clipped onto a strip for easy display

| Part # | Includes | Depth | Length |
|--------|--------------|--------|---------|
| 11990 | One step pad | 3-1/2" | 14-1/2" |

If 12 are ordered they come on clip strip





DOCK FLOATS

- Seamless, UV-resistant black polyethylene shell filled with EPS foam
- Tough outer shell protects the foam core from saltwater, gasoline, and most other chemicals
- 8-year flotation warranty
- Breather valve allows air in and keeps water out
- Mounting hardware not included
- Not designed to attach to each other



The shell protects the foam core from salt water, gasoline, and other harsh chemicals

Our dock floats have thick mounting flanges with fastener slots for easy attachment

Made with a UV-resistant black polyethylene shell with EPS foam core to protect against sinking should the shell be compromised

| Part # | Length | Width | Height | Color | Approximate Flotation | Pallet Quantity |
|--------|--------|-------|--------|-------|-----------------------|-----------------|
| 46118 | 24" | 36" | 12" | Black | 335 lbs. | 12 / pallet |
| 46116 | 24" | 48" | 12" | Black | 450 lbs. | 12 / pallet |
| 484812 | 48" | 48" | 12" | Black | 900 lbs. | 6 / pallet |
| 46117 | 24" | 48" | 16" | Black | 600 lbs. | 12 / pallet |
| 46119 | 24" | 36" | 16" | Black | 450 lbs. | 10 / pallet |
| 364816 | 36" | 48" | 16" | Black | 900 lbs. | 5 / pallet |
| 484816 | 48" | 48" | 16" | Black | 1,200 lbs. | 5 / pallet |
| 246016 | 24" | 60" | 16" | Black | 700 lbs. | 5 / pallet |

Contact us for truckload volume pricing



DOUBLE-BRAIDED NYLON DOCK LINE

- Whipped bitter end keeps line from fraying
- Flexible line stays soft and easy to handle
- Spliced eye end – much stronger than a knot
- Resistant to oil, grease, gasoline, mildew, and most chemicals
- Will not rot, allowing for wet or dry storage



Tough polypropylene nylon that is resistant to abrasion, oil, grease, gasoline, and mildew



The spliced eye end provides significantly greater strength compared to a traditional knot



Bow and stern lines should be two-thirds the length of your boat, while spring lines should match the length of your boat

| Black # | White # | Blue # | Tensile Strength | Diameter | Length | Boat Length |
|---------|---------|--------|------------------|----------|--------|-------------|
| 11319 | 11328 | 11324 | 4,450 lbs. | 3/8" | 15' | Up to 25' |
| 11321 | 11325 | 11329 | 4,450 lbs. | 3/8" | 25' | Up to 25' |
| 11322 | 11326 | 11331 | 7,850 lbs. | 1/2" | 15' | Up to 32' |
| 11323 | 11327 | 11332 | 7,850 lbs. | 1/2" | 25' | Up to 32' |



CHAFE GUARDS

- Prevents wear and tear on your mooring and dock lines.
- Constructed from our strong, abrasion-resistant rubber
- Will not split or rot in the sun
- Measures 14" long
- Includes two per package

| Part # | Fits |
|--------|--------------------|
| 96013 | 1/2" to 5/8" lines |
| 96014 | 3/4" lines |



96013



PREMIUM REMOVABLE CHAFE GUARDS

- Constructed from 1050 denier ballistic nylon for excellent durability
- Protects where fender or dock lines rub against paint or gelcoat surfaces
- Easy install with hook-and-loop closure
- Available in 2', 3', or 4' lengths
- Includes one chafe per package

| 2' Long # | 3' Long # | 4' Long # | Line Diameter |
|-----------|-----------|-----------|---------------|
| BCG78.24 | BCG78.36 | BCG78.48 | 3/4" to 7/8" |
| BCG125.24 | BCG125.36 | BCG125.48 | 1" to 1-1/4" |
| BCG150.24 | BCG150.36 | BCG150.48 | 1-1/2" to 2" |



Use for hanging fenders, holding power cords, etc.

DOCK PRO® COMMERCIAL VINYL DOCK EDGING

- Heavier wall sections to provide enhanced protection for their intended applications
- Molded twice and molecularly bonded for extra durability and protection
- Tough inner core is surrounded with our soft white vinyl for extra cushion against tough docks
- Each piece installs easily to the edges of docks, piers, or floats with screws or nails
- Eco-friendly, using 85% recycled material
- Ideal for marinas or docks with heavy vessel traffic



Side gard



P-shape

| Straight White # | Straight Black # | Retail Coil # | Style | Depth | Height | Length |
|------------------|------------------|---------------|-----------|--------|--------|--------|
| 46030 | 46018 | 46013 | Side gard | 1-3/8" | 3-1/2" | 10' |
| 46031 | 46020 | 46012 | P-shape | 2" | 3-1/8" | 10' |
| 46032 | 46019 | -- | P-shape | 2-3/8" | 3-5/8" | 10' |

DOCK PRO® PREMIUM VINYL DOCK EDGING

- Heavier wall sections to provide enhanced protection for their intended applications
- Molded twice and molecularly bonded for extra durability and protection
- Tough inner core is surrounded with our soft white vinyl for extra cushion against tough docks
- Each piece installs easily to the edges of docks, piers, or floats with screws or nails
- Eco-friendly, using 85% recycled material
- Ideal for larger boats or docks exposed to open water



P-shape black



P-shape white



Commercial side gard black



Commercial side gard white

| White # | Black # | Configuration | Style | Depth | Height | Length |
|---------|---------|---------------|----------|--------|--------|--------|
| 45995 | 45993 | P-shape | Straight | 1-7/8" | 3" | 10' |
| 45996 | 45994 | P-shape | Coil | 1-7/8" | 3" | 10' |
| 45992 | 45989 | Side gard | Straight | 1-3/8" | 4-1/4" | 10' |
| 45991 | 45990 | Side gard | Coil | 1-3/8" | 4-1/4" | 10' |



DOCK PRO® HEAVY-DUTY VINYL DOCK EDGING

- Molded twice and molecularly bonded for extra durability and protection
- Tough inner core is surrounded with our soft white vinyl for extra cushion against tough docks
- Each piece installs easily to the edges of docks, piers, or floats with screws or nails
- Eco-friendly, using 85% recycled material
- Ideal for small boats and inland docks



Small edge gard



Medium edge gard



C-shape edge gard

| Coil # | Straight # | Retail # | Style | Depth | Height | Length |
|--------|------------|----------|---------|--------|--------|--------|
| 46086 | -- | 46057 | Small | 1-3/8" | 2-3/4" | 10' |
| 46097 | -- | -- | Small | 1-3/8" | 2-3/4" | 25' |
| 46096 | 46062 | 46058 | Medium | 1-7/8" | 3-3/4" | 10' |
| 46098 | -- | -- | Medium | 1-7/8" | 3-3/4" | 25' |
| -- | 46070 | -- | C-shape | 1-1/4" | 3-5/8" | 8' |
| 46056 | -- | 46072 | C-shape | 1-1/4" | 3-5/8" | 10' |
| -- | -- | 46053 | C-shape | 1-1/4" | 3-5/8" | 16' |
| 46054 | -- | -- | C-shape | 1-1/4" | 3-5/8" | 25' |



THE WAVE SHOCK ABSORBING DOCK BUMPER

- 25' Coil will protect approximately 18' of dock space
- Superior shock-absorbing ability
- Hardware included
- Easy installation



Form a wave shape with this flexible dock edging and nail it down to your dock



Shock-absorbing ability prevents your boat from taking on any damage



46069

| Part # | Depth | Height | Length |
|--------|-------|--------|--------|
| 46069 | 1/4" | 5" | 25' |

DOCK EDGING NAILS

- Includes ring shank
- Galvanized nails include a washer

| Part # | Quantity | Material | Length |
|--------|----------|-----------------|--------|
| 96028 | 1/8 lb. | Galvanized | 1-1/2" |
| 95999 | 1/2 lb. | Stainless steel | 1-1/4" |



90-DEGREE VINYL CORNER BUMPERS

- Protects boat against sharp dock corners
- Made with tough PVC
- Available in black and white
- Hardware not included
- Easy installation
- Seamlessly integrate with our large commercial P-shape (46032) profile, ensuring a clean and finished appearance

| White # | Black # | Angle | Width | Length |
|---------|---------|-------|--------|--------|
| 46015 | 46016 | 90° | 6" | 6" |
| 96008 | n/a | 90° | 2-1/4" | 6" |
| 96009 | n/a | 90° | 3-1/2" | 6" |





DOCK PRO® HEAVY-DUTY VINYL DOCK BUMPERS

- Made from UV-resistant, marine-grade vinyl
- Inflation valve for easy adjustment to desired firmness
- Pre-drilled holes allow for easy mounting
- Curved back panel for vertical mounting on pilings



45510

| White # | Style | Configuration | Depth | Height | Length |
|---------|------------|---------------|-------|--------|---------|
| 45500 | Heavy-duty | Straight | 4" | 5" | 35-1/2" |
| 45510 | Heavy-duty | Corner | 4" | 5" | 13" |



45500

DOCK PRO® VINYL DOCK BUMPERS

- Made from UV-resistant, marine-grade vinyl
- Solid flaps protect the top and sides of the dock
- Protects the side and top of the dock with 1-1/4" cushion above dock level



46082

46081

| White # | Black # | Configuration | Depth | Height | Length |
|---------|---------|---------------|-------|--------|--------|
| 46082 | 46075 | Straight | 2" | 4-1/2" | 18" |
| 46081 | 46076 | Corner | 2" | 4-1/2" | 10" |

HULL-SAVER™ VINYL COVERED DOCK BUMPERS & CORNERS

- High-density closed cell polyethylene foam, covered in a tough UV-resistant and tear-resistant vinyl or polyester tri-laminate blend covering
- Corrosion-resistant grommets make attachment easy for any application



348



345



350

| Part # | Style | Configuration | Depth | Height | Length |
|--------|-----------------|---------------|--------|--------|--------|
| 344 | Standard dock | Straight | 2-1/2" | 4" | 24" |
| 345 | Standard dock | Corner | 2-1/2" | 4" | 10" |
| 349 | Heavy-duty dock | Straight | 4" | 6" | 35" |
| 350 | Heavy-duty dock | Corner | 4" | 6" | 12" |
| 347 | Marine | Straight | 6" | 8" | 3' |
| 348 | Marine | Straight | 6" | 8" | 5' |

FENDER BOARD GUARDS

- Attach to both ends of a 2"x4" to give you a padded fender board
- Includes two per package



RUBBER CHAIR TIPS

- Non-marking rubber tips for use on deck chairs, boarding ladders, and boat hooks



| Part # | Fits | Includes |
|--------|---------------|-----------------|
| 96024 | 7/8" tubing | Four chair tips |
| 96025 | 1" tubing | Four chair tips |
| 96026 | 1-1/8" tubing | Four chair tips |

RUBBER SPREADER BOOTS

- Reduces sail chafing, drag, and tearing
- Quickly fits over the stay and spreader end
- Includes two per package



| Part # | Spreader Insert Size | Height | Width |
|--------|----------------------|--------|--------|
| 960025 | 1/2" - 1-1/2" | 2" | 4-5/8" |
| 960026 | 1" - 2" | 2-3/8" | 5-3/4" |
| 960027 | 2" - 3" | 2-7/8" | 7-1/2" |

PERIMETER™ DOCK & POST BUMPERS

- Polyester textile cover and closed cell foam inner cushion
- Cleans easily with liquid soap and a brush
- Flexible to mount on curves or around corners
- Will not deteriorate in the sun or mar your boat



Flexible 1" tab system allows standard top-of-dock mounting



Unique fold-over mounting conceals the top row fasteners

| Width | 3-5/8" | 4-1/2" | 5-1/2" | 8" | 5-1/2" | 8" |
|----------|----------|----------|----------|---------------|--------------|---------------|
| Depth | 1-1/4" | 1-3/4" | 2-1/4" | 3-1/4" | 1-1/4" | 1-3/4" |
| Length | Small # | Medium # | Large # | Extra Large # | Small Double | Medium Double |
| 3' | DB2.30 | DB3.30 | DB4.30 | DB6.30 | DDB2.30 | DDB3.30 |
| 4' | DB2.40 | DB3.40 | DB4.40 | DB6.40 | DDB2.40 | DDB3.40 |
| 6' | DB2.60 | DB3.60 | DB4.60 | DB6.60 | DDB2.60 | DDB3.60 |
| 9' | DB2.90 | DB3.90 | DB4.90 | DB6.90 | DDB2.90 | DDB3.90 |
| 25' | DB2.CU25 | DB3.CU25 | DB4.CU25 | DB6.CU25 | DDB2.CU25 | DDB3.CU25 |
| 50' | DB2.CU50 | DB3.CU50 | DB4.CU50 | DB6.CU50 | DDB2.CU50 | DDB3.CU50 |
| 10 - 49' | DB2.CU | DB3.CU | DB4.CU | DB6.CU | DDB2.CU | DDB3.CU |

All custom length orders are made in USA



PERIMETER™ CORNER BUMPERS

- Create a finished look to the 90° outside corner of the dock
- Matches perfectly with our dock bumpers
- Top and bottom mounting flanges for a secure installation

| Part # | Size | Configuration | Height | Length |
|--------|-------------|---------------|--------|--------|
| CB3.20 | Medium | Corner | 3" | 24" |
| CB4.20 | Large | Corner | 4" | 24" |
| CB6.20 | Extra large | Corner | 6" | 24" |



PERIMETER™ REMOVABLE POST BUMPERS

- Protect your boat at unprotected docks and pilings
- Maintains position more effectively than traditional fenders
- Great for temporary docking or portable docks
- Bumpers come equipped with polyester webbing (53" long) and a heavy-duty Delrin buckle system for a quick, easy, and secure installation

| Part # | Size | Width | Depth | Length |
|---------|-------------|--------|--------|--------|
| RPB3.30 | Medium | 4-1/2" | 1-3/4" | 3' |
| RPB4.30 | Large | 5-1/2" | 2-1/4" | 3' |
| RPB6.30 | Extra large | 8" | 3-1/4" | 3' |



| Part # | Size | Width | Depth | Length |
|---------|--------|--------|--------|--------|
| RPB3.45 | Medium | 4-1/2" | 1-3/4" | 4-1/2' |
| RPB4.45 | Large | 5-1/2" | 2-1/4" | 4-1/2' |



PERIMETER™ GUNNEL GUARDS

- Polyester covered
- Lasts over 10 times longer than comparable products
- Resists sun rot and protects your boat's finish
- Perfect for whalers, dinghies, and swim steps
- Easy installation



| Part # | Style | Tab Size | Diameter | Length |
|-------------|------------|----------|----------|--------|
| GG1.253Q.50 | 3/4-round | 5/8" | 1-1/4" | 50' |
| GG1.253Q.CU | 3/4-round | 5/8" | 1-1/4" | < 50' |
| GG1.5HR.50 | Half-round | 5/8" | 1-1/2" | 50' |
| GG1.5HR.CU | Half-round | 5/8" | 1-1/2" | < 50' |
| GG1.53Q.50 | 3/4-round | 3/4" | 1-1/2" | 50' |
| GG1.53Q.CU | 3/4-round | 3/4" | 1-1/2" | < 50' |



Half-round



3/4 round

PERIMETER™ CHAFE GUARDS

- Polyester UV-safe textile cover, closed-cell foam inner cushion
- Prevent wear and tear on your mooring and dock lines
- Easily fits through chocks, will not split or rot in the sun

| Part # | Line Size | Length | Quantity |
|----------|-------------|--------|----------|
| CG58.18 | 3/8" x 5/8" | 18" | 2 |
| CG58.48 | 3/8" x 5/8" | 4' | 2 |
| CG58.100 | 3/8" x 5/8" | 100' | 1 |
| CG1.18 | 3/4" x 1" | 18" | 2 |
| CG1.48 | 3/4" x 1" | 4' | 2 |
| CG1.100 | 3/4" x 1" | 100' | 1 |



| Part # | Line Size | Length | Quantity |
|----------|-----------|--------|--------------------|
| CG125.18 | 1-1/4" | 18" | 2 |
| CG125.48 | 1-1/4" | 4' | 2 |
| CG125.BU | 1-1/4" | Bulk | 1 (custom lengths) |



PERIMETER™ REMOVABLE CHAFE GUARDS

- Polyester UV-safe textile cover, closed-cell foam inner cushion
- Ideal for anchor lines, power cords, and pre-spliced eyes
- Polyester hook & loop fasteners provide easy and secure installation

| Part # | Line Size | Length |
|-----------|-------------|--------|
| RCG58.14 | 3/8" x 5/8" | 16" |
| RCG1.14 | 3/4" x 1" | 16" |
| RCG125.14 | 1-1/4" | 16' |



PERIMETER™ LIFELINE CUSHIONS

- Sturdy and comfortable backrest
- Easy to clean polyester-covered foam cushions
- LC150.60BU features UV-resistant Sunbrella® fabric
- Includes two per package

| Part # | Style | Length |
|------------|-----------------------|--------|
| LC150.30 | Lifeline cushion | 3' |
| LC150.45 | Lifeline cushion | 4-1/2' |
| LC150.60 | Lifeline cushion | 6' |
| LC150.60BU | Blue Lifeline cushion | 6' |





DOCK ROLLER WHEELS

- Engineered for roll-in docks and boat lifts
- Molded from UV-stabilized polyethylene plastic for enhanced puncture resistance
- Rolls smoothly across marine terrains
- Features pre-drilled drain holes for easy maintenance
- Requires minimal upkeep



Designed for maximum strength with no maintenance requirements



Durable, maintenance-free wheel ensures effortless installation of your roll-in dock or boat lift



1224

| Part # | Fitment | Diameter | Tread Width | Load Rating |
|--------|--|----------|-------------|-------------|
| 1224 | Fits axle sizes 1.60" to 1.90" in diameter | 24" | 8" | 800 lbs. |



DOCK POST GUIDE WHEEL

- Versatile design for use as free-floating boat guides or mountable to custom dock brackets with 1-1/2" diameter pipes
- Stackable wheels for enhanced protection
- Flexible vinyl construction withstands docking wear and tear
- Includes inflation valve for adjusting firmness
- 14" diameter with 2" inside diameter reinforcement bushing



Fend your vessel away from the dock and roll along the topsides to prevent scuffing



1214

| Part # | Fitment | Diameter |
|--------|---|----------|
| 1214 | Fits standard 1-1/2" diameter dock pipe | 14" |



DOCK PRO® INFLATABLE DOCK WHEELS

- Made with marine-grade vinyl
- Available in three sizes and corner or straight mount configurations
- 12" and 18" versions feature a large 2" diameter axle housing for maximum strength
- 3-year warranty



Smooth rolling action guides boats away from the dock, preventing impacts



Molded-in needle inflation valve allows for precise air pressure control



1078



1079

| Straight Mount # | Corner Mount # | Replacement Wheel # | Wheel Size | Boat Size |
|------------------|----------------|---------------------|------------|------------|
| 1079 | 1078 | 91078 | 9" | Up to 20' |
| 1073 | 1072 | 91072 | 12" | 20' to 30' |
| 1082 | 1081 | 91082 | 18" | 30' to 40' |

NOTE: Brackets and wheels are not interchangeable. Replacement wheels include cap and washer.



DOCK POST BUMPER

- Designed for pipe-supported wood docks
- Slides easily over 1-1/2" dock pipe to mount flush with the wood dock
- Marine-grade vinyl construction withstands harsh marine environments
- Molded-in inflation valve enables precise air pressure control



| Part # | Color | Fits Dock Pipes | Diameter | Length |
|--------|-------------------|-----------------|----------|--------|
| 45600 | White | Standard 1-1/2" | 7" | 17" |
| 45604 | Mid-Atlantic Blue | Standard 1-1/2" | 7" | 17" |
| 45607 | Captain's Navy | Standard 1-1/2" | 7" | 17" |
| 45652 | Black Onyx | Standard 1-1/2" | 7" | 17" |
| 45653 | Burgundy | Standard 1-1/2" | 7" | 17" |
| 45657 | Emerald Green | Standard 1-1/2" | 7" | 17" |
| 45660 | Aurora Gold | Standard 1-1/2" | 7" | 17" |

DOCK CUSHIONS

- Outer shell made from high density polyethylene foam for superior protection
- Inner core made with lower density EVA foam for maximum compression
- Pre-drilled for easy installation



Included plugs provide a clean, finished look



High-density foam for superior protection



45984



46011

| White # | Style | Configuration | Depth | Height | Length |
|---------|---------|---------------|--------|--------|--------|
| 45984 | Cushion | Corner | 3-1/4" | 5" | 18" |
| 46011 | Cushion | Straight | 3-1/4" | 5" | 36" |

PILING CAPS

- Made with polypropylene for durability
- Angled surface deters birds from nesting
- Withstands the harsh marine elements
- Dresses up any dock or pier
- Can be drilled for a secure fit
- Hardware not included



| White # | Black # | Diameter |
|---------|---------|----------|
| 6200 | 6205 | 7" |
| 6201 | 6206 | 8" |
| 6202 | 6207 | 9" |

| White # | Black # | Diameter |
|---------|---------|----------|
| 6203 | 6208 | 10" |
| 6204 | 6209 | 11" |
| 6210 | 6211 | 12" |

ALUMINUM DOCK LIGHT

- Bright LEDs, powerful solar panel, and changeable AA NiMH batteries provide all-night illumination
- Anodized aluminum, IP68 waterproof design for superior weather resistance
- Low profile is perfect for docks and marinas
- Easy, hassle-free mounting with no wires



46310

| Part # | Height | Width | Length |
|--------|--------|--------|--------|
| 46310 | 7/8" | 4-1/8" | 4-1/8" |







BIMINI TOPS & SHADES

FEATURED PRODUCTS



| Bimini BoaTops®

Customize your boat with three upgraded fabric options, stainless steel or aluminum frame and storage boot to match your boat.

| Pontoon biminis

Available in multiple configurations and sizes to match your pontoon's needs, our bimini tops keep you cool and protected on the water.

| Pontoon bimini kits

Our complete kits for pontoons include the frame, fabric and storage boots in a single SKU, making ordering quick and easy.

PRODUCT INDEX

**80**

Bimini
BoaTops®

90

Bimini BoaTop®
Tower Tops

91

Convertible
Bimini Tops

92

Bimini BoaTop®
Accessories

95

Pontoon
Biminis

99

Pontoon
Bimini Kits

**100**

Pontoon
Playpen Shade

101

Pontoon
Gazebo

101

Pontoon Boat
Cover Support

102

Pontoon
Enclosure

102

Easy Up Privacy
Partition

104

Anchorshade™ III
& SailShade



BIMINI BOATOPS®

Manufactured with superior features, these units are sold with the frame, fabric tops and storage boots packaged separately. Frames are available in bright dip anodized aluminum or stainless steel. Stainless steel frames come with stainless steel fittings, bright dip anodized aluminum frames come with marine grade nylon hardware. Fabric tops are available in Hot Shot™, Ultima™, or Sunbrella® brand fabrics.


Selecting the right bimini top & frame

The combination of height and length determine how much shade your Bimini BoaTop® will provide. Think about how you use your boat and what you want to shade: For example, if you want to shade yourself and your children in the back, you probably want the longest bimini available in a medium height. If you are out fishing by yourself most of the time, you probably want the higher, shorter Bimini BoaTop®.

Step 1 - Measure and select your frame

1. Determine the length: 4', 6' or 8'.
2. Determine the height: 36" 42" or 54".
This is the maximum standing height under the frame, measured from the mounting location points.
3. Determine the width: 60" to 103".
Measure from the mounting point on one side of the boat, to the same location on the opposite side of the boat.

Widths of the Bimini BoaTops® are specified in increments of 6". Choose the width that best matches your mounting point measurement.



Frames are designed as 'knock-down' frames, meaning they snap together via double-sided snap buttons.

Bow count refers to the number of bows that make up the frame. Three-bow models are compatible with 4' and 6' long tops and four-bow with 8' long tops. All sizes ship unassembled, via UPS or FedEx.

Step 2 - Select your fabric

From the economical Hot Shot™ solution-dyed fabric to the premier durability and style of Sunbrella®, the choice is yours when it comes to your bimini. All of our fabric choices are treated for water repellency and mildew resistance to withstand the harsh marine environment.

Hot Shot™ fabric

- Weight: 6.25 oz. per sq. yard
- Solution-dyed urethane-coated polyester




Ultima™ fabric

- Weight: 7 oz. per sq. yard
- Solution-dyed urethane-coated polyester



Sunbrella® fabric

- Weight: 9 oz. per sq. yard
- Solution-dyed acrylic performance



Step 3 - Select your storage boot

Zippered storage boots provide a convenient way to keep your top clean and neat while being stored. Boot sizes are determined by frame width. Boots are available in the same fabrics as the tops above. All boots feature full-length separating zippers for easy storage and removal.

All Bimini BoaTops® ship within five business days





BIMINI BOATOP® FRAMES & FABRICS

36"

To order your Bimini BoaTop® frame in stainless steel, simply add 'SS' to the end of the 'Frame #' from the table below.

For example: #36467SS is a stainless steel bimini top, 36" high with a length of 4' and a width of 60" - 66".

| 36" Tall Frames & Fabric | | | | | | |
|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Width | 60" - 66" | 67" - 72" | 73" - 78" | 79" - 84" | 85" - 90" | 91" - 96" |
| Frame # | 36467 | 36473 | 36479 | 36485 | 36491 | 36497 |
| Hot Shot Fabric | | | | | | |
| Pacific Blue | 367000B | 367010B | 367020B | 367030B | 367040B | 367050B |
| Hunter Green | 367000F | 367010F | 367020F | 367030F | 367040F | 367050F |
| Charcoal Grey | 367000G | 367010G | 367020G | 367030G | 367040G | 367050G |
| Navy | 367000N | 367010N | 367020N | 367030N | 367040N | 367050N |
| Black | 367000R | 367010R | 367020R | 367030R | 367040R | 367050R |
| Sand | 367000S | 367010S | 367020S | 367030S | 367040S | 367050S |
| Teal | 367000T | 367010T | 367020T | 367030T | 367040T | 367050T |
| Cranberry | 367000Y | 367010Y | 367020Y | 367030Y | 367040Y | 367050Y |
| White | 367000W | 367010W | 367020W | 367030W | 367040W | 367050W |
| Ultima Fabric | | | | | | |
| Pacific Blue | 36700UB | 36701UB | 36702UB | 36703UB | 36704UB | 36705UB |
| Hunter Green | 36700UF | 36701UF | 36702UF | 36703UF | 36704UF | 36705UF |
| Silver Grey | 36700UG | 36701UG | 36702UG | 36703UG | 36704UG | 36705UG |
| Navy | 36700UN | 36701UN | 36702UN | 36703UN | 36704UN | 36705UN |
| Black | 36700UK | 36701UK | 36702UK | 36703UK | 36704UK | 36705UK |
| Sand | 36700US | 36701US | 36702US | 36703US | 36704US | 36705US |
| Teal | 36700UT | 36701UT | 36702UT | 36703UT | 36704UT | 36705UT |
| Cranberry | 36700UR | 36701UR | 36702UR | 36703UR | 36704UR | 36705UR |
| Sunbrella Fabric | | | | | | |
| Pacific Blue | 36700AB | 36701AB | 36702AB | 36703AB | 36704AB | 36705AB |
| Rocket Red | 36700AE | 36701AE | 36702AE | 36703AE | 36704AE | 36705AE |
| Forest Green | 36700AF | 36701AF | 36702AF | 36703AF | 36704AF | 36705AF |
| Cadet Grey | 36700AG | 36701AG | 36702AG | 36703AG | 36704AG | 36705AG |
| Captain Navy | 36700AN | 36701AN | 36702AN | 36703AN | 36704AN | 36705AN |
| Jet Black | 36700AR | 36701AR | 36702AR | 36703AR | 36704AR | 36705AR |
| Linen | 36700AS | 36701AS | 36702AS | 36703AS | 36704AS | 36705AS |
| Aqua Marine | 36700AT | 36701AT | 36702AT | 36703AT | 36704AT | 36705AT |
| Burgundy | 36700AY | 36701AY | 36702AY | 36703AY | 36704AY | 36705AY |
| Natural | 36700AW | 36701AW | 36702AW | 36703AW | 36704AW | 36705AW |

6
FOOT

BIMINI BOATOP® FRAMES & FABRICS

36"

To order your Bimini BoaTop® frame in stainless steel, simply add 'SS' to the end of the 'Frame #' from the table below.

For example: #36667SS is a stainless steel bimini top, 36" high with a length of 6' and a width of 60" - 66".

| 36" Tall Frames & Fabric | | | | | | |
|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Width | 60" - 66" | 67" - 72" | 73" - 78" | 79" - 84" | 85" - 90" | 91" - 96" |
| Frame # | 36667 | 36673 | 36679 | 36685 | 36691 | 36697 |
| Hot Shot Fabric | | | | | | |
| Pacific Blue | 367120B | 367130B | 367140B | 367150B | 367160B | 367170B |
| Hunter Green | 367120F | 367130F | 367140F | 367150F | 367160F | 367170F |
| Charcoal Grey | 367120G | 367130G | 367140G | 367150G | 367160G | 367170G |
| Navy | 367120N | 367130N | 367140N | 367150N | 367160N | 367170N |
| Black | 367120R | 367130R | 367140R | 367150R | 367160R | 367170R |
| Sand | 367120S | 367130S | 367140S | 367150S | 367160S | 367170S |
| Teal | 367120T | 367130T | 367140T | 367150T | 367160T | 367170T |
| Cranberry | 367120Y | 367130Y | 367140Y | 367150Y | 367160Y | 367170Y |
| White | 367120W | 367130W | 367140W | 367150W | 367160W | 367170W |
| Ultima Fabric | | | | | | |
| Pacific Blue | 36712UB | 36713UB | 36714UB | 36715UB | 36716UB | 36717UB |
| Hunter Green | 36712UF | 36713UF | 36714UF | 36715UF | 36716UF | 36717UF |
| Silver Grey | 36712UG | 36713UG | 36714UG | 36715UG | 36716UG | 36717UG |
| Navy | 36712UN | 36713UN | 36714UN | 36715UN | 36716UN | 36717UN |
| Black | 36712UK | 36713UK | 36714UK | 36715UK | 36716UK | 36717UK |
| Sand | 36712US | 36713US | 36714US | 36715US | 36716US | 36717US |
| Teal | 36712UT | 36713UT | 36714UT | 36715UT | 36716UT | 36717UT |
| Cranberry | 36712UR | 36713UR | 36714UR | 36715UR | 36716UR | 36717UR |
| Sunbrella Fabric | | | | | | |
| Pacific Blue | 36712AB | 36713AB | 36714AB | 36715AB | 36716AB | 36717AB |
| Rocket Red | 36712AE | 36713AE | 36714AE | 36715AE | 36716AE | 36717AE |
| Forest Green | 367012AF | 36713AF | 36714AF | 36715AF | 36716AF | 36717AF |
| Cadet Grey | 36712AG | 36713AG | 36714AG | 36715AG | 36716AG | 36717AG |
| Captain Navy | 36712AN | 36713AN | 36714AN | 36715AN | 36716AN | 36717AN |
| Jet Black | 36712AR | 36713AR | 36714AR | 36715AR | 36716AR | 36717AR |
| Linen | 36712AS | 36713AS | 36714AS | 36715AS | 36716AS | 36717AS |
| Aqua Marine | 36712AT | 36713AT | 36714AT | 36715AT | 36716AT | 36717AT |
| Burgundy | 36712AY | 36713AY | 36714AY | 36715AY | 36716AY | 36717AY |
| Natural | 36712AW | 36713AW | 36714AW | 36715AW | 36716AW | 36717AW |



6
FOOT

BIMINI BOATOP® FRAMES & FABRICS

42"

To order your Bimini BoaTop® frame in stainless steel, simply add 'SS' to the end of the 'Frame #' from the table below.

For example: #42667SS is a stainless steel bimini top, 42" high with a length of 6' and a width of 60" - 66".

| 42" Tall Frames & Fabric | | | | | | | |
|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Width | 60" - 66" | 67" - 72" | 73" - 78" | 79" - 84" | 85" - 90" | 91" - 96" | 97" - 103" |
| Frame # | 42667 | 42673 | 42679 | 42685 | 42691 | 42697 | 42698 |
| Hot Shot Fabric | | | | | | | |
| Pacific Blue | 427000B | 427010B | 427020B | 427030B | 427040B | 427050B | 427060B |
| Hunter Green | 427000F | 427010F | 427020F | 427030F | 427040F | 427050F | 427060F |
| Charcoal Grey | 427000G | 427010G | 427020G | 427030G | 427040G | 427050G | 427060G |
| Navy | 427000N | 427010N | 427020N | 427030N | 427040N | 427050N | 427060N |
| Black | 427000R | 427010R | 427020R | 427030R | 427040R | 427050R | 427060R |
| Sand | 427000S | 427010S | 427020S | 427030S | 427040S | 427050S | 427060S |
| Teal | 427000T | 427010T | 427020T | 427030T | 427040T | 427050T | 427060T |
| Cranberry | 427000Y | 427010Y | 427020Y | 427030Y | 427040Y | 427050Y | 427060Y |
| White | 427000W | 427010W | 427020W | 427030W | 427040W | 427050W | 427060W |
| Ultima Fabric | | | | | | | |
| Pacific Blue | 42700UB | 42701UB | 42702UB | 42703UB | 42704UB | 42705UB | 42706UB |
| Hunter Green | 42700UF | 42701UF | 42702UF | 42703UF | 42704UF | 42705UF | 42706UF |
| Silver Grey | 42700UG | 42701UG | 42702UG | 42703UG | 42704UG | 42705UG | 42706UG |
| Navy | 42700UN | 42701UN | 42702UN | 42703UN | 42704UN | 42705UN | 42706UN |
| Black | 42700UK | 42701UK | 42702UK | 42703UK | 42704UK | 42705UK | 42706UK |
| Sand | 42700US | 42701US | 42702US | 42703US | 42704US | 42705US | 42706US |
| Teal | 42700UT | 42701UT | 42702UT | 42703UT | 42704UT | 42705UT | 42706UT |
| Cranberry | 42700UR | 42701UR | 42702UR | 42703UR | 42704UR | 42705UR | 42706UR |
| Sunbrella Fabric | | | | | | | |
| Pacific Blue | 42700AB | 42701AB | 42702AB | 42703AB | 42704AB | 42705AB | 42706AB |
| Rocket Red | 42700AE | 42701AE | 42702AE | 42703AE | 42704AE | 42705AE | 42706AE |
| Forest Green | 42700AF | 42701AF | 42702AF | 42703AF | 42704AF | 42705AF | 42706AF |
| Cadet Grey | 42700AG | 42701AG | 42702AG | 42703AG | 42704AG | 42705AG | 42706AG |
| Captain Navy | 42700AN | 42701AN | 42702AN | 42703AN | 42704AN | 42705AN | 42706AN |
| Jet Black | 42700AR | 42701AR | 42702AR | 42703AR | 42704AR | 42705AR | 42706AR |
| Linen | 42700AS | 42701AS | 42702AS | 42703AS | 42704AS | 42705AS | 42706AS |
| Aqua Marine | 42700AT | 42701AT | 42702AT | 42703AT | 42704AT | 42705AT | 42706AT |
| Burgundy | 42700AY | 42701AY | 42702AY | 42703AY | 42704AY | 42705AY | 42706AY |
| Natural | 42700AW | 42701AW | 42702AW | 42703AW | 42704AW | 42705AW | 42706AW |

6

FOOT

BIMINI BOATOP® FRAMES & FABRICS

54"

To order your Bimini BoaTop® frame in stainless steel, simply add 'SS' to the end of the 'Frame #' from the table below.

For example: #54667SS is a stainless steel bimini top, 54" high with a length of 6' and a width of 60" - 66".

| 54" Tall Frames & Fabric | | | | | | | |
|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Width | 60" - 66" | 67" - 72" | 73" - 78" | 79" - 84" | 85" - 90" | 91" - 96" | 97" - 103" |
| Frame # | 54667 | 54673 | 54679 | 54685 | 54691 | 54697 | 54698 |
| Hot Shot Fabric | | | | | | | |
| Pacific Blue | 547000B | 547010B | 547020B | 547030B | 547040B | 547050B | 547060B |
| Hunter Green | 547000F | 547010F | 547020F | 547030F | 547040F | 547050F | 547060F |
| Charcoal Grey | 547000G | 547010G | 547020G | 547030G | 547040G | 547050G | 547060G |
| Navy | 547000N | 547010N | 547020N | 547030N | 547040N | 547050N | 547060N |
| Black | 547000R | 547010R | 547020R | 547030R | 547040R | 547050R | 547060R |
| Sand | 547000S | 547010S | 547020S | 547030S | 547040S | 547050S | 547060S |
| Teal | 547000T | 547010T | 547020T | 547030T | 547040T | 547050T | 547060T |
| Cranberry | 547000Y | 547010Y | 547020Y | 547030Y | 547040Y | 547050Y | 547060Y |
| White | 547000W | 547010W | 547020W | 547030W | 547040W | 547050W | 547060W |
| Ultima Fabric | | | | | | | |
| Pacific Blue | 54700UB | 54701UB | 54702UB | 54703UB | 54704UB | 54705UB | 54706UB |
| Hunter Green | 54700UF | 54701UF | 54702UF | 54703UF | 54704UF | 54705UF | 54706UF |
| Silver Grey | 54700UG | 54701UG | 54702UG | 54703UG | 54704UG | 54705UG | 54706UG |
| Navy | 54700UN | 54701UN | 54702UN | 54703UN | 54704UN | 54705UN | 54706UN |
| Black | 54700UK | 54701UK | 54702UK | 54703UK | 54704UK | 54705UK | 54706UK |
| Sand | 54700US | 54701US | 54702US | 54703US | 54704US | 54705US | 54706US |
| Teal | 54700UT | 54701UT | 54702UT | 54703UT | 54704UT | 54705UT | 54706UT |
| Cranberry | 54700UR | 54701UR | 54702UR | 54703UR | 54704UR | 54705UR | 54706UR |
| Sunbrella Fabric | | | | | | | |
| Pacific Blue | 54700AB | 54701AB | 54702AB | 54703AB | 54704AB | 54705AB | 54706AB |
| Rocket Red | 54700AE | 54701AE | 54702AE | 54703AE | 54704AE | 54705AE | 54706AE |
| Forest Green | 54700AF | 54701AF | 54702AF | 54703AF | 54704AF | 54705AF | 54706AF |
| Cadet Grey | 54700AG | 54701AG | 54702AG | 54703AG | 54704AG | 54705AG | 54706AG |
| Captain Navy | 54700AN | 54701AN | 54702AN | 54703AN | 54704AN | 54705AN | 54706AN |
| Jet Black | 54700AR | 54701AR | 54702AR | 54703AR | 54704AR | 54705AR | 54706AR |
| Linen | 54700AS | 54701AS | 54702AS | 54703AS | 54704AS | 54705AS | 54706AS |
| Aqua Marine | 54700AT | 54701AT | 54702AT | 54703AT | 54704AT | 54705AT | 54706AT |
| Burgundy | 54700AY | 54701AY | 54702AY | 54703AY | 54704AY | 54705AY | 54706AY |
| Natural | 54700AW | 54701AW | 54702AW | 54703AW | 54704AW | 54705AW | 54706AW |



BIMINI BOATOP® FRAMES & FABRICS

42"

To order your Bimini BoaTop® frame in stainless steel, simply add 'SS' to the end of the 'Frame #' from the table below.

For example: #42867SS is a stainless steel bimini top, 42" high with a length of 8' and a width of 60" - 66".

| 42" Tall Frames & Fabric | | | | | | | |
|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Width | 60" - 66" | 67" - 72" | 73" - 78" | 79" - 84" | 85" - 90" | 91" - 96" | 97" - 103" |
| Frame # | 42867 | 42873 | 42879 | 42885 | 42891 | 42897 | 42900 |
| Hot Shot Fabric | | | | | | | |
| Pacific Blue | 427140B | 427150B | 427160B | 427170B | 427180B | 427190B | 427200B |
| Hunter Green | 427140F | 427150F | 427160F | 427170F | 427180F | 427190F | 427200F |
| Charcoal Grey | 427140G | 427150G | 427160G | 427170G | 427180G | 427190G | 427200G |
| Navy | 427140N | 427150N | 427160N | 427170N | 427180N | 427190N | 427200N |
| Black | 427140R | 427150R | 427160R | 427170R | 427180R | 427190R | 427200R |
| Sand | 427140S | 427150S | 427160S | 427170S | 427180S | 427190S | 427200S |
| Teal | 427140T | 427150T | 427160T | 427170T | 427180T | 427190T | 427200T |
| Cranberry | 427140Y | 427150Y | 427160Y | 427170Y | 427180Y | 427190Y | 427200Y |
| White | 427140W | 427150W | 427160W | 427170W | 427180W | 427190W | 427200W |
| Ultima Fabric | | | | | | | |
| Pacific Blue | 42714UB | 42715UB | 42716UB | 42717UB | 42718UB | 42719UB | 42720UB |
| Hunter Green | 42714UF | 42715UF | 42716UF | 42717UF | 42718UF | 42719UF | 42720UF |
| Silver Grey | 42714UG | 42715UG | 42716UG | 42717UG | 42718UG | 42719UG | 42720UG |
| Navy | 42714UN | 42715UN | 42716UN | 42717UN | 42718UN | 42719UN | 42720UN |
| Black | 42714UK | 42715UK | 42716UK | 42717UK | 42718UK | 42719UK | 42720UK |
| Sand | 42714US | 42715US | 42716US | 42717US | 42718US | 42719US | 42720US |
| Teal | 42714UT | 42715UT | 42716UT | 42717UT | 42718UT | 42719UT | 42720UT |
| Cranberry | 42714UR | 42715UR | 42716UR | 42717UR | 42718UR | 42719UR | 42720UR |
| Sunbrella Fabric | | | | | | | |
| Pacific Blue | 42714AB | 42715AB | 42716AB | 42717AB | 42718AB | 42719AB | 42720AB |
| Rocket Red | 42714AE | 42715AE | 42716AE | 42717AE | 42718AE | 42719AE | 42720AE |
| Forest Green | 42714AF | 42715AF | 42716AF | 42717AF | 42718AF | 42719AF | 42720AF |
| Cadet Grey | 42714AG | 42715AG | 42716AG | 42717AG | 42718AG | 42719AG | 42720AG |
| Captain Navy | 42714AN | 42715AN | 42716AN | 42717AN | 42718AN | 42719AN | 42720AN |
| Jet Black | 42714AR | 42715AR | 42716AR | 42717AR | 42718AR | 42719AR | 42720AR |
| Linen | 42714AS | 42715AS | 42716AS | 42717AS | 42718AS | 42719AS | 42720AS |
| Aqua Marine | 42714AT | 42715AT | 42716AT | 42717AT | 42718AT | 42719AT | 42720AT |
| Burgundy | 42714AY | 42715AY | 42716AY | 42717AY | 42718AY | 42719AY | 42720AY |
| Natural | 42714AW | 42715AW | 42716AW | 42717AW | 42718AW | 42719AW | 42720AW |



8
FOOT

BIMINI BOATOP® FRAMES & FABRICS

54"

To order your Bimini BoaTop® frame in stainless steel, simply add 'SS' to the end of the 'Frame #' from the table below.

For example: #54867SS is a stainless steel bimini top, 54" high with a length of 8' and a width of 60" - 66".

| 54" Tall Frames & Fabric | | | | | | | |
|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Width | 60" - 66" | 67" - 72" | 73" - 78" | 79" - 84" | 85" - 90" | 91" - 96" | 97" - 103" |
| Frame # | 54867 | 54873 | 54879 | 54885 | 54891 | 54897 | 54900 |
| Hot Shot Fabric | | | | | | | |
| Pacific Blue | 547140B | 547150B | 547160B | 547170B | 547180B | 547190B | 547200B |
| Hunter Green | 547140F | 547150F | 547160F | 547170F | 547180F | 547190F | 547200F |
| Charcoal Grey | 547140G | 547150G | 547160G | 547170G | 547180G | 547190G | 547200G |
| Navy | 547140N | 547150N | 547160N | 547170N | 547180N | 547190N | 547200N |
| Black | 547140R | 547150R | 547160R | 547170R | 547180R | 547190R | 547200R |
| Sand | 547140S | 547150S | 547160S | 547170S | 547180S | 547190S | 547200S |
| Teal | 547140T | 547150T | 547160T | 547170T | 547180T | 547190T | 547200T |
| Cranberry | 547140Y | 547150Y | 547160Y | 547170Y | 547180Y | 547190Y | 547200Y |
| White | 547140W | 547150W | 547160W | 547170W | 547180W | 547190W | 547200W |
| Ultima Fabric | | | | | | | |
| Pacific Blue | 54714UB | 54715UB | 54716UB | 54717UB | 54718UB | 54719UB | 54720UB |
| Hunter Green | 54714UF | 54715UF | 54716UF | 54717UF | 54718UF | 54719UF | 54720UF |
| Silver Grey | 54714UG | 54715UG | 54716UG | 54717UG | 54718UG | 54719UG | 54720UG |
| Navy | 54714UN | 54715UN | 54716UN | 54717UN | 54718UN | 54719UN | 54720UN |
| Black | 54714UK | 54715UK | 54716UK | 54717UK | 54718UK | 54719UK | 54720UK |
| Sand | 54714US | 54715US | 54716US | 54717US | 54718US | 54719US | 54720US |
| Teal | 54714UT | 54715UT | 54716UT | 54717UT | 54718UT | 54719UT | 54720UT |
| Cranberry | 54714UR | 54715UR | 54716UR | 54717UR | 54718UR | 54719UR | 54720UR |
| Sunbrella Fabric | | | | | | | |
| Pacific Blue | 54714AB | 54715AB | 54716AB | 54717AB | 54718AB | 54719AB | 54720AB |
| Rocket Red | 54714AE | 54715AE | 54716AE | 54717AE | 54718AE | 54719AE | 54720AE |
| Forest Green | 54714AF | 54715AF | 54716AF | 54717AF | 54718AF | 54719AF | 54720AF |
| Cadet Grey | 54714AG | 54715AG | 54716AG | 54717AG | 54718AG | 54719AG | 54720AG |
| Captain Navy | 54714AN | 54715AN | 54716AN | 54717AN | 54718AN | 54719AN | 54720AN |
| Jet Black | 54714AR | 54715AR | 54716AR | 54717AR | 54718AR | 54719AR | 54720AR |
| Linen | 54714AS | 54715AS | 54716AS | 54717AS | 54718AS | 54719AS | 54720AS |
| Aqua Marine | 54714AT | 54715AT | 54716AT | 54717AT | 54718AT | 54719AT | 54720AT |
| Burgundy | 54714AY | 54715AY | 54716AY | 54717AY | 54718AY | 54719AY | 54720AY |
| Natural | 54714AW | 54715AW | 54716AW | 54717AW | 54718AW | 54719AW | 54720AW |



BIMINI BOATOP® STORAGE BOOTS

Zippered storage boots provide a convenient way to keep your top clean and neat while being stored. Boot size is determined by frame width. All boots feature full-length separating zippers for easy storage and removal.

| Storage Boots | | | | | | | |
|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Width | 60" - 66" | 67" - 72" | 73" - 78" | 79" - 84" | 85" - 90" | 91" - 96" | 97" - 103" |
| Hot Shot Fabric | | | | | | | |
| Pacific Blue | 631640B | 631700B | 631760B | 631820B | 631880B | 631940B | 631990B |
| Hunter Green | 631640F | 631700F | 631760F | 631820F | 631880F | 631940F | 631990F |
| Charcoal Grey | 631640G | 631700G | 631760G | 631820G | 631880G | 631940G | 631990G |
| Navy | 631640N | 631700N | 631760N | 631820N | 631880N | 631940N | 631990N |
| Black | 631640R | 631700R | 631760R | 631820R | 631880R | 631940R | 631990R |
| Sand | 631640S | 631700S | 631760S | 631820S | 631880S | 631940S | 631990S |
| Teal | 631640T | 631700T | 631760T | 631820T | 631880T | 631940T | 631990T |
| Cranberry | 631640Y | 631700Y | 631760Y | 631820Y | 631880Y | 631940Y | 631990Y |
| White | 631640W | 631700W | 631760W | 631820W | 631880W | 631940W | 631990W |
| Ultima Fabric | | | | | | | |
| Pacific Blue | 63164UB | 63170UB | 63176UB | 63182UB | 63188UB | 63194UB | 63199UB |
| Hunter Green | 63164UF | 63170UF | 63176UF | 63182UF | 63188UF | 63194UF | 63199UF |
| Silver Grey | 63164UG | 63170UG | 63176UG | 63182UG | 63188UG | 63194UG | 63199UG |
| Navy | 63164UN | 63170UN | 63176UN | 63182UN | 63188UN | 63194UN | 63199UN |
| Black | 63164UK | 63170UK | 63176UK | 63182UK | 63188UK | 63194UK | 63199UK |
| Sand | 63164US | 63170US | 63176US | 63182US | 63188US | 63194US | 63199US |
| Teal | 63164UT | 63170UT | 63176UT | 63182UT | 63188UT | 63194UT | 63199UT |
| Cranberry | 63164UR | 63170UR | 63176UR | 63182UR | 63188UR | 63194UR | 63199UR |
| Sunbrella Fabric | | | | | | | |
| Pacific Blue | 63164AB | 63170AB | 63176AB | 63182AB | 63188AB | 63194AB | 63199AB |
| Rocket Red | 63164AE | 63170AE | 63176AE | 63182AE | 63188AE | 63194AE | 63199AE |
| Forest Green | 63164AF | 63170AF | 63176AF | 63182AF | 63188AF | 63194AF | 63199AF |
| Cadet Grey | 63164AG | 63170AG | 63176AG | 63182AG | 63188AG | 63194AG | 63199AG |
| Captain Navy | 63164AN | 63170AN | 63176AN | 63182AN | 63188AN | 63194AN | 63199AN |
| Jet Black | 63164AR | 63170AR | 63176AR | 63182AR | 63188AR | 63194AR | 63199AR |
| Linen | 63164AS | 63170AS | 63176AS | 63182AS | 63188AS | 63194AS | 63199AS |
| Aqua Marine | 63164AT | 63170AT | 63176AT | 63182AT | 63188AT | 63194AT | 63199AT |
| Burgundy | 63164AY | 63170AY | 63176AY | 63182AY | 63188AY | 63194AY | 63199AY |
| Natural | 63164AW | 63170AW | 63176AW | 63182AW | 63188AW | 63194AW | 63199AW |

BIMINI BOATOP® TOWER TOPS


- Designed to mount within most wakeboard / ski towers
- Provide shade for driver and spotter
- All tops are 48" long and measure approximately 16" up from the mounting point
- Available in three widths to fit most towers
- Bright-dip, anodized aluminum frame tubing uses high quality marine grade hardware
- Features urethane-coated polyester Ultima™ fabric for the best performance in strength, UV stability and longevity
- Includes boot in matching color




Measuring your top size

The top will mount directly onto the tower frame at the center point. Pick the best position on the tower that will provide the best shade for the driver's seat. The tops are low profile at approximately 16" high at the maximum. Be sure that the chosen position will keep the top high enough to clear the driver and spotter when seated.

1. Measure across the tower at the mounting point that has been selected.
2. Choose the dimension from the table. Take note the bimini width that matches your measured tower width.
3. Check the width at the top and be sure the angle of your tower will accommodate this dimension.



| Width At Mount | Width At Top |
|----------------|--------------|
| 68" - 71" | 60" |
| 75" - 78" | 67" |
| 81" - 84" | 73" |



| Width | Part # | Color |
|-----------|--------|--------------|
| 68" - 71" | 62123 | Pacific Blue |
| | 62124 | Teal |
| | 62125 | Cranberry |
| | 62127 | Navy |
| | 62128 | Black |
| | 62129 | Hunter Green |
| | 62130 | Grey |

| Width | Part # | Color |
|-----------|--------|--------------|
| 75" - 78" | 62174 | Pacific Blue |
| | 62175 | Teal |
| | 62177 | Cranberry |
| | 62179 | Navy |
| | 62180 | Black |
| | 62181 | Hunter Green |
| | 62183 | Grey |

| Width | Part # | Color |
|-----------|--------|--------------|
| 81" - 84" | 62184 | Pacific Blue |
| | 62185 | Teal |
| | 62186 | Cranberry |
| | 62189 | Navy |
| | 62190 | Black |
| | 62191 | Hunter Green |
| | 62192 | Grey |

CONVERTIBLE BIMINI TOPS

- Keeps you protected from the elements above and beyond the windshield
- Designed for deep 'V' aluminum fishing boats with walk-through windshields
- Tough, water-repellent polyester fabric and heavy-gauge clear PVC zippered walk-through section for great visibility
- Elastic panels along base section allow tops to universally snap to the windshield
- Includes 3/4" top-lock stainless steel clips / male snaps
- 7/8" diameter, bright-dipped anodized aluminum frame with nylon fittings and stainless hardware



| Blue # | Grey # | Bows | Length | Width | Above Mounting Points |
|--------|--------|-------|--------|-----------|-----------------------|
| 62073 | 62074 | Two | 48" | 67" - 72" | 49" |
| 62075 | 62076 | Three | 58" | 79" - 84" | 47" |

BIMINI SUPPORT POLES

- Keep your Bimini BoaTop® off the gunwales with a pair of bimini support poles. Available in adjustable or fixed lengths, use these poles to replace your rear straps and keep your top "up and out of the way."
- Two jawslides (7/8") and deck hinge are included



Adjustable

11995



Fixed Length

11989

| Part # | Style | Includes | Dimensions |
|--------|------------|-----------|------------|
| 11995 | Adjustable | Two poles | 28" to 48" |
| 11989 | Fixed | Two poles | 40" |

CAUTION: These poles should never be used to replace the front support straps. Only the rear straps should be replaced with adjustable support poles. Do not exceed 35 miles per hour while using adjustable Bimini top support poles.

BIMINI BOATOP® ACCESSORIES



11752

Ball and socket deck mount

- Designed for horizontal mount applications
- Derlin insert provides smooth, rattle-free operation
- Made from marine grade 316 stainless steel
- External eye end sold separately (#11751)

| Part # | Lanyard Size |
|--------|--------------|
| 11752 | 7/8" - 1" |



11751

External eye end with ball mount

- Designed for horizontal mount applications
- Made from marine grade 316 stainless steel
- Flat-base ball deck hinge sold separately (#11752)

| Part # | Fits |
|--------|----------------------|
| 11751 | 7/8" diameter tubing |



11210



11711



11731

Jaw slides

- Secure to frame bow with included bolt
- Move slide up and down pole to adjust
- Includes two jaw slides per package

| Part # | Size | Color | Material |
|--------|------|----------|-----------------|
| 11210 | 7/8" | Chromed | Zamak |
| 1209 | 3/4" | Chromed | Zamak |
| 11711 | 7/8" | Black | Nylon |
| 11709 | 3/4" | Black | Nylon |
| 11731* | 7/8" | Polished | Stainless steel |
| 11732* | 1" | Polished | Stainless steel |

* Includes one per package



11749



11750

Rail mount hinges

- Hinge provides attachment point to secure bimini top support pole
- Can be used to mount fender racks or other boating accessories
- No rail disassembly required
- Includes one hinge with hardware

| Part # | Fits | Color |
|--------|-----------------------|-----------------|
| 11749 | 7/8" diameter railing | Stainless steel |
| 11750 | 1" diameter railing | Stainless steel |

BIMINI BOATOP® ACCESSORIES



2000

Adjustable tie-down straps

- Stainless steel ring and snap
- Includes two straps per package

| Part # | Length | Width | Color | Material |
|--------|--------|-------|-------|----------|
| 11993 | 6' | 1" | Black | Nylon |
| 2000 | 6' | 1" | White | Nylon |



Aluminum slide assemblies

- Fold your top behind the rear seat
- Includes two slides per package

| Part # | Length |
|--------|--------|
| 993018 | 18" |
| 993030 | 30" |



5854

Nylon slides

- Includes two slides per package

| Part # | Track Slot Opening |
|--------|--------------------|
| 5854 | .85" |



5962

Slide assembly end caps

- Includes two caps per package

| Part # | Color | Material |
|--------|--------|----------|
| 5962 | Chrome | Zamak |



1340



1341

Stainless steel snaps

- Includes two snaps per package

| Part # | Style | Size |
|--------|-------|------|
| 1340 | Dog | 1" |
| 1341 | Baby | 3/4" |



Pull pins

- Made from marine grade 316 stainless steel

| Part # | Includes |
|--------|-----------------------------|
| 11227 | Two pins and safety lanyard |



Eye straps

- Attachment points for tie-downs
- #1225 includes two / #11713 includes four

| Part # | Loop Size | Length | Color | Material |
|--------|-----------|--------|---------|----------|
| 1225 | 5/16" | 1-1/2" | Chromed | Zamak |
| 11713 | 1/2" | 1-7/8" | Black | Nylon |



Horizontal mount deck hinges

- 2-1/2" (L) x 7/8" (W) x 1-1/4" (H)
- Bolt diameter 1/4"
- Includes two hinges per package

| Part # | Description | Color | Material |
|--------|----------------------|----------|-----------------|
| 11717 | Deck Hinge | Black | Nylon |
| 1204 | Deck Hinge | Chromed | Zamak |
| 11733 | 90° deck hinge | Polished | Stainless steel |
| 11734 | 60° angle deck hinge | Polished | Stainless steel |



External eye ends

- Eye end slides over tube and connects to jaw slide or deck hinge (not included)
- Includes two eye ends per package

| Part # | Size | Color | Material |
|--------|------|----------|-----------------|
| 11206 | 7/8" | Chromed | Zamak |
| 1203 | 3/4" | Chromed | Zamak |
| 11707 | 7/8" | Black | Nylon |
| 11705 | 3/4" | Black | Nylon |
| 11729* | 7/8" | Polished | Stainless steel |
| 11730* | 1" | Polished | Stainless steel |

* Includes one per package



11736

Bimini hinge thumb screw

- Wide knobs are easy to grip and turn
- Includes two screws per package

| Part # | Diameter | Length | Color |
|--------|----------|--------|-------|
| 11736 | 1/4"-20 | 1" | Black |



Side mount deck hinges

- 2-1/2" (L) x 7/8" (W) x 1" (H)
- Bolt diameter 1/4"
- Includes two hinges per package

| Part # | Color | Material |
|--------|----------|-----------------|
| 11721 | Black | Nylon |
| 1205 | Chromed | Zamak |
| 11735* | Polished | Stainless steel |

* Includes one per package



Internal eye end

- Eye end slides into tube and connects to jaw slide or deck hinge (not included)
- Includes two eye ends per package

| Part # | Size | Color | Material |
|--------|------|---------|----------|
| 11207 | 7/8" | Chromed | Zamak |
| 1202 | 3/4" | Chromed | Zamak |
| 11703 | 7/8" | Black | Nylon |



PONTOON BIMINIS

Manufactured with superior features, these units are sold with the frame, fabric tops and storage boots packaged separately. Frames are available in bright dip anodized aluminum or stainless steel. Stainless steel frames come with stainless steel fittings, bright dip anodized aluminum frames come with marine grade nylon hardware. Fabric tops are available in Hot Shot™, Ultima™, or Sunbrella® brand fabrics.


Step 1 - Measure for your frame

1. Determine the width: 96" or 102".

Measure from the mounting point on one side of the pontoon, to the same location on the opposite side of the pontoon.

2. Choose the width that best matches your mounting point measurement.

Frames are designed as 'knock-down' frames, meaning they snap together via double-sided snap buttons.



Step 2 - Select your fabric

From the economical Hot Shot™ solution-dyed fabric to the premier durability and style of Sunbrella®, the choice is yours when it comes to your bimini. All of our fabric choices are treated for water repellency and mildew resistance to withstand the harsh marine environment.

Hot Shot™ fabric

- Weight: 6.25 oz. per sq. yard
- Solution-dyed urethane-coated polyester




Ultima™ fabric

- Weight: 7 oz. per sq. yard
- Solution-dyed urethane-coated polyester



Sunbrella® fabric

- Weight: 9 oz. per sq. yard
- Solution-dyed acrylic performance



Step 3 - Select your storage boot

Zippered storage boots provide a convenient way to keep your top clean and neat while being stored. Boot sizes are determined by frame width. Boots are available in the same fabrics as the tops above. All boots feature full-length separating zippers for easy storage and removal.

All Bimini BoaTops® ship within five business days

Sunbrella® is a registered trademark of Glen Raven, Inc.

PONTOON BIMINI FRAMES & FABRICS

| 56" Frame Height From The Mounting Point | | | Storage Boots | |
|--|---------|---------|---------------|---------|
| Beam Width | 96" | 102" | 96" | 102" |
| Frame # | 601325 | 601326 | -- | -- |
| Hot Shot Fabric | | | | |
| Pacific Blue | 840000B | 840050B | 840010B | 840060B |
| Hunter Green | 840000F | 840050F | 840010F | 840060F |
| Charcoal Grey | 840000G | 840050G | 840010G | 840060G |
| Navy | 840000N | 840050N | 840010N | 840060N |
| Black | 840000R | 840050R | 840010R | 840060R |
| Sand | 840000S | 840050S | 840010S | 840060S |
| Teal | 840000T | 840050T | 840010T | 840060T |
| Cranberry | 840000Y | 840050Y | 840010Y | 840060Y |
| White | 840000W | 840050W | 840010W | 840060W |
| Ultima Fabric | | | | |
| Pacific Blue | 84000UB | 84005UB | 84001UB | 84006UB |
| Hunter Green | 84000UF | 84005UF | 84001UF | 84006UF |
| Silver Grey | 84000UG | 84005UG | 84001UG | 84006UG |
| Navy | 84000UN | 84005UN | 84001UN | 84006UN |
| Black | 84000UK | 84005UK | 84001UK | 84006UK |
| Sand | 84000US | 84005US | 84001US | 84006US |
| Teal | 84000UT | 84005UT | 84001UT | 84006UT |
| Cranberry | 84000UR | 84005UR | 84001UR | 84006UR |
| Sunbrella Fabric | | | | |
| Pacific Blue | 84000AB | 84005AB | 84001AB | 84006AB |
| Rocket Red | 84000AE | 84005AE | 84001AE | 84006AE |
| Forest Green | 84000AF | 84005AF | 84001AF | 84006AF |
| Cadet Grey | 84000AG | 84005AG | 84001AG | 84006AG |
| Captain Navy | 84000AN | 84005AN | 84001AN | 84006AN |
| Jet Black | 84000AR | 84005AR | 84001AR | 84006AR |
| Linen | 84000AS | 84005AS | 84001AS | 84006AS |
| Aqua Marine | 84000AT | 84005AT | 84001AT | 84006AT |
| Burgundy | 84000AY | 84005AY | 84001AY | 84006AY |
| Natural | 84000AW | 84005AW | 84001AW | 84006AW |

Pontoon bimini storage boots

Zippered storage boots provide a convenient way to keep your top clean and neat while being stored. Boot size is determined by frame width. All boots feature full-length separating zippers for easy storage and removal.



8

FOOT

PONTOON BIMINI WITH LIGHT CUTOUT

- Fabric cutout will accommodate lights
- Four-bow, bright dip anodized aluminum frame has a 1-1/4" square aluminum tubing for a sturdy and taut cover
- Aluminum hardware and stainless-steel fittings
- All tops measure 8' long and 56" tall
- Choose from Hot Shot™, Ultima™ or Sunbrella® brand fabrics
- Frame is a 'knock-down' style (shippable by UPS)



| 56" Frame Height From The Mounting Point | | Storage Boots | | |
|--|---------|---------------|---------|---------|
| Beam Width | 96" | 102" | 96" | 102" |
| Frame # | 601325 | 601326 | -- | -- |
| Hot Shot Fabric | | | | |
| Pacific Blue | 843160B | 843180B | 843170B | 843190B |
| Hunter Green | 843160F | 843180F | 843170F | 843190F |
| Charcoal Grey | 843160G | 843180G | 843170G | 843190G |
| Navy | 843160N | 843180N | 843170N | 843190N |
| Black | 843160R | 843180R | 843170R | 843190R |
| Sand | 843160S | 843180S | 843170S | 843190S |
| Teal | 843160T | 843180T | 843170T | 843190T |
| Cranberry | 843160Y | 843180BY | 843170Y | 843190Y |
| White | 843160W | 843180W | 843170W | 843190W |
| Ultima Fabric | | | | |
| Pacific Blue | 84316UB | 84318UB | 84317UB | 84319UB |
| Hunter Green | 84316UF | 84318UF | 84317UF | 84319UF |
| Silver Grey | 84316UG | 84318UG | 84317UG | 84319UG |
| Navy | 84316UN | 84318UN | 84317UN | 84319UN |
| Black | 84316UK | 84318UK | 84317UK | 84319UK |
| Sand | 84316US | 84318US | 84317US | 84319US |
| Teal | 84316UT | 84318UT | 84317UT | 84319UT |
| Cranberry | 84316UR | 84318UR | 84317UR | 84319UR |
| Sunbrella Fabric | | | | |
| Pacific Blue | 84316AB | 84318AB | 84317AB | 84319AB |
| Rocket Red | 84316AE | 84318AE | 84317AE | 84319AE |
| Forest Green | 84316AF | 84318AF | 84317AF | 84319AF |
| Cadet Grey | 84316AG | 84318AG | 84317AG | 84319AG |
| Captain Navy | 84316AN | 84318AN | 84317AN | 84319AN |
| Jet Black | 84316AR | 84318AR | 84317AR | 84319AR |
| Linen | 84316AS | 84318AS | 84317AS | 84319AS |
| Aqua Marine | 84316AT | 84318AT | 84317AT | 84319AT |
| Burgundy | 84316AY | 84318AY | 84317AY | 84319AY |
| Natural | 84316AW | 84318AW | 84317AW | 84319AW |



PONTOON BIMINI KITS

- Fit 8' wide pontoon boats with a 1-1/4" railing and are available in 8' and 10' lengths
- All tops measure 8' wide and 56" tall
- Four-bow bright dip anodized aluminum frame has a 1-1/4" square aluminum tubing for a sturdy and taut cover
- Choose from seven fabric colors in a durable 100% solution-dyed polyester, 6.25 oz/sq. yard
- Fabric includes a stern light cut-out
- Kit includes frame, fabric, storage boot, aluminum hardware and stainless-steel fittings
- Frame is a 'knock-down' style (shippable by UPS)



Our bimini top cover is crafted using top-performing materials, from the marine-grade fabrics to the tough frames

1-1/4" square aluminum tubing for a sturdy and taut cover and front and back metal stanchions for added stability in high winds

Includes the frame, fabric and matching storage boots – all you need for a new and refreshed look for your pontoon boat



| Color | Kit # | Skin / Boot Only # |
|------------------|-------|--------------------|
| Length 8' | | |
| Pacific Blue | 88131 | 88138 |
| Hunter Green | 88127 | 88134 |
| Grey | 88126 | 88133 |
| Navy | 88128 | 88135 |
| Black | 88125 | 88132 |
| Beige | 88130 | 88137 |
| Burgundy | 88129 | 88136 |

Frame Only #88134

| Color | Kit # | Skin / Boot Only # |
|-------------------|-------|--------------------|
| Length 10' | | |
| Pacific Blue | 88146 | 88153 |
| Hunter Green | 88142 | 88149 |
| Grey | 88141 | 88148 |
| Navy | 88143 | 88150 |
| Black | 88140 | 88147 |
| Beige | 88145 | 88152 |
| Burgundy | 88144 | 88151 |

Frame Only #88154



PONTOON PLAYPEN SHADE

- Fits 18' to 24' pontoons and provides an additional 12' of shaded area
- Protects your seats from the harmful UV rays and other harsh weather conditions
- Made using durable, solution-dyed, 6.25 oz. urethane-coated polyester HotShot™ fabric
- Adjustable straps secure shade to the front bow of your existing bimini or hard top and down the playpen railing
- Features quick release buckles for simple and fast installation
- Shade folds down to compact size for ease of storage
- Only use while moored or anchored

Pacific Blue

Black


Navy

Sand

| Fits 18' to 20' Pontoons # | Fits 22' to 24' Pontoons # | Color |
|----------------------------|----------------------------|--------------|
| 120080B | 120090B | Pacific Blue |
| 120080R | 120090R | Black |
| 120080N | 120090N | Navy |
| 120080S | 120090S | Sand |

PONTOON GAZEBO

- Fits 8' to 10' wide pontoons and provides an additional 8' of shaded area
- Measures 8' (L) x 102" (W) x 50" (H)
- Protects your seats from the harmful UV rays and other harsh weather conditions
- Made using durable, solution-dyed, 6.25 oz. urethane-coated polyester HotShot™ fabric
- Large interior allows you to sit comfortably and provides excellent head room
- Shock-corded fiberglass pole framework breaks down quickly for easy storage
- Includes frame, hardware and storage bag
- Shade folds down for compact storage
- Only use while moored or anchored



| Part # | Color |
|---------|--------------|
| 120030B | Pacific Blue |
| 120030R | Black |
| 120030N | Navy |
| 120030S | Sand |

PONTOON BOAT COVER SUPPORT SYSTEM

- Creates a slope in your boat cover to prevent water from pooling or pocketing
- Quick release adjustable buckles
- Four injection molded hooks to secure decking
- Includes two adjustable support poles and 60' of 1" polypropylene webbing
- Non-marring materials will not scuff boat rails
- Protects pontoon cover from mold and mildew



| Part # | Pole Height | Webbing Length | Webbing Width |
|--------|-------------|----------------|---------------|
| 55745 | 27" to 50" | 60' | 1" |



PONTOON ENCLOSURE

- Adds shade, shelter and privacy to your pontoon
- Enclosure measures approximately 56" (L) x 74" (H) (varies slightly by beam and railing height)
- Fits both 96" and 102" wide pontoons
- Large interior allows you to sit comfortably and provides excellent head room
- Shock-corded fiberglass pole framework breaks down quickly for easy storage
- Constructed from durable, polyester fabric shell with zippered entryway and mesh windows
- Includes frame, hardware and storage bag
- Shade folds down for compact storage
- Only use while moored or anchored



Pacific Blue

Black

Navy

Sand

| Part # | Color |
|---------|--------------|
| 120060B | Pacific Blue |
| 120060R | Black |
| 120060N | Navy |
| 120060S | Sand |

EASY UP PRIVACY PARTITION

- Install anywhere under your bimini or hard top
- Fire retardant marine-grade polyester
- Straps and hardware included for installation
- Easily secures with UV-resistant tie-downs and fasteners
- Includes full-length heavy-duty zipper

| Part # | Color | Width | Length | Height |
|--------|-------|-------|--------|--------|
| 67867 | Grey | 30" | 30" | 70" |







ANCHORSHADE™ III BOAT UMBRELLA

- Market style top allows for venting for a lateral breeze under your umbrella
- Lightweight material is mildew and UV-resistant giving you the protection you need on your boat, dock or beach
- 6' square umbrella can be used on smaller fishing boats to larger high performance boats
- Four-point locking height adjuster and sur-lock push up mechanism, allowing you to adjust to your boat as needed up to 8'
- Easy to install with four adjustable straps
- Solid fiberglass ribs for a solid structure on a powder-coated aluminum frame to resists rust
- Used while idle or anchoring



Two times stronger hinge connectors are even stronger than before



Sur-lock push up mechanism locks in place up to 8'



Comes complete with its own heavy-duty carrying case with shoulder strap

ANCHORSHADE III BOAT UMBRELLA



22043 - Pacific blue



22047 - Hunter green



22057 - Grey



22046 - Navy



22045 - Red



22049 - Black



22048 - Sand



22044 - Teal



22042 - White



22056 - Burgundy

| Part # | Color |
|--------|--------------|
| 22043 | Pacific Blue |
| 22047 | Hunter Green |
| 22057 | Grey |
| 22046 | Navy |
| 22045 | Red |

| Part # | Color |
|--------|----------|
| 22049 | Black |
| 22048 | Sand |
| 22044 | Teal |
| 22042 | White |
| 22056 | Burgundy |

A blue and white boat is shown on a trailer, parked in front of a large, two-story house with light-colored siding and a dark roof. The boat is covered with a grey protective cover. The word "Mazda" is visible on the side of the boat.

BOAT COVERS

FEATURED PRODUCTS



BoatGuard® Covers

America's best selling universal-fit trailerable boat covers are strong enough to be trailered and capable of surviving the rigors of the road.

Trailerite® Semi-Custom Boat Covers

Protect your boat from the elements with our complete line of customizable covers featuring a variety of color and fabric choices.

Semi-Custom T-top Covers

Know your boat is protected from the elements by a durable cover tailored to your specific boat. Taylor Made has you covered.

PRODUCT INDEX



110

BoatGuard®
Boat Covers

111

BoatGuard®
Eclipse® Boat
Covers

112

Semi-Custom
T-Top Boat
Covers

113

Trailerite®
Semi-Custom
Boat Covers

114

Trailerite® Pro
Series Covers

130

Performance
Dinghy Boat
Covers



132

Custom
Inflatable Boat
Covers

136

Boat Cover
Accessories

139

Specialty
Motor Covers

140

Deck Chair
Covers

141

Winch Covers



BOAT COVERS

Step 1 - Select your cover

Taylor Made produces a variety of different ways to protect your boat from the elements. Our complete line of boat covers offer customizable features and a variety of color and fabric choices.



Double stitching



Sewn-in tie-down loops



Patented rope lock

| Feature | BoatGuard | BoatGuard Eclipse | Trailerite Semi-Custom |
|------------------------|----------------------|--|------------------------|
| Fit | Universal | Universal | Semi-custom |
| Fits hull styles | 11 | 15 | Over 35 |
| Fabric | 300-denier polyester | HotShot only | HotShot or Ultima |
| Sewn-in tie down loops | Yes, four-ply seams | Yes, with deluxe quick release buckles | Yes, four-ply seams |
| Double folded hems | Yes | Yes | Yes |
| Trailerable | Yes | Yes | Yes |
| Reinforcements | No | No | Yes |
| Strap kit included | Yes | Yes, with support pole | Yes |
| Hem | Shock cord | Shock Cord | Shock cord |
| Patented rope lock | No | No | No |

Step 2 - Select your fabric

From the economical Hot Shot™ solution-dyed fabric to the durability and style of Ultima™, the choice is yours when it comes to your boat cover. Our fabric choices are treated to be water-repellent and mildew-resistant to withstand the harsh marine environment.


To see a complete listing of all custom covers available, visit, call, or email us at: taylormadeproducts.com, 1.800.628.5188, or boatcovers@taylormadeproducts.com.

Hot Shot™ fabric

- BoatGuard® Eclipse® and Trailerite® custom and semi-custom covers
- Type: Acrylic Coated Polyester
- Weight: 6.25 oz. per sq. yard
- Solution-dyed urethane-coated polyester

Ultima™ fabric

- Premium performance in UV-resistance and strength compared to Hot Shot™ fabric
- Type: Urethane Coated Polyester
- Weight: 7 oz. per sq. yard
- Solution-dyed urethane-coated polyester



Universal Fit Covers

Designed to fit a variety of hull styles with the ability for local trailering. Storage bag and tie-downs included

BOATGUARD® BOAT COVERS

- Made from 300 denier polyester silver fabric
- Easy to clean fabric is lightweight, breathable, mildew-resistant, and UV-resistant
- Ideal for trailering short trips
- Four-ply folded seams and double shock-corded hems
- Includes storage bag
- 2-year limited warranty



300-denier, polyester reflective silver fabric is lightweight and water repellent



Strong 1" tie-down loops secure the cover without scratching the boat



| Max Beam Width | Style | Length | Part # |
|----------------|---------------------------|------------|--------|
| 75" | Aluminum fishing | 12' to 14' | 70201 |
| 75" | Aluminum fishing | 14' to 16' | 70202 |
| 84" | Drift boat | 16' to 17' | 70000 |
| 90" | V-hull runabout bow rider | 14' to 16' | 70203 |
| 96" | Fish 'n ski | 16' to 19' | 70204 |
| 96" | Tournament style bass | 17' to 19' | 70190 |
| 96" | Center console | 17' to 19' | 70211 |

| Max Beam Width | Style | Length | Part # |
|----------------|---------------------------|------------|--------|
| 102" | V-hull runabout bow rider | 17' to 19' | 70205 |
| 102" | V-hull runabout bow rider | 19' to 21' | 70206 |
| 102" | Center console | 19' to 21' | 70191 |
| 102" | V-hull runabout bow rider | 21' to 23' | 70192 |
| 102" | Cuddy cabin | 21' to 23' | 70207 |
| 102" | Pontoon (playpen) | 18' to 20' | 70210 |
| 102" | Pontoon (playpen) | 22' to 24' | 70193 |



BOATGUARD® ECLIPSE® BOAT COVERS

- Made using durable, solution-dyed, 6.25 oz. urethane-coated polyester HotShot™ fabric
- Easy to clean fabric is lightweight, breathable, mildew-resistant and UV-resistant
- Four-ply folded seams and shock-corded hems
- Includes storage bag, tie-down straps, and support pole
- 5-year limited warranty



Unique tie-down system spreads strap tension evenly across the cover surface for improved trailerability



Sewn-in air vent provides proper air circulation under the cover

| Max Beam Width | Style | Length | Part # |
|----------------|---------------------------|------------|--------|
| 75" | Aluminum fishing | 12' to 14' | 70901 |
| 75" | Aluminum fishing | 14' to 16' | 70902 |
| 90" | V-hull runabout bow rider | 14' to 16' | 70903 |
| 90" | Inshore fishing | 17' to 19' | 70915 |
| 96" | Competition ski | 19' to 21' | 70917 |
| 96" | Fish 'n ski | 16 to 19' | 70904 |
| 96" | Tournament style bass | 17' to 19' | 70908 |
| 96" | Center console | 17' to 19' | 70911 |
| 102" | Center console | 19' to 21' | 70909 |

| Max Beam Width | Style | Length | Part # |
|----------------|---------------------------|------------|--------|
| 102" | V-hull runabout bow rider | 17' to 19' | 70905 |
| 102" | V-hull runabout bow rider | 19' to 21' | 70906 |
| 102" | V-hull runabout bow rider | 21' to 23' | 70910 |
| 102" | Cuddy cabin | 21' to 23' | 70907 |
| 102" | Pontoon | 22' to 24' | 70912 |
| 102" | Pontoon | 18' to 20' | 70913 |
| 102" | V-hull bay boat | 20' to 22' | 70914 |
| 102" | V-hull cuddy cabin | 23' to 25' | 70916 |

SEMI-CUSTOM T-TOP BOAT COVERS

T-top boat covers for boats with fixed T-tops

- Bow and stern sections zip together for easy single-person installation
- Console tube secures up underneath the T-top, protects the center console, and will accommodate most sizes and locations of tops and consoles on boats up to 25' 4"
- Tie-down system included, this system relieves stress on the zippered ends during over-the-road trailering



Dual cut-out patterns for boats with side-by-side mount dual outboards: cut-out opening in the stern section is 50"



No cut-out patterns for boats with sea mount-style engine brackets; no cut-out in the stern section.



Also available in a no-bow rails version

How to order your cover

To order your Trailerite® boat cover in Hot Shot™ fabric, locate the correct part # from the following tables for your matching boat style. Once you have your base number, you will add the letter 'O' as a suffix, followed by the desired color code letter from the swatches below.

For example, 70215OT = Hot Shot™ in Teal.




| Boats With Rails | | | | |
|------------------|-------------|---------------|--------------------|----------------|
| High Rails # | No Cutout # | Dual Cutout # | Center-line Length | Max Beam Width |
| 74200 | 74337 | 74338 | 17' 5" to 18' 4" | 102" |
| 74201 | 74339 | 74340 | 18' 5" to 19' 4" | 102" |
| 74202 | 74341 | 74342 | 19' 5" to 20' 4" | 102" |
| 74203 | 74343 | 74344 | 20' 5" to 21' 4" | 102" |
| 74204 | 74345 | 74346 | 21' 5" to 22' 4" | 102" |
| 74205 | 74347 | 74348 | 22' 5" to 23' 4" | 102" |
| 74206 | 74349 | 74350 | 23' 5" to 24' 4" | 102" |
| 74207 | 74351 | 74352 | 24' 5" to 25' 4" | 102" |
| 74208 | 74353 | 74354 | 25' 5" to 26' 4" | 102" |

| Boats Without Rails | | | | |
|---------------------|-------------|---------------|--------------------|----------------|
| No Rails # | No Cutout # | Dual Cutout # | Center-line Length | Max Beam Width |
| 74300 | 74319 | 74320 | 17' 5" to 18' 4" | 102" |
| 74301 | 74321 | 74322 | 18' 5" to 19' 4" | 102" |
| 74302 | 74323 | 74324 | 19' 5" to 20' 4" | 102" |
| 74303 | 74325 | 74326 | 20' 5" to 21' 4" | 102" |
| 74304 | 74327 | 74328 | 21' 5" to 22' 4" | 102" |
| 74305 | 74329 | 74330 | 22' 5" to 23' 4" | 102" |
| 74306 | 74331 | 74332 | 23' 5" to 24' 4" | 102" |
| 74307 | 74333 | 74334 | 24' 5" to 25' 4" | 102" |
| 74318 | 74335 | 74336 | 25' 5" to 26' 4" | 102" |

TRAILERITE® SEMI-CUSTOM BOAT COVERS

- Semi-custom fit for a wide-variety of boat styles
- Made using durable, solution-dyed, 6.25 oz. urethane-coated polyester HotShot™ fabric
- Easy to clean fabric is lightweight, breathable, mildew-resistant, and UV-resistant
- Ideal for trailering short trips
- Four-ply folded seams and shock-corded hems
- Includes storage bag, bow and transom reinforcements
- 5-year limited warranty



Always measure your boat to be absolutely sure that you are getting the correct cover for your boat

Over the years, some boat manufacturers have occasionally reused boat model numbers or names. Boats with the same name or model number can actually vary in style or size.

To order your Trailerite® boat cover in Hot Shot™ fabric, locate the correct part # from the following tables for your matching boat style. Once you have your base number, you will add the letter 'O' as a suffix for HotShot fabric, or the letter 'U' as a suffix for Ultima fabric, followed by the desired color code letter from the swatches below.

For example, 70215OT = Hot Shot™ in Teal or 76700UG = Ultima in Charcoal Grey



Extra care should be taken to protect your cover from coming into contact with sharp edges such as windshields, accessory brackets, or bow-mounted electric trolling motors. Please pad these areas before installing your cover.



SPECIALTY COVERS



TRAILERITE® PRO SERIES COVERS

- Keeps boat interior temperatures up to 20° cooler
- Sewn-into hem is 1" webbing with two stern ratchets in protective pockets to prevent gelcoat damage
- Reinforcements over single or dual consoles and over port mounted trolling motors
- Silver reflective, heavy-duty 600-denier marine-grade 100% polyester fabric
- Superior tensile and tear strength
- Extreme water repellency
- Stain, UV, and mildew-resistant



Reflective strips sewn to the sides of the stern enhance visibility and safety in low-light conditions



Integrated stern ratchets in hem are protected by pockets to prevent damage




Includes quick-release 2" wide belly straps to eliminate stress and prevent abrasion

| Max Beam Width | Fits | Part # |
|----------------|-----------------|---------|
| 75" | 13' 5" - 14' 4" | 88200HL |
| 80" | 14' 5" - 15' 4" | 88201HL |
| 70" | 15' 5" - 16' 4" | 88202HL |
| 84" | 15' 5" - 16' 4" | 88203HL |
| 88" | 16' 5" - 17' 4" | 88204HL |

| Max Beam Width | Fits | Part # |
|----------------|-----------------|---------|
| 96" | 17' 5" - 18' 4" | 88205HL |
| 96" | 18' 5" - 19' 4" | 88206HL |
| 96" | 19' 5" - 20' 4" | 88207HL |
| 96" | 20' 5" - 21' 4" | 88208HL |
| 96" | 21' 5" - 22' 4" | 88209HL |

Euro V-Hull Runabouts

- Fits open or closed bow style runabouts and low-profile cuddy cabins
- Curved glass windshields
- Inboard or outboards
- Includes extended / aftermarket swim platforms in overall length
- Motor hoods sold separately




| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 17' 5" - 18' 4" | 102" | 70252 | 70241 |
| 18' 5" - 19' 4" | 102" | 70253 | 70242 |
| 19' 5" - 20' 4" | 102" | 70254 | 70243 |
| 20' 5" - 21' 4" | 102" | 70255 | 70244 |
| 21' 5" - 22' 4" | 102" | 70256 | 70245 |
| 22' 5" - 23' 4" | 102" | 70257 | 70246 |

| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 23' 5" - 24' 4" | 102" | 70258 | 70247 |
| 24' 5" - 25' 4" | 102" | 70259 | 70248 |
| 25' 5" - 26' 4" | 102" | 70260 | 70249 |
| 26' 5" - 27' 4" | 102" | 70261 | 70250 |
| 27' 5" - 28' 4" | 102" | 70262 | 70251 |

Euro V-Hull Runabouts with Wakeboard Tower

- Fits open or closed bow style runabouts
- Curved glass windshields
- Does not accommodate tower feet mounted to top of boat's gunnel
- Designed for inboard or outboards
- Includes extended / aftermarket swim platforms in overall length
- Motor hoods sold separately




| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 17' 5" - 18' 4" | 102" | 76700 | 76704 |
| 18' 5" - 19' 4" | 102" | 76701 | 76705 |
| 19' 5" - 20' 4" | 102" | 76702 | 76706 |
| 20' 5" - 21' 4" | 102" | 76703 | 76707 |

| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 21' 5" - 22' 4" | 102" | 77960 | 76708 |
| 22' 5" - 23' 4" | 102" | 77961 | 76709 |
| 23' 5" - 24' 4" | 102" | 77962 | 76710 |

Euro Tournament Ski Boats with Wakeboard Tower

- Side-mounted wakeboard tower
- Standard windshields and seating
- Designed for inboards
- Mastercrafts and Correct Crafts / Nautiques
- Includes extended / aftermarket swim platforms in overall length
- Accommodates most tower mounting configurations
- Hook and loop closure secures cover around tower frames




| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 17' 5" - 18' 4" | 96" | 76737 |
| 18' 5" - 19' 4" | 96" | 76738 |
| 19' 5" - 20' 4" | 96" | 76739 |
| 20' 5" - 21' 4" | 96" | 76740 |

| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 21' 5" - 22' 4" | 96" | 76741 |
| 22' 5" - 23' 4" | 102" | 76742 |
| 23' 5" - 24' 4" | 102" | 76743 |

Conventional Style Walk-Around Cuddy Cabin Boats

- Wide V-hulls
- Large cockpit
- Walk-around windshield
- 6-18" bow rails
- Motor hoods sold separately




| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 19' 5" - 20' 4" | 102" | 88061 | 88071 |
| 20' 5" - 21' 4" | 102" | 88062 | 88072 |
| 21' 5" - 22' 4" | 102" | 88063 | 88073 |
| 22' 5" - 23' 4" | 102" | 88064 | 88074 |
| 23' 5" - 24' 4" | 102" | 88065 | 88075 |
| 24' 5" - 25' 4" | 102" | 88066 | 88076 |
| 25' 5" - 26' 4" | 102" | 77944 | 77937 |

| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 26' 5" - 27' 4" | 102" | 77945 | 77938 |
| 27' 5" - 28' 4" | 102" | 77946 | 77939 |
| 28' 5" - 29' 4" | 102" | 77947 | 77940 |
| 29' 5" - 30' 4" | 102" | 77948 | 77941 |
| 30' 5" - 31' 4" | 102" | 77949 | 77942 |
| 31' 5" - 32' 4" | 102" | 77950 | 77943 |

Euro Style Walk-Around Cuddy Cabin Boats

- Wide V-hulls
- Large cockpit
- Walk-around windshield
- 6-18" bow rails
- Motor hoods sold separately




| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 19' 5" - 20' 4" | 102" | 78008 | 77995 |
| 20' 5" - 21' 4" | 102" | 78009 | 77996 |
| 21' 5" - 22' 4" | 102" | 78010 | 77997 |
| 22' 5" - 23' 4" | 102" | 78011 | 77998 |
| 23' 5" - 24' 4" | 102" | 78012 | 77999 |
| 24' 5" - 25' 4" | 102" | 78013 | 78000 |
| 25' 5" - 26' 4" | 102" | 78014 | 78001 |

| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 26' 5" - 27' 4" | 102" | 78015 | 78002 |
| 27' 5" - 28' 4" | 102" | 78016 | 78003 |
| 28' 5" - 29' 4" | 102" | 78017 | 78004 |
| 29' 5" - 30' 4" | 102" | 78018 | 78005 |
| 30' 5" - 31' 4" | 102" | 78019 | 78006 |
| 31' 5" - 32' 4" | 102" | 78020 | 78007 |

V-Hull Cuddy Cabin Boats

- 6-18" bow rails
- Forward decks
- Reduced cockpit
- High windshields
- Fits single outboards
- Does not accommodate extended / aftermarket swim platforms
- Motor hoods sold separately




| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 17' 5" - 18' 4" | 93" | 72918 | 72718 |
| 18' 5" - 19' 4" | 93" | 72919 | 72719 |
| 19' 5" - 20' 4" | 102" | 72920 | 72720 |
| 20' 5" - 21' 4" | 102" | 72921 | 72721 |

| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 21' 5" - 22' 4" | 102" | 72922 | 72722 |
| 22' 5" - 23' 4" | 102" | 72923 | 72723 |
| 23' 5" - 24' 4" | 102" | 72924 | 72724 |
| 24' 5" - 25' 4" | 102" | 72925 | 72725 |

Day Cruiser Boats

- Long deck V-hulls and bows
- Minimal cockpit space
- Low-profile windshields
- Low rails up front
- Padded engine compartment decks
- Includes extended / aftermarket swim platforms in length measurements if applicable




| Center-Line Length | Max Beam Width | I/O # |
|--------------------|----------------|-------|
| 15' 5" - 16' 4" | 80" | 76716 |
| 16' 5" - 17' 4" | 82" | 76717 |
| 17' 5" - 18' 4" | 84" | 76718 |
| 18' 5" - 19' 4" | 89" | 76719 |
| 18' 5" - 19' 4" | 92" | 76722 |
| 19' 5" - 20' 4" | 92" | 76720 |
| 20' 5" - 21' 4" | 95" | 77930 |
| 20' 5" - 21' 4" | 98" | 88021 |
| 21' 5" - 22' 4" | 98" | 88022 |
| 22' 5" - 23' 4" | 102" | 88023 |

| Center-Line Length | Max Beam Width | I/O # |
|--------------------|----------------|-------|
| 23' 5" - 24' 4" | 102" | 88024 |
| 24' 5" - 25' 4" | 102" | 88025 |
| 25' 5" - 26' 4" | 102" | 88026 |
| 26' 5" - 27' 4" | 102" | 77931 |
| 27' 5" - 28' 4" | 102" | 77932 |
| 28' 5" - 29' 4" | 102" | 77933 |
| 29' 5" - 30' 4" | 102" | 77934 |
| 30' 5" - 31' 4" | 102" | 77935 |
| 31' 5" - 32' 4" | 102" | 77936 |

V-Hull Runabouts

- Open or closed bow
- Fits integrated swim platforms and square transoms
- Does not accommodate extended / aftermarket swim platforms
- Bow rails under 6"
- Accommodates low-profile accessories and windshields up to 27"
- Sewn-in motor hoods




| Center-Line Length | Maximum Beam Width | Outboard # | I/O # |
|--------------------|--------------------|------------|-------|
| 13' 5" - 14' 4" | 68" | 70214 | 70212 |
| 13' 5" - 14' 4" | 73" | 71214 | 70213 |
| 14' 5" - 15' 4" | 76" | 70215 | 70224 |
| 14' 5" - 15' 4" | 81" | 71215 | 70237 |
| 15' 5" - 16' 4" | 76" | 70216 | 70716 |
| 15' 5" - 16' 4" | 86" | 71223 | 71723 |
| 16' 5" - 17' 4" | 80" | 70217 | 70717 |
| 16' 5" - 17' 4" | 90" | 71224 | 71724 |
| 17' 5" - 18' 4" | 86" | 70218 | 70718 |
| 17' 5" - 18' 4" | 96" | 71225 | 71725 |

| Center-Line Length | Maximum Beam Width | Outboard # | I/O # |
|--------------------|--------------------|------------|-------|
| 18' 5" - 19' 4" | 88" | 70219 | 70719 |
| 18' 5" - 19' 4" | 96" | 71226 | 71726 |
| 19' 5" - 20' 4" | 102" | 70220 | 70720 |
| 20' 5" - 21' 4" | 102" | 70221 | 70721 |
| 21' 5" - 22' 4" | 102" | 70222 | 70722 |
| 22' 5" - 23' 4" | 102" | 70223 | 70723 |
| 23' 5" - 24' 4" | 102" | 70234 | 70724 |
| 24' 5" - 25' 4" | 102" | 70235 | 71727 |
| 25' 5" - 26' 4" | 102" | 70236 | 71728 |

Basic Fishing Boats

- Bench seats and removable pedestal seats
- Does not accommodate trolling motor
- Bow and transom reinforcement
- With or without sewn-in motor hoods




| Center-Line Length | Maximum Beam Width | Outboard # | I/O # |
|--------------------|--------------------|------------|-------|
| 11' 5" - 12' 4" | 58" | 86012 | 86112 |
| 11' 5" - 12' 4" | 69" | 77968 | 77979 |
| 12' 5" - 13' 4" | 62" | 86013 | 86113 |
| 12' 5" - 13' 4" | 72" | 77969 | 77980 |
| 13' 5" - 14' 4" | 62" | 86014 | 86114 |
| 13' 5" - 14' 4" | 74" | 77970 | 77929 |
| 14' 5" - 15' 4" | 65" | 86015 | 86115 |
| 14' 5" - 15' 4" | 76" | 77971 | 77981 |
| 15' 5" - 16' 4" | 76" | 77972 | 77982 |

| Center-Line Length | Maximum Beam Width | Outboard # | I/O # |
|--------------------|--------------------|------------|-------|
| 15' 5" - 16' 4" | 65" | 86016 | 86116 |
| 15' 5" - 16' 4" | 82" | 77973 | 77983 |
| 15' 5" - 16' 4" | 90" | 77974 | 77984 |
| 16' 5" - 17' 4" | 75" | 86017 | 86117 |
| 16' 5" - 17' 4" | 85" | 77975 | 77985 |
| 16' 5" - 17' 4" | 90" | 77976 | 77986 |
| 17' 5" - 18' 4" | 75" | 86018 | 86118 |
| 17' 5" - 18' 4" | 80" | 77977 | 77987 |
| 17' 5" - 18' 4" | 88" | 77978 | 77988 |

Jet Boats

- Patterned to fit modern jet propelled boats
- Low-profile decks
- Short side console windscreens




| Center-Line Length | Max Beam Width | I/O # |
|--------------------|----------------|-------|
| 13' 5" - 14' 4" | 84" | 70111 |
| 14' 5" - 15' 4" | 84" | 70112 |
| 15' 5" - 16' 4" | 86" | 77989 |
| 16' 5" - 17' 4" | 86" | 70113 |
| 17' 5" - 18' 4" | 94" | 70114 |

| Center-Line Length | Max Beam Width | I/O # |
|--------------------|----------------|-------|
| 18' 5" - 19' 4" | 96" | 77990 |
| 19' 5" - 20' 4" | 96" | 77991 |
| 20' 5" - 21' 4" | 96" | 77992 |
| 21' 5" - 22' 4" | 102" | 77993 |
| 22' 5" - 23' 4" | 102" | 77994 |

Competition Ski Boats

- High powered, flat wake competition ski boats with elongated cockpits
- Windshields and standard seating
- Designed for inboard props
- Mastercrafts and Correct Crafts / Nautiques
- Includes extended / aftermarket swim platforms in length if applicable




| Center-Line Length | Maximum Beam Width | I/O # |
|--------------------|--------------------|-------|
| 17' 5" - 18' 4" | 80" | 76824 |
| 18' 5" - 19' 4" | 84" | 76825 |
| 18' 5" - 19' 4" | 92" | 76826 |

| Center-Line Length | Maximum Beam Width | I/O # |
|--------------------|--------------------|-------|
| 19' 5" - 20' 4" | 92" | 76827 |
| 20' 5" - 21' 4" | 96" | 76828 |
| 21' 5" - 22' 4" | 102" | 76829 |

V-Hull Fish 'N Ski Boats

- Walk-thru windshield or dual consoles
- Removable or folded pedestal seats
- Fits wide transom boats
- Sewn-in motor hood
- Accommodates port side mounted trolling motors




| Center-Line Length | Maximum Beam Width | Outboard # | I/O # |
|--------------------|--------------------|------------|-------|
| 17' 5" - 18' 4" | 96" | 74400 | 74500 |
| 18' 5" - 19' 4" | 96" | 74401 | 74501 |
| 19' 5" - 20' 4" | 102" | 74402 | 74502 |

| Center-Line Length | Maximum Beam Width | Outboard # | I/O # |
|--------------------|--------------------|------------|-------|
| 20' 5" - 21' 4" | 102" | 74403 | 74503 |
| 21' 5" - 22' 4" | 102" | 74404 | 74504 |
| 22' 5" - 23' 4" | 102" | 74405 | 74505 |

Fish 'N Ski Boats

- Walk-thru windshield or dual consoles
- Removable or folded pedestal seats
- Fits wide transom boats
- Sewn-in motor hood
- Accommodates low-profile trolling motors




| Center-Line Length | Maximum Beam Width | I/O # |
|--------------------|--------------------|-------|
| 14' 5" - 15' 4" | 79" | 83215 |
| 15' 5" - 16' 4" | 79" | 83216 |
| 16' 5" - 17' 4" | 84" | 83217 |
| 17' 5" - 18' 4" | 92" | 83218 |

| Center-Line Length | Maximum Beam Width | I/O # |
|--------------------|--------------------|-------|
| 18' 5" - 19' 4" | 96" | 83219 |
| 19' 5" - 20' 4" | 96" | 83220 |
| 20' 5" - 21' 4" | 96" | 83214 |

Tournament Style Tri-Hull Fishing

- Fishing boats with squared or flared bows (like tri-hull bass boats or modified bass boats)
- Designed to accommodate folded or low-profile fishing seats, port mounted trolling motors, windscreens, and a side console only
- Motor hoods sold separately




| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 16' 5" - 17' 4" | 85" | 74315 |
| 17' 5" - 18' 4" | 85" | 74316 |
| 18' 5" - 19' 4" | 90" | 74317 |

| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 19' 5" - 20' 4" | 96" | 70238 |
| 20' 5" - 21' 4" | 96" | 70239 |
| 21' 5" - 22' 4" | 96" | 70240 |

Conventional Tournament Ski Boats with Tower

- Mid-ship side-mounted wakeboard tower
- Does not accommodate tower feet mounted to top of boat's gunnel
- Hook and loop closure secures cover around tower frames
- High powered, flat wake competition ski boats with elongated cockpits
- Accommodates standard windshields and seating
- Mastercraft and Correct Craft / Nautique style boats
- Designed for inboard only




| Center-Line Length | Max Beam Width | Inboard # |
|--------------------|----------------|-----------|
| 17' 5" - 18' 4" | 90" | 76730 |
| 18' 5" - 19' 4" | 90" | 76731 |
| 19' 5" - 20' 4" | 102" | 76732 |
| 20' 5" - 21' 4" | 102" | 76733 |

| Center-Line Length | Max Beam Width | Inboard # |
|--------------------|----------------|-----------|
| 21' 5" - 22' 4" | 102" | 76734 |
| 22' 5" - 23' 4" | 102" | 76735 |
| 23' 5" - 24' 4" | 102" | 76736 |

Flats Boats

- Flat decks
- Cut out to accommodate poling platform (does not cover platform)
- Motor hoods sold separately




| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 15' 6" - 16' 5" | 80" | 88000 |
| 16' 6" - 17' 5" | 80" | 88001 |
| 17' 6" - 18' 5" | 96" | 88002 |

| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 18' 6" - 19' 5" | 96" | 88003 |
| 19' 6" - 20' 5" | 96" | 88004 |

Whaler Style Inshore Fishing Boats

- Center consoles with heights up to 48"
- 6-18" bow rails
- Side rails up to 10"
- Sewn-in motor hood




| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 12' 5" - 13' 4" | 66" | 87201 |
| 13' 5" - 14' 4" | 72" | 87202 |
| 14' 5" - 15' 4" | 74" | 87203 |

| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 15' 5" - 16' 4" | 80" | 87204 |
| 16' 5" - 17' 4" | 88" | 87205 |
| 17' 5" - 18' 4" | 90" | 87206 |

Rounded Bow Bay Boats

- Center Consoles with height up to 48"
- Bow rails up to 6"
- Fits over low-profile trolling motors
- Does not accommodate T-tops
- Motor hoods sold separately




| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 15' 6" - 16' 5" | 82" | 70730 |
| 16' 6" - 17' 5" | 90" | 70731 |
| 17' 6" - 18' 5" | 94" | 70732 |
| 18' 6" - 19' 5" | 98" | 70733 |

| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 19' 6" - 20' 5" | 102" | 70734 |
| 20' 6" - 21' 5" | 102" | 70735 |
| 21' 6" - 22' 5" | 102" | 70745 |
| 22' 6" - 23' 5" | 102" | 70746 |

Square Bow Center Console Bay Boats

- Center consoles with heights up to 54" (including windscreens)
- Bow rails up to 6"
- Blunt bow
- Fits over low-profile trolling motors
- Sewn-in motor hoods
- Does not accommodate T-tops




| Center-Line Length | Max Beam Width | Part # |
|--------------------|----------------|--------|
| 15' 6" - 16' 5" | 90" | 70755 |
| 16' 6" - 17' 5" | 90" | 70756 |
| 17' 6" - 18' 5" | 94" | 70757 |
| 18' 6" - 19' 5" | 96" | 70758 |

| Center-Line Length | Max Beam Width | Part # |
|--------------------|----------------|--------|
| 19' 6" - 20' 5" | 96" | 70759 |
| 20' 6" - 21' 5" | 96" | 70760 |
| 21' 6" - 22' 5" | 96" | 70761 |
| 22' 6" - 23' 5" | 96" | 70762 |

Bay Style V-Hull Center Console Boats

- Center consoles with heights (including windscreens) up to 54" from deck
- V-hull shallow draft hulls with wider beams
- Bow rails up to 6"
- Sewn-in motor hoods
- Accommodates low-profile trolling motors
- Does not accommodate T-tops




| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 17' 5" - 18' 4" | 102" | 70747 |
| 18' 5" - 19' 4" | 102" | 70748 |
| 19' 5" - 20' 4" | 102" | 70749 |

| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 20' 5" - 21' 4" | 102" | 70750 |
| 21' 5" - 22' 4" | 102" | 70751 |
| 22' 5" - 23' 4" | 102" | 70752 |

Tournament Style Bass Boats

- Wide transom bass boats
- Pedestal seats
- With or without windscreens
- Room for folded-up troller
- Sewn-in motor hood




| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 13' 5" - 14' 6" | 75" | 88031 |
| 14' 5" - 15' 6" | 80" | 88033 |
| 15' 5" - 16' 6" | 70" | 88034 |
| 15' 5" - 16' 4" | 84" | 88035 |

| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 16' 5" - 17' 4" | 88" | 88037 |
| 17' 5" - 18' 4" | 94" | 88038 |
| 18' 5" - 19' 4" | 94" | 88039 |
| 19' 5" - 20' 4" | 94" | 88040 |
| 20' 5" - 21' 4" | 96" | 88087 |

Square-Bow Aluminum Bass Boats

- Wide bow, folding pedestal seats
- Steering console without windscreens
- Sewn-in motor hoods (fits up to 90 hp)
- Fits over low-profile trolling motors
- Crestliner, Lund, Alumacraft, and Starcraft styles




| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 13' 5" - 14' 4" | 65" | 78218 |
| 14' 5" - 15' 4" | 68" | 78219 |
| 15' 5" - 16' 4" | 74" | 78220 |

| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 16' 5" - 17' 4" | 76" | 78221 |
| 16' 5" - 17' 4" | 82" | 78223 |
| 17' 5" - 18' 4" | 82" | 78222 |

Molded Bass Boats

- Fits most basic molded bass boats without windshields
- Fits over folded pedestal seats
- Motor hoods sold separately



| Center-Line Length | Max Beam Width | Pattern # |
|--------------------|----------------|-----------|
| Up to 8' | 48" | 78216 |
| Up to 9' - 6" | 48* | 78217 |

River Boats

- Bow, windshield, and stern corner patch reinforcements
- Inboard or outboard patterns available
- Outboard models have sewn-in motor hood
- Designed for straight-up windshields located close to the bow
- Open aft area




| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 16' 5" - 17' 4" | 90" | 75107 | 75207 |
| 17' 5" - 18' 4" | 92" | 75108 | 75208 |

| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 18' 5" - 19' 4" | 94" | 75109 | 75209 |
| 19' 5" - 20' 4" | 96" | 75110 | 75210 |

Offshore Fishing Boats

- Center consoles with heights up to 54"
- 6-18" bow rails
- Large open cockpits
- Sewn-in motor hood
- Fits up to 250 hp
- For offshore fishing boats with T-tops, see center console with T-top covers




| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 16' 5" - 17' 4" | 88" | 85217 | 85317 |
| 17' 5" - 18' 4" | 92" | 85218 | 85318 |
| 18' 5" - 19' 4" | 96" | 85219 | 85319 |
| 19' 5" - 20' 4" | 102" | 85220 | 85320 |
| 20' 5" - 21' 4" | 102" | 85221 | 85321 |

| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 21' 5" - 22' 4" | 102" | 85222 | 85322 |
| 22' 5" - 23' 4" | 102" | 85223 | 85323 |
| 23' 5" - 24' 4" | 102" | 85224 | 85324 |
| 24' 5" - 25' 4" | 102" | 85225 | 85325 |
| 25' 5" - 26' 4" | 102" | 85226 | 85326 |

Aluminum V-Hull Fishing Boats

- Pedestal seats
- Low-profile trolling motors
- Reinforced bow and transom corners
- Fits without windscreen
- With or without motor hood
- Prop protectors available, see page XX




| Center-Line Length | Max Beam Width | With Motor Hood # | Without Motor Hood # |
|--------------------|----------------|-------------------|----------------------|
| 11' 5" - 12' 4" | 66" | 87012 | 87112 |
| 12' 5" - 13' 4" | 72" | 87013 | 87113 |
| 13' 5" - 14' 4" | 72" | 87014 | 87114 |
| 14' 5" - 15' 4" | 75" | 87015 | 87115 |
| 15' 5" - 16' 4" | 75" | 87016 | 87116 |

| Center-Line Length | Max Beam Width | With Motor Hood # | Without Motor Hood # |
|--------------------|----------------|-------------------|----------------------|
| 15' 10" - 16' 10" | 82" | 87019 | 87119 |
| 15' 10" - 16' 10" | 87" | 87020 | 87120 |
| 16' 5" - 17' 4" | 85" | 87017 | 87117 |
| 17' 5" - 18' 4" | 85" | 87018 | 87118 |
| 17' 5" - 18' 4" | 91" | 87021 | 87121 |

Angled Transom Bass Boats

- Wide transom bass boats with angled stern corners
- Small consoles with or without windscreens
- Accommodates folded pedestal seats
- Fits bow-mounted trolling motors
- Sewn-in motor hoods




| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 14' 5" - 15' 4" | 91" | 88100 |
| 15' 5" - 16' 4" | 91" | 88101 |
| 16' 5" - 17' 4" | 91" | 88102 |
| 17' 5" - 18' 4" | 96" | 88103 |

| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 18' 5" - 19' 4" | 96" | 88104 |
| 19' 5" - 20' 4" | 96" | 88105 |
| 20' 5" - 21' 4" | 96" | 88106 |

Deck Boats

- Steering consoles with low or no windscreens and low-profile full windshields
- Standard seating
- Fits both inboards and outboards
- Motor hoods sold separately




| Center-Line Length | Max Beam Width | Full Cover # |
|--------------------|----------------|--------------|
| 16' 5" - 17' 4" | 90" | 77916 |
| 17' 5" - 18' 4" | 102" | 77917 |
| 18' 5" - 19' 4" | 102" | 77919 |
| 19' 5" - 20' 4" | 102" | 77920 |
| 20' 5" - 21' 4" | 102" | 77921 |
| 21' 5" - 22' 4" | 102" | 77922 |
| 22' 5" - 23' 4" | 102" | 77923 |
| 23' 5" - 24' 4" | 102" | 77924 |

| Center-Line Length | Max Beam Width | Full Cover # |
|--------------------|----------------|--------------|
| 24' 5" - 25' 4" | 102" | 77925 |
| 25' 5" - 26' 4" | 102" | 77926 |
| 26' 5" - 27' 4" | 102" | 77927 |
| 27' 5" - 28' 4" | 102" | 77928 |

Tri-Hull Boats

- Fits most big 'V' wide bow tri-hulls
- Walk-thru windshields
- Bow rails under 6"
- Sewn-in motor hoods on outboard models




| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 13' 5" - 14' 4" | 68" | 73214 | -- |
| 14' 5" - 15' 4" | 75" | 73215 | 73715 |
| 14' 5" - 15' 4" | 84" | 74215 | -- |
| 15' 5" - 16' 4" | 80" | 73216 | 73716 |
| 15' 5" - 16' 4" | 90" | 74216 | 74716 |
| 16' 5" - 17' 4" | 82" | 73217 | 73717 |
| 16' 5" - 17' 4" | 92" | 74217 | 74717 |
| 17' 5" - 18' 4" | 86" | 73218 | 73718 |

| Center-Line Length | Max Beam Width | Outboard # | I/O # |
|--------------------|----------------|------------|-------|
| 17' 5" - 18' 4" | 96" | 74218 | 74718 |
| 18' 5" - 19' 4" | 90" | 73219 | 73719 |
| 18' 5" - 19' 4" | 102" | 74219 | 74719 |
| 19' 5" - 20' 4" | 96" | 73220 | 73720 |
| 19' 5" - 20' 4" | 102" | 74220 | 74720 |

Jon Boats

- Bench seats
- Sewn-in motor hoods
- Square or tapered bow




| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 11' - 12' | 48" | 88006 |
| 11' - 12' | 56" | 88007 |
| 13' - 14' | 61" | 88008 |
| 13' - 14' | 71" | 88009 |
| 14' - 15' | 60" | 88005 |
| 14' - 15' | 75" | 88013 |

| Center-Line Length | Max Beam Width | Outboard # |
|--------------------|----------------|------------|
| 15' - 16' | 67" | 88010 |
| 15' - 16' | 75" | 88014 |
| 16' - 17' | 82" | 88011 |
| 17' - 18' | 82" | 88012 |
| 18' - 19' | 84" | 77966 |
| 19' - 20' | 86" | 77967 |

Modified Tri-Hull Boats


- Tri-hulls with one-piece windshields
- Accommodates bow rails
- Sewn-in motor hood on outboard models



Drift Boats

- Will accommodate a stern mounted anchor system
- Reinforced bow and stern corners


| Center-Line Length | Max Beam Width | Part # |
|--------------------|----------------|--------|
| 14' 5" - 15' 4" | 84" | 88112 |
| 15' 5" - 16' 4" | 84" | 88113 |
| 16' 5" - 17' 4" | 84" | 88114 |



Paddle Boats

- For basic molded paddle boats without windshields, canopies, or hard tops

| Center-Line Length | Max Beam Width | Part # |
|--------------------|----------------|--------|
| Up to 7' 2" | 61" (3 seater) | 78214 |
| Up to 7' 8" | 65" (5 seater) | 78215 |




Inflatable Sport Boats

- Designed for blunt bow, tapered, or blunt pontoon inflatable sport boats
- Covers fit from end of pontoons to bow
- Accommodates low consoles without windscreens
- Does not fit over outboard motor

Accommodates outboards

- Covers fit from bow to end of pontoons up and over tilted outboard motor
- Designed for blunt bow, tapered pontoon inflatable sport boat
- Accommodates low consoles without windscreens

| Center-Line Length | Max Beam Width | Standard Part # |
|------------------------|----------------|-----------------|
| Standard Covers | | |
| 7' 5" - 8' 4" | 55" | 70125 |
| 8' 5" - 9' 4" | 55" | 70126 |
| 9' 5" - 10' 4" | 60" | 70127 |
| 10' 5" - 11' 4" | 66" | 70128 |
| 11' 5" - 12' 4" | 66" | 70129 |
| 12' 5" - 13' 4" | 70" | 70130 |
| 13' 5" - 14' 4" | 72" | 70131 |
| 14' 5" - 15' 4" | 76" | 70132 |




| Center-Line Length | Max Beam Width | Outboard # |
|------------------------|----------------|------------|
| Outboard Covers | | |
| 7' 5" - 8' 4" | 60" | 73000 |
| 8' 5" - 9' 4" | 60" | 73001 |
| 9' 5" - 10' 4" | 66" | 73002 |
| 10' 5" - 11' 4" | 68" | 73003 |
| 11' 5" - 12' 4" | 70" | 73004 |
| 12' 5" - 13' 4" | 74" | 73005 |
| 13' 5" - 14' 4" | 74" | 73006 |
| 14' 5" - 15' 4" | 76" | 73007 |
| 15' 5" - 16' 4" | 76" | 73008 |
| 16' 5" - 17' 4" | 80" | 73009 |
| 17' 5" - 18' 4" | 80" | 73010 |

Jet Ski / PWC


- Covers offer a more liberal fit, yet still trailerable
- Includes adjustable webbing strap to secure under hull

| # of Seats | Up to Year 2000 | Year 2000 - 2010 |
|------------|-----------------|------------------|
| 2 | 70078 | 77963 |
| 3 | 70079 | 77964 |
| 4 | 70080 | 77965 |



Inflatable Dinghies

- Designed for pointed-bow, rounded-stern inflatable dinghies
- Covers fit from bow to end of stern
- Accommodates low consoles without windscreens
- Does not fit over outboard motors



| Center-Line Length | Max Beam Width | Part # |
|--------------------|----------------|--------|
| 7' 5" - 8' 4" | 55" | 70133 |
| 8' 5" - 9' 4" | 55" | 70134 |
| 9' 5" - 10' 4" | 60" | 70135 |

| Center-Line Length | Max Beam Width | Part # |
|--------------------|----------------|--------|
| 10' 5" - 11' 4" | 66" | 70136 |
| 11' 5" - 12' 4" | 66" | 70137 |

Pontoon Boats

- Patterned for pontoons with rails approximately 30" high
- Two styles available: full cover and playpen cover
- Motor hoods sold separately


Full cover

- Fits over entire deck area with top down (includes deck area in front of gate)



Playpen cover

- Fits over fenced area only



| Center-Line Length | Max Beam Width | Playpen Cover # | Full Cover # |
|--------------------|----------------|-----------------|--------------|
| 15' 1" - 16' 0" | 96" | 88060 | 88051 |
| 15' 1" - 16' 0" | 102" | 26014 | 26001 |
| 16' 1" - 17' 0" | 96" | 88069 | 88054 |
| 16' 1" - 17' 0" | 102" | 26015 | 26002 |
| 17' 1" - 18' 0" | 96" | 88070 | 88055 |
| 17' 1" - 18' 0" | 102" | 26016 | 26003 |
| 18' 1" - 19' 0" | 96" | 88077 | 88056 |
| 18' 1" - 19' 0" | 102" | 26017 | 26004 |
| 19' 1" - 20' 0" | 96" | 88078 | 88052 |
| 19' 1" - 20' 0" | 102" | 26018 | 26005 |
| 20' 1" - 21' 0" | 96" | 88079 | 88057 |
| 20' 1" - 21' 0" | 102" | 26019 | 26006 |

| Center-Line Length | Max Beam Width | Playpen Cover # | Full Cover # |
|--------------------|----------------|-----------------|--------------|
| 21' 1" - 22' 0" | 96" | 88080 | 88058 |
| 21' 1" - 22' 0" | 102" | 26020 | 26007 |
| 22' 1" - 24' 0" | 96" | 88067 | 88053 |
| 22' 1" - 23' 0" | 102" | 26021 | 26008 |
| 23' 1" - 24' 0" | 102" | 26022 | 26009 |
| 24' 1" - 26' 0" | 96" | 88068 | 88059 |
| 24' 1" - 25' 0" | 102" | 26023 | 26010 |
| 25' 1" - 26' 0" | 102" | 26024 | 26011 |
| 26' 1" - 28' 0" | 102" | -- | 88090 |
| 26' 1" - 27' 0" | 102" | 26025 | 26012 |
| 27' 1" - 28' 0" | 102" | 26026 | 26013 |



PERFORMANCE DINGHY BOAT COVERS

- Made using durable, solution-dyed, 6.25 oz., urethane-coated polyester HotShot™ fabric
- Sewn-in pocket stretches over the boom for more protection (#2021123168 only)
- 96" belly straps are sewn-in
- Four-ply folded two-needle seams and double-folded hems for added strength
- Pre-tensioned heavy-duty shock cord with adjustable hooks in the hem for a precise fit
- Easy-to-use and long-lasting



Webbing reinforced cleat cutouts where applicable



The seams feature four-ply folding with two-needle stitching and double-folded hems for enhanced strength



The durable, solution-dyed, 6.25 oz. urethane-coated polyester HotShot fabric offers long-lasting protection and resistance to fading

| Part # | Style |
|------------|---|
| 754340G | No mast |
| 754350G | Hull cover |
| 754300G | Club 420 deck cover - mast down |
| 754330G | Club 420 deck cover - mast up institutional |
| 754320G | Club 420 hull cover |
| 754360G | Sunfish deck cover |
| 754370G | Deck cover - mast up boom pocket |
| 754380G | Sunfish hull cover |
| 2021123170 | Optimist deck cover |

UNIVERSAL T-TOP CENTER CONSOLE COVERS

- Secures to the underside of the fixed T-top structure
- Will enclose any size console, helm seat, and T-top support combination with a maximum base perimeter of 18' or less at the deck
- Adjustable straps allow the cover to conform to most console configurations
- Boats with smaller consoles and T-tops can also cover and protect the helm seats
- Heavy-duty marine grade zipper allows for easy installation

| Blue # | Grey # | Width | Length | Height |
|---------|---------|-------|--------|--------|
| 678520B | 678520G | 48" | 60" | 66" |





CUSTOM INFLATABLE BOAT COVERS

- Form-fitting covers offer year-round protection for your inflatable boat
- Made using durable, solution-dyed, 6.25 oz., urethane-coated polyester HotShot™ fabric
- Custom-fit design will not wind-whip while trailering
- Fits over small consoles and attached outboard motor
- Available for most makes and models
- Includes rope with patented rope lock sewn-in hem to ensure a snug fit
- Heavy-duty sewing construction with reinforcement patches in the cover for extra protection
- 5-year limited warranty



How to order your cover

To order your Trailerite® boat cover in Hot Shot™ fabric, locate the correct part # from the following tables for your matching boat style. Once you have your base number, you will add the letter 'O' as a suffix, followed by the desired color code letter from the swatches below.

For example, 70215OT = Hot Shot™ in Teal.



CUSTOM INFLATABLE BOAT COVERS

| Make / Model | Style | Years | Part # |
|----------------------|-----------------------|---------|--------|
| AB Nautilus | | | |
| 14 DLX INF | SC over OB motor | 13 - 14 | 61740 |
| Oceanus 13 VST Sport | SC over OB | 13 - 13 | 61741 |
| 10 VST (four person) | SC over OB | 13 - 13 | 61745 |
| 12 DLX Sport INF | SC over OB | 13 - 13 | 61739 |
| 13 VST Sport | SC over OB | 13 - 14 | 61774 |
| 12 DLX | SC over OB | 13 - 14 | 61775 |
| Navigo 10 VSX | SC over OB | 13 - 14 | 61776 |
| Achilles | | | |
| 315 DX | RSC over OB | 08 - 13 | 61400 |
| 315 LX/DX | Does not cover OB | 08 - 13 | 61409 |
| 315 LX/DX O/B | Over OB | 08 - 10 | 61411 |
| 315 | RSC over OB | 09 - 09 | 61375 |
| 350 DX | SC over OB | 10 - 10 | 61401 |
| 315 DX | RSC over OB | 06 - 06 | 68094 |
| Avon | | | |
| 215 RIB | No option | 09 - 10 | 61408 |
| 450 Adventurer | Center console OB | 08 - 08 | 63508 |
| 320 Sea Sport DL | Side console jet | 05 - 05 | 63351 |
| 280 Rover | RSC over OB | 06 - 06 | 68097 |
| 310 Rover | RSC over OB | 06 - 06 | 68098 |
| Mercury | | | |
| 430 ZM | RSC over OB | 04 - 04 | 68079 |
| 430 Ocean Runner | Over OB | 13 - 13 | 61742 |
| 330 Ocean Runner | Over OB | 13 - 13 | 61746 |
| 350 Ocean Runner | No option | 13 - 13 | 61747 |
| Novurania | | | |
| 460 DL | RSC over OB bow rails | 08 - 12 | 63509 |
| 430 DL | RSC over OB | 05 - 12 | 68076 |
| 400 DL | RSC over OB | 05 - 13 | 68080 |
| 335 DL | RSC over OB | 06 - 06 | 68091 |
| 360 DL | RSC over OB | 06 - 13 | 68092 |
| Zodiac | | | |
| 340 DL O/B | No option | 98 - 02 | 63300 |
| 340 DLRSC | Over OB | 03 - 06 | 68086 |
| 380 DL | RSC | 04 - 06 | 68087 |
| MK2C HD Futura | No motor | 08 - 10 | 61403 |
| MK2C FR Futura | No motor | 08 - 10 | 61405 |
| Pro 12 / Pro 550 | Center console OB | 09 - 13 | 61396 |

SC = Side Console

RSC = Right Side Console

OB = Outboard

| Make / Model | Style | Years | Part # |
|--------------------------------|------------------------|---------|--------|
| Zodiac (continued) | | | |
| Pro 9 Man / 500 | Center console OB | 09 - 13 | 61398 |
| Pro 7 / Pro 420 | Center console OB | 09 - 13 | 61399 |
| YL 340 | RSC over OB | 09 - 13 | 61402 |
| YL 380 DL | RSC over OB | 09 - 13 | 61406 |
| YL 310 R | No motor | 08 - 08 | 63505 |
| YL 310 R | Over OB | 08 - 08 | 63506 |
| Pro 600 RSC | Over OB | 08 - 08 | 63514 |
| 650 Pro-Open | Over fixed T-top BR OB | 08 - 08 | 63523 |
| C 285 FR ACTI-V | No motor | 09 - 09 | 61412 |
| 650 15 / Man | Center console OB | 10 - 13 | 61397 |
| Coach Pro | Center console OB | 10 - 10 | 61407 |
| Bay Runner | RSC over OB | 10 - 10 | 61413 |
| HP 310 / Rib 310 | None | 02 - 02 | 62412 |
| HP 340 | None | 02 - 02 | 62413 |
| RU 200 | None | 02 - 02 | 62416 |
| 260 | None | 02 - 02 | 62417 |
| 380 DI Yachtline | Over OB | 03 - 03 | 63302 |
| 340 Rover | Over OB | 03 - 03 | 63303 |
| 7-Man | RSC over OB | 03 - 03 | 68088 |
| 310 R Right Cnl O/B | RSC over OB | 04 - 04 | 68081 |
| 650 Pro Open | RSC BR OB | 06 - 06 | 68075 |
| 420 DL Yacht Line | RSC over OB | 06 - 13 | 68082 |
| 480 DL Yacht Line | RSC over OB | 06 - 06 | 68083 |
| 260 LR/FR/S Cadet | RSC over OB | 06 - 06 | 68084 |
| 260 LR/FR/S Cadet | RSC over OB | 06 - 06 | 68085 |
| 9-Man | RSC over OB | 06 - 06 | 68089 |
| 12-Man | RSC over OB | 06 - 06 | 68090 |
| 530 DL Yacht Line | RSC over OB | 10 - 10 | 61492 |
| Bay Runner 500 | RSC over OB | 13 - 13 | 61743 |
| Bay Runner 310 | RSC over OB | 13 - 13 | 61760 |
| Pro Touring 550 | No option | 13 - 14 | 61750 |
| Pro 500 Touring | No option | 13 - 14 | 61744 |
| Bay Runner 340 | RSC over OB | 03 - 14 | 61758 |
| Medline 540 | RSC over OB | 13 - 14 | 61759 |
| Pro Chase 550 | With jockey seat | 13 - 13 | 61757 |
| Sea Rider RIB with water blast | No option | 13 - 13 | 61748 |
| YL 470 DL | Over OB | 13 - 14 | 61761 |
| Medline 500 | RSC over OB | 12 - 14 | 61763 |
| Rec Pro 550 | RSC over OB | 12 - 14 | 61764 |
| Medline 580 | RSC over OB | 12 - 14 | 61765 |
| 550 Pro Open | RSC over OB | 13 - 14 | 61766 |
| Bay Runner 400 | No option | 13 - 14 | 61770 |
| YL 470 DL | No option | 10 - 14 | 61778 |



T-TOP BOW SHADE

- Quick and easy way to gain additional shaded area on your center console boat with a T-top installed
- Made using durable, solution-dyed, 6.25 oz. urethane-coated polyester HotShot™ fabric
- Secures to the T-top and bow rails with adjustable straps and quick release buckles
- Folds down for compact storage

| Shade Size | 6' (L) x 78-1/2' (W) | 7' (L) x 8-1/2' (W) |
|---------------|----------------------|---------------------|
| For Boat Size | 17' to 21' | 23' to 26' |
| Pacific Blue | 120040B | 120050B |
| Navy | 120040N | 120050N |
| Black | 120040R | 120050R |
| Sand | 120040S | 120050S |





ELECTRONICS BOX

- Water-repellant plexiglass door keeps out spray
- Lockable latch with two keys for added security
- Durable fiberglass construction with UV-resistant gel coat
- Gas springs offer hands-free door support
- Corrosion-resistant 304 stainless-steel hinges and latch
- Exterior dimensions measure 27" W x 26" D x 10" T
- Spacious interior to accommodate radios, GPS, fish finders, and more
- Mounting hardware not included

83358



83358SF

83358IB

| Color | Part # | Width | Depth | Height |
|---------------|---------|-------|-------|--------|
| White | 83558 | 27" | 26" | 10" |
| Seafoam Green | 83558SF | 27" | 26" | 10" |
| Ice Blue | 83558IB | 27" | 26" | 10" |

BOAT COVER ACCESSORIES



Bows

- Orange bows keep a boat cover taut and free from water-collecting pockets
- Can be mounted on any rail system
- Rubber gasket provides snug fit for fiberglass bows
- Made from flexible fiberglass and can be cut to desired length
- Will not take a set
- Includes rubber end covers to grab socket

| Part # | Length | Width | Thickness |
|--------|--------|--------|-----------|
| 924 | 72" | 1-1/4" | 3/16" |
| 925 | 84" | 1-1/4" | 3/16" |
| 926 | 96" | 1-1/4" | 3/16" |

Boat cover support system

- Extends the life of your boat cover by preventing water from pocketing
- Includes 50" of webbing, quick release buckles, a boat cover support pole, and two hooks
- Support pole snaps to the webbing
- Hooks to attach to the transom

| Part # | Includes |
|--------|--|
| 55741 | Webbing (50'), buckles, support pole and two hooks |



Die cast bow sockets


- Designed for 1-1/4" wide bows, up to 2" wide max
- Chrome-plated finish

| Part # | Includes |
|--------|-------------|
| 935 | Two sockets |

Boat cover support poles

- Fully adjustable aluminum support pole
- Available in 3 different styles to meet your unique cover's needs

| Part # | Style | Adjustment |
|--------|---|----------------|
| 11992 | Super Support Pole, includes snap, grommet tip, and crutch tip. | 38" to 68" |
| 11981 | Three-piece support pole, snap and crutch tip. | 22" to 51-1/2" |
| 11991 | Adjustable support pole, crutch tip only. | 38" to 68" |



BOAT COVER ACCESSORIES



Boat cover support pole base pad

- Bottom pad made for EPDM to provide additional friction to hold pole in place against the deck
- Base pad swivel allows the pole to be positioned at just the right angle for your application
- Simple installation
- Sold individually (support pole sold separately)

| Part # | Base Accepts | Fits |
|--------|---------------------|-------------------------------|
| 11976 | 7/8" diameter poles | 11991 and 11992 support poles |

Boat vent II

- Installs quickly and easily with no hardware
- Venting area provides for greater volume of exhaust air while closing the top-to-bottom gap to keep water out
- Made from a superior grade polycarbonate blend material for strength and UV-resistance

| Part # | Accommodates |
|--------|----------------------------|
| 11982 | 3/4" or 7/8" support poles |



Boat cover tie-down strap

- Holds even pressure on tie-down loops
- Simple and secure way to attach tie-down straps to boat cover
- Attaches to almost any boat cover
- Durable quick-release buckle
- UV-resistant polypropylene webbing
- Includes locking quick clip

| Part # | Compatible With | Strap Length | Includes |
|--------|------------------|--------------|--------------|
| 55748 | 1" webbing loops | 8' | Eight straps |

Clinching ring pliers and rings

- Pliers designed to grip clinching rings 3/16" to 1/2" in diameter
- Spring-loaded handles to hold ring until clamped on
- Pliers are 6-7/8" long
- Rings made from stainless steel

| Part # | Description | Quantity |
|--------|------------------------------|----------|
| 1046 | Clinching ring pliers | 1 |
| 1044 | Rings fit 3/16" - 5/16" cord | 50 |
| 1045 | Rings fit 3/8" - 1/2" cord | 50 |


BOAT COVER ACCESSORIES



One-way snaps

- Push down on the spot to lock
- Lift up on the spot to release
- Specially designed for extra holding power
- Releases only in the direction of the spot

| Part # | Style | Quantity |
|--------|----------------------------|----------|
| 16401 | Female fastener | 4 Sets |
| 116401 | Female fastener | 100 Sets |
| 16402 | Male fastener (wood screw) | 4 Sets |
| 116402 | Male fastener (wood screw) | 4 Sets |



Snap fasteners

- Standard snap-on and snap-off design

| Part # | Style | Quantity |
|--------|--|----------|
| 401 | Female fastener (for cloth) | 6 Sets |
| 100401 | Female fastener (for cloth) | 100 Sets |
| 402 | Male fastener (wood screw) | 4 Sets |
| 100402 | Male fastener (wood screw) | 100 Sets |
| 403 | Male fastener (for cloth) | 10 Sets |
| 100403 | Male fastener (for cloth) | 100 Sets |
| 404 | Male fastener (machine screw with nut) | 4 Sets |



E-Z™ grommet set

- Installs #2 size grommets with 3/8" hole
- Set contains hole punch, setting tool, and 18 #2 brass grommets and washers

| Part # | Style | Quantity |
|--------|-------------------------------|----------|
| 1365 | E-Z grommet set | 1 |
| 1231 | #2 brass grommets and washers | 12 |

Snap fastener installation tool

- Easy to use
- Includes instructions

| Part # | Includes |
|--------|----------------------|
| 1360 | Die and setting tool |

OUTBOARD MOTOR COVERS

- Keep your new outboard motor looking good and protected against harmful environmental conditions
- Designed to fit newer cowl sizes and later model engines
- Measure your outboard to determine your cover size
- Cut to fit close for trailering
- Draw rope in the hem
- Available in grey Hot Shot™ fabric
- Hot Shot™ and Ultima™ fabrics available as special orders (replace OG suffix with corresponding color suffix)



| Part # | Length | Width | Height |
|----------|--------|-------|--------|
| 9261120G | 16" | 11" | 11" |
| 9261130G | 15" | 12" | 24" |
| 9261110G | 19" | 9" | 12" |
| 9261140G | 19" | 14" | 27" |
| 9262220G | 20" | 10" | 14" |
| 9263330G | 22" | 10" | 17" |

| Part # | Length | Width | Height |
|----------|--------|-------|--------|
| 9261150G | 25" | 17" | 25" |
| 9264440G | 27" | 14" | 23" |
| 9261160G | 30" | 18" | 25" |
| 9265550G | 31" | 23" | 24" |
| 9266660G | 33" | 25" | 28" |
| 9261170G | 35" | 17" | 28" |

TROLLING MOTOR PROP COVERS

- Extend the life of your boat cover by protecting it from wear and tear caused by sharp edges on your trolling motor prop
- Made from heavy-duty marine grade vinyl
- 1-year warranty

Fits these propellers and more

- Motor Guide Safari (2 Prop)
- Motor Guide Machete III (3 Prop)
- Motor Guide Power Prop (2 Prop)
- Minn Kota MKP-6 (2 Prop)
- Minn Kota MKP-7 (2 Prop)
- Minn Kota MKP-8 (2 Prop)
- Minn Kota MKP-24 (2 Prop)



355 back



357 front



257 back



255 front

| Part # | Color | # of Blades | Prop Diameter |
|--------|-------|-------------|---------------|
| 255 | Red | 2 | 12" |
| 257 | Black | 2 | 12" |
| 355 | Red | 3 | 10" |
| 357 | Black | 3 | 10" |

DECK CHAIR COVERS

- Made from heavy-duty materials
- Protect your chairs from cracking and fading
- Covers fold easily for storage
- Keeps seats cool and clean

| Part # | Material | Color | Height | Width | Depth |
|--------|-------------------|-------|--------|-------|---------|
| 40235 | Heavy-duty vinyl | White | 29" | 26" | 29-1/2" |
| 80235 | Ripstop polyester | Blue | 29" | 26" | 29-1/2" |



RUBBER CHAIR TIPS

- Non-marking rubber tips are great for use on deck chairs, boarding ladders and boat hooks
- Includes four tips per package

| Part # | Fits |
|--------|---------------|
| 96024 | 7/8" tubing |
| 96025 | 1" tubing |
| 96026 | 1-1/8" tubing |



BOAT SEATS & CONSOLE COVERS

- Keep your seats and consoles from cracking and fading
- Designed to protect your seats and electronics from damaging UV rays, wind, mildew, and water
- Available in heavy-duty, white vinyl or 600-denier Ripstop polyester with a polyurethane coating
- All our covers fold easily for storage and keep your seats cool and clean



| Description | Height | Width | Depth | Material | White # | Material | Navy # |
|----------------------------|--------|-------|-------|-------------|---------|-------------------|--------|
| Back to back lounge seat | 22" | 50" | 22" | Vinyl | 40210 | Ripstop polyester | 80210 |
| Folding pedestal | 14" | 18" | 20" | Vinyl | 40220 | Ripstop polyester | 80220 |
| Helm / bucket / fixed back | 24" | 24" | 22" | Vinyl | 40230 | Ripstop polyester | 80230 |
| Small swingback seats | 36" | 36" | 20" | Vinyl | 40240 | Ripstop polyester | 80240 |
| Large swingback seats | 36" | 40" | 20" | Vinyl | 40245 | Ripstop polyester | 80245 |
| Small center console | 42" | 36" | 24" | Vinyl | 40400 | Ripstop polyester | 80400 |
| Medium center console | 44" | 40" | 30" | Vinyl | 40410 | Ripstop polyester | 80410 |
| Large center console | 45" | 46" | 40" | Vinyl | 40420 | Ripstop polyester | 80420 |
| Back to back lounge seat | 18" | 20" | 40" | Terry cloth | 11994 | Terry cloth | 11997 |

ADJUSTABLE WINCH COVER

- Winch cover protects winches with an easily adjustable hook and loop closure
- Split side allows halyards or sheets to be left on the winches
- Made of UV-resistant acrylic to deter fading




| Part # | Size | Top Diameter | Height | Base Circumference |
|--------|--------------|---------------|-------------------------------|----------------------------|
| 54411 | Small | 4" / 102 mm | 3.5" to 4.25" / 89 to 108 mm | 12" to 15" / 305 to 381 mm |
| 54412 | Medium | 4.5" / 114 mm | 5" to 6" / 127 to 152 mm | 15" to 19" / 381 to 483 mm |
| 54413 | Medium/Large | 5" / 127 mm | 6" to 7" / 152 to 178 mm | 20" to 24" / 508 to 610 mm |
| 54415 | Large | 6.5" / 165 mm | 7.5" to 9.5" / 191 to 241 mm | 24" to 28" / 610 to 711 mm |
| 54414 | Extra Large | 8" / 203 mm | 9.5" to 11.5" / 241 to 292 mm | 30" to 34" / 762 to 864 mm |

DOCK WHEEL COVERS

- Designed to fit over Dock Pro Inflatable Dock Wheels (12" and 18") to prevent grime and dirt
- Constructed from 100% heavy duty loop knit acrylic
- UV, abrasion and stain resistant
- Sewn-in draw string and barrel lock ensure a custom fit



| Part # | Size | Color |
|--------|------|-------|
| 5300N | 12" | Navy |
| 5300B | 12" | Black |
| 5301N | 18" | Navy |
| 5301B | 18" | Black |



BOATING FLAGS & PENNANTS

Taylor® Made
Made in USA. 100% Nylon

FEATURED PRODUCTS



1 Deluxe Sewn Flags

Deluxe sewn flags are constructed from lightweight yet durable fade resistant nylon fabric, which make them the perfect all-weather flags.

1 Novelty Flags

Single sided flags feature a vibrant screen-printed design on 200-denier water-repellent nylon, complete with sewn-in brass grommets.

1 Teak Flag Poles

Crafted from premium grade-A, kiln-dried teakwood, our flag poles are built to withstand the harsh marine environment.

PRODUCT INDEX

**144**

Deluxe Sewn
Flags & Ensigns

145

Nylon Flags
& Ensigns

146

Nautical
Flags

148

U.S. State &
Territory Flags

150

International &
Courtesy Flags

153

Signal Flags
& Pennant Sets

**155**

Fisherman's
Catch Flags

157

Flag
Poles

158

Flag
Clips

160

Rail Mount
Sockets



DELUXE SEWN FLAGS & ENSIGNS

The U.S. 50-star flag, a powerful symbol of national pride, is widely flown on various occasions and locations. Elevate your display with our high-quality, embroidered U.S. 50-star flags, designed to withstand the elements and provide a touch of patriotism to any setting.

The U.S. Yacht Ensign serves as an alternative to the traditional 50-star national flag for pleasure boats. Any U.S.-owned boat is eligible to fly both the U.S. Yacht Ensign and the U.S. 50 Star Flag. The United States Power Squadrons, a nonprofit educational organization, aims to enhance maritime safety and enjoyment through seamanship and navigation classes. With members across numerous squadrons nationwide, only members are authorized to fly this ensign. Our embroidered U.S. Yacht Ensigns are crafted with precision and durability in mind, ensuring your boat stands out on the water with a symbol of maritime heritage and pride.



Our embroidered stars allow for a premium look and feel



Brass grommets offer a secure fit when hanging from the boat



Individually sewn stripes maintain their appearance and integrity over time, even in harsh weather conditions



8218



8118



8424

| Part # | Description | Height | Width |
|----------------|----------------------------|--------|-------|
| Ensigns | | | |
| 8218* | U.S. Power Squadron Ensign | 12" | 18" |
| 8224* | U.S. Power Squadron Ensign | 16" | 24" |
| 8118 | U.S. Yacht Ensign | 12" | 18" |
| 8124 | U.S. Yacht Ensign | 16" | 24" |
| 8130 | U.S. Yacht Ensign | 20" | 30" |
| 8136 | U.S. Yacht Ensign | 24" | 36" |
| 8148 | U.S. Yacht Ensign | 30" | 48" |
| 8160 | U.S. Yacht Ensign | 36" | 60" |

*Boat must be commanded by an active member of USPS to fly

| Part # | Description | Height | Width |
|--------------|-------------------|--------|-------|
| Flags | | | |
| 8418 | U.S. 50 Star Flag | 12" | 18" |
| 8424 | U.S. 50 Star Flag | 16" | 24" |
| 8430 | U.S. 50 Star Flag | 20" | 30" |
| 8436 | U.S. 50 Star Flag | 24" | 36" |
| 8448 | U.S. 50 Star Flag | 30" | 48" |
| 8460 | U.S. 50 Star Flag | 36" | 60" |
| 8472 | U.S. 50 Star Flag | 48" | 72" |
| 8496 | U.S. 50 Star Flag | 60" | 96" |



NYLON FLAGS & ENSIGNS

- Lightweight and durable 200-denier nylon fabric resists fading in harsh marine conditions
- Two brass grommets and reinforced heading ensure secure attachment
- Nylon material catches the wind easily, proudly displaying your flag
- Two-sided design is water-repellent and screen-printed



2418

| Part # | Description | Height | Width |
|--------|-------------------|--------|-------|
| 2418 | U.S. 50 Star Flag | 12" | 18" |
| 2424 | U.S. 50 Star Flag | 16" | 24" |
| 1118 | U.S. Yacht Ensign | 12" | 18" |



WIND SOCK

- Made from fade resistant nylon with individually sewn tassels
- Durable and lightweight
- Includes individual swivel for tangle-free operation



93244

| Part # | Description | Length | Diameter |
|--------|----------------------------|--------|----------|
| 93244 | Stars and Stripes Windsock | 48" | 5" |



OFFICER FLAGS

- Single-sided, embroidered flags
- Made from durable 200-denier nylon
- Brass grommets ensure a secure fit when hanging from the boat



93076 Commodore



93079 Fleet Captain



93082 Past Commodore



93155 Port Captain



93078 Rear Commodore



93081 Secretary



93080 Treasurer



93077 Vice-Commodore

| Part # | Description | Height | Width |
|--------|----------------|--------|-------|
| 93076 | Commodore | 12" | 18" |
| 93079 | Fleet Captain | 12" | 18" |
| 93082 | Past Commodore | 12" | 18" |
| 93155 | Port Captain | 12" | 18" |

| Part # | Description | Height | Width |
|--------|----------------|--------|-------|
| 93078 | Rear Commodore | 12" | 18" |
| 93081 | Secretary | 12" | 18" |
| 93080 | Treasurer | 12" | 18" |
| 93077 | Vice Commodore | 12" | 18" |



MILITARY FLAGS

- Single-sided with water-repellent screen printing
- Crafted from durable 200-denier nylon
- Brass grommets ensure a secure fit when hanging from the boat



1617 Gadsden



1618 U.S. Air Force Wings



1619 U.S. Navy Seal



1620 Army Strong



5620 Army Flag



5621 Navy Flag



5622 Air Force Flag



5623 Marines Flag



5624 POW/MIA Flag



5626 U.S. Coast Guard



5627 Army National Guard

| Part # | Description | Height | Width |
|--------|---------------------|--------|-------|
| 5622 | Air Force | 12" | 18" |
| 5620 | Army | 12" | 18" |
| 5627 | Army National Guard | 12" | 18" |
| 1620 | Army Strong | 12" | 18" |
| 1617 | Gadsden | 12" | 18" |
| 5623 | Marine | 12" | 18" |

| Part # | Description | Height | Width |
|--------|----------------------|--------|-------|
| 5621 | Navy | 12" | 18" |
| 5624 | POW MIA | 12" | 18" |
| 1618 | U.S. Air Force Wings | 12" | 18" |
| 5626 | U.S. Coast Guard | 12" | 18" |
| 1619 | U.S. Navy Seal | 12" | 18" |

U.S. STATE & TERRITORY FLAGS

- Single-sided, water repellent, screen-printed design
- Constructed from a tough 200-denier nylon
- Brass grommets ensure a secure fit when hanging from the boat



93089 Alabama



93137 Alaska



93090 Arizona



93091 Arkansas



93092 California



93093 Colorado



93094 Connecticut



93095 Delaware



93096 Florida



93097 Georgia



93138 Hawaii



93098 Idaho



93099 Illinois



93100 Indiana



93101 Iowa



93102 Kansas



93103 Kentucky



93104 Louisiana



93105 Maine



93106 Maryland



93107 Massachusetts



93108 Michigan



93109 Minnesota



93110 Mississippi



93111 Missouri



93112 Montana



93113 Nebraska



93114 Nevada



93115 New Hampshire



93116 New Jersey



93117 New Mexico



93118 New York



93119 North Carolina



93120 North Dakota



93121 Ohio



93122 Oklahoma



93123 Oregon



93124 Pennsylvania



93125 Rhode Island



93126 South Carolina



93127 South Dakota



93128 Tennessee



93143 Texas



93130 Utah



93131 Vermont



93132 Virginia



93133 Washington



93134 West Virginia



93135 Wisconsin



93136 Wyoming



93086 District of Columbia



93085 Puerto Rico



93084 U.S. Virgin Island

| Part # | Description | Height | Width |
|-------------------------|-------------|--------|-------|
| U.S. State Flags | | | |
| 93089 | Alabama | 12" | 18" |
| 93137 | Alaska | 12" | 18" |
| 93090 | Arizona | 12" | 18" |
| 93091 | Arkansas | 12" | 18" |
| 93092 | California | 12" | 18" |
| 93093 | Colorado | 12" | 18" |
| 93094 | Connecticut | 12" | 18" |
| 93095 | Delaware | 12" | 18" |
| 93096 | Florida | 12" | 18" |
| 93097 | Georgia | 12" | 18" |
| 93138 | Hawaii | 12" | 18" |
| 93098 | Idaho | 12" | 18" |
| 93099 | Illinois | 12" | 18" |
| 93100 | Indiana | 12" | 18" |
| 93101 | Iowa | 12" | 18" |
| 93102 | Kansas | 12" | 18" |
| 93103 | Kentucky | 12" | 18" |
| 93104 | Louisiana | 12" | 18" |
| 93105 | Maine | 12" | 18" |

| Part # | Description | Height | Width |
|-------------------------|----------------|--------|-------|
| U.S. State Flags | | | |
| 93106 | Maryland | 12" | 18" |
| 93107 | Massachusetts | 12" | 18" |
| 93108 | Michigan | 12" | 18" |
| 93109 | Minnesota | 12" | 18" |
| 93110 | Mississippi | 12" | 18" |
| 93111 | Missouri | 12" | 18" |
| 93112 | Montana | 12" | 18" |
| 93113 | Nebraska | 12" | 18" |
| 93114 | Nevada | 12" | 18" |
| 93115 | New Hampshire | 12" | 18" |
| 93116 | New Jersey | 12" | 18" |
| 93117 | New Mexico | 12" | 18" |
| 93118 | New York | 12" | 18" |
| 93119 | North Carolina | 12" | 18" |
| 93120 | North Dakota | 12" | 18" |
| 93121 | Ohio | 12" | 18" |
| 93122 | Oklahoma | 12" | 18" |
| 93123 | Oregon | 12" | 18" |
| 93124 | Pennsylvania | 12" | 18" |

| Part # | Description | Height | Width |
|-----------------------------|---------------------|--------|-------|
| U.S. State Flags | | | |
| 93125 | Rhode Island | 12" | 18" |
| 93126 | South Carolina | 12" | 18" |
| 93127 | South Dakota | 12" | 18" |
| 93128 | Tennessee | 12" | 18" |
| 2318 | Texas | 12" | 18" |
| 93143 | Texas | 20" | 30" |
| 93130 | Utah | 12" | 18" |
| 93131 | Vermont | 12" | 18" |
| 93132 | Virginia | 12" | 18" |
| 93133 | Washington | 12" | 18" |
| 93086 | Washington DC | 12" | 18" |
| 93134 | West Virginia | 12" | 18" |
| 93135 | Wisconsin | 12" | 18" |
| 93136 | Wyoming | 12" | 18" |
| U.S. Territory Flags | | | |
| 93085 | Puerto Rico | 12" | 18" |
| 93084 | U.S. Virgin Islands | 12" | 18" |



INTERNATIONAL & COURTESY FLAGS

- Courtesy flags or courtesy ensigns are flown by a visiting ship in foreign waters as a token of respect
- Single-sided, water repellent, screen-printed design
- Constructed from a tough 200-denier nylon
- Brass grommets ensure a secure fit when hanging from the boat



93220 Anguilla Courtesy



93175 Antigua Courtesy



93152 Aruba Courtesy



2018 Bahamas Courtesy



93073 Barbados



93153 Bermuda Courtesy



93071 British Virgin Isl. C/O



1319 Canada



93181 Cayman Island C/O



93141 Cuba Courtesy



93184 Curacao Courtesy



93070 Dominican Rep. C/O



93189 Grenada



93190 Haiti Civil



93069 Jamaica Courtesy



93194 Martinique Courtesy



93199 St. Kitts Courtesy



93200 St. Lucia Courtesy



93201 St. Marten C/O



93209 St. Vincent C/O



93202 Trinidad Courtesy



93203 Turks/Caicos C/O

| Part # | Description | Height | Width |
|--------|-----------------------------|--------|-------|
| 93220 | Anguilla Courtesy | 12" | 18" |
| 93067 | Anguilla National | 12" | 18" |
| 93175 | Antigua Courtesy | 12" | 18" |
| 93156 | Antiqua | 24" | 36" |
| 93152 | Aruba | 12" | 18" |
| 93205 | Bahama Country | 36" | 60" |
| 93206 | Bahama Country | 48" | 72" |
| 2018 | Bahamas Courtesy | 12" | 18" |
| 93073 | Barbados | 12" | 18" |
| 93158 | Barbados | 24" | 36" |
| 93153 | Bermuda | 12" | 18" |
| 1330 | British Columbia Provincial | 9" | 18" |
| 1331 | British Columbia Provincial | 12" | 24" |
| 93071 | British Virgin Islands | 12" | 18" |
| 1319 | Canada | 12" | 18" |
| 1327 | Canada Applique | 9" | 18" |
| 1328 | Canada Applique | 12" | 24" |
| 1329 | Canada Applique | 24" | 48" |
| 4813 | Canadian | 24" | 48" |
| 1318 | Canadian Ensign | 9" | 18" |
| 1324 | Canadian Ensign | 12" | 24" |
| 93207 | Cayman Island | 36" | 60" |
| 93181 | Cayman Island Courtesy | 12" | 18" |


| Part # | Description | Height | Width |
|--------|-------------------------|--------|-------|
| 93208 | Cayman Island Ensign | 48" | 72" |
| 93065 | Cayman Island National | 12" | 18" |
| 93141 | Cuba | 12" | 18" |
| 93163 | Cuba | 24" | 36" |
| 93184 | Curacao | 12" | 18" |
| 93070 | Dominican Republic | 12" | 18" |
| 93189 | Grenada | 12" | 18" |
| 93190 | Haiti Civil | 12" | 18" |
| 93069 | Jamaica | 12" | 18" |
| 93165 | Jamaica | 24" | 36" |
| 93194 | Martinique | 12" | 18" |
| 93140 | Mexico | 12" | 18" |
| 1325 | New Canadian Ensign | 9" | 18" |
| 1326 | New Canadian Ensign | 12" | 24" |
| 1354 | New Canadian Ensign | 27" | 54" |
| 93199 | St. Kitts Courtesy | 12" | 18" |
| 93200 | St. Lucia Courtesy | 12" | 18" |
| 93201 | St. Marten Courtesy | 12" | 18" |
| 93168 | St. Vincent | 24" | 36" |
| 93209 | St. Vincent Courtesy | 12" | 18" |
| 93202 | Trinidad Courtesy | 12" | 18" |
| 93203 | Turks / Caicos Courtesy | 12" | 18" |
| 93066 | Turks / Caicos National | 12" | 18" |

ALPHABET SIGNAL FLAGS

- Two-sided, water repellent, sewn design
- Constructed from a tough 200-denier nylon
- Sewn-in rope and toggle for easy attachment and hanging



93256 - (A)



93257 - (B)



93258 - (C)



93259 - (D)




93260 - (E)



93261 - (F)



93262 - (G)



93263 - (H)



93264 - (I)



93265 - (J)



93266 - (K)



93267 - (L)



93268 - (M)



93269 - (N)



93270 - (O)



93271 - (P)



93272 - (Q)



93273 - (R)



93274 - (S)



93275 - (T)



93276 - (U)



93277 - (V)



93278 - (W)



93279 - (X)



93280 - (Y)



93281 - (Z)

| Part # | Code | Height | Width |
|--------|------|--------|-------|
| 93256 | A | 12" | 18" |
| 93257 | B | 12" | 18" |
| 93258 | C | 12" | 18" |
| 93259 | D | 12" | 18" |
| 93260 | E | 12" | 18" |
| 93261 | F | 12" | 18" |
| 93262 | G | 12" | 18" |
| 93263 | H | 12" | 18" |
| 93264 | I | 12" | 18" |

| Part # | Code | Height | Width |
|--------|------|--------|-------|
| 93265 | J | 12" | 18" |
| 93266 | K | 12" | 18" |
| 93267 | L | 12" | 18" |
| 93268 | M | 12" | 18" |
| 93269 | N | 12" | 18" |
| 93270 | O | 12" | 18" |
| 93271 | P | 12" | 18" |
| 93272 | Q | 12" | 18" |
| 93273 | R | 12" | 18" |

| Part # | Code | Height | Width |
|--------|------|--------|-------|
| 93274 | S | 12" | 18" |
| 93275 | T | 12" | 18" |
| 93276 | U | 12" | 18" |
| 93277 | V | 12" | 18" |
| 93278 | W | 12" | 18" |
| 93279 | X | 12" | 18" |
| 93280 | Y | 12" | 18" |
| 93281 | Z | 12" | 18" |

NUMERICAL SIGNAL PENNANTS

- Two-sided, water repellent, sewn design
- Constructed from a tough 200-denier nylon
- Sewn-in rope and toggle for easy attachment and hanging



93246 - (#0)



93247 - (#1)



93248 - (#2)



93249 - (#3)



93250 - (#4)



93251 - (#5)



93252 - (#6)



93253 - (#7)



93254 - (#8)



93255 - (#9)

| Part # | Code | Height | Width |
|--------|------|--------|-------|
| 93246 | #0 | 8" | 24" |
| 93247 | #1 | 8" | 24" |
| 93248 | #2 | 8" | 24" |
| 93249 | #3 | 8" | 24" |

| Part # | Code | Height | Width |
|--------|------|--------|-------|
| 93250 | #4 | 8" | 24" |
| 93251 | #5 | 8" | 24" |
| 93252 | #6 | 8" | 24" |

| Part # | Code | Height | Width |
|--------|------|--------|-------|
| 93253 | #7 | 8" | 24" |
| 93254 | #8 | 8" | 24" |
| 93255 | #9 | 8" | 24" |

SIGNAL FLAG & PENNANT SETS



SMALL-CRAFT ADVISORY
~WINDS~
18-33 knots / 28-28 mph

STORM WARNING
~WINDS~
48-63 knots / 55-73 mph

GALE WARNING
~WINDS~
34-47 knots / 39-54 mph

HURRICANE WARNING
~WINDS~
64+ knots / 74+ mph

Storm warning flag set

- High-tensile strength nylon
- Canvas heading
- Brass grommets



International code signal set

- High-tensile strength nylon
- Canvas heading
- Storage pouch included



Decorative intl. signal string

- 12 assorted signal set
- Tough and durable nylon

| Part # | Description | Includes | Height | Width |
|--------|--------------------------------------|---|-----------|-----------|
| 93174 | Storm warning set - hurricane / gale | Two hurricane flags and two gale pennants | 18" / 18" | 18" / 36" |
| 93245 | Signal flag international code set | Includes alphabet, numbers, repeaters and answering pennant | 12" | 18" |
| 93301 | Signal flag international code set | Includes alphabet, numbers, repeaters and answering pennant | 18" | 24" |
| 93302 | Decorative international code set | One 30' string with 12 flags | 12" | 18" |



SPECIALTY SIGNAL FLAGS & PENNANTS



Solid color nylon flags

- High-tensile strength nylon
- Brass grommets
- Fade-resistant



Decorative pennant string

- Six solid colors
- Pennants are plastic coated



Skier down flag

- Fluorescent orange
- Pre-mounted on a wooden pole
- Meets most western-state water skiing safety regulations



Alpha dive flag

- For any small crafts restricted to maneuver while engaged in diving
- Sewn in batten



Diver down flag

- Meets state requirements for diving applications
- Fiberglass pole permanently sewn diagonally across flag to keep flag taught



Hurricane warning flag

- Winds 64+ knots / 74+ mph
- High tensile strength nylon
- Brass grommets

| Part # | Description | Includes | Height | Width |
|--------|---------------------------|---|--------|-------|
| 32183 | Solid color flag | One red flag | 12" | 18" |
| 32184 | Solid color flag | One white flag | 12" | 18" |
| 32185 | Solid color flag | One yellow flag | 12" | 18" |
| 93172 | Decorative string pennant | One 50' string | 12" | 18" |
| 93978 | Skier down flag | One flag, pre-mounted on an 18" wooden pole | 12" | 18" |
| 4400 | Alpha dive flag | One flag | 15" | 15" |
| 4200 | Diver down flag | One vinyl glo-flame red flag with white diagonal stripe | 13" | 15" |
| 1938 | Hurricane warning flag | One flag | 18" | 18" |

FISHERMAN'S CATCH FLAGS


- Single-sided, water repellent, screen-printed design
- Constructed from a tough 210-denier nylon
- Brass grommets ensure a secure fit when hanging from the boat



4318 Albacore



2918 Blue Marlin



2518 Bluefish



4218 Dolphin



3518 King Mackerel




4518 Pickerel



2818 Sailfish




3318 Salmon



3218 Shark



2618 Striped Bass



4418 Swordfish




2718 Tarpon



3118 Tuna




4118 Wahoo



4618 Walleye



3018 White Marlin



1937 Release Pennant

| Part # | Description | Height | Width |
|--------|---------------|--------|-------|
| 4318 | Albacore | 12" | 18" |
| 2918 | Blue Marlin | 12" | 18" |
| 2518 | Bluefish | 12" | 18" |
| 4218 | Dolphin | 12" | 18" |
| 3518 | King Mackerel | 12" | 18" |
| 4518 | Pickerel | 12" | 18" |
| 2818 | Sail Fish | 12" | 18" |
| 3318 | Salmon | 12" | 18" |
| 3218 | Shark | 12" | 18" |

| Part # | Description | Height | Width |
|--------|-------------------------|--------|--------|
| 2618 | Striped Bass | 12" | 18" |
| 4418 | Swordfish | 12" | 18" |
| 2718 | Tarpon | 12" | 18" |
| 3118 | Tuna | 12" | 18" |
| 4118 | Wahoo | 12" | 18" |
| 4618 | Walleye | 12" | 18" |
| 3018 | White Marlin | 12" | 18" |
| 1937 | Tag and Release Pennant | 5-1/2" | 8-1/2" |

NOVELTY FLAGS

- Single-sided, water repellent, screen-printed design
- Constructed from a tough 200-denier nylon
- Brass grommets ensure a secure fit when hanging from the boat



1622 Shut Up and Reel




1718 Skunk



1817 Cat On Board



5618 Crab



5118 Wine Glasses



1814 Calico Jack



5418 Happy Hour



9218 Beer



9118 Cocktail



1818 Jolly Roger



9818 It's Margarita Time



1621 Home of the Brave



1633 Beer Run



93311 Party Pack (includes three flags #1818, #5418, #9218)



| Part # | Description | Height | Width |
|--------|----------------|--------|-------|
| 1622 | Shut Up & Reel | 12" | 18" |
| 1718 | Skunk | 12" | 18" |
| 1817 | Cat On Board | 12" | 18" |
| 5618 | Crab | 12" | 18" |
| 5118 | Wine Glasses | 12" | 18" |
| 1814 | Calico Jack | 12" | 18" |
| 5418 | Happy Hour | 12" | 18" |

| Part # | Description | Height | Width |
|--------|-------------------------------|--------|-------|
| 9218 | Beer | 12" | 18" |
| 9118 | Cocktail | 12" | 18" |
| 1818 | Jolly Roger | 12" | 18" |
| 9818 | Margarita Time | 12" | 18" |
| 1621 | Home Of The Brave | 12" | 18" |
| 1633 | Beer Run | 12" | 18" |
| 93311 | Party pack (1818, 5418, 9218) | 12" | 18" |



STAINLESS STEEL FLAG POLE KIT

- Non-corrosive, T304 stainless steel construction
- Unique adjustable stainless steel clips keep the flag taught and tangle free
- Easily installs to boat gunwale
- Mounting base and hardware included
- 1" pole diameter

| Part # | Pole Length | Use Flag Size |
|--------|-------------|---------------|
| 902 | 18" | 12" x 18" |
| 903 | 24" | 16" x 24" |
| 904 | 30" | 24" x 36" |
| 905 | 36" | 30" x 48" |
| 907 | 48" | 36" x 60" |



TEAK FLAG POLES

- Grade-A, kiln-dried teakwood is resistant to rot and weathering, ensuring durability over time
- Hardware and flag sold separately



60749

| Part # | Pole Diameter | Pole Length |
|--------|---------------|-------------|
| 60749 | 3/4" | 18" |
| 60750 | 1" | 24" |
| 60752 | 1" | 30" |
| 60754 | 1-1/4" | 36" |
| 60756 | 1-1/4" | 48" |



PONTOON FLAG POLE SOCKET WITH FLAG

- Injection-molded nylon mount
- Bright dipped, anodized aluminum pole
- 10° presentation angle
- Charlevoix® clips and hardware included



922

| Part # | Includes | Flag Height | Flag Width | Pole Length |
|--------|----------------|-------------|------------|-------------|
| 921 | U.S. flag | 12" | 18" | 24" |
| 922 | U.S. flag | 16" | 24" | 30" |
| 921CAN | Canadian flag* | 12" | 18" | 24" |
| 922CAN | Canadian flag* | 16" | 24" | 30" |

*Printed flag, not sewn

FLAG POLE WITH RAIL MOUNT

- Constructed of corrosion-resistant T304 stainless steel
- Hassle-free installation with included split rings and nylon rail clamp
- Installs on round rails only
- Flag not included

| Part # | Fits Rail | Pole Length |
|--------|----------------|-------------|
| 971 | 7/8" to 1-1/4" | 15" |



CHARLEVOIX® FLAG CLIPS

- Single-piece nylon construction
- Secures in place and easily adjusts to pole
- Includes two clips



| Part # | Fits Flag Poles | Width | Length |
|--------|-----------------|--------|--------|
| 57926 | 3/4" | 1-1/8" | 2-3/4" |
| 57928 | 7/8" to 1" | 1-1/8" | 2-3/4" |

CHARLEVOIX® BURGEE & ANTENNA CLIPS

- Simplifies flag attachment to standard poles or antennas
- Semi-permanent one-piece design holds flags securely up to 50 mph
- Flags attach and detach in seconds
- Sold in pairs



| Part # | Fits Burgee and Whip Antennae |
|--------|-------------------------------|
| 57925 | 1/2" |

FLAG POLE WITH CHARLEVOIX® CLIPS

- 3/4" diameter anodized aluminum pole with nylon flag clips
- Clips are designed to clamp tight or spin around the pole
- Bottom clip and O-ring can be moved to accommodate any size flag



915



916



917



918



919

| Part # | Pole Length |
|--------|-------------|
| 915 | 18" |
| 916 | 24" |
| 917 | 30" |
| 918 | 36" |
| 919 | 48" |

SKIPPER FLAG CLIPS

- Stainless steel
- Includes four clips and self-tapping screws



57933

| Part # | Includes |
|--------|------------------------------------|
| 57933 | Four clips and self-tapping screws |

RAIL MOUNT FLAG SOCKET

- Easily mounts to rails ranging from 7/8" to 1-1/4", offering versatile installation options
- Adjusts to any angle, providing customizable positioning to suit your needs
- Crafted from durable T304 stainless steel for long-lasting reliability and corrosion resistance
- Specifically designed for round rails, ensuring a secure and snug fit



968

SLANTED FLAG POLE SOCKET

- Slanted socket design displays flag prominently
- Securely attaches to the gunwale for reliable flag mounting
- Made with a triple chrome plate for durability and a polished finish
- Hardware not included



962

| Part # | Fits Flag Poles |
|--------|-----------------|
| 962 | 3/4" to 1" |

TOP MOUNT FLAG POLE SOCKETS

- T316 polished stainless steel
- Secures to gunwale
- Hardware not included



965



966

| Part # | Tilt Angle | Fits Flag Poles |
|--------|------------|-----------------|
| 965 | 10° | 1" |
| 966 | 10° | 1-1/4" |

FLUSH MOUNT FLAG POLE SOCKET

- Crafted from enduring T316 polished stainless steel
- Insets nearly flush to the deck



967

| Part # | Slant Angle | Fits Flag Poles |
|--------|-------------|-----------------|
| 967 | 60° | 1-1/4" |

STAINLESS STEEL RAIL MOUNT FLAG POLE SOCKETS

- Securely fastens to either 7/8" to 1" or 1-1/8" to 1-1/4" rails, offering versatile compatibility
- Positioned perpendicular to the rail, optimizing functionality and ease of use

| Part # | Rail Size | Flag Staff |
|--------|------------------|-----------------------|
| 960 | 7/8" to 1" | 1" |
| 961 | 7/8" to 1" | 1/2" |
| 973 | 7/8" to 1" | 1" (with thumb screw) |
| 974 | 1-1/8" to 1-1/4" | 1" (with thumb screw) |



961



974





BOAT MAINTENANCE

FEATURED PRODUCTS



Gas Shocks

Our gas shocks replaces a worn or damaged ball-and-socket gas strut for your boat's hatch or dock box.

Windshield Accessories

Trusted by boaters worldwide, our user-friendly boat windshield hardware ensures effortless installation and enduring reliability.

PRODUCT INDEX



164
Windshield
Accessories



166
Standard Gas
Shocks



167
Stainless Steel
Gas Shocks



167
Mounting
Hardware



168
Hatch
Replacement
Parts

WINDSHIELD ACCESSORIES



11616

Adjustable side vent handles

- Replaces most original handles on side vent windows
- Easy installation
- Includes one left-hand and one right-hand handle

| Part # | Fits |
|--------|--|
| 11616 | Side windows having exactly 1/4" mounting hole |



1632

1637

Windshield support bars

- Keeps the boat's walk-through windshield braced
- Lightweight, durable anodized aluminum
- Includes one arm per package
- **Chrome plated zamak feet

| Part # | Size | Part # | Size |
|--------|------|--------|------|
| 1632 | 11" | 1638 | 14" |
| 1634 | 12" | 1639** | 14" |
| 1636 | 13" | 1641** | 15" |
| 1637** | 13" | 1642** | 16" |



11747

Window savers

- Stops plastic windows from getting burned by hot tubing
- Includes six clips per package

| Part # | Fits |
|--------|--------------------------|
| 11747 | 7/8" tubing - 6 per pack |
| 11748 | 1" tubing - 6 per pack |



1607

Hidden hold-down fasteners

- Includes four fasteners, nuts and rubber grommets

| Part # | Material |
|--------|------------------|
| 1607 | Galvanized steel |



Top-lok windshield clips

- Easily secure the boat cover to the windshield
- For freshwater and saltwater environments
- Includes four clips per package

| Part # | Fits | Material |
|--------|-----------|-----------------|
| 1348 | 3/4" trim | Stainless steel |
| 1344 | 7/8" trim | Stainless steel |



407

Windshield male snap adapter

- Used for many OEM windshields and canvases
- Inserts accept standard male screw-in snaps
- Includes six sets of inserts and snaps

| Part # | Fits Trim Grooves | Insert Material |
|--------|---------------------|-----------------|
| 407 | .2" wide x .5" deep | Nylon |

WINDSHIELD ACCESSORIES




1162

Turn latches

- Simple twist latch for securing walk-through windshields or other hatch openings
- Includes two latches and self-tapping screws

| Part # | Material |
|--------|---------------------|
| 1162 | Black thermoplastic |



1163

Door catches

- For walk-through windshields and other doors
- Holds door in place against vibration and motion
- Includes one catch, one ball stud and screws

| Part # | Material |
|--------|---------------------|
| 1163 | Black thermoplastic |



1167

Door pads

- Adhesive-backed rubber provides protection for windshield doors
- Includes two pads per package

| Part # | Size |
|--------|-------------|
| 1167 | 3/4" x 3/4" |




826500

White twin-flap deck channel

- Punched to accommodate hidden fasteners or external angles


| Part # | Thickness | Width | Length |
|--------|-----------|-------|--------|
| 826500 | 1/4" | 5/8" | 9' 2" |



Windshield screw cover foam

- PVC, self-adhering based foam
- Used on OEM windshields

| Part # | Thickness | Width | Length |
|--------|-----------|--------|--------|
| 1630 | 1/2" | 3/4" | 6' |
| 1631 | 5/8" | 1-1/4" | 8' |



1166

Foam tape

- Adhesive-backed vinyl tape provides a seal between the windshield bottom and the boat deck

| Part # | Thickness | Width | Length |
|--------|-----------|-------|--------|
| 1166 | 1/4" | 3/4" | 35' |

STANDARD GAS SHOCKS

- Strong, annealed-steel rod with a special coating for added corrosion resistance
- Fit 10 mm ball ends unless noted
- P1 force is equal to the pounds of force exerted when the gas spring is in the fully open or extended position



| Part # | Force (L x P1) | | Part # | Force (L x P1) | | Part # | Force (L x P1) | | Part # | Force (L x P1) | |
|----------|----------------|----------|-----------|----------------|----------|------------|----------------|----------|----------|----------------|----------|
| | Length | P1 | | Length | P1 | | Length | P1 | | Length | P1 |
| 1822-10 | 10" | 10 lbs. | 1835-10 | 20" | 10 lbs. | 1869-40** | 28" | 40 lbs. | 1874-120 | 7-1/2" | 120 lbs. |
| 1822 | 10" | 20 lbs. | 1835 | 20" | 20 lbs. | 1869-50** | 28" | 50 lbs. | 1875-20 | 10-1/2" | 20 lbs. |
| 1822-30 | 10" | 30 lbs. | 1836 | 20" | 30 lbs. | 1869-80** | 28" | 80 lbs. | 1875-30 | 10-1/2" | 30 lbs. |
| 1822-50 | 10" | 50 lbs. | 1837 | 20" | 40 lbs. | 1869-100** | 28" | 100 lbs. | 1875-40 | 10-1/2" | 40 lbs. |
| 1823 | 10" | 40 lbs. | 1838 | 20" | 60 lbs. | 1870-30 | 26" | 30 lbs. | 1875-80 | 10-1/2" | 80 lbs. |
| 1824-10 | 12" | 10 lbs. | 1839 | 20" | 80 lbs. | 1870-40 | 26" | 40 lbs. | 1876-20 | 15" | 20 lbs. |
| 1824 | 12" | 20 lbs. | 1840 | 20" | 90 lbs. | 1879-50 | 26" | 50 lbs. | 1876-30 | 15" | 30 lbs. |
| 1824-40 | 12" | 40 lbs. | 1843-20 | 20" | 20 lbs. | 1870-60 | 26" | 60 lbs. | 1876-40 | 15" | 40 lbs. |
| 1824-50 | 12" | 50 lbs. | 1843-40 | 20" | 40 lbs. | 1870-120 | 26" | 120 lbs. | 1876-60 | 15" | 60 lbs. |
| 1824-60 | 12" | 60 lbs. | 1843-50 | 20" | 50 lbs. | 1870-150 | 26" | 150 lbs. | 1876-70 | 15" | 70 lbs. |
| 1825 | 12" | 30 lbs. | 1843-60 | 20" | 60 lbs. | 1871-100** | 36" | 100 lbs. | 1876-80 | 15" | 80 lbs. |
| 1826-10 | 15" | 10 lbs. | 1843-70 | 20" | 70 lbs. | 1871-120** | 36" | 120 lbs. | 1876-90 | 15" | 90 lbs. |
| 1826 | 15" | 20 lbs. | 1843-100 | 20" | 100 lbs. | 1871-130** | 36" | 130 lbs. | 1877-20 | 12" | 20 lbs. |
| 1826-50 | 15" | 50 lbs. | 1843-110 | 20" | 110 lbs. | 1871-180** | 36" | 180 lbs. | 1877-30 | 12" | 30 lbs. |
| 1827 | 15" | 30 lbs. | 1843 | 20" | 120 lbs. | 1871-20** | 36" | 20 lbs. | 1877-40 | 12" | 40 lbs. |
| 1828 | 15" | 40 lbs. | 1843-150 | 20" | 150 lbs. | 1871-30** | 36" | 30 lbs. | 1878-20 | 26" | 20 lbs. |
| 1829 | 15" | 60 lbs. | 1863-10 | 7-1/2" | 10 lbs. | 1871-40** | 36" | 40 lbs. | 1878-30 | 26" | 30 lbs. |
| 1830-10 | 17" | 10 lbs. | 1863 | 7-1/2" | 20 lbs. | 1871-50** | 36" | 50 lbs. | 1878-40 | 26" | 40 lbs. |
| 1830 | 17" | 20 lbs. | 1863-30 | 7-1/2" | 30 lbs. | 1871-60** | 36" | 60 lbs. | 1878-50 | 26" | 50 lbs. |
| 1830-50 | 17" | 50 lbs. | 1864 | 7-1/2" | 40 lbs. | 1871-70** | 36" | 70 lbs. | 1878-80 | 26" | 80 lbs. |
| 1831 | 17" | 30 lbs. | 1866-20* | 10" | 20 lbs. | 1871-80** | 36" | 80 lbs. | 1878-100 | 26" | 100 lbs. |
| 1832 | 17" | 40 lbs. | 1866-30* | 10" | 30 lbs. | 1871-90** | 36" | 90 lbs. | 1878-120 | 26" | 120 lbs. |
| 1833 | 17" | 60 lbs. | 1866-40* | 10" | 40 lbs. | 1872-20 | 10" | 20 lbs. | 1879-30 | 23" | 30 lbs. |
| 1834-20 | 17" | 20 lbs. | 1866-70* | 10" | 70 lbs. | 1872-50 | 10" | 50 lbs. | 1879-40 | 23" | 40 lbs. |
| 1834-40 | 17" | 40 lbs. | 1868-20* | 15" | 20 lbs. | 1874-20 | 7-1/2" | 20 lbs. | 1879-60 | 23" | 60 lbs. |
| 1824-80 | 17" | 80 lbs. | 1868-30* | 15" | 30 lbs. | 1874-30 | 7-1/2" | 30 lbs. | 1879-70 | 23" | 70 lbs. |
| 1834 | 17" | 90 lbs. | 1868-40* | 15" | 40 lbs. | 1874-40 | 7-1/2" | 40 lbs. | 1879-80 | 23" | 80 lbs. |
| 1834-120 | 17" | 120 lbs. | 1869-30** | 28" | 30 lbs. | 1874-60 | 7-1/2" | 60 lbs. | 1879-100 | 23" | 100 lbs. |

*Blade End **13mm Ball End

STAINLESS STEEL GAS SHOCKS

- Made from 316 stainless steel for the harshest marine environments
- Ideal choice when used near or around high salt water areas
- Fit 10 mm ball ends unless noted
- P1 force is equal to the pounds of force exerted when the gas spring is in the fully open or extended position



| Part # | Force (L x P1) | |
|---------|----------------|---------|
| | Length | P1 |
| 1844-10 | 7-1/2" | 10 lbs. |
| 1844 | 7-1/2" | 20 lbs. |
| 1844-10 | 7-1/2" | 10 lbs. |
| 1845 | 7-1/2" | 40 lbs. |
| 1846 | 10" | 20 lbs. |
| 1848 | 10" | 40 lbs. |
| 1849 | 15" | 20 lbs. |

| Part # | Force (L x P1) | |
|---------|----------------|---------|
| | Length | P1 |
| 1850 | 15" | 40 lbs. |
| 1851 | 15" | 60 lbs. |
| 1852 | 20" | 20 lbs. |
| 1852-50 | 20" | 50 lbs. |
| 1853 | 20" | 40 lbs. |
| 1854 | 20" | 60 lbs. |
| 1855 | 20" | 90 lbs. |

| Part # | Force (L x P1) | |
|---------|----------------|----------|
| | Length | P1 |
| 1856 | 20" | 120 lbs. |
| 1894-10 | 20" | 10 lbs. |
| 1895-10 | 12" | 10 lbs. |
| 1895-20 | 12" | 20 lbs. |
| 1895-30 | 12" | 30 lbs. |

MOUNTING HARDWARE



| Part # | Style | Size | Finish | Qty |
|-------------------------------|-------------|-------|-------------|-----|
| Flat Brackets With Ball Studs | | | | |
| 1857 | Flat | 2.25" | Black oxide | 2 |
| 1858 | Flat | 2.25" | Stainless | 2 |
| 1880 | Flat | 2.25" | Zinc-plated | 2 |
| 1885 | Flat | 13 mm | Zinc-plated | 2 |
| 1886 | Flat | 13 mm | Stainless | 2 |
| Ball Studs | | | | |
| 1889 | Standard | 13 mm | Zinc-plated | 1 |
| 1890 | Standard | 13 mm | Stainless | 1 |
| 1865 | Standard | 10 mm | Black oxide | 1 |
| 1892 | Standard | 10 mm | Stainless | 1 |
| 1893 | Long thread | 10 mm | Zinc-plated | 1 |

| Part # | Style | Size | Finish | Qty |
|---------------------------------|------------------------|------------|-------------|-----|
| Angled Brackets With Ball Studs | | | | |
| 1860 | Angled | 2" x 1.25" | Black oxide | 2 |
| 1861 | Angled | 2" x 1.25" | Stainless | 2 |
| 1883 | Angled | 2" | Stainless | 2 |
| 1884 | Angled | 13 mm | Zinc-plated | 2 |
| 1887 | Angled | 13 mm | Zinc-plated | 1 |
| 1888 | Angled | 13 mm | Stainless | 1 |
| 1891 | Double-angled | 2.25" | Stainless | 2 |
| 1881 | Angled with five holes | 2" | Zinc-plated | 2 |
| 1859 | Angled with five holes | 2" | Stainless | 2 |
| 1882 | Angled / tapered | 4" | Zinc-plated | 2 |

HATCH REPLACEMENT PARTS

- See table for model year fitment
- All hatch riser arms and handles are universal and can be used on the left or right side



1720



1724



1721



1725



1726

| Part # | Description | Fits Model Year | Includes |
|--------|---------------------------------|-----------------|----------------------------------|
| 1720 | Handle assembly | 1990 - 1993 | One handle, post, O-rings, screw |
| 1721 | Hatch riser arm locking knob | 1994 - Present | One knob |
| 1725 | D-sponge gasket | 1990 - 1993 | 7' gasket strip |
| 1726 | Installation foam (1/4" x 1/2") | 1990 - Present | 8' foam strip |



The background of the entire image is a dark, deep blue ocean with visible, slightly choppy waves. In the bottom right corner, there is a prominent white wake or spray, suggesting a boat's wake or a breaking wave. The overall mood is rugged and adventurous.

**LEGACY CRAFTED,
ADVENTURE INSPIRED**



CUSTOMER SERVICE

Connect with us

As an industry leader in customer service, Lippert continually produces resources to address your inquiries and support your business's success. Additionally, we maintain multiple communication channels, including social media, to keep you connected and informed.



Customer Care Center

800.628.5188

We have answers to all your questions.
Call us for product information and more.



YouTube

youtube.com/taylormademarine

Subscribe to us on YouTube and stay informed with new product videos, reviews, and company news.



Lippert Store

store.lci1.com

Need to check out replacement or upgrade parts and products? We make it easy with our online parts store.



Instagram

instagram.com/taylormadeproducts

Follow us for an insider's look into the recreational lifestyle.



Lippert Blog

store.lci1.com/blog

Visit the Lippert blog to read about the latest marine lifestyle trends, maintenance tips, buying guides, and more.



Facebook

facebook.com/taylormadeproducts

Like us for the latest updates on exciting new product launches, company news, photos, videos, and more!



Media Center

lci1.com/media-center

Want access to product videos, images, catalogs, and literature? Visit Lippert Media Center to download what you need.



NAVIGATING INSPIRATION.

Taylor Made, a Lippert brand, is an American manufacturer and global supplier of expertly engineered, customized marine components and industry-best boating accessories to the recreational marine industry. Taylor Made is known for setting the design standard in the marine industry. We supply the OEM market and aftermarket with highly innovative products, including boat tops, fenders, seating, premium glass solutions and more. Since 1908, Taylor Made has been committed to elevating the onboard experience through unrivaled quality and top-performing products.



CONNECT WITH US



PHONE
800.628.5188



WEB
TAYLORMADEPRODUCTS.COM



SOCIAL MEDIA
@TAYLORMADE / #TAYLORMADE

ADDRESS

HEADQUARTERS

65 HARRISON ST, GLOVERSVILLE,
NEW YORK 12078