



COMPLETE DOCK SOLUTIONS



Taylor Made® has built a legacy of crafting quality marine products trusted by boaters around the world.

Our talented team of the industry's best engineers has decades of training and vast knowledge of the recreational marine industry's design and manufacturing processes.

Taylor Made® sets the standard for design and excellence in protecting boats and docks with high-performing buoys, life rings, dock edging and more.

**UNRIValed QUALITY.
IT'S WHAT WE'RE MADE OF.**

TABLE OF CONTENTS

DOCK FLOATS - 4

Dock Floats	5
-------------	---

DOCK BOXES - 6

STOW 'N GO™ Fiberglass Dock Boxes	7
STOW 'N GO™ Polyethylene Dock Boxes	8

STEPSAFE™ DOCK STEPS - 10

StepSafe™ Dock Steps	11
----------------------	----

DOCK CART - 12

Dock Pro® Dock Cart	13
---------------------	----

DOCK EDGING - 14

Dock Pro® Heavy-Duty Vinyl Dock Edging	16
Dock Edging Nails	21
Dock Pro® Premium Vinyl Dock Edging	22
Dock Pro® Commercial Dock Edging	22

DOCK BUMPERS, CUSHIONS, AND WHEELS - 18

Perimeter™ Dock and Post Bumpers	19
Perimeter™ Corner Bumpers	19
Perimeter™ Removable Post Bumpers	19
EPDM Dock Corner Guard	20
Fender Board Guards	20
Perimeter™ Gunnel Guards	20
Dock Post Bumper	21
Dock Pro® Vinyl Dock Bumpers	22
Dock Pro® Heavy-Duty Vinyl Dock Bumpers	22
Dock Pro® Inflatable Dock Wheels	23
Dock Post Guide Wheel	23
Dock Cushions	24
Wave and Shock Absorbing Bumpers	24

MOORING & SAFETY - 26

Life Rings	27
Aer-O-Buoy™ Life Rings	28
Life Ring Letter Sticker Kit	28
Rope Floats	29
Decorative Ring Buoy	29
Sur-Moor® Taper Buoy	30
Sur-Moor® T3C™ Buoys	30
Sur-Moor® Shackle Buoy	31
Sur-Moor® Traditional Buoys	31
Sur-Mark Marker Buoys	32
Sur-Mark Buoy Labels	32
Regulatory Buoys	33
T3C™ Mooring Collars	34
Sur-Moor® Trad. Buoy Replacement Hardware	34
Sully Stick™ Winter Stick	34

MOORING WHIPS - 36

BoatGuard® Mooring Whips	38
Mooring Whip Replacement Poles	38
Standard Mooring Whips	39
Premium Mooring Whips	39

ACCESSORIES - 40

Dock Roller Wheels	41
Piling Caps	41
Aluminum Dock Light	42



DOCK FLOATS

Whether for new constructions or upgrades to existing docks, Taylor Made dock floats offer a versatile solution for all dock systems. Our floats are designed to gain freeboard, eliminate twisting, and improve levelness, making them ideal for enhancing both wood or composite dock systems and existing setups.

With a comprehensive range of sizes, Taylor Made dock floats are designed to integrate seamlessly into various dock configurations, ensuring a solid foundation for any waterfront project. Backed by an 8-year flotation warranty, they deliver dependable performance across diverse marine environments.



DOCK FLOATS

- Seamless UV-resistant black polyethylene shell filled with EPS foam
- Tough outer shell protects the foam core from saltwater, gasoline and most other chemicals
- 8-year flotation warranty
- Breather valve allows air in and keeps water out
- Thick mounting flanges are slotted to accommodate attachment fasteners.
- Mounting hardware not included



NOTE Not designed to attach to each other.



The shell protects the foam core from salt water, gasoline and other harsh chemicals.






Our dock floats easily attach to stay-in docks and the thick mounting flanges are included. Floats flange is slotted to accomodate attachment fasteners.



Made with a UV-resistant black polyethylene shell and EPS foam, our dock floats are protected against sinking should the shell be compromised.

Part #	Size	Color	Approximate Flotation	Pallet Quantity
12" Height				
46118	24" x 36" x 12" H	Black	335 lbs.	12 / pallet
46116	24" x 48" x 12" H	Black	450 lbs.	12 / pallet
484812	48" x 48" x 12" H	Black	900 lbs.	6 / pallet
16" Height				
46119	24" x 36" x 16" H	Black	450 lbs.	10 / pallet
246016	24" x 60" x 16" H	Black	700 lbs.	10 / pallet
46117	24" x 48" x 16" H	Black	600 lbs.	12 / pallet
364816	36" x 48" x 16" H	Black	900 lbs	5 / pallet
484816	48" x 48" x 16" H	Black	1200 lbs.	5 / pallet





DOCK BOXES

At Taylor Made, we pride ourselves on making dock boxes constructed to the highest manufacturing standards, ensuring top-notch quality and reliability. Our lineup is designed to cater to the diverse needs of our customer base, featuring both polyethylene and fiberglass options that meet rigorous performance criteria. Our polyethylene dock boxes provide a practical and affordable solution, offering excellent waterproof protection and basic durability for everyday use.

For those seeking premium storage solutions, Taylor Made fiberglass dock boxes stand out with superior durability and exceptional resistance to harsh weather conditions. Enhanced with a UV-resistant gelcoat, these dockside storage boxes deliver long-lasting performance and protection.



STOW 'N GO™ FIBERGLASS DOCK BOXES


- Store marine gear from life jackets to cushions and fishing supplies
- Designed for docks and large boats
- Select models include a convenient built-in seat on the top of the lid
- Low-profile boxes available




83562



83553



83560IB



83560SF



Molded fiberglass design with a smooth UV gel-coat finish inside and out, holds up in all types of marine environments



Two built-in gas lift shocks allow for easy and controlled opening and closing (Low-profile options and part #'s 83562, 83553 & 83556 only have one shock)



Corrosion-resistant heavy duty stainless steel lockable latch and hinges

Taylor Made Part #	Lippert Part #	Box Style	Color	Size	Dimensions (H x W x D)
Standard					
83562	2020108652	Standard	White	Small	24" x 54" x 22"
83552	2020108642	Standard	White	Medium	24" x 72" x 23"
83552IB	2023029186	Standard	Ice blue	Medium	24" x 72" x 23"
83552SF	2023028644	Standard	Seafoam Green	Medium	24" x 72" x 23"
83551	2020108641	Standard	White	Large	24" x 85" x 22"
83559	2020108649	Standard	White	Extra large	24" x 95" x 22"
Deep					
83553	2020108643	Deep	White	Small	27" x 46" x 26"
83554	2020108644	Deep	White	Medium	27" x 72" x 26"
83554IB	2023029187	Deep	Ice blue	Medium	27" x 72" x 26"
83554SF	2023029017	Deep	Seafoam Green	Medium	27" x 72" x 26"
Low-profile					
83550	2020108640	Low-profile	White	Small	20" x 40" x 19"
83557	2020108647	Low-profile	White	Medium	18" x 48" x 20"
Fisherman's - Includes 3 rod holders					
83560	2020108650	Fisherman's	White	Extra large	24" x 95" x 22"
83560IB	2023029190	Fisherman's	Ice blue	Extra large	24" x 95" x 22"
83560SF	2023029018	Fisherman's	Seafoam Green	Extra large	24" x 95" x 22"
Top-seat					
83556	2020108646	Top-seat	White	Small	27" x 46" x 26"
83555	2020108645	Top-seat	White	Large	30" x 17" x 28-1/4"
Triangle					
83561	2020108651	Triangle	White	--	27" x 54" x 33"
83563	2020137764	Triangle space saver box with electrical inset	White	--	34-1/2" x 51-3/8" x 26-5/8"



STOW 'N GO™ STANDARD POLYETHYLENE DOCK BOXES

- Secure and dry place to stow boat and pool accessories while you're out on the boat or enjoying some time poolside
- UV-stable, rotomolded polyethylene construction that will stand up to the harsh elements
- 100% maintenance-free, waterproof design for stress-free outside storage
- Stainless steel lockable latch accepts a standard padlock, offering peace of mind
- Double-walled lid adds strength and rigidity



124750



The perfect storage box for your dock, pool or patio



The double-walled lid is secured with a stainless latch, creating a weatherproof design



Latch and hinges are made from heavy-duty stainless steel

White #	Material	Height	Width	Depth
123650	Polyethylene	26"	43"	21"
123750	Polyethylene	26"	67-3/4"	27-3/4"





STEPSAFE™ DOCK STEPS

Molded in durable UV-resistant polyethylene, our dock steps are offered in three different tread step models. On the top of each step, our StepSafe™ non-slip pad is adhered for additional slip protection while boarding. A 1-1/2" wide flange provides adequate mounting surface for docks. Additional handrails are available for two and three step models, sold separately.



STEPSAFE™ DOCK STEPS

- Designed with a molded UV-resistant polyethylene that withstands any damage caused by the UV rays of the sun
- Can be directly mounted to your dock
- Patented, non-slip pad on the top of each dock step for maximum safety and protection
- 1-1/2" wide flange provides a stable base on any flat surface



StepSafe™ non-slip pad is adhered to the top of each dock step for maximum safety and protection



Designed with a molded UV-resistant polyethylene that withstands any damage caused by the UV rays of the sun



Aluminum handrail available for two and three step models (sold separately)

White #	Tread Count	Flange Width	Weight Capacity	Length	Width	Height
47100	Single tread	1-1/2"	300 lbs.	22"	18"	11-3/4"
47200	Double tread	1-1/2"	300 lbs.	26-3/4"	23-3/4"	17"
47300	Triple tread	1-1/2"	300 lbs.	35"	25"	25-1/2"

Handrail Part #	Description
47201	Aluminum Hand Railing (double step model)
47301	Aluminum Hand Railing (triple step model)



DOCK CART

Our newly redesigned dock carts offer enhanced storage and transportation capabilities for dockside use. With a substantial increase in cargo space, these carts now feature an impressive 11.5 cubic feet — 64% more capacity than previous models — perfectly fitting a full-size cooler along with additional gear. Built for durability and ease of use, these carts streamline the handling of dockside essentials, providing both functionality and efficiency for your customers' needs.

DOCK PRO® DOCK CART

- Flat-free tire design
- Plastic rim wheels withstand marine elements
- Curved handle for easy handling
- Poly-tub resistant to rotting and rust
- Zinc-coated hardware
- 7 cubic feet of cargo area
- Molded support legs to eliminate corrosion



1060



Flat-free tire design gives you the confidence to wheel over almost anything without puncturing the tire

Has a weight capacity of 350 lbs. which means no more multiple trips back and forth to the boat

Part #	Weight Capacity	Wheel Size	Tub Length	Tub Width	Tub Depth
1060	350 lbs.	20"	51"	32"	23"

Contact rep for private label opportunities.





DOCK EDGING

Our dock edging product line delivers exceptional protection and style for a variety of dock applications. Each line is crafted to meet the differentiating needs of our customer base, ensuring reliable performance and ease of installation.

DOCK PRO® GLOSSARY

Dock Pro Heavy Duty

Dock Pro Heavy Duty offers robust protection with its twice-molded, molecularly bonded vinyl. This option combines durability with a soft vinyl cushion, providing reliable defense against the elements and impacts.



Dock Pro Premium

Dock Pro Premium takes protection to the next level with its enhanced wall sections, designed for those seeking superior durability and resilience. This line maintains the same high standards of construction and cushioning, making it ideal for demanding applications.




Dock Pro Commercial

Dock Pro Commercial meets the highest standards with its substantial wall sections and advanced construction. This option is tailored for environments requiring top-tier protection, combining strength and cushioning in every piece.



Each dock edging option is eco-friendly, made from 85% recycled material, and designed for easy installation on docks, piers, or floats. Choose the right solution to enhance the longevity and appearance of your dock setup with our premium edging solutions.



DOCK PRO® HEAVY-DUTY VINYL DOCK EDGING

- Molded twice and molecularly bonded for extra durability and protection
- Tough inner core is surrounded with our soft white vinyl for extra cushion against tough docks
- Each piece installs easily to the edges of docks, piers or floats with screws or nails
- Eco-friendly using 85% recycled material



Small edge guard



Medium edge guard



C-shape edge guard

Coil #	Straight #	Retail #	Style	Depth	Height	Length
46086	--	46057	Small	1-3/8"	2-3/4"	10'
46097	--	--	Small	1-3/8"	2-3/4"	25'
46096	46062	46058	Medium	1-7/8"	3-3/4"	10'
46098	--	--	Medium	1-7/8"	3-3/4"	25'
--	46070	--	C-shape	1-1/4"	3-5/8"	8'
46056	--	46072	C-shape	1-1/4"	3-5/8"	10'
--	--	46053	C-shape	1-1/4"	3-5/8"	16'
46054	--	--	C-shape	1-1/4"	3-5/8"	25'

DOCK EDGING NAILS

- Includes ring shank
- Galvanized nails include a washer
- Edging requires 12 nails per strip

Part #	Quantity	Size	Material	Length
96028	6	1/8 lb.	Galvanized	1-1/4"
95999	12	1/2 lb.	Stainless steel	1-1/4"



DOCK PRO® PREMIUM VINYL DOCK EDGING

- Heavier wall sections to provide greater protection for their applications
- Molded twice and molecularly bonded for extra durability and protection
- Tough inner core is surrounded with our soft white vinyl for extra cushion against tough docks
- Each piece installs easily to the edges of docks, piers or floats with screws or nails
- Eco-friendly using 85% recycled material



P-shape black



P-shape white



Commercial side gard black



Commercial side gard white

White #	Black #	Configuration	Style	Depth	Height	Length
45995	45993	P-shape	Straight	1.9"	3"	10'
45996	45994	P-shape	Coil	1.9"	3"	10'
45992	45989	Side gard	Straight	1.32"	4.25"	10'
45991	45990	Side gard	Coil	1.32"	4.25"	10'

DOCK PRO® COMMERCIAL VINYL DOCK EDGING

- Heavier wall sections to provide greater protection for their applications
- Molded twice and molecularly bonded for extra durability and protection
- Tough inner core is surrounded with our soft white vinyl for extra cushion against tough docks
- Each piece installs easily to the edges of docks, piers or floats with screws or nails
- Eco-friendly using 85% recycled material



Side gard



P-shape

Straight White #	Straight Black #	Retail Coil #	Style	Depth	Height	Length
46030	46018	46013	Side gard	1-3/8"	3-1/2"	10'
46031	46020	46012	P-shape	2"	3-1/8"	10'
46032	46019	--	P-shape	2-3/8"	3-5/8"	10'



DOCK BUMPERS, CUSHIONS, AND WHEELS

Explore our extensive range of dock protection solutions, designed to enhance docking efficiency and durability. The Perimeter™ line offers adaptable, long-lasting protection for both permanent and temporary docking needs, combining flexibility with resilience to preserve dock and boat integrity. Our Dock Pro® Vinyl Bumpers deliver robust, UV-resistant defense with options that cater to various dock applications, ensuring reliable cushioning and protection. Additionally, our selection of dock wheels provides versatile and durable options for smooth maneuvering across different dock setups. Together, these products offer comprehensive solutions that blend high-quality materials with practical design, delivering exceptional performance and protection for all docking environments.

PERIMETER™ DOCK & POST BUMPERS

- Polyester textile cover and closed cell foam inner cushion, not vinyl, PVC or rubber
- Cleans easily with liquid soap and a brush
- Flexible to mount on curves or around corners
- Will not deteriorate in the sun or mar your boat



Flexible 1" tab system allows standard top-of-dock mounting



Unique fold-over mounting conceals the top row fasteners

Width	3-5/8"	4-1/2"	5-1/2"	8"	5-1/2"	8"
Depth	1-1/4"	1-3/4"	2-1/4"	3-1/4"	1-1/4"	1-3/4"
Length	Small #	Medium #	Large #	Extra Large #	Small Double	Medium Double
3'	DB2.30	DB3.30	DB4.30	DB6.30	DDB2.30	DDB3.30
4'	DB2.40	DB3.40	DB4.40	DB6.40	DDB2.40	DDB3.40
6'	DB2.60	DB3.60	DB4.60	DB6.60	DDB2.60	DDB3.60
9'	DB2.90	DB3.90	DB4.90	DB6.90	DDB2.90	DDB3.90
25'	DB2.CU25	DB3.CU25	DB4.CU25	DB6.CU25	DDB2.CU25	DDB3.CU25
50'	DB2.CU50	DB3.CU50	DB4.CU50	DB6.CU50	DDB2.CU50	DDB3.CU50
10-49'	DB2.CU	DB3.CU	DB4.CU	DB6.CU	DDB2.CU	DDB3.CU

PERIMETER™ CORNER BUMPERS

- Create a finished look to the 90° outside corner of the dock
- Matches perfectly with our dock bumpers
- Flexible 1" tab system allows for standard top-of-dock or unique fold-over mounting to conceal the top row fasteners



Part #	Size	Configuration	Height	Length
CB3.20	Medium	Corner	3"	24"
CB4.20	Large	Corner	4"	24"
CB6.20	Extra large	Corner	6"	24"

PERIMETER™ REMOVABLE POST BUMPERS

- Protect your boat at unprotected docks and pilings
- Stays in place better than fenders
- Great for temporary docking or portable docks
- Bumpers come equipped with polyester webbing (53" long) and a heavy-duty delrin buckle system for a quick, easy and secure installation



Part #	Size	Width	Depth	Length
RPB3.30	Medium	4-1/2"	1-3/4"	3'
RPB4.30	Large	5-1/2"	2-1/4"	3'
RPB6.30	Extra large	8"	3-1/4"	3'

Part #	Size	Width	Depth	Length
RPB3.45	Medium	4-1/2"	1-3/4"	4-1/2'
RPB4.45	Large	5-1/2"	2-1/4"	4-1/2'

EPDM DOCK CORNER GUARD

- EPDM rubber
- Superior protection
- Easy to install
- Fits snugly around radius of dock corners

White #	Angle	Height	Length
96008	90°	2-1/4"	6"
96009	90°	3-1/4"	6"



FENDER BOARD GUARDS

- Attach to both ends of a 2" x 4" to give you a padded fender board
- Includes two per package

Part #	Material	Length
96011	EPDM rubber	6"



PERIMETER™ GUNNEL GUARDS

- Polyester covered
- Wears over 10 times longer than similar products
- Will not rot in the sun or mar your boat
- Perfect for whalers, dinghies and swim steps
- Easy installation



Part #	Style	Tab Size	Diameter	Length
GG1.253Q.50	3/4-round	5/8"	1-1/4"	50'
GG1.253Q.CU	3/4-round	5/8"	1-1/4"	< 50'
GG1.5HR.50	Half-round	5/8"	1-1/2"	50'
GG1.5HR.CU	Half-round	5/8"	1-1/2"	< 50'
GG1.53Q.50	3/4-round	3/4"	1-1/2"	50'
GG1.53Q.CU	3/4-round	3/4"	1-1/2"	< 50'



Half-round



3/4 round



DOCK POST BUMPER

- For pipe supported type docks
- Slides over 1-1/2" dock pipe
- Protects the boat from contact with the metal dock pipe
- Molded from marine grade vinyl
- Inflation valve to adjust firmness

Part #	Color	Fits Dock Pipes	Diameter	Length
45600	White	Standard 1.5"	7"	17"
45604	Mid-Atlantic Blue	Standard 1.5"	7"	17"
45607	Captain's Navy	Standard 1.5"	7"	17"
45652	Black Onyx	Standard 1.5"	7"	17"
45657	Emerald Green	Standard 1.5"	7"	17"
45660	Aurora Gold	Standard 1.5"	7"	17"



DOCK PRO® VINYL DOCK BUMPERS


- Made from UV-resistant, marine grade vinyl
- Inflation valves for easy adjustment to desired firmness
- Flange is molded solid to accommodate fasteners.
- Solid flaps protect the top and sides of the dock



46082



46081



Top view



Side view

White #	Black #	Configuration	Depth	Height	Length
46082	46075	Straight	1-1/2"	6"	18"
46081	46076	Corner	4"	6"	10"



DOCK PRO® HEAVY-DUTY VINYL DOCK BUMPERS

- Made from UV-resistant, marine grade vinyl
- Inflation valves for easy adjustment to desired firmness
- Pre-drilled holes allow for easy mounting
- Curved back panel for vertical mounting on pilings



45510



45500

White #	Style	Configuration	Depth	Height	Length
45500	Heavy-duty	Straight	4"	5"	31-1/2"
45510	Heavy-duty	Corner	4"	5"	13"



DOCK PRO® INFLATABLE DOCK WHEELS

- Made with marine-grade vinyl
- Available in three sizes and corner or straight mount configurations
- 12" and 18" versions feature a large 2" diameter axle housing for maximum strength
- 3-year warranty



1078



Fend your vessel away from the dock and roll along the topsides to prevent scuffing



Molded-in needle inflation valves for you to adjust the right amount of firmness you need



1079

Straight Mount #	Corner Mount #	Replacement Wheel #	Wheel Size	Boat Size
1079	1078	91078	9"	Up to 20'
1073	1072	91072	12"	20' to 30'
1082	1081	91082	18"	30' to 40'



DOCK POST GUIDE WHEEL

- Use as free floating boat guides or can be mounted to any custom dock bracket which uses 1-1/2" diameter pipe
- Wheels can be stacked together for added protection
- Flexible vinyl to withstand wear and tear from docking
- 14" diameter with 2" inside diameter reinforcement bushing.



Fend your vessel away from the dock and roll along the topsides to prevent scuffing



1214

Part #	Fitment	Diameter
1214	Fits standard 1-1/2" diameter dock pipe	14"

DOCK CUSHIONS

- Outer shell made from high density polyethylene foam for superior protection
- Inner core made with lower density EVA foam for maximum compression
- Pre-drilled for easy installation



Included plugs provide a clean, finished look



High-density foam for superior protection



45984



46011

White #	Style	Configuration	Depth	Height	Length
45984	Cushion	Corner	3-1/4"	5"	18"
46011	Cushion	Straight	3-1/4"	5"	36"



WAVE AND SHOCK ABSORBING DOCK BUMPER

- 25' Coil will protect approximately 18' of dock space.
- Superior shock-absorbing ability
- Hardware included
- Easy installation



Form a wave shape with this flexible dock edging and nail it down to your dock



Shock-absorbing ability prevents your boat from taking on any damage



46069

Part #	Depth	Height	Length
46069	1/4"	5"	25'

Taylor Made

Taylor Made



MOORING & SAFETY


Taylor Made is committed to ensuring safety and reliability on the water with our range of mooring solutions. Our offerings include robust mooring buoys and marker buoys, essential for securing vessels and enhancing visibility. We also provide "Regulatory Buoys" that meet USCG standards, ensuring compliance and bolstering marine safety. For winter conditions, our sully stick is designed to resist ice build-up, offering a clear marker for your mooring system throughout the colder months.

In emergency situations, our USCG-certified life rings, made in the USA, deliver dependable protection and peace of mind. Our rope floats and decorative ring buoys combine functionality with style, making them versatile additions to any mooring setup. Together, these products reflect our dedication to safety and efficiency, ensuring that every aspect of your mooring experience is secure and well-supported.




LIFE RINGS


- All life rings meet USCG (U.S. Coast Guard) approval for recreational and commercial use
- Polyethylene grab lines contain UV stabilizers to enhance sunlight resistance
- Molded becket design minimizes ring mildew or deterioration of life ring
- Vinyl skin life rings can be easily painted or numbered with stickers
- Energy-absorbent vinyl skin has more puncture resistance and is less likely to tear or scuff
- Equipped with reflective tape (#571 only)



Vinyl-coated foam



Vinyl-coated foam



Polyethylene shell


Style	White #	Rope Color	Orange #	Rope Color	Diameter	Minimum Buoyancy
Vinyl-coated	360	White	363	White	20"	16-1/2 lbs.
Vinyl-coated	361	White	364	White	24"	16-1/2 lbs.
Vinyl-coated	380	White	383	White	30"	32 lbs.
Polyethylene shell	567	White	569	Black	24"	16-1/2 lbs.
Polyethylene shell	568	White	570	Black	30"	32 lbs.
Polyethylene shell	--	--	571*	Black	30"	32 lbs.

* Saving of Lives at Sea (SOLAS) approved



AER-O-BUOY™ LIFE RINGS

- Meet Canadian Coast Guard approval for recreational and commercial use
- 9.5 mm polyethylene grab lines contain UV stabilizers to enhance sunlight resistance
- Molded becket design minimizes ring mildew or deterioration of life ring
- Tough outer polyethylene shell is resistant to gasoline, oil, saltwater and pool chemicals
- Closed-cell foam core for optimal buoyancy
- Reflective tape on 30" diameter rings only



570002

570003

Style	White #	Rope Color	Orange #	Rope Color	Diameter	Minimum Buoyancy
Polyethylene shell	570002	White	570001	White	24" (610 mm)	16-1/2 lbs. (7,5 kg)
Polyethylene shell	--	White	570003*	White	30" (762 mm)	32 lbs. (15,5 kg)
Polyethylene shell	--	--	570004**	White	30" (762 mm)	32 lbs. (15,5 kg)

* Saving of Lives at Sea (SOLAS) approved

** SOLAS-approved ring suitable for quick release from a bridge


LIFE RING LETTER STICKER KIT

- For customizing your life rings
- Waterproof marine-grade 4-ml vinyl
- Fade- and chemical-resistant
- Application template included



600015

Part #	Letter Size	Color	Includes Four Of Each
600015	2"	Black	Letters (A-Z), numbers 0-9 and symbols



Example

ROPE FLOATS

- Painted to provide UV-protection
- Designate swim areas in pools, lakes, oceans, etc.
- Can also be used for ski ropes, anchor lines, marker buoys and crab traps
- Accommodates rope up to 3/8" diameter
- Approximate buoyancy is 2 lbs.

Part #	Float Size	Color
378	5-1/4" L x 2-3/4' D	Red
377	5-1/4" L x 2-3/4' D	Yellow
376	5-1/4" L x 2-3/4' D	Red / white



DECORATIVE RING BUOY

- Not a life saving device
- Spruce up your pool or spa area
- Made from nonabsorbent closed-cell foam
- Equipped with sewn-in polypropylene grab lines and decorative blue bands

Part #	Diameter	Color
371	17"	White and blue
372	20"	White and blue
373	25"	White and blue






SUR-MOOR® TAPER BUOYS

- Taper shape design places more flotation area at the waterline, creating a higher visibility mooring
- Hard skin polyethylene shell is UV-protected to resist the weathering effects of sunlight
- Closed cell foam-filled to positively displace water
- Tube-through-the-center design allows the anchor chain to pass directly through the buoy, allowing you to attach your boat to the top of the buoy
- Reflective blue stripe for nighttime visibility
- 3-year flotation warranty

Part #	Tube Diameter	Buoyancy Diameter	Buoy Height	Approx. Buoyancy*
46718	2-1/2"	18"	16-3/4"	70 lbs.
46724	2-1/2"	24"	22-11/16"	165 lbs.
46730	3"	30"	30"	410 lbs.

* The number indicated is the maximum flotation the buoy provides while fully submerged. 50% of this value will be the weight the buoy can support at the level of the blue stripe.



Hardware not included



SUR-MOOR® T3C™ BUOYS

- Seamless and tough, one-piece polyethylene shell
- Hard skin polyethylene shell is UV-protected to resist the weathering effects of sunlight
- Sandblasted finish allows the buoy to be painted for easy identification
- Tube-through-the-center design allows the anchor chain to pass directly through the buoy, allowing you to attach your boat to the top of the buoy
- Reflective blue stripe for nighttime visibility
- 3-year flotation warranty

Part #	Tube Diameter	Buoyancy Diameter	Circumference	Approx. Buoyancy*
46370	2"	12"	38"	30 lbs.
46371	2"	15"	47"	60 lbs.
46372	2-1/2"	18"	57"	100 lbs.
46374	2-1/2"	24"	75"	240 lbs.
46375	3"	30"	95"	460 lbs.

* The number indicated is the maximum flotation the buoy provides while fully submerged. 50% of this value will be the weight the buoy can support at the level of the blue stripe.



Hardware not included



SUR-MOOR® SHACKLE BUOY

- Rope nest design has a built-in cup shape at the top of the buoy to allow the anchor shackle to nest below the buoy surface
- Recessed area helps shield the shackle from contacting the boat hull while making a convenient nesting place for the pennant line when the boat departs from the mooring
- Hard skin polyethylene shell is UV-protected to resist the weathering effects of sunlight
- Tube-through-the-center design allows the anchor chain to pass directly through the buoy, allowing you to attach your boat to the top of the buoy
- Reflective blue stripe for nighttime visibility
- 3-year flotation warranty

Part #	Tube Diameter	Buoyancy Diameter	Circumference	Approx. Buoyancy*
46818	2-1/2"	18"	57"	100 lbs.

* The number indicated is the maximum flotation the buoy provides while fully submerged. 50% of this value will be the weight the buoy can support at the level of the blue stripe.



Hardware not included



SUR-MOOR® TRADITIONAL BUOYS

- Unique design keeps your vessel safe while mooring
- Made with a tough, UV-resistant polyethylene shell that will not fade or crack
- EPS one-cell foam-filled core for optimal buoyancy
- Includes hot-dipped, galvanized-steel ring hardware
- Sandblasted finish allows the buoy to be painted for easy identification
- Reflective blue stripe for nighttime visibility
- 3-year flotation warranty

Part #	Buoyancy Diameter	Circumference	Approximate Buoyancy*
22170	12"	38"	30 lbs.
22171	15"	47"	60 lbs.
22172	18"	57"	100 lbs.
22174	24"	75"	240 lbs.

* The number indicated is the maximum flotation the buoy provides while fully submerged. 50% of this value will be the weight the buoy can support at the level of the blue stripe.





SUR-MARK MARKER BUOYS

- Internal concrete ballast helps buoy remain stable during inclement weather conditions
- Tough, UV-protected polyethylene stands up to the rugged marine elements
- One-piece seamless construction is filled with closed cell foam to positively displace water
- Galvanized, recessed eye (chain and hardware not included)
- Labels and LED warning lights sold separately



46103



46104



950400



950410

Part #	Style	Color	Height	Column Diameter	Base Diameter	Approximate Buoyancy	Water Line Visibility
46103*	Sur-Mark marker buoy	White	61"	8"	--	40 lbs.	37"
46104*	Sur-Mark marker buoy	White	49"	10"	18"	40 lbs.	39"
950400	Sur-Mark can buoy (port side)	Green	49"	10"	18"	40 lbs.	39"
950410	Sur-Mark can nun (starboard side)	Red	49"	10"	18"	40 lbs.	39"

* Orange marking tape included. Labels sold separately.

SUR-MARK BUOY LABELS

- Self-adhesive vinyl is fade-resistant and brightly colored for high visibility day and night
- Each label is 13" wide x 24" long
- Compatible with either Sur-Mark marker buoys (#46103, #46104)
- Includes two labels per package
- Five-year warranty against weathering or fading

Part #	Style
46171	Shallow area
46173	No boats
46175	Keep out
46180	Slow 5 MPH
46181	Slow no wake
46182	No swimming
46183	Danger
46184	Danger rocks
46185	Swim area
46187	Hazard area
46188	Idle speed
46191	Danger keep out





REGULATORY BUOYS

- Rotationally molded high density polyethylene UV stabilized shells
- Uniform wall thickness inhibits cracking over time
- Stronger engineering ensures better longevity under extreme temperature changes
- Meet the compliance regulations of states, municipalities, marinas and private harbors



950010



950020



950280



950300

Part #	Style	Height	Diameter	Approx. Buoyancy
950010	Green can	23-1/2"	13"	40 lbs.
950020	Red nun	23-1/2"	13"	40 lbs.
950290	Green can	48"	24"	235 lbs.
950280	Red nun	48"	24"	235 lbs.
950300	Danger can	48"	24"	235 lbs.

T3C™ MOORING COLLARS

- Protective collar prevents anchor chain from damaging the neck of mooring buoy
- Extends the life of mooring buoys
- Simple installation
- Wide collar fits standard shackles (not included)
- Constructed from hot-dipped galvanized steel that is sturdy and corrosion resistant
- Hardware and shackle not included

Part #	Tube Diameter	Fits T3C Part #
33020	2"	46370 & 46371
33025	2-1/2"	46372 & 46374
33028	3"	46375



SUR-MOOR® TRADITIONAL BUOY REPLACEMENT HARDWARE

- Made from hot-dip galvanized steel
- Rod assemblies include two galvanized washers and nylon core lock nut

Part #	Description	Fits Sur-Moor Traditional Buoy #	Buoyancy Diameter
35647	Swivel only	All	--
33012	Full rod assembly	22170	12"
33015	Full rod assembly	22171	15"
33018	Full rod assembly	22172	18"
33024	Full rod assembly	22174	24"



SULLY STICK™ WINTER STICK

- Used in place of a standard round mooring buoy during the winter months
- Tapered shape helps escape ice entrapment
- Reinforced base eyelet for rope attachment
- Galvanized metal bushing to attach rope and connect to anchor chain
- Requires additional chain weight to stand vertical
- Reflective blue stripe for nighttime visibility



Used in place of a standard round mooring buoy during the winter months




22120

Part #	Diameter	Length	Pick up eye	Anchoring Eye	Internal Ballast	Additional Chain Weight	Water Line Visibility	Approximate Buoyancy*
22120	6" (widest point)	31"	None	1-1/2"	None	6-1/2 lbs.	18"	15 lbs.
22135	6" (widest point)	60"	1-1/2"	1-7/10"	5 lbs.	10 lbs.	29"	31 lbs.

* The number indicated is the maximum flotation the buoy provides while fully submerged.

50% of this value will be the weight the buoy can support at the level of the blue stripe.

A GUIDE TO PERMANENT MOORING SYSTEMS



LIPPERT



MOORING WHIPS

Taylor Made Products Mooring Whips protect your boat against costly dockside and seawall damage by pulling it a safe, convenient distance away from the dock. This safeguards it from the damaging forces of waves, wind, tides and wakes.

Our system utilizes fiberglass poles that are pultruded, a manufacturing process that results in stronger and lighter products compared to typical extrusion methods. This means that our pultruded fiberglass poles provide superior performance and durability, offering enhanced protection for your vessel.

MOORING WHIPS GUIDE

When purchasing mooring whips, consider these factors to ensure the selected system aligns with your boat's unique requirements and mooring conditions, offering the most effective defense against docking damage.

Parameters	BoatGuard® Mooring Whips	Standard Mooring Whips	Premium Mooring Whips
Boat Size Capacity	Up to 25' / 10,000 lbs.	Up to 33' / 20,000 lbs.	Up to 56' / 48,000 lbs.
Water Type	Fresh Water Only	Fresh or Saltwater	Fresh or Saltwater
Water Conditions	Low Wake & Non-Tidal Areas	Moderate Wake Areas	Large Tidal Areas
Material & Construction	3/4" Fiberglass Pole, Injection Molded Reinforced Plastic Base	13/16" Fiberglass Pole, Aluminum-Magnesium Base	1" Fiberglass Pole, Aluminum-Magnesium Base
Durability	Moderate	Moderate	High
Positioning	60° Fixed Angle	60° Fixed Angle	Rocker-Arm Enabled Adjustable Angle

Pro Tip: When determining the appropriate whip model, weight is more important than boat length. Some docking conditions may be too rugged for certain whips.





BOATGUARD® MOORING WHIPS

- Designed for boats 25' and under 10,000 lbs
- For fresh water use in low wake areas and non-tidal regions
- Protects your boat against dockside damage
- Each rod incorporates a low friction tip and whip cleat to enable easy retrieval
- Solid fiberglass poles use a 60° fixed-angle base for positioning your boat safely away from the dock
- Includes two whips and installation hardware

Part #	Length	Pole Diameter	Boat Size*	Boat Weight
99079	8'	3/4"	Up to 25'	Up to 2,500 lbs.
99080	12'	3/4"	Up to 25'	2,500 to 5,000 lbs.
99081	14'	3/4"	Up to 25'	5,000 to 10,000 lbs.

* When determining whip, model weight is more important than length.
Some docking conditions may be too rugged for this product.



MOORING WHIP REPLACEMENT POLES

- All poles include epoxy
- Rope and cleats sold separately

Part #	Length	Replaces
70056-01	8'	BoatGuard whips
70057-01	12'	BoatGuard whips
70058-01	14'	BoatGuard whips
70067-01	8'	Standard whips
70063-01	12'	Standard whips

Part #	Length	Replaces
70068-01	14'	Standard whips
70069-01	16'	Standard whips
70070-01	14'	Premium whips
70071-01	16'	Premium whips
70072-01	18'	Premium whips



STANDARD MOORING WHIPS

- For fresh or saltwater use and moderate wake areas
- Protects your boat against dockside damage
- Low friction tip and whip cleat to enable easy retrieval
- Solid fiberglass poles use a 60° fixed-angle base for positioning your boat safely away from the dock
- Includes two whips and installation hardware

Part #	Length	Pole Diameter	Boat Size	Boat Weight
MW.080	8'	13/16"	>20'	Up to 2,500 lbs.
MW.120	12'	13/16"	18' - 23'	2,500 to 5,000 lbs.
MW.140	14'	13/16"	24' - 28'	5,000 to 10,000 lbs.
MW.160	16'	13/16"	29' - 33'	10,000 to 20,000 lbs.



PREMIUM MOORING WHIPS

- For saltwater use and larger tidal areas
- Protects your boat against dockside damage
- Low friction tip and whip cleat to enable easy retrieval
- Solid fiberglass poles use a rocker-arm base to return to the vertical position when not in use
- Includes two whips and installation hardware

Part #	Length	Pole Diameter	Boat Size	Boat Weight
PMW.1400	14'	1"	>33'	Up to 20,000 lbs.
PMW.1600	16'	1"	34'-46'	20,000 to 36,000 lbs.
PMW.1800	18'	1"	47'-56'	36,000 to 48,000 lbs.





ACCESSORIES

Finish off your docking setup with our rugged range of accessories. From robust piling caps and durable dock wheels to solid steps and bright dock lights, our products ensure that every detail is covered. Make sure nothing is overlooked and your dock is fully equipped for safety and practicality.



DOCK ROLLER WHEELS

- Designed for roll-in docks and boat lifts
- Molded from UV-stabilized polyethylene plastic to be puncture resistant
- Easily rolls on all terrains
- Pre-drilled drain holes
- Maintenance free



Designed for maximum strength with no maintenance requirements



Puncture-resistant, maintenance free wheel will make putting your roll-in dock or boat lift easy



1224

Part #	Fitment	Diameter	Tread Width	Load Rating
1224	Fits axle sizes 1.60" to 1.90" in diameter	24"	8"	800 lbs.

PILING CAPS

- Made with polypropylene for durability
- Angled surface deters birds from nesting
- Withstands the harsh marine elements
- Dresses up any dock or pier
- Can be drilled for a secure fit
- Hardware not included



White #	Black #	Diameter
6200	6205	7"
6201	6206	8"
6202	6207	9"

White #	Black #	Diameter
6203	6208	10"
6204	6209	11"
6210	6211	12"



ALUMINUM DOCK LIGHT

- Bright LEDs, powerful solar panel and changeable AA NiMH batteries provide all night illumination
- Anodized aluminum, IP68 waterproof design for superior weather resistance
- Low-profile is perfect for docks and marinas
- Easy hassle-free mounting with no wires

Part #	Height	Width	Length
46310	7/8"	4-1/8"	4-1/8"





CUSTOMER SERVICE

Connect with us

Lippert is an industry leader in customer service. As such, we are constantly producing resources to help answer your questions and set your business up for success. We also actively maintain several channels of communication that allow you to stay in touch, including social media.



Customer Care Center

800.628.5188

We have answers to all your questions.
Call us for product information and more.



YouTube

youtube.com/taylormademarine

Subscribe to us on YouTube and stay informed with new product videos, reviews and company news.



Lippert Store

lippert.com

Need to check out replacement or upgrade parts and products? We make it easy with our online parts store.



Instagram

instagram.com/taylormadeproducts

Follow us for an insider's look into the recreational lifestyle.



Lippert Blog

lippert.com/blog

Visit the Lippert blog to read about the latest marine lifestyle trends, maintenance tips, buying guides and more.



Facebook

facebook.com/taylormadeproducts

Like us for exciting new product launch info and Lippert company news, photos, videos and more.



Media Center

corporate.lippert.com/media-center

Want access to product videos, images, catalogs and literature? Visit Lippert Media Center to download what you need.



LEGACY CRAFTED, *Adventure Inspired.*

Taylor Made, a Lippert brand, is a proud American manufacturer and global leader in marine innovation, shaping the future of boating with expertly engineered components and accessories. For over a century, our commitment to innovation and quality has fueled the passion of boaters worldwide, ensuring that every voyage begins and ends with the confidence that comes from using the very best. Legacy crafted, adventure inspired — Taylor Made has been your trusted partner in marine excellence since 1908.

NOTES



CONNECT WITH US



PHONE
800.628.5188



WEB
TAYLORMADEPRODUCTS.COM



SOCIAL MEDIA
@TAYLORMADE / #TAYLORMADE

EMAIL

SALES

AFTERMARKETMARINESALES@LCI1.COM

PRODUCT INFORMATION AND TECHNICAL SUPPORT

CUSTOMERCARE@TAYLORMADEPRODUCTS.COM