



EASY POCKET

One-point lock entry door

- One-point locking system constructed from steel for reliable strength
- Equipped with right-hand aluminum hinges
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated window with blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in storage pockets

Contact us for requests. Available options:

- Manual or electric locks
- Standard or low-profile hinges
- Single- or double-pane windows
- With or without window
- With or without gas spring
- Exterior panel material options



EASY POCKET 2.0

One-point lock entry door

- One-point locking system constructed from steel for reliable strength
- Equipped with right-hand aluminum hinges
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated window with blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in storage pockets

Contact us for requests. Available options:

- Manual or electric locks
- Standard or low-profile hinges
- Single- or double-pane windows
- With or without window
- With or without gas spring
- Exterior panel material options



| | | Number | Cutout Dimensions | | |
|------------|--------------|---------------------|-------------------|--------|---------------|
| Part # | Color | Number of Hinges | t∡H | ₺w | Corner Radius |
| 2021104677 | White / Grey | 2 | 1.909 mm | 559 mm | 89 mm |

| | | Number | Cutout Dimensions | | |
|------------|--------------|---------------------|-------------------|--------|---------------|
| Part # | Color | Number of Hinges | ⅓H | ⅓w | Corner Radius |
| 2022001767 | Black / Grey | 3 | 1.740 mm | 700 mm | 82,5 mm |

42

EASY STORAGE XL

One-point lock entry door

- One-point locking system constructed from steel for reliable strength
- Equipped with right-hand aluminum hinges
- Locking system and hinges certified with ECF R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated window with blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in dustbin compartment

Contact us for requests. Available options:

- Manual or electric locks
- Standard or low-profile hinges
- Single- or double-pane windows
- With or without window
- With or without gas spring
- Exterior panel material options



CLASSY

One-point lock entry door

- One-point locking system constructed from steel for reliable strength
- Equipped with right-hand aluminum hinges
- Hidden hinges for a clean look on the outside of the RV
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated window with blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit

- Manual or electric locks
- Standard or low-profile hinges
- Single- or double-pane windows
- With or without window
- With or without gas spring
- Exterior panel material options



| | | Number | Cutout Dimensions | | |
|------------|---------------|-----------|-------------------|--------|---------------|
| Part # | Color | of Hinges | t∡H | ₺w | Corner Radius |
| 2021104702 | Beige / Brown | 2 | 1.920 mm | 650 mm | 89 mm |

| | | Number | | Cutout Dimensions | | |
|------------|-------|---------------------|----------|-------------------|---------------|--|
| Part # | Color | Number of Hinges | ₽H | ßw | Corner Radius | |
| 2023038697 | Black | 2 | 1.740 mm | 600 mm | 80 mm | |

TEARDROP

One-point lock entry door

- One-point locking system constructed from steel for reliable strength
- Low-profile hinges for a clean look on the outside of the RV
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated window with blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in storage compartment and lower housing for fire extinguisher (not included)
- Includes two built-in storage pockets and a central magazine rack
- Features two chrome coat hooks for convenience

Contact us for requests. Available options:

- Manual or electric lock
- Single- or double-pane windows
- With or without window
- Exterior panel material options
- Single-pane window with silk screen printing



TRENDY SMALL

Two-point lock entry door

- Two-point locking system constructed from steel for reliable strength
- Equipped with right-hand aluminum hinges
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated window with blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in dustbin compartment
- Premium brushed aluminum handle

- Manual or electric locks
- Standard or low-profile hinges
- Single- or double-pane windows
- With or without gas spring
- Exterior panel material options



| | | Number | Cutout Dimensions | | |
|------------|-------|---------------------|-------------------|--------|--------------|
| Part # | Color | Number of Hinges | ₽H | ₺w | Upper Radius |
| 2023038695 | Black | 3 | 1.727 mm | 660 mm | 330 mm |

| | | Number | Cutout Dimensions | | |
|------------|---------------|---------------------|-------------------|--------|---------------|
| Part # | Color | Number of Hinges | ⅓H | ኴw | Corner Radius |
| 2023038687 | Beige / Brown | 2 | 1.760 mm | 565 mm | 80 mm |

TRENDY RIGHT

Two-point lock entry door

- Two-point locking system constructed from steel for reliable strength
- Equipped with right-hand aluminum hinges
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated window with blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in dustbin compartment

Contact us for requests. Available options:

- Manual or electric locks
- Standard or low-profile hinges
- Single- or double-pane windows
- With or without gas spring
- Exterior panel material options



TRENDY LEFT Two-point lock entry door

- Two-point locking system constructed from steel for reliable strength
- Equipped with left-hand aluminum hinges
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated window with blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in dustbin compartment

- Manual or electric locks
- Standard or low-profile hinges
- Single- or double-pane windows
- With or without gas spring
- Exterior panel material options



| | Numbor | | Cutout Dimension | | | | |
|------------|---------------|---------------------|------------------|--------|---------------|--|--|
| Part # | Color | Number of Hinges | ₩H | t₄w | Corner Radius | | |
| 2021104630 | White / Grey | 2 | 1.909 mm | 559 mm | 89 mm | | |
| 2021104705 | White / Grey | 2 | 1.920 mm | 650 mm | 89 mm | | |
| 2021104653 | Beige / Brown | 2 | 1.931 mm | 557 mm | 89 mm | | |
| 2021104678 | Beige / Brown | 2 | 1.950 mm | 550 mm | 80 mm | | |

| | | | Marina | | Cutout Dim | ensions |
|------------|--------------|-----------|---------------------|----------|-------------------|---------------|
| Part # | Color | Operation | Number of Hinges | 体H | ⅓w | Corner Radius |
| 2023038688 | White / Grey | Manual | 2 | 1.931 mm | 557 mm | 89 mm |
| 2023038689 | White / Grey | Electric | 2 | 1.931 mm | 557 mm | 89 mm |

TRENDY WAVE

Two-point lock entry door

- Two-point locking system constructed from steel for reliable strength
- Inner service panel for easy locking system maintenance
- Equipped with right-hand aluminum hinges
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated window with blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in storage pockets

Contact us for requests. Available options:

- Manual or electric locks
- Standard or low-profile hinges
- Single- or double-pane windows
- With or without window
- With or without gas spring
- Exterior panel material options



ARJA ROAD

Two-point lock entry door

- Electric (standard), two-point, steel locking system constructed from steel for reliable strength
- Equipped with right-hand, nickel-plated brass hinges
- Hidden hinges for a clean look on the outside of the RV
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Electric glass window for easy operation with the press of a button
- Integrated window with flyscreen and blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in storage compartment

- Manual lock
- With or without gas spring
- Exterior panel material options



| | | | Marinahari | | Cutout Dim | ensions |
|------------|--------------|-----------|---------------------|----------|-------------------|---------------|
| Part # | Color | Operation | Number of Hinges | ⅓H | ₺w | Corner Radius |
| 2023038690 | White / Grey | Manual | 2 | 1.920 mm | 650 mm | 89 mm |
| 2023038691 | White / Grey | Electric | 2 | 1.920 mm | 650 mm | 89 mm |

| | | Number | Cutout Dimensions | | |
|------------|--------------|---------------------|-------------------|--------|---------------|
| Part # | Color | Number of Hinges | ⅓H | ฆ | Corner Radius |
| 2023038692 | Black / Grey | 4 | 1.950 mm | 600 mm | 82,5 mm |

CHIC EVO

Two-point lock entry door

- Two-point locking system constructed from steel for reliable strength
- Inner service panel for easy locking system maintenance
- Equipped with right-hand aluminum hinges
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated window with blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in dustbin compartment
- Comfort handle for ergonomic operation

Contact us for requests. Available options:

- Manual or electric locks
- Standard or low-profile hinges
- Single- or double-pane windows
- With or without gas spring
- Exterior panel material options



| | | Number of Hinges | Cutout Dimensions | | |
|------------|---------------|---------------------|-------------------|--------|---------------|
| Part # | Color | | 体H | ₺w | Corner Radius |
| 2023038693 | White / Black | 2 | 1.925 mm | 700 mm | 89 mm |

COOL

Two-point lock entry door

- Electric (standard), two-point steel locking system constructed from steel for reliable strength
- Inner service panel for easy locking system maintenance
- Equipped with right-hand aluminum hinges
- Hidden hinges for a clean look on the outside of the RV
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated flyscreen and blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in dustbin compartment

- Manual or electric locks
- Standard or low-profile hinges
- Single- or double-pane windows
- With or without window
- With or without gas spring
- Exterior panel material options





| | Numb | | | Cutout Dim | ensions |
|------------|--------------|---------------------|----------|------------|---------------|
| Part # | Color | Number of Hinges | ₩H | ₺w | Corner Radius |
| 2023038696 | Black / Grey | 2 | 1.950 mm | 657 mm | 89 mm |

CHILL

NEW

ATLANTIC

Two-point lock entry door

- Electric (standard), two-point steel locking system constructed from steel for reliable strength
- Inner service panel for easy locking system maintenance
- Lippert lock is UN/ECE R10 certified for safety and reliability
- Equipped with right-hand, nickel-plated brass hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Integrated blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- Includes built-in storage pockets

Contact us for requests. Available options:

- Manual or electric locks
- Standard or low-profile hinges
- Single- or double-pane windows
- With or without window
- With or without gas spring
- Exterior panel material options
- Premium ZAMAK entry handle



Two-point lock driver door

- Two-point locking system constructed from steel for reliable strength
- Automotive-style brackets assist with opening and hold at various positions
- Hidden hinges for a clean look on the outside of the RV
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Large, trapezoid-shaped glass window for added light and visibility inside the vehicle
- Integrated window with blind to filter light and provide privacy
- Includes built-in storage compartment

- Manual or electric locks
- Exterior panel material options



| | | Number | Cutout Dimensions | | |
|------------|--------------|---------------------|-------------------|--------|---------------|
| Part # | Color | Number of Hinges | ⅓H | はw | Corner Radius |
| 2023038698 | White / Grey | 2 | 1.950 mm | 600 mm | 80 mm |

| | | Normalia a m | Cutout Dimensions | | |
|------------|-------|---------------------|-------------------|--------|---------------|
| Part # | Color | Number of Hinges | ⅓H | ⅓w | Corner Radius |
| 2023038694 | Black | | 2.223 mm | 849 mm | 90 mm |

OPEN LUX

Two-point lock driver door

- Two-point locking system constructed from steel for reliable strength
- Hidden hinges for a clean look on the outside of the RV
- Locking system and hinges certified with ECE R11
- Painted, single body aluminum frame with a painted fiberglass outer panel
- Electric glass window for easy operation with the press of a button
- Integrated window with blind to filter light and provide privacy
- Thermoformed, insulated construction for a secure, tight fit
- LED light illuminates the ground for secure access
- Joystick mirror for easy adjustment of view (mirror not included)
- Includes built-in pocket storage
- Automotive-style brackets assist with opening and hold at various positions

Contact us for requests. Available options:

- Manual or electric locks
- Standard or low-profile hinges
- With or without gas spring
- Exterior panel material options





Part # Color Srey Srey Cutout Dimensions Cutout Dimensions Cutout Dimensions Lagrange W Corner Radius 719 mm 82,5 mm

SERVICE DOOR FRAMES

- Extruded aluminum frame construction
- Compatible with 22 mm to 42 mm thick panels
- One-point or two-point locking system
- Includes service door frame only (panels sold separately)
- Equipped with right- and left-hand aluminum hinges

- Manual or electric locks
- Standard or low-profile hinges
- Internal / external frame panel slot ranges: 22 mm to 42 mm
- Fiberglass material





| | Frame | Dims. | ta uma |
|------------|--------------|--------------|----------------------------|
| Part # | [†] | ¹⊈ W (mm) | Hinge position (side) (mm) |
| 2021104713 | 450 | 700 | 700 |
| 2021104687 | 300 | 800 | 800 |
| 2021104639 | 320 | 850 | 850 |
| 2021104671 | 440 | 850 | 850 |
| 2021104627 | 500 | 900 | 900 |
| 2021104647 | 440 | 1.030 | 1.030 |
| 2021104714 | 900 | 1.100 | 1.100 |
| 2021104667 | 645 | 1.250 | 1.250 |
| 2021104696 | 900 | 1.250 | 1.250 |
| 2021104672 | 525 | 1.700 | 1.700 |
| 2021104640 | 600 | 1.900 | 1.900 |

DOOR COLOR OPTIONS**

External frame profiles



External door panels (fiberglass)



External door panels (aluminum)



Internal thermoformed main panels



Internal thermoformed accent panels



COMPLETE SERVICE DOOR

Configuration options - available on request only

1. Aluminum Profile

Internal options



External options





Radius options

• 80 mm or 89 mm

Profile color options" (internal and external)

Ral 9010

Pure white

Ral 9003

Ral 9001

Ral 7035

Light grey

Cream

3. Locking System

Screw lock



| Part # | Name |
|------------|------------|
| 2023038685 | Screw Lock |

MAGIC lock





| Part # | Name |
|------------|------------|
| 2023038686 | Magic Lock |

Signal white

Internal and external"

Ral 9003

Signal white

^{2.} Fiberglass Panel Color Options