BEDS & LADDERS

N_N

Lippert bed frames and lifts are engineered for comfort and adaptability, ensuring that your vehicle is truly a home away from home. We offer tilt and lift options, electric, convertible, extendable, foldable and much more. Browse our ladders and other accessories to maximize bed functionality.




MODULAR SMART BED

Electric bed lifting system

- Engineered to lift and / or lower in the rear garage, above the dinette or driver's seat
- High-performing gear motor with optional integrated encoder
- Device fits completely under the bed frame and offers maximum fitting flexibility
- Complete bed lifting system is ready for installation (comes with or without the bed frame)
- Includes manual emergency system
- Heavy-duty steel and aluminum construction
- Available with an advanced control system to manage different positions
- Technical specifications may change depending on customer request
- Available with wall-mounted supports





Smart Electric Bed (A)

- Includes all components required: motor unit, stabilization rails, shafts, fixing plates and 4 m belts
- Adapts to standard measurements up to a maximum of 2.000 × 1.600 mm
- Includes a Lifty handle for manual use



Smart Frame (B)

- Allows you to create a custom bed frame for your unique vehicle space
- Includes standard wooden slats and slat holders that can be cut to size

Smart Accessory (C)

- Attaches the smart bed frame (B) to the bed lifting system (A)
- Provides a customized bed solution for each unique vehicle layout

| Part # | Description | Stroke | Operation Speed | Amps | Lift Load | Static Load | ^ * | | |
|---------------------|---|----------|-----------------|------------|-------------|-------------|------------|--|--|
| Smart Electric | Bed (A) | | | | | | | | |
| 2021104193 | Dinette / garage bed lifting kit (single motor) | 1.500 mm | ~60 mm/sec | 12 to 20 A | Up to 60 kg | 400 kg | 8,6 kg | | |
| 2021104210 | Dinette / garage bed lifting kit (dual-motor) | 1.500 mm | ~60 mm/sec | 12 to 20 A | Up to 60 kg | 400 kg | 8,6 kg | | |
| 2021104135 | Motorhome bed lifting kit | 1.500 mm | ~60 mm/sec | 12 to 20 A | Up to 60 kg | 400 kg | 8,6 kg | | |
| Smart Frame (I | В) | | | | | | | | |
| 2021104120 | Slatted bed base | | | | | 400 kg | 15 kg | | |
| Smart Accessory (C) | | | | | | | | | |
| 2021104124 | Attachment brackets | | | | | | | | |

* Variable according to the requested configuration

EVO Bed lifting system

- Engineered to lift and / or lower in the rear garage, above the dinette or driver's seat
- Movable with a manual crank
- Can be converted to electric by adding a motor
- Heavy-duty steel and aluminum construction
- Includes mounting brackets and lifting mechanism (slats and bed frame sold separately)
- Lifting system fits completely under the bed frame and offers maximum fitting flexibility
- Complete bed lifting system is ready for installation (comes with or without the bed frame)
- Technical specifications may change depending on customer request
- Available with wall fixing









Allows lifting and lowering of the bed to fully optimize Interior space

| Part # | Operation | Stroke | Lift Load | Static Load | <u> </u> | |
|------------|-----------|--------|-----------|-------------|----------|--|
| 2021104136 | Manual | 400 mm | 60 kg | 400 kg | 13 kg | |
| 2021104121 | Electric | 400 mm | 60 kg | 400 kg | 13 kg | |



BERLINO

Bed lifting system

- Engineered to lift and / or lower in the rear garage or above the dinette
- High-performing gear motor with optional integrated encoder
- Lifting system fits completely under the bed frame and offers maximum fitting flexibility
- Heavy-duty yet lightweight aluminum frame with wooden slats
- Available with advanced control system to manage different positions
- Includes bed frame and lifting system
- Available with wall fixing



DENVER

Bed lifting system with extending frame

- Engineered to lift and / or lower in the rear garage or above the dinette
- High-performing gear motor with optional integrated encoder
- Lifting system fits completely under the bed frame and offers maximum fitting flexibility
- Heavy-duty yet lightweight aluminum frame with wooden slats
- Available with advanced control system to manage different positions
- Includes bed frame and lifting system
- Extendable frame accommodates a larger mattress while ensuring compact storage (extended section must be supported)
- Available with wall fixing



| Part # | Stroke Range | Static Load | Lift Load | ۲ <u>د</u> ا | t⊈ w | Operation Speed | Amps | Volts | Â | Part # | Stroke Range | Static Load | Lift Load | ۲ <u>د</u> ا | 1⊄. W | Operation Speed | Amps | Volts | ۵ |
|-----------|--------------------|----------------|--------------|--------------|-----------|---------------------|----------------|-----------|-------|------------|--------------------|----------------|--------------|--------------|-------------|---------------------|----------------|-----------|-------|
| 202303871 | 300 to 1.500 mm | 400 kg | 60 kg | 1.900 mm | 650 mm | 60 to 100 mm/sec | 9 A to 20 A | 12V DC | 32 kg | 2023038714 | 300 to 1.500 mm | 300 kg | 60 kg | 1.900 mm | 1.000 mm | 60 to 100 mm/sec | 9 A to 20 A | 12V DC | 32 kį |

RIO

Bed lifting system with extending frame

- Engineered to lift and / or lower in the rear garage or above the dinette
- High-performing gear motor with optional integrated encoder
- Lifting system fits completely under the bed frame and offers maximum fitting flexibility
- Heavy-duty yet lightweight aluminum frame with wooden slats
- Available with advanced control system to manage different positions
- Includes bed frame and lifting system
- Extendable frame accommodates a larger mattress while ensuring compact storage (extended section must be supported)
- Available with wall fixing

SLIM BED

Low-profile bed lifting system

- Engineered to lift and / or lower in the rear garage, above the dinette or driver's seat
- High-performing gear motor with optional integrated encoder
- Lifting system fits completely under the bed frame and offers maximum fitting flexibility
- Heavy-duty yet lightweight aluminum frame with wooden slats
- Available with advanced control system to manage different positions
- Includes bed frame and lifting system

Volts

12V

<u>^</u>


20 ka

Amps

to 20 A DC

9 A

• Available with wall fixing



| Part # | Stroke Range | Static Load | Lift Load | ۲ <u>د</u> ا | ℃, w | Operation Speed | Amps | Volts | | Part # | Stroke Range | Static Load | Lift Load | ۲. | t⊈ w | Operation Speed |
|------------|--------------------|----------------|--------------|--------------|-------------|---------------------|----------------|-----------|---------|------------|--------------------|----------------|--------------|-------------|-------------|---------------------|
| 2023038716 | 300 to 1.500 mm | 300 kg | 60 kg | 1.900 mm | 1.300 mm | 60 to 100 mm/sec | 9 A to 20 A | 12V DC | 32 kg | 2023038717 | 300 to 1.500 mm | 350 kg | 60 kg | 2.000 mm | 1.300 mm | 60 to 100 mm/sec |

TOSCANA

Bed lifting system

- Engineered to lift and / or lower in the rear garage, above the dinette or driver's seat
- High-performing gear motor with optional integrated encoder
- Lifting system fits completely under the bed frame and offers maximum fitting flexibility
- Heavy-duty yet lightweight aluminum frame with wooden slats
- Available with advanced control system to manage different positions
- Includes bed frame and lifting system
- Available with electric motor or manual crank option
- Available with wall fixing





| Part # | Stroke Range | Static Load | Lift Load | ۲ <u>د</u> ا | ₩ 12. w | Operation Speed | Amps | Volts | |
|------------|--------------------|----------------|--------------|--------------|-------------|---------------------|----------------|-----------|-------|
| 2022002315 | 300 to 1.500 mm | 350 kg | 60 kg | 2.000 mm | 1.300 mm | 60 to 100 mm/sec | 9 A to 20 A | 12V DC | 23 kg |

| Part # | Stroke | Static Load | Lift Load | t⊈ L | t⊈ w | |
|------------|--------|-------------|-----------|----------|----------|---------|
| 2023038715 | 950 mm | 250 kg | 45 kg | 1.900 mm | 1.300 mm | 25 kg |

MANILA



- Engineered to lift and / or lower in the rear garage, above the dinette or driver's seat
- High-performing, zero-gravity gas struts
- Lifting system fits completely under the bed frame and offers maximum fitting flexibility
- Heavy-duty, lightweight aluminum frame with wooden slats
- Includes bed frame and lifting system
- Available with wall fixing

MADRID

Bed base

- Bed base with rear hinges and gas springs to facilitate access to the storage underneath
- Designed for motorhomes, caravans and tent trailers
- Heavy-duty yet lightweight aluminum frame with wooden slats
- Includes bed frame and gas springs

SEVILLA

Bed lifting system with folding frame

- Engineered to lift and / or lower in the rear garage, above the dinette or driver's seat
- Hinge for the rotation of a bed portion for installation above the driver
- High-performing gear motor with optional integrated encoder
- Lifting system fits completely under the bed frame and offers maximum fitting flexibility
- Heavy-duty yet lightweight aluminum frame with wooden slats
- Available with advanced control system to manage different positions
- Includes bed frame and lifting system
- Extendable frame accommodates a larger mattress while ensuring compact storage (extended section must be supported)
- Available with wall fixing



| Part # | Static Load | ۲ <u>د</u> ا | t∡ w | <u> </u> |
|------------|-------------|--------------|----------|----------|
| 2021104273 | 200 kg | 1.900mm | 1.320 mm | 19 kg |

| Part # | Static Load | Lift Load | ٤L | t∡ w | Operation Speed | Amps | Volts | <u> </u> |
|------------|----------------|--------------|-------------|-------------|---------------------|----------------|--------|----------|
| 2023038719 | 300 kg | 60 kg | 1.900 mm | 1.350 mm | 60 to 100 mm/sec | 9 A to 20 A | 12V DC | 35 kg |

DETROIT

Bed lifting system

- Designed for easy installation without wall guides and belts
- Customizable vertical stroke, straight or swing movement
- Easy installation above the driver
- Heavy-duty yet lightweight aluminum frame with wooden slats
- Lateral steel arms assisted by gas springs for smooth and stable movement
- Lifting and lowering movements can be customized to fit the shape of the vehicle
- Locking system for high bed position
- Onboard frontal handle to lock and unlock the bed positions

MIAMI

Bed lifting system

- Designed for easy installation without wall guides and belts
- Easy installation above the driver
- Customizable vertical stroke, straight or swing movement
- Lifting and lowering movements can be customized to fit the shape of the vehicle
- Heavy-duty yet lightweight aluminum frame with wooden slats
- Lateral steel arms assisted by gas springs for smooth and stable movement
- Locking system for high bed position
- Onboard frontal handle to lock and unlock the bed positions





| Part # | Stroke | Static Load | Lift Load | 14 L | t⊈ w | | Part # | Stro |
|------------|---------------|-------------|-----------|----------|----------|---------|------------|------|
| 2023038720 | 300 to 700 mm | 250 kg | 25 kg | 1.950 mm | 1.500 mm | 35 kg | 2023038721 | 300 |

| Part # | Stroke | Static Load | Lift Load | t⊈ L | t⊈ w | |
|------------|---------------|-------------|-----------|----------|----------|---------|
| 2023038721 | 300 to 700 mm | 250 kg | 25 kg | 1.950 mm | 1.500 mm | 30 kg |

CHICAGO

Extendable folding bed base

- Manually folding, sliding structure
- Heavy-duty yet lightweight aluminum frame with wooden slats
- Gas spring struts assist for easy fold-up into the side wall
- Adjustable feet to get promote stability

FIRENZE

Sliding bed base

- Reclinable back for comfortable sleeping, reading, watching TV and relaxation
- Sliding design reduces overall dimensions while bed is not in use
- Available in manual, multi-position synchronized-assisted or electric option
- Heavy-duty yet lightweight aluminum frame with wooden slats
- Available with standard or comfort wooden slats





| Part # | Stroke | Static Load | t₄ L | t∡ w | |
|------------|--------|-------------|----------|-----------------|---------|
| 2023038722 | 320 mm | 80 kg | 1.400 mm | 730 to 1.050 mm | 18 kg |

| Part # | Operation | Sliding Stroke | Static Load | t⊈ L | t⊈ w | |
|------------|-----------|----------------|-------------|----------|----------|---------|
| 2021104119 | Electric | 200 mm | 250 kg | 1.900 mm | 1.350 mm | 30 kg |
| 2021104128 | Manual | 200 mm | 250 kg | 1.900 mm | 1.350 mm | 30 kg |

FIRENZE EVO

Sliding bed base

- Reclinable back for comfortable sleeping, reading, watching TV and relaxation
- Bed base with rear hinges and gas springs to facilitate access to the storage underneath
- Sliding design reduces overall dimensions while bed is not in use
- Available in manual, multi-position synchronized-assisted or electric option
- Heavy-duty yet lightweight aluminum frame with wooden slats



Bed bases

- Engineered to lift and / or lower in the rear garage
- High-performing gear motor with optional integrated encoder (electric version)
- Available with wall fixing and aluminum legs
- Lifting system fits completely under the bed frame and offers maximum fitting flexibility
- Available with advanced control system to manage different positions (electric version)
- Bed base with hinges and gas springs (optional) to facilitate access to the storage underneath
- Available with electric motor lifting system or manual crank option
- Heavy-duty yet lightweight aluminum frame with wooden slats



| Part # | Sliding Stroke | Static Load | ¹ ⊈L | t∡ w | <u> </u> |
|------------|----------------|-------------|-----------------|----------|----------|
| 2021104288 | 200 mm | 250 kg | 1.900 mm | 1.350 mm | 24 kg |

| Part # | Operation | Stroke | Static Load | ¹ ⊈ L | t⊈ w | |
|------------|-----------|--------------|-------------|------------------|----------|---------|
| 2021104307 | Manual | 300 / 600 mm | 200 kg | 1.875 mm | 1.380 mm | 35 kg |
| 2021104279 | Electric | 300 / 400 mm | 200 kg | 1.875 mm | 1.380 mm | 35 kg |

LISBONA EVO

Bed base

- Engineered to lift and / or lower in the rear garage
- High-performing gear motor with optional integrated encoder (electric version)
- Available with wall fixing and aluminum legs
- Lifting system fits completely under the bed frame and offers maximum fitting flexibility
- Available with advanced control system to manage different positions (electric version)
- Reclinable back for comfortable sleeping, reading, watching TV and relaxation
- Bed base with hinges and gas springs (optional) to facilitate access to the storage underneath
- Available with electric motor lifting system or manual crank option
- Heavy-duty yet lightweight aluminum frame with wooden slats

MOSCA

Fold-out wall-mounted bed base

- Heavy-duty cantilever structure accommodates a child or adult
- Manual movement assisted with gas struts for easy folding operation
- Suitable for recessed or flush installation
- 120 mm maximum mattress height
- Constructed with an aluminum frame and wooden slats



| Part # | Stroke Range | Static Load | Lift Load | t⊈ L | t⊈ w | |
|------------|---------------|-------------|-----------|----------|----------|---------|
| 2023038723 | 300 to 600 mm | 200 kg | 60 kg | 1.900 mm | 1.350 mm | 40 kg |

| Part # | Static Load | t⊈ L | t⊈ w | | |
|----------|-------------|----------|--------|---------|--|
| 20211042 | 11 100 kg | 1.988 mm | 760 mm | 20 kg | |

NANTES

Bed frame

- Designed for ship cruisers
- Strong and lightweight aluminum frame and slats
- Heavy-duty steel legs
- Unique cataphoresis treatment provides enhanced durability against salt and corrosion
- Specific plastic slat holder eliminates areas where dirt can collect, promoting cleanliness

HELSINKI

Dinette bench seat with convertible bed

- Dinette bench seat folds out, converting into a bed as needed
- Fold-up storage allows for full optimization of interior space
- Spring assist promotes easy folding operation
- Heavy-duty yet lightweight aluminum frame with wooden slats





| Part # | Static Load | ۲ <u>د</u> L | t∡ w | |
|------------|-------------|--------------|--------|---------|
| 2023038724 | 300 kg | 2.050 mm | 950 mm | 16 kg |

| Part # | Static Load | 14 L | t∡ w | |
|------------|-------------|-----------------|----------|---------|
| 2021104144 | 150 kg | 500 to 1.350 mm | 1.200 mm | 24 kg |

BARCELONA

Sliding bed base

- Manually sliding slats ensure easy access to storage area underneath
- Heavy-duty yet lightweight aluminum frame with wooden slats

NICE Bed base

- Heavy-duty yet lightweight aluminum frame with wooden slats
- Available in single or double-bed configurations



| Part # | Static Load | t∡ L | t∡ w | <u> </u> |
|-----------|-------------|----------|--------|----------|
| 202110412 | 2 120 kg | 1.700 mm | 605 mm | 3 kg |

| Part # | Static Load | t <u>د</u> ا | ¹ ⊈ w | ^ |
|------------|-------------|--------------|------------------|----------|
| 2021104212 | 100 kg | 1.900 mm | 650 mm | 7 kg |

OSLO Extending bed base

- Extendable frame to convert from single to double-bed configuration
- Heavy-duty yet lightweight aluminum frame with wooden slats

OSLO PLUS Extending bed base

- Larger frame profile
- Extendable frame to convert from single to double-bed configuration
- Heavy-duty yet lightweight aluminum frame with wooden slats



| Part # | Static Load | t∡ L | t⊈ w | 🖾 W1 (open) | t⊈ H | | Part # | Static Load | t⊈ L | t∡ w | 🖾 W1 (open) | 1⊈. н | |
|------------|-------------|----------|--------|-------------|-------|---------|------------|-------------|----------|--------|-------------|-------|---------|
| 2021104126 | 200 kg | 1.950 mm | 730 mm | 1.300 mm | 35 mm | 11 kg | 2021104137 | 200 kg | 1.950 mm | 730 mm | 1.300 mm | 50 mm | 15 kg |

MAYDA Bed base kit

- Heavy-duty yet lightweight aluminum frame with wooden slats
- Profile can be trimmed to customize bed shape and dimensions
- Bed assembly required

SARA Bed base kit

- Heavy-duty yet lightweight aluminum frame with wooden slats
- Profile can be trimmed to customize bed shape and dimensions
- Bed assembly required



Â

15 kg

t∡ w

1.300 mm

| Part # | Static Load | t∡ L | 🕰 W | |
|------------|-------------|----------|--------|---------|
| 2021104194 | 100 kg | 2.000 mm | 900 mm | 8 kg |

Part #


2021104143

Static Load

200 kg

14L

2.000 mm



VAN BED Folding bed base kit

- Fold-up frame provides comfortable sleeping arrangements and allows for compact storage
- Heavy-duty yet lightweight aluminum frame with wooden slats





Perfectly fits the dimensions of the campervan (mattress not included)



Fold-up frame for comfortable sleeping arrangements with compact storage

| Part # | Static Load | ۲L | 14 w | |
|------------|-------------|----------|----------|---------|
| 2021104154 | 100 kg | 1.500 mm | 1.500 mm | 19 kg |

VIENNA Folding bed base

- Folding frame to convert from double to single-bed configuration
- Heavy-duty yet lightweight aluminum frame with wooden slats

LONDRA Roll-up bed base

- Flexible PVC side rails roll up for compact storage
- Wood slats for strength, comfort and a stylish accent
- Available in single or double-bed configurations
- Includes side rail assemblies and slats



| Part # | Static Load | t∡ L | 🖾 W (closed) | 🖾 W1 (open) | <u> </u> |
|------------|-------------|----------|--------------|-------------|----------|
| 2021104118 | 100 kg | 1.950 mm | 700 mm | 1.300 mm | 13 kg |





Wood slats for strength, comfort and a stylish accent

Flexible PVC side rails roll up for compact storage

| Part # | Style | Static Load | ₽L | ^t ⊈ w | |
|------------|-------------|-------------|----------|------------------|---------|
| 2021104155 | Single base | 120 kg | 1.900 mm | 650 mm | 5 kg |
| 2021104125 | Double base | 200 kg | 1.900 mm | 1.300 mm | 14 kg |

LIFTER Replacement switch panels

- Switch with a control panel to manage the bed lifting movement
- Can be integrated into the bed frame on specific bed profiles
- Available with or without key



2021104289

(with key)



202346265

(without key)



2022112411

(with key)



Lifter switch control panels can be integrated into the bed frame


| Part # | Name | Includes Key | Color |
|------------|----------|--------------|-------|
| 2021104289 | Lifter 1 | Yes | Grey |
| 2020346265 | Lifter 2 | No | Grey |
| 2022112411 | Lifter 3 | Yes | Black |

ELEKTRA SMART

Replacement switch panels

- Control box with control panel to manage the bed lifting movement (Elektra 1 & 2)
- Switch with a control panel to manage the bed lifting movement (Elektra 3)
- Can be installed separately from the bed frame
- Available with or without key

| Part # | Name | Includes Key | Color |
|------------|-----------------|--------------|-------|
| 2021104249 | Elektra Smart 1 | No | Grey |
| 2022013464 | Elektra Smart 2 | Yes | Grey |
| 2021104299 | Elektra Smart 3 | Yes | Grey |



(without key)

2021104249 20

(with key)

Сынчент 2022013464 2

2021104299 (with key)

BELT Replacement lifting belts



available in black, grey and creamCompatible with all Lippert beds

• Durable nylon straps are

| Part # | 14 L | t⊈ w | Color |
|------------|----------|---------|-------|
| 2020334518 | 4.000 mm | 46,5 mm | Black |
| 2020343787 | 4.000 mm | 46,5 mm | Grey |
| 2021104281 | 4.200 mm | 46,5 mm | Cream |
| 2021104300 | 6.000 mm | 46,5 mm | Grey |
| 2020343375 | 7.000 mm | 46,5 mm | Black |

LIFTING CAPACITY

Replacement lifting belt rollers

- Belt roller system to help belts move easier when raising or lowering the bed
- Includes four rollers for a basic system
- Purchase two kits for a return system what will allow double the lifting capacity
- Compatible with all Lippert beds



| Part # | Lift Load Without Return | Lift Load With Return |
|------------|--------------------------|-----------------------|
| 2021104276 | 60 kg | 120 kg |

DISKY

Replacement lifting belt spacers

• Plastic spacers keep lifting belts in place and aligned for smooth operation



| Part # | Compatibility |
|------------|----------------------------|
| 2021104277 | For use with Belt products |

SAFETY STRAP

Replacement lifting belt safety straps

- Promotes safety while bed is lifted
- Compatible with all Lippert beds



| Part # | Compatibility |
|------------|----------------------------|
| 2020334746 | For use with Belt products |

CABLE TRACK

Replacement lift tracks

- Comes in two lengths
- Available in black or beige
- Compatible with all Lippert beds

| Part # | Chain Links | t⊈ L | Color |
|------------|-------------|----------|-------|
| 2020335126 | 50 | 1.000 mm | Black |
| 2020344588 | 105 | 2.250 mm | Beige |

STANDARD GUIDE

Replacement bed channel

- Standard aluminum guide for lifting beds
- Compatible with all Lippert beds

12L

990 mm

Part #

2020334767



C-SHAPED GUIDE

Replacement bed channel

- C-shaped aluminum guide for lifting beds
- Compatible with all Lippert beds





ENDY

Replacement end caps

- Provides a finished look on Standard Guides
- Durable plastic construction
- Hardware not included

Compatibility Part # 2020339437 Fits standard guides

ENDY C Replacement end caps

- Provides a finished look on C-Shaped Guides
- Strong steel construction
- Hardware not included



Compatibility Part #

Fits C-shaped guides 2022116096



SPRINGY Replacement gas struts

- Assists bed movement operation
- Compatible with all Lippert beds

STICKLY Replacement bed slats and slat holders

- Slats constructed from birchwood
- Available in multiple sizes



Stickly Cap Right



2020341630 Stickly Cap Left

2021104306

2021104303

2021104231

2021104285

Stickly 68

Stickly Cap Stickly Cap Open Stickly Cap Comfort ₩ W 1∠ H 12L Part # Description Name 2021104302 STICKLY 52 1.000 mm Wooden slat 52 mm 8 mm 2021104230 STICKLY 62 1.000 mm 62 mm Wooden slat 8 mm 62 mm 2021104278 STICKLY 62 Wooden slat 1.400 mm 8 mm STICKLY 68 2021104285 Wooden slat 890 mm 68 mm 8 mm 2020341629 STICKLY CAP RIGHT Slat holder 438 mm 26 mm 8 mm 2020341630 STICKLY CAP LEFT Slat holder 438 mm 26 mm 8 mm 2021104306 STICKLY CAP 52 mm Slat holder --8 mm 2021104253 STICKLY CAP 62 mm 8 mm Slat holder --2021104297 STICKLY CAP Slat holder 68 mm 8 mm --2021104303 STICKLY CAP OPEN Slat holder 8 mm ----2021104231 STICKLY CAP COMFORT Slat holder ----8 mm





| Part # | 🖾 Gas spring | 🖾 Center |
|------------|--------------|----------|
| 2021104270 | 100 N | 275 mm |
| 2021104286 | 120 N | 275 mm |
| 2021104292 | 150 N | 275 mm |
| 2021104313 | 200 N | 275 mm |
| 2021104310 | 200 N | 485 mm |
| 2021104245 | 250 N | 485 mm |
| 2021104238 | 275 N | 275 mm |
| 2021104314 | 450 N | 275 mm |

Center 420 mm

| 475 N | 549,50 mm |
|---------|---|
| 700 N | 446 mm |
| 1.000 N | 485 mm |
| 1.000 N | 455 mm |
| 1.150 N | 485 mm |
| 1.150 N | 455 mm |
| 1.200 N | 485 mm |
| | 700 N 1.000 N 1.000 N 1.150 N 1.150 N |

SMARTY Bed accessory leg

- Fold-out leg to accommodate a rectangular mattress
- Lightweight anodized aluminum frame

BACKREST

Bed accessory

Manual operation

Part #

• Completely autonomous and integrable with the bed frame

Description





LIFTY

2021103510 Backrest

Bed accessory handle

• Allows manual movement of the bed

| Part # | Description |
|------------|--------------|
| 2020334839 | Lifty Handle |






Lightweight fold-out leg attaches to bed base to provide a platform support for a rectangular mattress

| Part # | | Static Load | Extended Angle | Ъ́н |
|--------|------|-------------|----------------|--------|
| 202303 | 8725 | 100 kg | 17° | 696 mm |

STLA FLEX

Bed accessory suspension

- Suspends bed frame to improve sleep comfort
- Durable plastic construction with memory shape for maximum comfort
- Can be mounted on all beds with staves
- 36 pieces required for single bed and 72 for double bed



2023022746

BEDS & LADDERS

2023022767



Suspends bed frame to improve sleep comfort



Can be mounted on all beds with staves



Double-coated PVC and 100% polyester mesh for a dependable net



Comes with all required installation hardware and straps

| Part # | Name | Description | \Diamond | 14 H | [™] L | ¹ ⊈ w |
|------------|----------------|--------------------------|------------|-------|----------------|------------------|
| 2023022746 | StLa FLEX base | Bed susp. with base pins | Plastic | 40 mm | 46 mm | 46 mm |
| 2023022767 | StLa FLEX base | Bed susp. with base hole | Plastic | 40 mm | 46 mm | 46 mm |

| Part # | t∡ L | t⊈ H | \Diamond | |
|------------|----------|--------|------------|-------------|
| 2021104280 | 1.500 mm | 576 mm | Aluminum | Nylon / PVC |
| 2021104274 | 1.800 mm | 580 mm | Aluminum | Nylon / PVC |

VOLO Bed accessory safety net

- Attaches to the bedside to prevent nighttime falling
- For children over six years old
- Lightweight yet durable aluminum rail construction
- Double-coated PVC and 100% polyester mesh for a dependable net
- Compatible with virtually all lifting beds




TITTA Bunk ladder

- Aluminum bunk ladder with hooks
- T-Feet 15 maximize friction to avoid slipping and ensure stability
- T-Hook 6 provides a safe, robust connection to the bed frame
- Durable and lightweight aluminum construction
- Includes T-Hook Base hook supports



Rounded rungs for comfortable grip and footing





Feet maximize friction to avoid slipping and ensure stability

| Part # | t∡ H | ¹ ∠ w | | ف |
|------------|----------|------------------|---------|--------|
| 2021104315 | 1.300 mm | 290 mm | 1,60 kg | 100 kg |
| 2021104247 | 1.500 mm | 290 mm | 1,74 kg | 100 kg |
| 2021104260 | 1.700 mm | 290 mm | 2,00 kg | 100 kg |



TITTA LARGE-STEP

Bunk ladder

- Rounded rungs for comfortable climbing
- T-Feet 15 maximize friction to avoid slipping and ensure stability
- T-Hook 6 provides a safe, robust connection to the bed frame
- Durable and lightweight aluminum construction
- Includes T-Hook Base hook supports



Extra-wide, step-like rungs for maximum comfort



Hooks provide a safe, robust connection to the bed frame

| Part # | t⊈ H | t∡ w | | ف |
|------------|----------|--------|---------|--------|
| 2021104267 | 1.300 mm | 290 mm | 1,97 kg | 100 kg |
| 2021104240 | 1.500 mm | 290 mm | 2,37 kg | 100 kg |
| 2021104242 | 1.700 mm | 290 mm | 2,75 kg | 100 kg |



TITTA STRONG

Bunk ladder

- T-Hook 2 provides a safe connection to the bed frame
- T-Feet HS and HR maximize friction to avoid slipping and ensure stability
- Durable and lightweight reinforced aluminum construction
- Includes T-Hook Base hook supports



Part #

2021104241


2021104243

2021104268


2021104265



Feet maximize friction to avoid



slipping and ensure stability



ĺ⊈ w

290 mm

290 mm

290 mm

290 mm

Â

1,60 kg

1,80 kg

2,10 kg

2,40 kg

Å H

1.300 mm

1.500 mm

1.700 mm

1.900 mm



٤

150 kg

150 kg 150 kg

150 kg

TITTA STRONG FOLDING Bunk ladder

- Folding mechanism with heavy-duty hinges for compact storage
- T-Hook 2 provides a safe connection to the bed frame
- T-Feet HS and HR maximize friction to avoid slipping and ensure stability
- Durable and lightweight reinforced aluminum construction
- Includes T-Hook Base hook supports



Rounded rungs for comfortable grip and footing



Feet maximize friction to avoid slipping and ensure stability



H1

Closed

Extended

Open

W

| Part # | t⊈ H | ¹ ⊈ H1 | t⊈ w | | ف |
|------------|----------|-------------------|--------|---------|--------|
| 2021104255 | 890 mm | 1.500 mm | 290 mm | 2,40 kg | 150 kg |
| 2021104258 | 1.130 mm | 1.900 mm | 290 mm | 3,00 kg | 150 kg |
| 2021104262 | 1.250 mm | 2.100 mm | 290 mm | 3,40 kg | 150 kg |

Closed w

н

PRODUCT WEIGHT 104


TITTA FOLDING 2

Bunk ladder

- Folding mechanism with heavy-duty hinges for compact storage
- T-Feet 15 maximize friction to avoid slipping and ensure stability
- T-Hook 6 provides a safe, robust connection to the bed frame
- Durable and lightweight aluminum construction

Rounded rungs for comfortable grip and footing

• Includes T-Hook Base hook supports




SLIDE

Bunk ladder

- Retracting aluminum bunk ladder that folds securely under the bed
- Bottom feet maximize friction to avoid slipping and ensure stability
- Extra-wide, step-like rungs for maximum comfort (#2021104261)
- Durable and lightweight aluminum construction





| Part # | t⊈ H | t⊈ H1 | t∡ w | | |
|------------|--------|----------|--------|---------|--------|
| 2021104312 | 870 mm | 1.450 mm | 290 mm | 2,30 kg | 100 kg |
| 2021104294 | 990 mm | 1.700 mm | 290 mm | 3 kg | 100 kg |

Closed

Н

| Part # | ¹ ⊈ H | Ľ4 L | 华山 | ¹ ⊈ w | | ف |
|------------|------------------|----------|----------|------------------|---------|--------|
| 2021104316 | 1.000 mm | 1.374 mm | 2.171 mm | 290 mm | 3,37 kg | 100 kg |
| 2021104261 | 1.000 mm | 1.374 mm | 2.171 mm | 290 mm | 3,40 kg | 100 kg |

LADDER **CONNECTION**

- Provides a handle with safety hooks for secure ladder attachment and easier climbing
- Recommended for bed frames that are not suitable for connecting ladder hooks
- Durable and lightweight aluminum construction
- Designed for use with T-Hook 4 only

| Г БА |
|---------|
| |
| |
| |

| Part # | ۲ <u>د</u> ا | ¹ ⊈ w | |
|------------|--------------|------------------|---------|
| 2021104257 | 60 mm | 700 mm | 0,30 kg |

REPLACEMENT LADDER HOOKS

- Provides a safe, robust ladder connection to the bed frame
- Durable and lightweight plastic construction
- Includes one component per package





2021104220







2021104226

2021104217

2021104223

2022128709

| Part # | Name | Compatible With |
|------------|-------------|--|
| 2021104259 | T-Hook 1 | Titta, Titta Folding 2, Titta Large-Step |
| 2022110420 | T-Hook 2 | Titta Strong and Titta Strong Folding (left side) |
| 2021104263 | T-Hook 2 | Titta Strong and Titta Strong Folding (right side) |
| 2021104236 | T-Hook 3 | Titta, Titta Folding 2, Titta Large-Step |
| 2021104220 | T-Hook 4 | Titta, Titta Folding 2, Titta Large-Step |
| 2021104226 | T-Hook 5 | Titta, Titta Folding 2, Titta Large-Step |
| 2021104217 | T-Hook 6 | Titta, Titta Folding 2, Titta Large-Step |
| 2022128709 | S-Hook | Safety hook for all T-Hooks |
| 2021104223 | T-Hook Base | T-Hook 2, T-Hook 4, T-Hook 6 |

REPLACEMENT LADDER FEET

- Maximizes friction to avoid slipping and ensure ladder stability
- Flexible and lightweight plastic construction
- Includes one component per package



2021104235



2022005194



2022111172 (R)

2021104269 (L)





2021104266 (R)



2022005196











2022005195

| Part # | Name | Description |
|------------|------------------------|---|
| 2021104235 | T-Feet | Flat foot for Titta, Titta Folding 2, Titta Large-Step |
| 2021104269 | T-Feet Soft HS | Left soft foot for Titta, Titta Folding 2, Titta Large-Step |
| 2022111172 | T-Feet Soft HR | Right soft foot for Titta, Titta Folding 2, Titta Large-Step |
| 2021104256 | T-Feet HS | Left foot for Titta Strong |
| 2021104266 | T-Feet HR | Right foot for Titta Strong |
| 2022005196 | Up T-Feet | Upper part adjustable foot for Titta, Titta Folding 2, Titta Large-Step |
| 2022005194 | Down T-Feet Way | Lower part adjustable foot for Titta, Titta Folding 2, Titta Large-Step |
| 2022112408 | Up T-Feet Way Strong | Upper part adjustable foot for Titta Strong and Titta Strong Folding |
| 2022112409 | Down T-Feet Way Strong | Lower part adjustable foot for Titta Strong and Titta Strong Folding |
| 2022005189 | T-Feet 15 | Adds 15° angle foot for Titta, Titta Folding 2, Titta Large-Step |
| 2022005195 | T-Feet Way Pad | Anti-slip pad for T-Feet Way |