



TV BRACKETS





Lippert offers a wide selection of TV brackets and mounts to provide the perfect solution for each van, campervan or motorcaravan. Our TV mounts are available in a range of sizes, material options and configurations, including powered models, to ensure a custom fit for any interior.


BLUEBELL

Sliding TV brackets with lowering arm

- Pivoting arm allows TV to be lowered down or retracted for convenient storage
- Revolves and tilts backward up to 90° for easy viewing



Pivoting arm allows TV to be lowered down or retracted



Part #	↙ L	↖ L1	↙ H	↖ H1	📦	📦	✂
2021104174	325 mm	885 mm	120 mm	288 mm	3,6 kg	10 kg	75 x 75 mm 100 x 100 mm
2021104208	375 mm	985 mm	120 mm	288 mm	3,9 kg	10 kg	
2021104149	425 mm	1.085 mm	120 mm	288 mm	4,1 kg	10 kg	
2021104183	475 mm	1.185 mm	120 mm	288 mm	4,2 kg	10 kg	
2021104161	525 mm	1.285 mm	120 mm	288 mm	4,7 kg	10 kg	






BUTTERFLY

Removable TV brackets with electrical and TV plug

Butterfly 2

- Pantograph mechanism maximizes extension while maintaining a low profile
- Support arm can be locked in place while vehicle is in motion
- Revolves and tilts 180° up or down for easy visibility anywhere in the RV
- Steel construction




Butterfly 2

Butterfly 3

- Three-joint swivel arm for easy viewing
- 110mm height adjustment range for custom positioning
- Tilts 180° up or down for easy viewing
- Automatically locks in closed position for safe travel
- Support arm can be locked in place while vehicle is in motion
- Steel construction



Butterfly 3



Part #	Butterfly	∩ L	— L1	↗ H	📦	📦	✂
2021104201	2	34 mm	229 mm	156 mm	1,2 kg	8 kg	75 x 75 mm
2021104176	2	45 mm	403 mm	156 mm	1,5 kg	8 kg	100 x 100 mm
2021104204	2	45 mm	443 mm	156 mm	1,7 kg	8 kg	
2021104165	3	84 mm	482 mm	160 mm	2,4 kg	8 kg	


DAISY 2

Wall-fixed TV bracket

- Rotates from 120° to 130° and tilts up to 23° for easy viewing
- Support arm can be locked in place while vehicle is in motion
- Steel construction



Rotates from 120° to 130° and tilts up to 23° for easy viewing




Part #	↔ L	↔ L1	↕ H	📦	📦	⊗
2021104172	78 mm	120 mm	120 mm	8,0 kg	10 kg	75 x 75 mm / 100 x 100 mm

DRAGONFLY

TV pole mount

- Rotates 270° and features a three-joint swivel arm for easy viewing
- Adjustable height on the pole with locking knobs for custom positioning
- Mounting pole not included




Part #	↔ L	↔ L1	↕ H	📦	📦	⊗
2021104123	475 mm	131 mm	200 mm	1,6 kg	8 kg	75 x 75 mm / 100 x 100 mm

EDELWEISS 2

Manual TV lift

- Three-joint swivel arm with 180° swivel for easy viewing
- Lift mechanism can be locked in place while vehicle is in motion



Part #	—L	↘L1	↘H	—H1	↗W	📦	📦	✂
2021104181	280 mm	131 mm	441 mm	891 mm	480 mm	7,3 kg	8 kg	75 x 75 mm 100 x 100 mm


FRESIA

Vertical sliding TV brackets

- Motorized lift allows TV to be retracted into the ceiling when not in use
- Extends to 1.015 mm and rotates 10° to 170° for easy viewing (select models)
- One-motor, belt-driven mechanism for automated sliding



Extends and tilts for easy viewing (select models)



Part #	⚡	Extends & Tilts	—L	↘L1	↘H	—H1	↗W	📦	📦	✂
2021104169	4 A	No	215 mm	--	485 mm	1.014 mm	187 mm	5,7 kg	8 kg	75 x 75 mm
2021104153	4 A	Yes	215 mm	268,75 mm	485 mm	1.014 mm	187 mm	5,7 kg	8 kg	100 x 100 mm


IRIS

Sliding TV ceiling bracket

- Revolves 360° and tilts for easy viewing
- Vertical adjustment with 129 mm of range
- Horizontal adjustment
- Steel construction



Vertical adjustment with 129 mm stroke for custom positioning



Part #	— L	∩ W	🛒	📦	⊗
2021104028	802 mm	360 mm	2,9 kg	8 kg	75 x 75 mm / 100 x 100 mm

LAVENDER

TV brackets with adjustable height


- Two-joint swivel arm for easy viewing
- 400 mm height adjustment range and 10° to 170° pivot for custom positioning
- Right or left placement to adapt to any RV layout



Open front



Two-joint swivel arm for easy viewing




Part #	↗ W	∩ H	— H1	L	L1	🛒	📦	⊗
2021104179	194 mm	310 mm	700 mm	47 mm	152 mm	2,9 kg	8 kg	75 x 75 mm
2021104151	194 mm	310 mm	700 mm	47 mm	152 mm	2,9 kg	8 kg	100 x 100 mm


LILY

Disappearing TV bracket for ceiling

- Motorized lift allows the TV to be completely hidden when retracted
- Designed to drop down from a cabinet
- Extends up to 80 mm and tilts up to 23° for easy viewing
- Right or left placement to adapt to any RV layout
- Multifunction electronic control unit requires 3 A of energy input



Motorized lift allows to TV to be completely hidden when retracted



Part #	— L	∩ L1	∩ H	— H1	↗ W	📦	📦	✂
2021104131	124,1 mm	104,4 mm	467 mm	880 mm	356 mm	7,4 kg	10 kg	75 x 75 mm 100 x 100 mm

LOTUS

TV brackets

Lotus 1

- Three self-braking joints with 15° tilt for easy viewing and adjustment
- Ability to close in either direction to better adapt to RV layout
- Support arm can be locked in place while vehicle is in motion

Lotus 2


- Three self-braking joints with adjustable 0° to 15° tilt for easy viewing
- Support arm can be locked in place while vehicle is in motion
- Steel construction



Lotus 1



Lotus 2



Part #	Lotus	— L	∩ L1	↗ H	📦	📦	✂
2021104171	1	529 mm	63 mm	120 mm	1,2 kg	8 kg	75 x 75 mm
2021104134	2	424 mm	82 mm	120 mm	1,3 kg	10 kg	100 x 100 mm
2021104150	2	570 mm	82 mm	120 mm	1,5 kg	10 kg	


PRIMULA

TV ceiling bracket with pivoting plate

- Revolves and tilts for easy viewing
- Automatically locks in closed position for safe travel
- Pivoting support locks at various intervals for custom positioning
- Low-profile design when closed for compact storage



Low-profile design when closed for compact storage



Part #	 W	 L	 H			
2021104018	150 mm	275 mm	52 mm	1,4 kg	8 kg	75 x 75 mm / 100 x 100 mm



ROSE



Manual folding TV brackets

Rose 1


- Slides out horizontally from a cabinet for convenient storage
- Pivots up to 22° when extended
- Rotates 220° and tilts up or down for easy viewing
- Steel construction with right or left mounting options
- Support arm can be locked in place while vehicle is in motion

Rose 2


- Slides out horizontally from a cabinet for convenient storage
- Pivots up to 22° when extended
- Can lower up to 15 cm
- Rotates 220° and tilts up or down for easy viewing
- Steel construction with right or left mounting options
- Support arm can be locked in place while vehicle is in motion



Rose 1



Rose 2




Rose 1 #	Rose 2 #	Outgoing	↗ L	↘ W	— W1	↗ H	📦	📦	✂
2021104163	2021104146	Lateral to right	95,2 mm	315 mm	516 mm	207 mm	3,0 kg	10 kg	75 x 75 mm 100 x 100 mm
2021104206	2021104196	Lateral to left	95,2 mm	315 mm	516 mm	228 mm	3,0 kg	10 kg	
2021104188	2021104140	Lateral to right	87,2 mm	362 mm	808 mm	207 mm	3,2 kg	10 kg	
2021104138	2021104215	Lateral to left	95,2 mm	362 mm	808 mm	228 mm	3,2 kg	10 kg	
2021104195	2021104190	Lateral to right	95,2 mm	362 mm	816 mm	245 mm	3,9 kg	10 kg	
2021104145	--	Lateral to left	84,8 mm	362 mm	816 mm	268 mm	3,9 kg	10 kg	
2021104185	2021104187	Lateral to right	95,2 mm	413 mm	938 mm	245 mm	4,3 kg	10 kg	
2021104213	2021104158	Lateral to left	84,8 mm	413 mm	938 mm	268 mm	4,3 kg	10 kg	
2021104164	2021104147	Lateral to right	84,8 mm	409 mm	938 mm	207 mm	3,2 kg	10 kg	
2021104139	--	Lateral to left	84,8 mm	409 mm	938 mm	207 mm	3,2 kg	10 kg	
2021104189	2021104141	Lateral to right	95,2 mm	460 mm	1.009 mm	245 mm	4,6 kg	10 kg	
2021104214	2021104216	Lateral to left	95,2 mm	460 mm	1.009 mm	245 mm	4,6 kg	10 kg	
2021104186	2021104192	Lateral to right	95,2 mm	510 mm	1.038 mm	245 mm	4,9 kg	10 kg	
2021104157	2021104191	Lateral to left	95,2 mm	510 mm	1.038 mm	245 mm	4,9 kg	10 kg	


SNAPDRAGON

Wall-mount TV bracket

- 90° rotation for vertical TV storage
- Two-joint swivel arm for easy viewing
- Lockable rotation and in closed position for safe travel




Closed front



Open



Two-joint swivel arm for easy viewing



Part #	— L	∩	↗ H	🛒	🛒	✂
2021104159	190 mm	37 mm	220 mm	2,1 kg	10 kg	200 x 100 mm / 200 x 200 mm



SUNFLOWER

Vertical dropdown TV brackets


Sunflower 1

- Rotates 180° and features a three-joint swivel arm for easy viewing
- Height adjustment range with lever brake
- Designed to mount on the right or left side
- Aluminum and steel construction
- Profile with narrow guide



Sunflower 2

- Rotates 180° and features a three-joint swivel arm for easy viewing
- Features adjustable 0° to 15° tilt
- Height adjustment range with lever brake
- Designed to mount on the right or left side
- Sleek and lightweight anodized aluminum arm
- Extruded aluminum profile



Sunflower 3

- Rotates 180° and features a three-joint swivel arm for easy viewing
- Height adjustment range with lever brake
- Designed to mount on the right or left side
- Extruded aluminum profile



Sunflower 4

- Rotates 180° and features a three-joint swivel arm for easy viewing
- Height adjustment range with lever brake
- Top end-cap provides a finished look
- Designed to mount on the right or left side
- Extruded aluminum profile

Part #	Sunflower	↕ H	↙ L	↔ L1	📦	📦	✂
2021104168	1	850 mm	62 mm	444 mm	1,9 kg	8 kg	75 x 75 mm
2021104152	2	600 mm	86 mm	554 mm	1,6 kg	8 kg	100 x 100 mm

Part #	Sunflower	↕ H	↙ L	↔ L1	📦	📦	✂
2021104202	3	990 mm	58 mm	250 mm	1,7 kg	8 kg	75 x 75 mm
2021104180	4	990 mm	99 mm	440 mm	1,8 kg	8 kg	100 x 100 mm

TULIP

TV brackets

Tulip 1

- Pantograph mechanism maximizes extension while maintaining low profile
- Magnetic security blockage keeps bracket locked while closed
- Revolves for easier visibility anywhere in the RV

Tulip 2


- Compatible with Lavender TV brackets
- 90° rotation for vertical TV storage
- Two-joint swivel arm for easy viewing
- Lockable rotation and closed position for safe travel
- Horizontal sliding movement
- Support arm can be locked in place while vehicle is in motion
- Steel construction



Tulip 1



Tulip 2



Part #	Tulip	— L	∩ L	↗ H	📦	📦	⊠
2021104130	1	235 mm	54 mm	158 mm	1,4 kg	8 kg	75 x 75 mm
2021104177	2	278 mm	--	120 mm	0,8 kg	10 kg	100 x 100 mm



VIOLET 2

Disappearing TV bracket for counter tops

- Motorized lift allows TV to be completely hidden when retracted
- Dual-motor, belt-driven mechanism for smooth, even sliding
- Tilt adjustment for easy viewing
- Incoming voltage: 13V
- Maximum amperage: 6 A



Motorized lift allows to TV to be completely hidden when retracted











Part #	— L	∩ L1	∩ H	— H1	↗ W	📦	📦	⊠
2021104205	133,8 mm	95 mm	504 mm	950 mm	635 mm	9,5 kg	15 kg	75 x 75 mm 100 x 100 mm 200 x 100 mm

WISTERIA

Sliding TV brackets

- Slide adjustment for custom positioning of the TV
- Wall-mount and ceiling-mount options available
- Revolves and tilts forward up to 18° and backward up to 90° for easy viewing
- Automatically locks in closed position for safe travel









Part #							
Standard Version							
2021104019	320 mm	715 mm	72 mm	323 mm	3,0 kg	10 kg	75 x 75 mm 100 x 100 mm
2021104132	370 mm	825 mm	72 mm	323 mm	3,8 kg	10 kg	
2021104148	373 mm	815 mm	88 mm	339 mm	3,8 kg	20 kg	
2021104198	420 mm	950 mm	88 mm	339 mm	4,0 kg	20 kg	
2021104173	471 mm	1.020 mm	88 mm	339 mm	4,2 kg	20 kg	
2021104207	525 mm	1.050 mm	88 mm	339 mm	4,4 kg	20 kg	
Ceiling Version							
2021104160	320 mm	715 mm	72 mm	323 mm	3,0 kg	10 kg	75 x 75 mm 100 x 100 mm
2021104182	370 mm	825 mm	72 mm	323 mm	3,8 kg	10 kg	
2021104170	373 mm	815 mm	88 mm	339 mm	3,8 kg	20 kg	
2021104133	420 mm	950 mm	88 mm	339 mm	4,0 kg	20 kg	
2021104199	471 mm	1.020 mm	88 mm	339 mm	4,2 kg	20 kg	

WILLOW

TV bracket for Wisteria

- Adds three-joint swivel arm to Wisteria sliding TV brackets
- Low-profile design when closed for compact storage
- Can be mounted to the wall, ceiling or counter top



Part #	L	H	H1			
2021104142	324 mm	81 mm	504 mm	2,0 kg	8 kg	75 x 75 mm / 100 x 100 mm