



12B Wired Thermostat

SUBMITTAL COVER SHEET

PROJECT NAME _____

LOCATION _____


ARCHITECT _____

ENGINEER _____

CONTRACTOR _____

REFERENCE _____

SUBMITTED BY _____ DATE _____



PRODUCT FEATURES

- LCD screen
- Adjustable timer setting
- Eco mode
- Horizontal swing feature
- Child lock
- 20" wire lead included
- 32.8" wire lead extender available (DRPDRAD09F1A17A)¹
- Display control panel for system control near the unit is available (DRPDRAD09F1A16)


COMPATABILITY

INDOOR	Wall Mounted	DRAW09F1A, DRAW12F1A, DRAW18F1A, DRAW24F1A DRAW06F1B, DRAW09F1B, DRAW12F1B, DRAW18F1B, DRAW24F1B
	Cassette	DRAL06F1A, DRAL09F1A, DRAL12F1A, DRAL18F1A. DRAC09F1A, DRAC12F1A, DRAC18F1A, DRAC24F1A
	Slim Ducted	DRAD09F1A, DRAD12F1A, DRAD18F1A, DRAD24F1A
	Floor/Ceiling	DRAF18F1A, DRAF24F1A
	Floor Mounted	DRAS12F1B


1. Connecting wire from thermostat to unit may not be longer than 65.5 ft (20m).



Thermostat Functions



LCD Screen



Thermostat Dimensions

