


TEMPO™ PORTRAIT FLAT PANEL WALL MOUNT SYSTEM

In digital signage and Digital Out-of-Home (DOOH) advertising, every minute of downtime means lost revenue and frustrated customers – yet traditional mounts often make maintenance slow and complex.

Tempo™ Portrait is the ultimate wall-mount solution for digital signage, **purposefully designed to streamline installation, simplify service and maximize uptime.**

Built with installer feedback and engineered for simplicity, it integrates a secure display mount with built-in storage and cable management to reduce clutter and to reinforce efficient, standardized AV designs. Its innovative design features tool-less access and a 12.6" (320mm) service depth, **allowing a single technician to reach devices quickly and safely without removing the display.**

Tempo Portrait delivers repeatable, efficient installs with a design that simplifies maintenance. The result? More uptime for digital signage content and less time spent on installation and service.




AS3PLP7 - Tempo Portrait
Large Flat Panel Wall Mount
System, PDU Bundle

FEATURES

- UL-tested – wood studs, steel studs, concrete, or block walls – Tempo ensures strength and reliability in any installation
- Storage panels can be pre-loaded with AV devices offsite for a truly streamlined plug & play experience – eliminating any surprises at the jobsite and ensuring peace of mind
- The mount's pullout mechanism ensures ample access to stored devices, and consistently returns to its home position for uniform alignment across multiple displays
- Single-technician accessibility saves labor costs on maintenance calls and ensures quick service for clients, which maximizes valuable digital signage uptime
- Available in medium or large, with or without built-in PDU
- Lockout clip prevents the home latch from accidentally locking until pull cords are properly stowed
- One part number, one box, one order – minimize last-minute shipping costs of missing parts

TEMPO PORTRAIT FLAT PANEL WALL MOUNT SYSTEM


SPECIFICATIONS



Product Number	AS3PM	AS3PMP7	AS3PL	AS3PLP7
Name	Tempo Portrait Medium Flat Panel Wall Mount System	Tempo Portrait Medium Flat Panel Wall Mount System with PDU	Tempo Portrait Large Flat Panel Wall Mount System	Tempo Portrait Large Flat Panel Wall Mount System with PDU
Power Distribution Unit	None	Middle Atlantic PD-715SC-NS-3	None	Middle Atlantic PD-715SC-NS-3
Typical Display Size	38"-50"		55"-100"	
Display Weight Capacity	75 lbs (34 kg)		200 lbs (90.7 kg) when installed to 20 gage structural steel studs, wood studs, concrete, or block walls 150 lbs (68 kg) when installed to 25 gage steel stud walls	
Display Mounting Pattern	200 x 200 mm to 400 x 450 mm		200 x 200 mm to 800 x 600 mm	
Dimensions (W x H x D)	19.56" x 29.99" x 1.96" (497 x 762 x 50 mm)		26.56" x 39.27" x 1.96" (675 x 997 x 50 mm)	
Wall Substrates	Steel stud, wood stud, concrete, and block walls			
Post-Install Leveling	1" (25 mm)			
Lateral Shift	Yes			
Tilt	-10°/+0°, 2.5° increments			
Plumb Adjust	0.38" (10 mm)			
Storage Dimensions (W x H)	Includes (1) 18.07" x 6.72" (459 x 171 mm) storage panel		Includes (1) 25.07" x 12.72" (637 mm x 323 mm) storage panel	
Storage Weight Capacity	20 lbs (9 kg) per storage panel			
Service Extension	10.6" (269 mm)			
Service Depth	12.6" (320 mm)			
Color	Black			
Certifications	UL 2442	AS3PM: UL 2442	UL 2442	AS3PL: UL 2442
		PD-715SC-NS-3: ETL		PD-715SC-NS-3: ETL


TEMPO PORTRAIT FLAT PANEL WALL MOUNT SYSTEM

AS3PM




TEMPO PORTRAIT FLAT PANEL WALL MOUNT SYSTEM

AS3PMP7




TEMPO PORTRAIT FLAT PANEL WALL MOUNT SYSTEM

AS3PL



TEMPO PORTRAIT FLAT PANEL WALL MOUNT SYSTEM

AS3PLP7



USA 866.977.3901 av.support@legrand.com
 CANADA 877.345.4329 av.support@legrand.com
 EMEA +31 495 580 840 av.emea.sales@legrand.com
 APAC +852 2145 4099 av.asia.sales@legrand.com

C2G | CHIEF | DA-LITE | LUXUL | MIDDLE ATLANTIC | VADDIO | WIREMOLD

CHIEF[®]
 A brand of **legrand**