



### Thermal Options

Configurations with active (fans) or passive (vents) cooling.




### Efficient Mounting

Lever Lock™ system compatible: mount small devices in unutilized spaces. Adaptable equipment mounting with threaded rail, cage nut rail or innovative adapter for both.



### Flexible Cabling

Versatile cable management and routing included. See pg. 3 for more details.



### Seismic Certified

Exceeds 1,000 lbs. seismic certified with anchors for concrete floors or seismic riser bases for raised floors, which are raised-floor ready.



# THE ENCLOSURE THAT CAN DO IT ALL

SNE SERIES



SEISMIC CERTIFIED

# THE ENCLOSURE THAT CAN DO IT ALL

## SNE SERIES

### For Digital, Hybrid, and Network Systems

The SNE Series is the most advanced rack enclosure available. Ideal for a wide range of applications including security, networking, datacomm, AV and broadcast.

19 available configurations fit your system type, wiring needs, cooling requirements and rack location.

## PRECONFIGURED WITH

Vented Front Door



SPLIT REAR DOOR:  
Vented, Solid, or  
Active ventilation



Flush Mount  
Side Panels



Lever Lock™  
Ready Brackets



150mm X 25mm  
Industry Standard  
Locks



Casters and  
Leveling Feet



## STEP 1

### CHOOSE YOUR REQUIREMENTS

#### HYBRID

Optimized for active ventilation: Ideal for systems utilizing digital and analog equipment and for use in equipment rooms.

#### DIGITAL



Optimized for passive ventilation: Ideal for systems utilizing digital (IP) equipment and for use in data centers.

#### NETWORKING

Designed for systems with dense cabling when utilizing network-patching equipment


## STEP 2

### SELECT YOUR THERMAL



## STEP 3

### ENHANCE WITH CABLE MANAGEMENT SOLUTIONS



PERSONALIZE YOUR ENCLOSURE



Modify or enhance an existing preconfiguration or build from the frame out for your application requirements.

OPEN FRAME ENCLOSURES

| 24" Wide SNE Series                     |                |    |               |                |            |             |
|-----------------------------------------|----------------|----|---------------|----------------|------------|-------------|
| Frame Only with 10-32 Threaded Rackrail | Part Number    | RU | Overall Depth | Rackrail Type  | Cooling    | Side Panels |
|                                         | SNE24F-2436    | 24 | 36"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE24F-2442    | 24 | 42"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE24F-4236    | 42 | 36"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE24F-4242    | 42 | 42"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE24F-4248    | 42 | 48"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE24F-4536    | 45 | 36"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE24F-4542    | 45 | 42"           | 10-32 Threaded | Open Frame | No          |
| Frame Only with Cage Nut Rackrail       | SNE24F-4548    | 45 | 48"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE24F-CN-2436 | 24 | 36"           | Cage Nut       | Open Frame | No          |
|                                         | SNE24F-CN-2442 | 24 | 42"           | Cage Nut       | Open Frame | No          |
|                                         | SNE24F-CN-4236 | 42 | 36"           | Cage Nut       | Open Frame | No          |
|                                         | SNE24F-CN-4242 | 42 | 42"           | Cage Nut       | Open Frame | No          |
|                                         | SNE24F-CN-4248 | 42 | 48"           | Cage Nut       | Open Frame | No          |
|                                         | SNE24F-CN-4536 | 45 | 36"           | Cage Nut       | Open Frame | No          |
|                                         | SNE24F-CN-4542 | 45 | 42"           | Cage Nut       | Open Frame | No          |
| 30" Wide SNE Series                     |                |    |               |                |            |             |
| Frame Only with 10-32 Threaded Rackrail | Part Number    | RU | Overall Depth | Rackrail Type  | Cooling    | Side Panels |
|                                         | SNE30F-4236    | 42 | 36"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE30F-4242    | 42 | 42"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE30F-4248    | 42 | 48"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE30F-4536    | 45 | 36"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE30F-4542    | 45 | 42"           | 10-32 Threaded | Open Frame | No          |
|                                         | SNE30F-4548    | 45 | 48"           | 10-32 Threaded | Open Frame | No          |
| Frame Only with Cage Nut Rackrail       | SNE30F-CN-4236 | 42 | 36"           | Cage Nut       | Open Frame | No          |
|                                         | SNE30F-CN-4242 | 42 | 42"           | Cage Nut       | Open Frame | No          |
|                                         | SNE30F-CN-4248 | 42 | 48"           | Cage Nut       | Open Frame | No          |
|                                         | SNE30F-CN-4536 | 45 | 36"           | Cage Nut       | Open Frame | No          |
|                                         | SNE30F-CN-4542 | 45 | 42"           | Cage Nut       | Open Frame | No          |
|                                         | SNE30F-CN-4548 | 45 | 48"           | Cage Nut       | Open Frame | No          |

THE ENCLOSURE THAT CAN DO IT ALL

|                  |                         | SNE24D-4242-P1           | SNE24D-4542-P1           | SNE24D-4548-P1           | SNE30N-4536                            |
|------------------|-------------------------|--------------------------|--------------------------|--------------------------|----------------------------------------|
| Size             | RU                      | 42                       | 45                       | 45                       | 45                                     |
|                  | Overall Depth           | 42"                      | 42"                      | 48"                      | 36"                                    |
|                  | Useable Depth           | 38.5"                    | 38.5"                    | 44.5"                    | 21.3"                                  |
|                  | Width                   | 24"                      | 24"                      | 24"                      | 30"                                    |
| Features         | Application(s)          | Data Centers, MDFs, etc. | Data Centers, MDFs, etc. | Data Centers, MDFs, etc. | Network Patching, Edge Computing, etc. |
|                  | Lever Lock Compatible   | Yes                      | Yes                      | Yes                      | Yes                                    |
| Included Options | Cooling                 | Passive (Front to Back)  | Passive (Front to Back)  | Passive (Front to Back)  | Passive (Open Sides and Front)         |
|                  | Rackrail                | Cage Nut (2 Pairs)       | Cage Nut (2 Pairs)       | Cage Nut (2 Pairs)       | 10-32 Threaded (2 Pairs)               |
|                  | Front Door              | 70% Vented               | 70% Vented               | 70% Vented               | N/A                                    |
|                  | Rear Door               | 70% Vented Split         | 70% Vented Split         | 70% Vented Split         | Solid Split                            |
|                  | Side Panels             | Flush Mount & Locking    | Flush Mount & Locking    | Flush Mount & Locking    | N/A                                    |
|                  | Top                     | Solid Top w/ Brush       | Solid Top w/ Brush       | Solid Top w/ Brush       | Solid Top w/ Brush                     |
|                  | Internal Cable Ducts    | No                       | No                       | No                       | Yes                                    |
|                  | Leveling Feet           | Yes                      | Yes                      | Yes                      | Yes                                    |
|                  | Casters                 | Yes                      | Yes                      | Yes                      | No                                     |
| Weight Capacity  | UL Weight Capacity      | 3,000 lbs.               | 3,000 lbs.               | 3,000 lbs.               | 3,000 lbs.                             |
|                  | Seismic Weight Capacity | 1,050 lbs.               | 1,050 lbs.               | 1,050 lbs.               | 1,050 lbs.                             |

MADE TO ORDER SNE ENCLOSURES


TOP SELLER

| 24" Wide SNE Series |                 |    |               |                |                                       |             |                                            |
|---------------------|-----------------|----|---------------|----------------|---------------------------------------|-------------|--------------------------------------------|
| Digital Systems     | Part Number     | RU | Overall Depth | Rackrail Type  | Cooling                               | Side Panels | Tech Spec                                  |
|                     | SNE24D-2436-P1  | 24 | 36"           | Cage Nut       | Passive Front to Back                 | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | SNE24D-2442-P1  | 24 | 42"           | Cage Nut       | Passive Front to Back                 | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | SNE24D-4236-P1  | 42 | 36"           | Cage Nut       | Passive Front to Back                 | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | SNE24D-4242-P1  | 42 | 42"           | Cage Nut       | Passive Front to Back                 | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | SNE24D-4248-P1  | 42 | 48"           | Cage Nut       | Passive Front to Back                 | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | SNE24D-4536-P1  | 45 | 36"           | Cage Nut       | Passive Front to Back                 | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | SNE24D-4542-P1  | 45 | 42"           | Cage Nut       | Passive Front to Back                 | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
| Hybrid Systems      | SNE24D-4548-P1  | 45 | 48"           | Cage Nut       | Passive Front to Back                 | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | Part Number     | RU | Overall Depth | Rackrail Type  | Cooling                               | Side Panels | Tech Spec                                  |
|                     | SNE24H-4536-A1  | 45 | 36"           | 10-32 Threaded | Active Front to Top w/ Fan Top        | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | SNE24H-4536-A2  | 45 | 36"           | 10-32 Threaded | Active Front to Back w/ Fan Rear Door | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | SNE24H-4542-A1  | 45 | 42"           | 10-32 Threaded | Active Front to Top w/ Fan Top        | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
| 30" Wide SNE Series | SNE24H-4542-A2  | 45 | 42"           | 10-32 Threaded | Active Front to Back w/ Fan Rear Door | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | Part Number     | RU | Overall Depth | Rackrail Type  | Cooling                               | Side Panels | Tech Spec                                  |
|                     | SNE30D-4536-P1  | 45 | 36"           | Cage Nut       | Passive Front to Back                 | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | SNE30D-4542-P1  | 45 | 42"           | Cage Nut       | Passive Front to Back                 | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
| Digital Systems     | SNE30D-4548-P1  | 45 | 48"           | Cage Nut       | Passive Front to Back                 | Yes         | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | Part Number     | RU | Overall Depth | Rackrail Type  | Cooling                               | Side Panels | Tech Spec                                  |
|                     | SNE30N-4536     | 45 | 36"           | 10-32 Threaded | Open Front and Sides                  | No          | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
| Networking Systems  | SNE30N-4536-LRD | 45 | 36"           | 10-32 Threaded | Open Frame                            | No          | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | SNE30N-4548     | 45 | 48"           | 10-32 Threaded | Open Front and Sides                  | No          | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |
|                     | SNE30N-4548-LRD | 45 | 48"           | 10-32 Threaded | Open Frame                            | No          | <a href="#">DOWNLOAD</a> <a href="#">↓</a> |

OPTIONS TO PERSONALIZE YOUR ENCLOSURE

| Options                                  | Height | Width | Fits           |                |                |                          |
|------------------------------------------|--------|-------|----------------|----------------|----------------|--------------------------|
|                                          |        |       | 36" Deep       | 42" Deep       | 48" Deep       | All Depths               |
| Cable Chase Lift-Off (Front & Back Only) | 42 RU  | All   | -              | -              | -              | SNE-CC-42FB              |
|                                          | 45 RU  |       | -              | -              | -              | SNE-CC-45FB              |
| Cable Chase Top Only                     | 42 RU  | All   | SNE-CC-36LT    | SNE-CC-42LT    | SNE-CC-48LT    | -                        |
|                                          | 45 RU  |       | SNE-CC-36LT    | SNE-CC-42LT    | SNE-CC-48LT    | -                        |
| Cable Chase for End Bay                  | 45 RU  | All   | SNE-CCE12-4536 | SNE-CCE12-4542 | SNE-CCE12-4548 | -                        |
| Internal Vertical Cable Duct with Covers | 42 RU  |       |                |                |                | SNE-42DUCT-4X6 (1 Piece) |
|                                          | 45 RU  |       |                |                |                | SNE-45DUCT-4X6 (1 Piece) |
| Top Cable Pass-Through Bracket           |        | All   | SNE-TCB-36     | SNE-TCB-42     | SNE-TCB-48     | -                        |
| Lever Lock™ Mounting Bracket             | All    | All   | LL-SNE-36BKT   | LL-SNE-42BKT   | LL-SNE-48BKT   | -                        |
| Lever Lock™ Accessories                  | All    | All   | -              | -              | -              | Vertical Angle           |
|                                          |        |       |                |                |                | LL-VA21                  |
| 6" Wide Vertical Wire Grid Lace          | 24 RU  | All   | -              | -              | -              | LACE-WB6-24              |
|                                          | 42 RU  |       | -              | -              | -              | LACE-WB6-42              |
|                                          | 45 RU  |       | -              | -              | -              | LACE-WB6-45              |
| Internal Vertical Cable Manager          | 24 RU  | All   | -              | -              | -              | SNE-IVCMF-24             |
|                                          | 42 RU  |       | -              | -              | -              | SNE-IVCMF-42             |
|                                          | 45 RU  |       | -              | -              | -              | SNE-IVCMF-45             |
| Forward Universal Vertical Power Bracket | 42 RU  | All   | -              | -              | -              | FWD-UVPB-42-45           |
| Seismic Anchoring Brackets               | All    | 24"   | -              | -              | -              | SNE24-Z4                 |
|                                          |        | 30"   | -              | -              | -              | SNE30-Z4                 |

SEE WEBSITE FOR  
ADDITIONAL OPTIONS

|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| Riser Bases                                                                       | Seismic Riser Bases                                                               | Raised Floor Angles                                                               | SNE Top Cable Bracket Series                                                      | SNE Bottom Plate                                                                  | SNE Internal Vertical Cable Management Duct Series                                  | Cable Chase Top Section                                                             | Lever Lock                                                                          |

LEGRAND | AV COMMERCIAL BRANDS  
C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

WHAT GREAT SYSTEMS ARE BUILT ON™ | [legrandav.com](https://legrandav.com)

USA 800.266.7225 [av.middleatlantic.support@legrand.com](mailto:av.middleatlantic.support@legrand.com) CANADA 888.766.9770 [av.middleatlantic.support@legrand.com](mailto:av.middleatlantic.support@legrand.com)  
EMEA +31 495 580 840 [av.emea.sales@legrand.com](mailto:av.emea.sales@legrand.com) APAC +852 2145 4099 [av.asia.sales@legrand.com](mailto:av.asia.sales@legrand.com)

©2024 Legrand AV Inc. 220793 96-01195 Rev A 7/24 Middle Atlantic is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.