



PLUS SERIES

Pro Essentials.

SLIM FLEXIBLE HDMI™ CABLE WITH LOW PROFILE CONNECTORS

C2G Plus Series Slim Flexible HDMI™ Cable with Low Profile Connectors supports all HDMI 2.0 features* and is perfect for home theater or desktop audio video applications requiring high speed HDMI features and video resolutions up to 4K (4096 x 2160 at 60hz, 4:4:4).

The ultra-slim cable construction and the low profile, compact connector design makes this cable an ideal fit for installations in tight spaces. The Ethernet capabilities of the cable allow a user to connect multiple Ethernet enabled HDMI devices through a single Ethernet connection for accessing interactive online content or updating device firmware. This fully-functional, high bandwidth cable is tested to perform at industry standards and is backed by a lifetime warranty.

*Note: C2G41398 supports HDMI 1.4 features, including resolutions up to 1080p @60Hz





PLUS SERIES

Pro Essentials.

SLIM FLEXIBLE HDMI™ CABLE WITH
LOW PROFILE CONNECTORS

FEATURES

- Supports all HDMI™ 2.0 features, including resolutions up to 4K (4096 x 2160) at 60Hz which means higher quality video for viewing your screen content
- Ultra-slim cable construction (36 AWG) and low profile connectors, designed for installations in tight spaces
- Supports 32 audio channels for an immersive audio experience
- Supports CEC extensions for control of consumer electronics devices through a single control point
- Gold plated connectors for increased electrical conductivity and enhanced durability
- Backed by a Lifetime Warranty for peace of mind

*Note: C2G41398 supports HDMI 1.4 features, including resolutions up to 1080p @60Hz

PLUS SERIES SLIM FLEXIBLE HDMI CABLE WITH LOW PROFILE CONNECTORS	
41361	1ft (0.3m) C2G Plus Series Slim Flexible HDMI Cable with Low Profile Connectors – 4K 60Hz
41362	2ft (0.6m) C2G Plus Series Slim Flexible HDMI Cable with Low Profile Connectors – 4K 60Hz
41363	3ft (0.9m) C2G Plus Series Slim Flexible HDMI Cable with Low Profile Connectors – 4K 60Hz
41364	6ft (1.8m) C2G Plus Series Slim Flexible HDMI Cable with Low Profile Connectors – 4K 60Hz



PLUS SERIES

Pro Essentials.

SLIM FLEXIBLE HDMI™ CABLE WITH
LOW PROFILE CONNECTORS

SIGNAL SPECIFICATIONS	Supports HDMI 2.0 Resolutions up to 4K 60Hz, 4:4:4, 18Gbps C2G41398 Only – HDMI 1.4 features, 1080p @60Hz, 10.2Gbps	
	Supports Full HD Blu-ray Disc and HD DVD Video	
	Supports 3D Video, DVD Audio, Super Audio CD (DSD)	
	Dolby® True HD, DTS-HD Master Audio Bitstream Capable	
	Audio Return Channel (ARC)	
	Ethernet Channel	100 Mbit/s
	Consumer Electronic Control (CEC)	
ELECTRICAL SPECIFICATIONS	Voltage Rating	30V
	Temp Rating	80°C
	Conductor Resistance	at 20°C Max, 36AWG:1598Ω/km
	Insulation Resistance	10MΩ/km Min at 20°C DC 500V
	Dielectric Strength	AC500V/1 Minute No Breakdown
	Impedance	Pairs (Differential Mode) 100±10Ω
PHYSICAL SPECIFICATIONS	Operating Temperature	-20°C to 80°C
	Storage Temperature	-20°C to 80°C
PHYSICAL CHARACTERISTICS	Tensile Strength	Unaged: 1500PSI min; Aged: 70% min
	Elongation	Unaged: 100% min; Aged: 65% mi
	Deformation Test	Max 50%
	Jacket Ratings	VW-1
	Shield Type	AL Foil Wrap
	Cable Diameter	3.6mm
	Minimum Bend Radius	R25.4mm
	Connector	P1 & P2: HDMI 19 Pin Male: Solder Type, Contacts: Brass, Gold Flash, Housing: LCP, Black, Shell: Gold Plating
	All Hood	Molded Black (Pantone/Black 6C) PVC
	Product is CE Marked and Conforms to 2011/65/EU ROHS 2	




PLUS SERIES

Pro Essentials.

SLIM FLEXIBLE HDMI™ CABLE WITH
LOW PROFILE CONNECTORS

Technical Drawing



LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

SIMPLIFIED CONNECTIVITY

USA 800.506.9607 | legrandav.com | customer-service@c2g.com

EMEA +31 495 580 840 | legrandav.com | c2g.emea@av.legrand.com

©2023-24 Legrand AV Inc. 240104 Rev B 10/24 C2G is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.