

HDMI® CONNECTIVITY

Performance Series HDMI® Cables	4
Plus Series HDMI® Cables	5
HDBaset™ and HDMI® Extender Solutions	6

USB-C® CONNECTIVITY

USB-C [®] Cables	6 - 7
USB Docking Stations / Adapters	8 - 9
USB Extension Solutions	10 - 11

NETWORK CABLING

Bulk Category Cables	12
Cat6 Category Patch Cables	l 13



When failure isn't an option, choose C2G Performance Series HDMI® Cables for total reliability.

Designed for dependable performance, these cables feature integrated finger grips for easy handling and a gripping connector that offers twice the retention strength, ensuring a secure, long-lasting connection.

All cables are CMG rated for in-wall installations, with some featuring a compact connector design that makes them ideal for tight spaces. All of this makes these cables the go-to choice for high-performance, long-lasting AV setups.

PERFORMANCE SERIES

Ultra Flexible High Speed HDMI® Cable with Ethernet

Designed for versatility, these HDMI cables are ideal for everything from computer and AV furniture connections to in-wall installations, delivering high-speed performance and crystal-clear 4K video at 60Hz, all backed by a lifetime warranty.

Part #	Length
C2G10373	1ft/0.3m
C2G10374	1.5ft/0.5m
C2G10375	2ft/0.6m
C2G10376	3ft/0.9m
C2G10377	6ft/1.8m
C2G10378	10ft/3m
C2G10399	12ft/3.6M
C2G10400	15ft/4.5M
C2G10401	20ft/6.1M
C2G10402	25ft/7.6M



PERFORMANCE SERIES

Ultra Flexible Active High Speed HDMI® Cable with Ethernet


These cables boost the signal to support longer distances without losing quality. They're directional and work only one way, with clearly labeled "source" and "display" connectors—plus a handy tag on the source end for easy installation. Supporting resolutions up to 4K at 60Hz, each cable is tested to meet industry standards and includes a five-year warranty for added peace of mind.

Part #	Length
C2G10379	12ft/3.6M
C2G10380	15ft/4.5m
C2G10381	20ft/6.1m
C2G10382	25ft/7.6m
C2G10383	35ft/10.7m
C2G10384	50ft/15.2m
C2G10385*	75ft/22.8m
C2G10386*	100ft/30.5m



^{*}The 75 ft (22.8 m) and 100 ft (30.5 m) cables support 4K resolution at 30Hz.





PLUS SERIES

Slim Flexible High Speed HDMI® Cable with Ethernet

The Slim Flexible High Speed HDMI® Cables with Low-Profile Connectors are the perfect choice for home theaters, desktop AV setups, and AV racks that demand high-speed performance and 4K video support. The slim cable diameter and compact connector design make them ideal for tight, space-constrained installation, and backed by a 5-year warranty.

Part #	Length
CG41361	1ft/0.3M
CG41362	2ft/0.6M
CG41363	3ft/0.9M
CG41364	6ft/1.8M
C2G41398*	10ft/3M



*C2G41398 is a Standard HDMI cable that supports up to 1080p at 60Hz

PLUS SERIES

Slim Flexible Active High Speed HDMI® Cable with Ethernet

These cables are perfect for connecting multimedia devices in desktop or commercial AV setups that need high-speed HDMI features. The jacket is rated for safe in-wall use, making it ideal for clean, professional installation, and backed by a 5-year warranty.

Part #	Length
CG41412	15ft/4.5m
CG41413	25ft /7.6m
CG41414	35ft /10.7m
CG41415	50Ft /15.2m
CG41368	75ft /22.9m
CG41369	100ft /30.5m



HDBASET™/HDMI® EXTENDER SOLUTIONS

C2G's HDBaseT™ and HDMI® extender kits offer flexibility & reliable performance in residential setups. These extenders enable long-range signal transmission without sacrificing quality or introducing latency, making them easy to install and use in setup such as home theater systems.



HDBASET™ AND HDMI® EXTENDERS

Part #	Description	Using Cat6a Cable	Using Cat5e/Cat6 Cable
C2G30010	HDMI® HDBaseT Extender over Cat Box Transmitter to Box Receiver - 4K 60Hz	4K at 60Hz (4:2:0) up to 130ft 1080p at 60Hz up to 230ft	4K at 60Hz (4:2:0) up to 115ft 1080p at 60Hz up to 200ft
C2G30025	HDMI® HDBaseT + RS232 and IR over Cat Extender Single Gang Wall Plate Transmitter to Ultra-Slim Box Receiver - 4K 60Hz	4K at 60Hz (4:2:0) up to 130ft 1080p at 60Hz up to 230ft	4K at 60Hz (4:2:0) up to 115ft 1080p at 60Hz up to 200ft
C2G31029	HDMI® HDBaseT + USB-C® Data and Video Over Cat Extender Wall Plate Transmitter to Box Receiver – 4k	4K at 60Hz (4:2:0) up to 130ft (HDMI) 4K@30Hz up to 130ft (USB-C DP-Alt Mode) 1080p at 60Hz up to 230ft (HDMI)	4K at 60Hz (4:2:0) up to 115ft 4K@30Hz up to 115ft (USB-C DP-Alt Mode) 1080p at 60Hz up to 200ft
C2G31030	HDMI® HDBaseT + USB-B to A and RS232 Over Cat Extender Single Gang Wall Plate Transmitter to Box Receiver - 4K 60Hz	4K at 60Hz (4:2:0) up to 130ft 1080p at 60Hz up to 230ft	4K at 60Hz (4:2:0) up to 115ft 1080p at 60Hz up to 200ft
C2G60220	HDMI over Cat Extender Box Transmitter to Box Receiver - 4K 60Hz	4K at 60Hz (4:4:4) up to 115ft	4K at 30Hz (4:4:4) up to 131ft 1080p at 60Hz up to 164ft



Not all USB-C[®] cables are created equal, so C2G offers the right cable for every job.

From fast charging to high-speed data transfer and 8K video resolution, our wide selection of USB cables supports a variety of applications and devices.

Choose from multiple USB versions, all backward compatible to ensure seamless performance. For advanced connectivity, our Thunderbolt™ 4 cables deliver ultra-fast speeds and support advanced video setups.

USB4® CABLES

Part #	Description
C2G28877	2.5ft (0.8m) USB4® C/C Cable (20V 5A)-40Gbps
C2G28878	3.3ft (1m) USB4° C/C Cable (20V 5A)-40Gbps




USB 3.2 GEN1 CABLES

Part #	Description
CG28831	3ft/0.9m USB 3.2 Gen1 SuperSpeed C/A Cable - 5Gbps
CG28832	6ft/1.8m USB 3.2 Gen1 SuperSpeed C/A Cable - 5Gbps
CG28833	10ft/3m SuperSpeed USB 3.2 Gen1 C/A Cable - 5Gbps










USB 2.0 CABLES

Part #	Description
CG29141	6.6ft/2m Ultima™ USB 2.0 A/B Cable
CG29144	16.4 ft/5m Ultima™ USB 2.0 A/B Cable
CG28825	3ft/0.9m USB 2.0 C/C Cable (3A)
CG28826	6ft/1.8m USB 2.0 C/C Cable (3A)
CG28827	3ft/0.9m USB 2.0 C/C Cable (3A)
CG28828	6ft/1.8m USB 2.0 C/C Cable (3A)
CG28870	3ft/0.9m USB 2.0 C/A Cable
CG28871	6ft/1.8m USB 2.0 C/A Cable
CG28872	10ft/3m USB 2.0 C/A Cable



Part #	Description	
C2G28886	2.5ft (0.8m) Thunderbolt 4 USB-C Cable (40Gbps)	
C2G28887	6ft (2m) Thunderbolt 4 USB-C Active Cable (40Gbps)	





DOCKING STATIONS



Part #	Number of Displays	Description
C2G54551	Single	USB-C® 4.0 6-in-1 Mini Docking Station 85W- 8K 60HZ
C2G54541	Single	USB-C* 6-in-1 KVM Mini Docking Station 85W- 8K 60HZ
CG28845	Single	USB-C® 6-in-1 Mini Docking Station 60W - 4K 30Hz
C2G54543	Dual	USB-C* 7-in-1 Dual Display MST Docking Station 100W - 4K 60Hz
C2G54487	Dual	USB-C* 9-in-1 Dual Display Docking Station 60W - 4K 30Hz (Power Supply Included)
C2G54488	Dual	USB-C* 9-in-1 Dual Display Docking Station 60W - 4K 30Hz
C2G54542	Triple	USB-C* 10-in-1 Triple Display Docking Station 100W - 4K 30Hz
C2G54535	Triple	USB-C* 12-in-1 Triple Display Docking Station 85W - 4K 60Hz



C2G54543



ADAPTERS AND HUBS

Part #	Туре	Description
C2G26933		USB-C® to DisplayPort™ Adapter Converter - 4K 60Hz - Black
C2G26934		USB-C® to DisplayPort™ Adapter Converter - 4K 60Hz - White
C2G26935		USB-C* to HDMI* Audio/Video Adapter Converter - 4K 60Hz - Black
C2G26936		USB-C® to HDMI® Audio/Video Adapter Converter - 4K 60Hz - White
C2G54550		USB-C° to HDMI° Video Adapter - 8K 60Hz
CG29481		USB-C® to DisplayPort™ Adapter Converter - 4K 30Hz - White
CG29482		USB-C® to DisplayPort™ Adapter Converter - 4K 30Hz - Black
CG29826		USB-C* to Ethernet Network Adapter Converter
CG54427		USB-C* Female to USB-A Male SuperSpeed USB 5Gbps Adapter Converter
C2G54443	Adapter	USB-C® Power Adapter - 30W
C2G54459	Ada	USB-C® to HDMI® Adapter Converter - 4K 60Hz
CG29474		USB-C* to HDMI Audio/Video Adapter Converter - 4K 30Hz - Black
CG54426		USB-C* to AUX (3.5mm) Adapter Converter
CG54438		USB-C* to AUX Multiport Adapter (3.5mm) with Power Delivery up to 100W
CG26886		1.5 ft USB to DB9 Serial RS232 Adapter Cable
CG26888		3ft (0.9m) USB-C* to HDMI* Audio/Video Adapter Cable - 4K 60Hz
CG26889		6ft (1.8m) USB-C* to HDMI* Audio/Video Adapter Cable - 4K 60Hz
CG26896		10ft (3m) USB-C® to HDMI® Audio/Video Adapter Cable - 4K 30Hz
CG26890		15ft (4.6m) USB-C° to HDMI° Audio/Video Adapter Cable - 4K 30Hz
C2G29515		USB-C® Male to USB-A Female Adapter Converter - USB 3.2 Gen 1 (5Gbps)
C2G54540		USB-C° to Dual HDMI° MST Hub - 4K
C2G54461		4-Port USB-A 3.0 Hub - SuperSpeed USB 5Gbps
CG26914	_	USB-C* Hub with USB-A, USB-C and Power Delivery up to 100W
CG29747	Hubs	USB-C* to Ethernet Adapter with 3-Port USB Hub - Black
C2G29828		USB-C* to HDMI*, VGA, USB-A, and RJ45 Multiport Adapter - 4K 30Hz - Black
C2G29829]	USB-C* to HDMI*, VGA, USB-A, and RJ45 Multiport Adapter - 4K 30Hz - White
CG26914		USB-C* Hub with USB-A, USB-C and Power Delivery up to 100W



C2G26933



C2G54443



C2G29515



C2G USB extenders ensure dependable USB signal transmission over long distances—up to 328ft (100m)—using just a single Category cable, with no signal loss.

Ideal for connecting USB cameras, printers, and other USB devices across various environments like home offices, smart home systems, small businesses, and meeting space setups.

With flexible configuration options, these extenders are easy to scale, and seamlessly integrate into any existing AV or IT setup.

SUPERBOOSTER® USB 3.2 GEN 1 EXTENDERS

C2G's new Superbooster® USB 3.2 Gen 1 Extenders make it easy to extend high-bandwidth USB data signals up to 5 Gbps at distance up to 328ft (100m) with reliable performance you can trust. Whether you're working with large files, extending a 4K USB camera, or running data-intensive devices, these extenders ensure quick, reliable performance across long distances. Perfect for work-from-home setups, media servers, or small business environments.

Built with a new, cost-effective chipset, these extenders have been tested with 4K cameras, solid-state drives, and other high-speed USB devices—delivering dependable performance at a better value than typical USB 3.2 solutions.


Part #	Description
C2G54262	Superbooster 2x4 USB Over Cat6a Extender Switch - USB 3.2 Gen1 (5Gbps)
C2G54265	Superbooster® 4-Port USB over Cat6a Extender Kit - USB 3.2 Gen1 (5Gbps)
C2G54266	Superbooster 1-Port USB over Cat6a Box to Box Extender Kit - USB 3.2 Gen1 (5Gbps)
C2G54267	Superbooster 1-Port USB over Cat6a Wall Plate to Box Extender Kit - USB 3.2 Gen1 (5Gbps)
C2G54268	Superbooster 1-Port USB over Cat6a Wall Plate to Wall Plate Extender Kit - USB 3.2 Gen1 (5Gbps)
C2G54269	Superbooster 1-Port USB over Cat6a Wall Plate to 4-Port USB-Box Extender Kit - USB 3.2 Gen1 (5Gbps)



C2G54265







SUPERBOOSTER® USB CAMERA EXTENDERS

C2G's Superbooster® USB Camera Extenders provide reliable USB data transmission, extending 1080p camera signals or other USB data up to 150ft (45.7m) with zero signal loss. They're ideal for simple USB data extension at home or in small office spaces where distance is shorter but performance still matters.

Use this extender with webcams or other USB devices when you need clear, stable USB data over a shorter cable run—perfect for home offices or resimercial meeting rooms.

Part #	Description
C2G54275	Superbooster USB Camera Extender Over Cat Single Gang Wall Plate to Single Gang Wall Plate Kit
C2G54276	Superbooster USB Camera Extender Over Cat Single Gang Wall Plate to Box Kit
C2G54277	Superbooster USB Camera Extender Over Cat Box to Box Kit




USB SWITCHES

For switching between two USB-C sources and two USB-C or USB-A devices, this device supports automatic switching when a new source is detected, or manual switching via the front panel button or remote control system. It supports USB 3.2 Gen 1 with data transfer rates up to 5 Gbps.


Part #	Description
C2G54263	2x4 USB-C* Switch With 2 USB-C Inputs To 2 USB-C and 2 USB-A Device Ports - USB 3.2 Gent (5GBPS)



C2G54263







CAT6 SNAGLESS UNSHIELDED ETHERNET NETWORK PATCH CABLE

Made with high-quality copper for long-lasting performance, these cables are designed for durability and reliability. The molded, snagless boot prevents snags during installation and provides added strain relief. Choose from a variety of colors to easily organize and color-code your network.

Length / Color	GRAY	BLUE	BLACK	GREEN	RED	YELLOW	ORANGE	PURPLE	WHITE	PINK
6in	CG00951	CG00952	CG00953	CG00954	CG00955	CG00956	CG00957	CG00958	CG00959	CG00960
1ft	CG27130	CG27140	CG27150	CG27170	CG27180	CG27190	CG27810	CG27800	CG27160	CG04043
2ft	CG03965	CG03973	CG03981	CG03989	CG03998	CG04007	CG04016	CG04025	CG04034	CG04044
3ft	CG27131	CG27141	CG27151	CG27171	CG27181	CG27191	CG27811	CG27801	CG27161	CG04045
4ft	CG03966	CG03974	CG03982	CG03990	CG03999	CG04008	CG04017	_	CG04035	CG04046
5ft	CG31340	CG31341	CG31342	CG31344	CG31345	CG31346	CG31348	CG31347	CG31343	CG04047
6ft	CG03967	CG03975	CG03983	CG03991	CG04000	CG04009	CG04018	CG04027	CG04036	CG04048
7ft	CG27132	CG27142	CG27152	CG27172	CG27182	CG27192	CG27812	CG27802	CG27162	CG04049
8ft	CG03968	CG03976	CG03984	CG03992	CG04001	CG04010	CG04019	CG04028	CG04037	CG04050
9ft	CG03969	CG03977	CG03985	CG03993	CG04002	CG04011	CG04020	CG04029	CG04038	CG04051
10ft	CG27133	CG27143	CG27153	CG27173	CG27183	CG27193	CG27813	CG27803	CG27163	CG04052
12ft	CG03970	CG03978	CG03986	CG03994	CG04003	CG04012	CG04021	CG04030	CG04039	CG04053
14ft	CG27134	CG27144	CG27154	CG27174	CG27184	CG27194	CG27814	CG27804	CG27164	CG04054
15ft	CG22016	CG22015	CG22014	CG03995	CG04004	CG04013	CG04022	CG04031	CG04040	CG04055
20ft	CG03971	CG03979	CG03987	CG03996	CG04005	CG04014	CG04023	CG04032	CG04041	CG04056
25ft	CG27135	CG27145	CG27155	CG27175	CG27185	CG27195	CG27815	CG27805	CG27165	CG04057
30ft	CG03972	CG03980	CG03988	CG03997	CG04006	CG04015	CG04024	CG04033	CG04042	CG04058
35ft	CG31350	CG31351	CG31352	CG31354	CG31355	CG31356	CG31358	CG31357	CG31353	CG04059
50ft	CG27136	CG27146	CG27156	CG27176	CG27186	CG27196	CG27816	CG27806	CG27166	CG04060
75ft	CG31360	CG31361	CG31362	CG31364	CG31365	CG31366	CG31368	CG31367	CG31363	CG04061
100ft	CG27137	CG27147	CG27157	CG27177	CG27187	CG27197	CG27817	CG27807	CG27167	CG04062
125ft	CG27138	CG27148	CG27158	CG27178	CG27188	CG27198	CG27818	CG27808	CG27168	<u> </u>
150ft	CG27139	CG27149	CG27159	CG27179	CG27189	CG27199	CG27819	CG27809	CG27169	CG04063

CAT6 SNAGLESS UNSHIELDED SLIM ETHERNET NETWORK PATCH CABLE

Smart design meets high performance—perfect for space-saving, high-speed networking.

This Snagless Slim Patch Cable is thin, tangle-free, and purpose-built for high-density setups, making it the ideal choice for crowded network environments like racks, server rooms, or even compact home setups. Its slim diameter is 36% thinner than standard Cat6 cables, allowing for easier cable management and improved airflow to enhance cooling and overall system performance.

	1									
Length / Color	GRAY	BLUE	BLACK	GREEN	RED	YELLOW	ORANGE	PURPLE	WHITE	PINK
6in	CG01084	CG01071	CG01097	C2G02220	_	C2G02241	_	_	C2G02235	_
8in	_	C2G02212	C2G02206	_	_	_	_	_	_	_
1ft	CG01085	CG01072	CG01098	CG01160	CG01165	CG01170	CG01175	CG01180	CG01185	CG01190
1.5ft	CG01086	CG01073	CG01099	C2G02221	_	C2G02242	_	_	C2G02236	_
2ft	CG01087	CG01074	CG01100	C2G02222	_	C2G02243	_	_	C2G02237	_
3ft	CG01089	CG01076	CG01102	CG01161	CG01166	CG01171	CG01176	CG01181	CG01186	CG01191
4ft	CG01090	CG01077	CG01103	C2G02223	C2G02232	C2G02244	C2G02226	C2G02229	C2G02238	_
5ft	CG01091	CG01078	CG01104	CG01162	CG01167	CG01172	CG01177	CG01182	CG01187	CG01192
6ft	CG01092	CG01079	CG01105	_	_	_	_	_	_	_
7ft	CG01093	CG01080	CG01106	CG01163	CG01168	CG01173	CG01178	CG01183	CG01188	CG01193
8ft	_	CG01081	CG01107	_	_	_	_	_	_	_
10ft	CG01096	CG01083	CG01109	CG01164	CG01169	CG01174	CG01179	CG01184	CG01189	CG01194
12ft	_	C2G02213	C2G02207	_	_	_	_	_	_	_
14ft	_	C2G02214	C2G02208	_	_	_	_	_	_	_
15ft	C2G02218	C2G02215	C2G02209	C2G02224	C2G02233	C2G02245	C2G02227	C2G02230	C2G02239	_
20ft	_	C2G02216	C2G02210	_	_	_	_	_	_	_
25ft	C2G02219	C2G02217	C2G02211	C2G02225	C2G02234	C2G02246	C2G02228	C2G02231	C2G02240	_



facebook.com/LegrandAV





linkedin.com/company/legrand-av

More C2G solutions are available at www.legrandav.com/products/c2g

USA 866.977.3901 av.support@legrand.com CANADA 877.345.4329 av.support@legrand.com EMEA +31 495 580 840 av.emea.sales@legrand.com APAC +852 2145 4099 av.asia.sales@legrand.com

