

HANSER

Engineering Biopolymers: Homopolymers, Blends, and Composites

Herausgegeben von Stoyko Fakirov, Debes Bhattacharya

ISBN-10: 3-446-40591-7

ISBN-13: 978-3-446-40591-2

Inhaltsverzeichnis

Weitere Informationen oder Bestellungen unter
<http://www.hanser.de/978-3-446-40591-2>
sowie im Buchhandel

Contents

PART I INTRODUCTION

Chapter 1 Characterization of Natural Fibers

K. G. Satyanarayana, F. Wypych

| | | |
|--------|-----------------------------------|----|
| 1.1. | Introduction | 3 |
| 1.2. | Methods of characterization | 5 |
| 1.2.1. | Chemical aspects | 5 |
| 1.2.2. | Physical properties | 7 |
| 1.2.3. | Textile properties | 10 |
| 1.2.4. | Mechanical properties | 11 |
| 1.2.5. | Structural aspects | 13 |
| 1.3. | Theoretical aspects | 13 |
| 1.3.1. | Structural aspects | 13 |
| 1.3.2. | Mechanical properties | 15 |
| 1.3.3. | Weibull analysis | 17 |
| 1.4. | Experimental results | 18 |
| 1.4.1. | Chemical aspects | 18 |
| 1.4.2. | Physical properties | 20 |
| 1.4.3. | Mechanical properties | 30 |
| 1.5. | Structural aspects | 36 |
| 1.6. | Concluding remarks | 41 |
| | Acknowledgements | 41 |
| | References | 42 |
| | Appendix | 47 |

Chapter 2 Surface Modification of Natural Fibers: Chemical Aspects

E. Maréchal

| | | |
|------|-------------------------|----|
| 2.1. | Introduction | 49 |
| 2.2. | Surface treatment | 49 |

| | | |
|---------|---|----|
| 2.3. | Specific characteristics of the chemistry of solid surfaces | 50 |
| 2.4. | Control of the chemical changes | 51 |
| 2.5. | Structural analysis of the fiber surfaces and their modifications | 51 |
| 2.5.1. | Infrared spectroscopy | 52 |
| 2.5.2. | UV spectroscopy | 53 |
| 2.5.3. | X-ray electron spectroscopy | 53 |
| 2.5.4. | Scanning electron microscopy | 54 |
| 2.5.5. | Time-of-flight secondary ion mass spectroscopy | 54 |
| 2.5.6. | Wide-angle X-ray spectroscopy | 55 |
| 2.5.7. | Thermoanalytical techniques | 55 |
| 2.5.8. | Inverse gas chromatography | 55 |
| 2.5.9. | Contact angle measurements | 56 |
| 2.5.10. | Mechanical analyses | 56 |
| 2.6. | Chemical processes | 58 |
| 2.6.1. | Reactions involved in the surface modification of natural fibers .. | 58 |
| 2.6.2. | Treatment by alkaline bases | 60 |
| 2.6.3. | Acylation | 60 |
| 2.6.4. | Etherification | 62 |
| 2.6.5. | Amidation | 62 |
| 2.6.6. | Isocyanation | 63 |
| 2.6.7. | Quaternization | 63 |
| 2.6.8. | Silanization | 64 |
| 2.6.9. | Grafting | 65 |
| 2.7. | General comments and conclusions | 70 |
| | References | 72 |

PART II POLYSACCHARIDE-BASED MATERIALS

Chapter 3 Starch for Injection Molding Purposes

T. Czigány, G. Romhány, J. G. Kovács

| | | |
|--------|---|----|
| 3.1. | Introduction | 81 |
| 3.2. | Processing of starch | 82 |
| 3.2.1. | Structure of starch | 82 |
| 3.2.2. | Plasticization of starch | 83 |
| 3.2.3. | Injection molding of thermoplastic starch | 89 |
| 3.2.4. | Modification of thermoplastic starch properties | 91 |
| 3.2.5. | Injection molding of thermoplastic starch for special applications | 94 |
| 3.3. | Manufacturing and characterization of injection molded starch | 96 |
| 3.3.1. | Materials and techniques | 96 |
| 3.3.2. | Measurement results | 98 |
| 3.3.3. | Injection molding simulation of thermoplastic starch | 98 |

| | |
|------------------------------------|-----|
| 3.4. Conclusions and outlook | 106 |
| Acknowledgements | 106 |
| References | 106 |

Chapter 4**Plastics Filled with Tropical Starches:
Mechanical Properties and Degradation
Behavior**

Z. A. Mohd Ishak, R. Taib, U. S. Ishiaku

| | |
|--|-----|
| 4.1. Introduction | 109 |
| 4.1.1. Plastics, utilization and environmental impact | 109 |
| 4.1.2. Degradable plastics, utilizations and challenges | 110 |
| 4.1.3. Starch-filled plastics | 111 |
| 4.1.4. Starch, availability, composition, structure, properties, and modification | 112 |
| 4.2. Research and development of tropical starch-filled plastics | 115 |
| 4.2.1. Mechanical properties | 115 |
| 4.2.2. Water uptake | 119 |
| 4.2.3. Enzymatic degradation | 126 |
| 4.2.4. Thermo-oxidative aging | 134 |
| 4.2.5. Natural weathering | 138 |
| 4.2.6. Soil burial | 142 |
| 4.2.7. Modeling and theoretical predictions of tensile properties | 144 |
| 4.3. Conclusions and future trends | 148 |
| Acknowledgements | 149 |
| References | 149 |

Chapter 5**Starch-Urethane Polymers: Physicochemical
Aspects, Properties, Application**

T. Spychaj, K. Wilpiszewska, S. Spyчaj

| | |
|--|-----|
| 5.1. Starch as a biorenewable polymer feedstock | 155 |
| 5.2. Starch-urethane polymers <i>via</i> derivatization of hydroxyl groups | 158 |
| 5.3. Starch/polyurethane blends | 163 |
| 5.4. Chemical incorporation of starch into biodegradable polymers <i>via</i> urethane bonds | 173 |
| 5.5. Starch/polyurethane foams | 179 |
| 5.6. Conclusions | 186 |
| References | 187 |

**Chapter 6 Plant-Based Reinforcements for Thermosets:
Matrices, Processing, and Properties**

M. I. Aranguren, M. M. Reboredo

| | |
|---|-----|
| 6.1. Introduction | 193 |
| 6.2. Resins | 194 |
| 6.2.1. Phenolic resins | 194 |
| 6.2.2. Epoxy resins | 196 |
| 6.2.3. Unsaturated polyester resins | 197 |
| 6.2.4. Vinyl ester resins | 197 |
| 6.2.5. Plant-based resins | 198 |
| 6.3. Processing methods | 198 |
| 6.4. Composite properties | 202 |
| 6.4.1. Particulate- and short fiber-reinforced composites | 206 |
| 6.4.2. “Long” fiber-reinforced composites | 210 |
| 6.4.3. Hybrid composites | 212 |
| 6.5. Effect of humidity on the materials properties | 213 |
| 6.6. Microbiological degradation | 216 |
| 6.7. Conclusions | 218 |
| References | 218 |

**Chapter 7 Pultrusion of Flax-Polypropylene
Composite Profiles**

K. Friedrich, M. Evstatiev, I. Angelov, G. Mennig

| | |
|---|-----|
| 7.1. Introduction | 223 |
| 7.2. Materials, manufacturing process, characterization | 226 |
| 7.3. Processing window and properties | 228 |
| 7.4. Conclusions | 235 |
| Acknowledgements | 235 |
| References | 235 |

**Chapter 8 Natural and Man-Made Cellulose
Fiber-Reinforced Composites**

K. P. Mieck, T. Reußmann, A. Nechwatal

| | |
|--|-----|
| 8.1. Introduction | 237 |
| 8.2. Opening of cellulose natural fibers and manufacture of cellulose man-made fibers | 237 |
| 8.2.1. Natural fibers | 237 |
| 8.2.2. Cellulose man-made fibers | 239 |

| | | |
|--------|--|-----|
| 8.3. | Measurement of the fiber properties | 240 |
| 8.3.1. | The stress-strain test | 240 |
| 8.3.2. | Stress-strain behavior of natural fibers | 243 |
| 8.4. | Properties | 247 |
| 8.4.1. | Natural fibers | 247 |
| 8.4.2. | Man-made cellulose fibers | 249 |
| 8.5. | Composite properties | 251 |
| 8.5.1. | Natural fiber composites | 251 |
| 8.5.2. | Man-made cellulose fiber-reinforced composites | 255 |
| 8.6. | Influencing the composite properties | 256 |
| 8.6.1. | Fiber/matrix adhesion | 256 |
| 8.6.2. | Impact strength | 259 |
| 8.6.3. | Calculation of the notched impact strength | 262 |
| 8.7. | Conclusions and outlook | 265 |
| | References | 265 |

Chapter 9 Processing of Natural and Man-Made Cellulose Fiber-Reinforced Composites

K. P. Mieck, R. Lützkendorf, T. Reußmann

| | | |
|--------|---|-----|
| 9.1. | Introduction | 267 |
| 9.2. | Design of natural and man-made cellulose fibers | 267 |
| 9.3. | Processing techniques for thermoplastic natural fiber and cellulose man-made fiber composites | 269 |
| 9.3.1. | Compression molding and extrusion-compression molding | 270 |
| 9.3.2. | Injection molding | 273 |
| 9.3.3. | Plasticization-compression molding | 277 |
| 9.4. | Processing technology and fiber/matrix adhesion | 279 |
| 9.5. | Composite properties and processing technology | 280 |
| 9.6. | Conclusions and outlook | 283 |
| | References | 284 |

Chapter 10 Coir and Hemp Fiber-Reinforced Polymer Composites

M. J. John, K. N. Indira, V. G. Geethamma, J. Shaji,
S. Thomas

| | | |
|---------|--------------------|-----|
| 10.1. | Introduction | 285 |
| 10.2. | Coir fiber | 286 |
| 10.2.1. | Brown fiber | 287 |
| 10.2.2. | White fiber | 287 |
| 10.3. | Hemp fiber | 288 |

| | |
|---|-----|
| 10.4. Coir and hemp fiber-reinforced composites | 290 |
| 10.4.1. Commonly used processing techniques | 290 |
| 10.4.2. Mechanical properties | 291 |
| 10.4.3. Chemical modification and interfacial characterization of composites | 293 |
| 10.5. Applications | 303 |
| 10.5.1. Coir fiber | 303 |
| 10.5.2. Hemp fiber | 304 |
| References | 307 |

Chapter 11 Fracture and Failure Behavior of Jute-Reinforced Polymer Composites

C. Bernal, B. Lauke

| | |
|--|-----|
| 11.1. Introduction | 311 |
| 11.2. Jute fibers | 312 |
| 11.2.1. Structure..... | 312 |
| 11.2.2. Properties | 315 |
| 11.3. Jute-reinforced polymer composites | 317 |
| 11.3.1. Thermosetting matrices | 317 |
| 11.3.2. Thermoplastic matrices | 326 |
| 11.4. Concluding remarks | 330 |
| References | 331 |

Chapter 12 Fracture-Mechanical Properties of Sisal Fiber Composites

Y. Li, Y.-W. Mai

| | |
|--|-----|
| 12.1. Introduction | 335 |
| 12.2. Overview of sisal fiber and its composites | 337 |
| 12.2.1. Properties of sisal fiber | 337 |
| 12.2.2. Choice of matrices | 338 |
| 12.2.3. Interface modification methods | 339 |
| 12.2.4. Manufacturing techniques and permeability | 343 |
| 12.3. Fracture and mechanical properties | 346 |
| 12.3.1. Effects of fiber loading, length, and orientation | 347 |
| 12.3.2. Effects of interface treatments | 349 |
| 12.3.3. Effect of the processing and manufacturing techniques on the fracture-mechanical properties | 363 |
| 12.3.4. Effect of environmental degradation on the fracture and mechanical properties | 366 |
| 12.3.5. Effects of hybridization and insertion of additives | 367 |

| | |
|-------------------------|-----|
| 12.4. Conclusions | 371 |
| Acknowledgements | 372 |
| References | 372 |

Chapter 13 **Mechanical Performance of Plasma-Treated Natural Fiber-Polypropylene Composites**

X. W. Yuan, K. Jayaraman, D. Bhattacharyya

| | |
|---|-----|
| 13.1. Introduction | 379 |
| 13.2. Experimental details of processing, manufacturing, and characterization | 381 |
| 13.2.1. Materials | 381 |
| 13.2.2. Plasma treatment | 381 |
| 13.2.3. Interfacial shear strength measurement | 382 |
| 13.2.4. Manufacturing of woodfiber/sisal-PP composites | 385 |
| 13.3. Plasma treatment of sisal fibers and its effect on tensile strength and interfacial bonding | 386 |
| 13.3.1. Taguchi analysis | 386 |
| 13.3.2. Interfacial shear strength | 390 |
| 13.3.3. SEM analyses | 395 |
| 13.4. Effect of plasma treatment on the mechanical properties of natural fiber-polypropylene composites | 397 |
| 13.4.1. Woodfiber-PP composites | 397 |
| 13.4.2. Sisal fiber-polypropylene composites | 406 |
| 13.5. Conclusions | 411 |
| Acknowledgements | 412 |
| References | 412 |

PART III **PROTEIN-BASED MATERIALS**

Chapter 14 **Gelatin and Gelatin-Based Biodegradable Composites: Manufacturing, Properties, and Biodegradation Behavior**

S. Fakirov

| | |
|--|-----|
| 14.1. Introduction. Is gelatin waste or useful material? | 419 |
| 14.2. Chemical composition and physical structure | 421 |
| 14.2.1. Chemical composition | 421 |
| 14.2.2. Physical properties | 422 |
| 14.2.3. Peculiarities of gelatin as a polymer | 425 |

| | |
|---|-----|
| 14.3. Melting of gelatin crystals below T_g : a direct crystal-glass transition .. | 425 |
| 14.4. Microhardness studies: gelatin with extremely high surface hardness .. | 432 |
| 14.5. Improvement of gelatin mechanical properties <i>via</i> additional (chemical) crosslinking and drawing (orientation) | 435 |
| 14.5.1. Effect of chemical crosslinking on the orientation ability and some properties of gelatin | 435 |
| 14.5.2. Effect of drawing with good orientation on the mechanical properties of gelatin | 440 |
| 14.6. Biodegradable laminated composites involving gelatin | 446 |
| 14.7. Biodegradation behavior of native and modified gelatins and laminated composites | 449 |
| 14.7.1. Enzymatic degradation of crosslinked gelatins by alkaline proteinase: effect of crosslinking density | 450 |
| 14.7.2. Biodegradation of chemically modified gelatin films in a simulated natural environment | 452 |
| 14.7.3. Biodegradation of chemically modified gelatin films in lake and river waters | 454 |
| 14.7.4. Biodegradation of chemically modified gelatin films in soil | 455 |
| 14.7.5. Dissolution and enzymatic degradation studies before and after artificial aging of silk- and linen-reinforced gelatin laminates | 458 |
| 14.8. Conclusions and outlook | 459 |
| Acknowledgements | 460 |
| References | 461 |

Chapter 15 Soy-Based Materials for Drug-Release Applications

C. M. Vaz, A. M. Cunha

| | |
|--|-----|
| 15.1. Introduction | 465 |
| 15.2. Proteins | 466 |
| 15.2.1. Structural hierarchy | 467 |
| 15.2.2. Denaturation | 468 |
| 15.3. Industrial proteins | 468 |
| 15.3.1. Soy proteins | 469 |
| 15.3.2. Processing of soy proteins | 469 |
| 15.4. Pharmaceutical applications of industrial proteins | 471 |
| 15.5. Soy-based materials in drug-release applications | 471 |
| 15.5.1. pH-sensitive soy protein films | 472 |
| 15.5.2. Soy matrix release systems produced by melt-processing techniques | 474 |
| 15.5.3. Bilayer soy controlled-release systems produced by co-injection molding | 477 |

| | |
|-------------------------------------|-----|
| 15.6. Conclusions and outlook | 481 |
| Acknowledgements | 481 |
| References | 481 |

Chapter 16 Silk-Containing Polymeric Systems

J. Karger-Kocsis, T. Bárány

| | |
|--|-----|
| 16.1. Introduction | 485 |
| 16.2. Silk fibers | 486 |
| 16.2.1. Structure | 486 |
| 16.2.2. Properties | 488 |
| 16.2.3. Structure-property relationships, modeling | 491 |
| 16.3. Fiber production | 492 |
| 16.3.1. Traditional fiber production | 492 |
| 16.3.2. Regeneration | 493 |
| 16.3.3. Recombinant route | 495 |
| 16.4. Blends and composites <i>via</i> solution techniques | 496 |
| 16.5. Silk fiber-reinforced composites | 497 |
| 16.5.1. Thermoplastics | 498 |
| 16.5.2. Thermosets | 498 |
| 16.5.3. Rubbers | 499 |
| 16.6. Conclusions and outlook | 500 |
| Acknowledgements | 500 |
| References | 500 |

Chapter 17 Native and Modified Casein

E. Maréchal

| | |
|---|-----|
| 17.1. Introduction. General information on casein | 507 |
| 17.2. Isolation of casein from milk | 507 |
| 17.2.1. General outlook | 507 |
| 17.2.2. Precipitation by acid addition | 508 |
| 17.2.3. Treatment of milk by carbon dioxide under pressure | 509 |
| 17.2.4. Clotting skim milk with rennet | 509 |
| 17.2.5. Isolation of specific caseins | 510 |
| 17.2.6. Caseinates | 510 |
| 17.3. Composition and structure of caseins | 510 |
| 17.3.1. General information on the casein composition | 510 |
| 17.3.2. β -Casein | 510 |
| 17.3.3. κ -Casein | 512 |
| 17.3.4. Study of caseins by different analytical techniques and molecular modeling | 513 |

| | |
|---|-----|
| 17.4. Chemistry and physicochemistry of caseins | 514 |
| 17.5. Physical properties of caseins | 520 |
| 17.6. Applications | 520 |
| 17.6.1. Fibers and fabrics | 521 |
| 17.6.2. Films and membranes | 522 |
| 17.6.3. Coatings, adhesives, packaging, papers, rubbers | 523 |
| 17.6.4. Plastics, composites, laminates | 524 |
| 17.7. Conclusion | 525 |
| References | 525 |

Chapter 18 Corn Gluten Meal-Based Blends and Composites

S. Samarasinghe, A. J. Easteal, A. P.-Y. Lin

| | |
|---|-----|
| 18.1. Introduction | 537 |
| 18.2. Modification of the properties of zein and corn gluten meal | 542 |
| 18.2.1. Corn zein proteins | 542 |
| 18.2.2. Preparation of thermoplastic resins from extracted zein by coagulation and kneading (low-temperature method) | 545 |
| 18.2.3. Preparation of thermoplastic resins from zein and corn gluten meal by high-temperature compounding | 547 |
| 18.2.4. Physical properties of modified zein films and sheets | 548 |
| 18.3. Biodegradable polymers for non-food applications | 550 |
| 18.3.1. Modification of zein for the preparation of thermoplastic and rubbery polymeric materials | 551 |
| 18.3.2. Biodegradability tests of modified zein films/sheets under laboratory conditions | 554 |
| 18.4. Property modification of zein and corn gluten meal by blending with hydrophobic synthetic polymers | 554 |
| 18.4.1. Blending of zein and corn gluten meal with non-biodegradable hydrophobic polymers | 555 |
| 18.4.2. Blending of zein and corn gluten meal with biodegradable synthetic polymers | 557 |
| 18.4.3. Blending of agricultural polymers (plasticized soy proteins, wheat gluten meal, zein, and starch) with aliphatic polyesters .. | 562 |
| 18.4.4. Corn gluten meal/SG100 blends with plasticizers | 564 |
| 18.4.5. Biodegradable plastic composites from corn gluten meal, SG100, and pinewood fiber | 564 |
| 18.5. Conclusions and outlook | 572 |
| References | 573 |

PART IV WOOD- AND LIGNIN-BASED BLENDS AND COMPOSITES

Chapter 19 Plasticization of Wood for Forming Applications

A. P. Penneru, K. Jayaraman, D. Bhattacharyya

| | |
|--|-----|
| 19.1. Introduction | 581 |
| 19.2. Experimental details | 587 |
| 19.2.1. Softening methods and wood compression tests | 587 |
| 19.2.2. Determination of the glass transition temperature | 587 |
| 19.2.3. Optical microscopic observations | 587 |
| 19.2.4. Compressive relaxation | 588 |
| 19.2.5. Scanning electron microscopy | 588 |
| 19.3. Effect of moisture content | 588 |
| 19.3.1. Effect of the moisture content on the behavior of solid wood ... | 588 |
| 19.3.2. Effect of the moisture content on the glass transition temperature | 591 |
| 19.3.3. Finalization of the softening process | 592 |
| 19.4. Pre-softening behavior of solid wood | 592 |
| 19.5. Viscoelastic behavior of solid wood under compressive loading | 597 |
| 19.5.1. Relaxation and springback | 597 |
| 19.5.2. Comparison of the stress relaxation experimental results with the Maxwell model | 599 |
| 19.6. Conclusions | 606 |
| References | 606 |

Chapter 20 Steam-Exploded Wood Fibers as Reinforcement of Polymer Composites

R. Mat Taib, Z. A. Mohd Ishak, H. D. Rozman,
W. G. Glasser

| | |
|---|-----|
| 20.1. Introduction | 611 |
| 20.2. Lignocellulosics as fillers and reinforcements for thermoplastics | 612 |
| 20.2.1. Sources and availability | 613 |
| 20.2.2. Chemical composition..... | 615 |
| 20.2.3. Ultrastructure of a lignocellulosic fiber | 618 |
| 20.2.4. Mechanical properties..... | 619 |
| 20.2.5. Advantages and disadvantages | 622 |
| 20.3. Chemical modification of lignocellulosic fillers and fibers | 623 |
| 20.3.1. Modification of lignocellulosic filler/fiber properties | 623 |
| 20.3.2. Modification of fiber/matrix interfacial adhesion | 625 |

| | |
|---|-----|
| 20.4. Steam-explosion treatment | 630 |
| 20.4.1. Morphological and chemical changes in steam-exploded lignocellulosic materials | 631 |
| 20.4.2. Steam-exploded fiber | 632 |
| 20.5. Steam-exploded <i>Acacia mangium</i> wood fiber-filled polypropylene composites | 633 |
| 20.5.1. Tensile properties | 633 |
| 20.5.2. Water absorption behavior | 639 |
| 20.6. Conclusions and future trends | 646 |
| Acknowledgements | 647 |
| References | 647 |

Chapter 21 Wood Fiber Thermoplastic Composites: Processing, Properties, and Future Developments

K. Oksman, M. Bengtsson

| | |
|--|-----|
| 21.1. Introduction | 655 |
| 21.2. Processing | 656 |
| 21.3. Composite properties | 659 |
| 21.4. Modification of WPC | 663 |
| 21.4.1. Fiber-matrix interaction | 664 |
| 21.4.2. Weight reduction | 666 |
| 21.4.3. Long-term properties | 666 |
| 21.5. Applications | 667 |
| 21.6. Conclusions | 669 |
| References | 670 |

Chapter 22 Chemical Modification of Wood

R. M. Rowell

| | |
|--|-----|
| 22.1. Introduction | 673 |
| 22.1.1. Chemical modification of wood | 673 |
| 22.1.2. Acetylation of wood | 674 |
| 22.2. History and process of acetylation | 674 |
| 22.3. Properties of acetylated wood | 676 |
| 22.3.1. Moisture and water sorption | 676 |
| 22.3.2. Resistance to biological attack | 679 |
| 22.3.3. Thermal properties | 682 |
| 22.3.4. Weathering | 682 |
| 22.4. Mechanical properties | 683 |
| 22.5. Commercialization of acetylated wood | 683 |
| 22.6. Applications and economics of wood acetylation | 685 |

| | |
|-------------------------|-----|
| 22.7. Conclusions | 686 |
| References | 687 |

Chapter 23 Wood Fiber Mats as Reinforcements for Thermosets

R. Umer, S. Bickerton, A. Fernyhough

| | |
|---|-----|
| 23.1. Introduction | 693 |
| 23.2. Processing of natural fiber composites | 693 |
| 23.2.1. Liquid composite molding processes | 695 |
| 23.2.2. Modeling resin flow during LCM processing | 696 |
| 23.2.3. Compaction of natural fiber mats | 696 |
| 23.2.4. Permeability and flow through natural fiber mats | 698 |
| 23.3. Experimental details | 699 |
| 23.3.1. Manufacturing of wood fiber mats | 699 |
| 23.3.2. Characterization procedures | 700 |
| 23.3.3. RTM experiments | 703 |
| 23.4. RTM process predictions | 703 |
| 23.4.1. Flow modeling | 703 |
| 23.4.2. Compaction models | 704 |
| 23.4.3. Force analysis | 704 |
| 23.5. Effect of compaction and permeability on processing | 704 |
| 23.5.1. Compaction | 704 |
| 23.5.2. Permeability | 706 |
| 23.6. Comparison of numerical and experimental data of the RTM process | 707 |
| 23.7. Conclusions | 710 |
| Acknowledgements | 710 |
| References | 711 |

PART V BIODEGRADABILITY THROUGH BLENDING AND BIOPLASTICS (ALL-GREEN PLASTICS)

Chapter 24 Unconventional Processing Methods for Poly(Hydroxybutyrate)

H.-J. Radusch

| | |
|---|-----|
| 24.1. Introduction | 717 |
| 24.2. Poly(hydroxybutyrate) | 717 |
| 24.3. Degradation behavior of poly(hydroxybutyrate) | 722 |

| | |
|---|-----|
| 24.4. Processing of poly(hydroxybutyrate) | 724 |
| 24.4.1. Conventional PHB processing | 724 |
| 24.4.2. Solid-state processing | 725 |
| 24.4.3. Non-thermal foaming | 736 |
| 24.5. Conclusions and outlook | 743 |
| References | 744 |

Chapter 25 All-Green Composites

M. Q. Zhang, M. Z. Rong, X. Lu

| | |
|--|-----|
| 25.1. Introduction | 747 |
| 25.2. Plasticization of plant fibers and composite manufacturing | 749 |
| 25.2.1. Plasticization of wood flour and preparation of sisal-plasticized wood flour composites | 749 |
| 25.2.2. Manufacturing of self-reinforced composites from sisal | 749 |
| 25.2.3. Characterization | 750 |
| 25.2.4. Enzymatic biodegradation | 750 |
| 25.3. Sisal fiber-plasticized wood flour composites | 750 |
| 25.3.1. Effect of treatment conditions on the plasticization of wood flour | 750 |
| 25.3.2. Characterization of plasticized wood flour | 754 |
| 25.3.3. Mechanical properties of sisal-plasticized wood flour composites | 758 |
| 25.3.4. Biodegradability of sisal-plasticized wood flour composites | 762 |
| 25.4. Self-reinforced sisal composites | 763 |
| 25.4.1. Effect of treatment conditions on sisal plasticization | 763 |
| 25.4.2. Characterization of benzylated sisal fibers | 765 |
| 25.4.3. Mechanical properties of self-reinforced sisal composites | 767 |
| 25.4.4. Biodegradability of self-reinforced sisal composites | 769 |
| 25.5. Conclusions | 770 |
| Acknowledgement | 770 |
| References | 770 |

Chapter 26 Composite Scaffolds for Bone Engineering

D. W. Hutmacher, M. A. Woodruff

| | |
|--|-----|
| 26.1. Introduction | 773 |
| 26.2. Bone – structure and mechanical properties | 774 |
| 26.3. The tissue engineering construct | 776 |
| 26.4. Scaffolds | 779 |
| 26.4.1. Scaffold morphology | 779 |
| 26.4.2. Scaffold materials | 780 |

| | |
|-----------------------------------|-----|
| 26.5.1. Ceramic materials | 783 |
| 26.5.2. Composite materials | 786 |
| 26.6. Conclusions | 793 |
| Acknowledgement | 794 |
| References | 794 |

Chapter 27 Biodegradation Studies of Polymer Blends and Composites Comprising Biopolymers

Z. Z. Denchev

| | |
|---|-----|
| 27.1. Introduction | 799 |
| 27.2. Biodegradation mechanisms | 803 |
| 27.2.1. General scheme | 803 |
| 27.2.2. Factors influencing the biodegradation of polymers | 804 |
| 27.3. Biodegradation studies in some biopolymers and in blends and composites on their basis | 807 |
| 27.3.1. Polysaccharides, their blends and composites | 807 |
| 27.3.2. Proteins, their blends and composites | 818 |
| 27.3.3. Aliphatic polyesters, their blends and composites | 822 |
| 27.3.4. Miscellaneous biopolymers with all-carbon backbones | 832 |
| 27.4. Concluding remarks | 835 |
| References | 836 |

Chapter 28 Fiber/Resin Interface Modification in “Green” Composites

A. N. Netravali

| | |
|---|-----|
| 28.1. Introduction | 847 |
| 28.2. “Greener” composite alternatives | 848 |
| 28.3. “Green” composites | 849 |
| 28.4. Interfaces in composites | 849 |
| 28.5. Cellulose fiber interface with thermoplastic resins | 852 |
| 28.6. Cellulose fiber interface with thermoset resins | 859 |
| 28.7. Advanced green composites | 862 |
| References | 863 |
| List of Acknowledgements | 869 |
| Author Index | 881 |
| Subject Index | 887 |