

Brief Product Description

This DIN rail mounted device blank can be used to fill any unused ways in all BGconsumer units and enclosures, giving a neat and professional finish.

Features

- Single Module
- DIN rail mounted
- For BG Surface Mounted Consumer Units
- Retro Fittable
- Sold as a single item
- Same size as an MCB

Technical Specifications

Installation Method	DIN Rail Mounted
Number of Poles	1
Pollution Degree	2
UV Stability	Yes
Working Temperature	-25°C - + 40°C




Part Code

Cat No	Modules
CUA19	1 Module

Product Images



Dimensional Line Drawing



Dimensions of Product

Height: 81 mm

Width: 18 mm

Depth: 70 mm



Guarantee

BG Electrical Circuit Protection products are guaranteed against faulty materials and workmanship for a period of 10 years from date of delivery.

Products will be repaired or (at BG Electrical's discretion) replacements will be supplied or (at BG Electrical's discretion) a credit note will be issued. This guarantee is subject to BG Electrical's conditions of sale and in particular to the following conditions being met.



1. Notification of any defect is given as soon as reasonably practicable after becoming apparent, and the products then returned to BG Electrical.
2. The products have only been operated under normal operating conditions and have only been subject to normal use.
3. No work (other than normal and proper maintenance) has been carried out to the products without BG Electrical's prior written consent.
4. The products have been assembled, or incorporated into other goods, by a qualified and recognised electrician and only in accordance with any instructions issued by BG Electrical.
5. The defect has not arisen from an item manufactured or supplied by a person other than BG Electrical.

This guarantee does not affect any customer statutory rights.

All components used in a BG Electrical enclosure, must be supplied by BG Electrical.

The use of any other components will negate compliance to BS 61439 and the BG Electrical guarantee. Failure to fit the enclosure in accordance with these instructions will invalidate the guarantee.