Specification Sheet

SCREWLESS FLATPLATE

Light Switch

Intermediate switch

FAB13-02









MAIN FEATURES

- 20A 16AX Rated
- Easy to install supplied with fixing screws and installation instructions
- Intermediate switch allows for more than 2 switches in a circuit
- Captive, backed out terminal screws for fast installation and to prevent screw loss
- Screwless front plate clips on and off easily and has a sleek, flat profile
- No visible plastic around switches
- Moisture control gasket, prevents tarnishing from new plaster
- Minimum mounting box depth 25mm
- Certified to BS60669-1

GENERAL	Warranty (years)	25
DIMENSIONS	Product HxWxD (mm)	86x86x23.3
	Product Weight (kg)	0.116
	Front Plate Profile Depth (mm)	4.3
	Front Plate Material Thickness (mm)	0.8
CONSTRUCTION	Switched	Yes
	Number of Switches	1
	Switch Style Type	Rocker
	Front Plate Type	Screwless FP
	Front Plate Material	Steel
ELECTRICAL	Operating Voltage (V)	220-240
	Frequency (Hz)	50-60
	Current Rating (A)	20
	Inductive Rating (AX)	16
PROTECTION	Earth Terminal Fitted	Yes
	Number of Earth Terminals	1
STYLE	General Colour	Antique Brass
	Front Plate Colour	Antique Brass - RAL1012 (Lemon Yellow)
	Light Reflective Value (%)	34.1
	Switch Colour	Antique Brass - RAL1012 (Lemon Yellow)
	Fixing Screws Colour	Antique Brass

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

TECHNICAL	Operating Temperature (°C)	-5 to +40
	Switch State	On/Off
	Switch Type (Ways & Poles)	Intermediate
INSTALLATION	Minimum Box Depth (mm)	25
	Fixing Centres (mm)	W-60.3
	Fixing Screws Supplied	Yes
	Terminal Capacity (# x mm^2)	2x2.5 4x1.0 1x4
	Terminal Arrangement	Inline
	Backed-out Terminal Screws	Yes
	Captive Terminal Screws	Yes
COMPLIANCE	WEEE Group	2. Small household appliances
BARCODE	Package EAN	5050765100649
	Inner EAN	5050765161107
	Outer EAN	5050765161442
PART PACKAGING	Package Pack Type	Eco Blister
	Packed HxWxD (mm)	153x120x32
	Package Hanging	Yes
	Packed Gross Weight (kg)	0.143
INNER PACKAGING	Inner Quantity	5
	Inner HxWxD (mm)	127x104
	Inner Gross Weight (kg)	0.76
OUTER PACKAGING	Outer Quantity	50
	Outer HxWxD (mm)	x533
	Outer CBM (cu.m)	0.0307
	Outer Gross Weight (kg)	8.075
SHIPPING	Commodity Code (EU)	8536508000
EDATA	ETIM Class	Switch (EC001590)

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk


Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

Web URL:

Specification sheet created: 20261110

DG-FAB



**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.