Specification Sheet

SCREWLESS FLATPLATE


Light Switch

Double, 2 way switch

FAB42-02









MAIN FEATURES

- 20A 16AX Rated
- Easy to install supplied with fixing screws and installation instructions
- 2 way switching allows for a second switch position in a circuit
- Captive, backed out terminal screws for fast installation and to prevent screw loss
- Screwless front plate clips on and off easily and has a sleek, flat profile
- No visible plastic around switches
- Moisture control gasket, prevents tarnishing from new plaster
- Minimum mounting box depth 25mm
- Anti-fingerprint lacquer reduces unsightly fingerprints
- Certified to BS60669-1

GENERAL	Warranty (years)	25
DIMENSIONS	Product HxWxD (mm)	86x86x23.3
	Product Weight (kg)	0.126
	Front Plate Profile Depth (mm)	4.3
	Front Plate Material Thickness (mm)	0.8
CONSTRUCTION	Switched	Yes
	Number of Switches	2
	Switch Style Type	Rocker
	Front Plate Type	Screwless FP
	Front Plate Material	Steel
ELECTRICAL	Operating Voltage (V)	220-240
	Frequency (Hz)	50-60
	Current Rating (A)	20
	Inductive Rating (AX)	16
PROTECTION	Earth Terminal Fitted	Yes
	Number of Earth Terminals	1
STYLE	General Colour	Antique Brass
	Front Plate Colour	Antique Brass - RAL1012 (Lemon Yellow)
	Light Reflective Value (%)	34.1
	Switch Colour	Antique Brass - RAL1012 (Lemon Yellow)
	Fixing Screws Colour	Antique Brass

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

TECHNICAL	Operating Temperature (°C)	-5 to +40
	Switch State	On/Off
	Switch Type (Ways & Poles)	Two Way
INSTALLATION	Minimum Box Depth (mm)	25
	Fixing Centres (mm)	W-60.3
	Fixing Screws Supplied	Yes
	Terminal Capacity (# x mm^2)	2x2.5 4x1.0 1x4
	Terminal Arrangement	Inline
	Backed-out Terminal Screws	Yes
	Captive Terminal Screws	Yes
COMPLIANCE	WEEE Group	2. Small household appliances
BARCODE	Package EAN	5050765100588
	Inner EAN	5050765161190
	Outer EAN	5050765161534
PART PACKAGING	Packed HxWxD (mm)	153x25
	Package Hanging	Yes
	Packed Gross Weight (kg)	0.155
INNER PACKAGING	Inner Quantity	5
	Inner HxWxD (mm)	x104
	Inner Gross Weight (kg)	0.834
OUTER PACKAGING	Outer Quantity	50
	Outer HxWxD (mm)	x533
	Outer CBM (cu.m)	0.0307
	Outer Gross Weight (kg)	8.705
SHIPPING	Commodity Code (EU)	8536508000
EDATA	ETIM Class	Switch (EC001590)

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk


Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.


Specification Sheet


Web URL:

Specification sheet created: 20261110

DG-FAB







**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.