Specification Sheet

SCREWLESS FLATPLATE


Fused Connection Unit

Switched and fused

FAB50-01









MAIN FEATURES

- 13A Rated
- Easy to install, supplied with fixing screws and installation instructions
- Ideal for spur circuits and hard wired power appliances
- Angled colour coded terminals provide easy access for quick installation
- Captive screws prevent screw loss
- Screwless front plate clips on and off easily and has a sleek flat profile
- No visible plastic around switch
- Moisture control gasket prevents tarnishing from new plaster
- Certified to BS 1363 Part 4

GENERAL	Warranty (years)	25
DIMENSIONS	Product HxWxD (mm)	44x86x29
	Product Weight (kg)	0.146
	Front Plate Profile Depth (mm)	4.3
	Front Plate Material Thickness (mm)	0.8
CONSTRUCTION	Switched	Yes
	Number of Switches	1
	Switch Style Type	Rocker
	Switch Position	Right of Socket
	Front Plate Type	Screwless FP
	Front Plate Material	Steel
ELECTRICAL	Operating Voltage (V)	220-240
	Fuse Amperage (A)	13
	Frequency (Hz)	50-60
	Current Rating (A)	13
	Fused	Yes
PROTECTION	Earth Terminal Fitted	Yes
	Number of Earth Terminals	2
STYLE	General Colour	Antique Brass
	Front Plate Colour	Antique Brass - RAL1012 (Lemon Yellow)
	Fixing Screws Colour	Antique Brass
	Base Colour	Grey

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

TECHNICAL	Operating Temperature (°C)	-5 to +40
	Switch State	On/Off
	Switch Type (Ways & Poles)	Double Pole
INSTALLATION	Minimum Box Depth (mm)	35
	Fixing Centres (mm)	W-60.3
	Flex Out Position	None
	Fixing Screws Supplied	Yes
	Terminal Capacity (# x mm^2)	1x6 2x4 3x2.5
	Terminal Arrangement	Angled
	Backed-out Terminal Screws	Yes
	Terminals with Colour Coding Print	Yes
	Captive Terminal Screws	Yes
COMPLIANCE	WEEE Group	2. Small household appliances
BARCODE	Package EAN	5050765271639
	Inner EAN	5050765324083
	Outer EAN	5050765324120
PART PACKAGING	Package Pack Type	Eco Blister
	Packed HxWxD (mm)	153x120x32
	Package Hanging	Yes
	Packed Gross Weight (kg)	0.166
INNER PACKAGING	Inner Pack Type	Roll Printed Box
	Inner Quantity	5
	Inner HxWxD (mm)	127x117x207
	Inner Gross Weight (kg)	0.877
OUTER PACKAGING	Outer Pack Type	Roll Printed Box
	Outer Quantity	50
	Outer HxWxD (mm)	219x263x598
	Outer CBM (cu.m)	0.03444
	Outer Gross Weight (kg)	9.334
SHIPPING	Commodity Code (EU)	8536508000
EDATA	ETIM Class	Fused connection unit (EC004518)


**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

Web URL: https://luceco.click/7az
Specification sheet created: 20261110
DG-FAB



**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.