Specification Sheet

SCREWLESS FLATPLATE

Fused Connection Unit

Switched and fused with indicator

FAB52-01









MAIN FEATURES

- 13A Rated
- Easy to install supplied with fixing screws and installation instructions
- Ideal for spur circuits and hard wired power appliances
- Angled colour coded terminals provide easy access for quick installation
- Captive screws prevent screw loss
- Flush power indicator
- Screwless front plate clips on and off easily and has a sleek flat profile
- No visible plastic around switch
- Moisture control gasket prevents tarnishing from new plaster

GENERAL	Warranty (years)	25
DIMENSIONS	Product HxWxD (mm)	86x86x29
	Product Weight (kg)	0.147
	Front Plate Profile Depth (mm)	4.3
	Front Plate Material Thickness (mm)	0.8
CONSTRUCTION	Switched	Yes
	Number of Switches	1
	Switch Style Type	Rocker
	Switch Position	Right of Socket
	Front Plate Type	Screwless FP
	Front Plate Material	Steel
ELECTRICAL	Operating Voltage (V)	250
	Fuse Amperage (A)	13
	Frequency (Hz)	50-60
	Current Rating (A)	13
	Fused	Yes
PROTECTION	Earth Terminal Fitted	Yes
	Number of Earth Terminals	2
STYLE	General Colour	Antique Brass
	Front Plate Colour	Antique Brass - RAL1012 (Lemon Yellow)
	Main Power Indicator	Yes
	Power Indicator Colour	Red
	Base Colour	Grey

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

TECHNICAL	Operating Temperature (°C)	-5 to +40
	Switch State	On/Off
	Switch Type (Ways & Poles)	Double Pole
INSTALLATION	Minimum Box Depth (mm)	35
	Fixing Centres (mm)	W-60.3
	Fixing Screws Supplied	Yes
	Terminal Capacity (# x mm^2)	1x6 2x4 3x2.5
	Terminal Arrangement	Angled
	Backed-out Terminal Screws	Yes
	Terminals with Colour Coding Print	Yes
	Captive Terminal Screws	Yes
COMPLIANCE	ASTA Licence	1015
	Standard(s)	UK BS 1363-4:2016+A1:2018
	Directive(s)	EU GPSR - 2023/988 (EU) EU LVD - 2014/35/EU EU REACH - 1907/2006/EU EU ROHS - 2011/65/EU UK LVD - UK SI 2016 NO. 1101 UK ROHS - UK SI 2012 NO. 3032
	WEEE Group	2. Small household appliances
BARCODE	Package EAN	5050765118200
	Inner EAN	5050765161220
	Outer EAN	5050765161565
PART PACKAGING	Package Pack Type	Window Box
	Packed HxWxD (mm)	0x0x32
	Package Hanging	Yes
	Packed Gross Weight (kg)	0.163
INNER PACKAGING	Inner Quantity	5
	Inner HxWxD (mm)	127x0x0
	Inner Gross Weight (kg)	0.879
OUTER PACKAGING	Outer Quantity	50
	Outer HxWxD (mm)	219x0x598
	Outer CBM (cu.m)	0.03444
	Outer Gross Weight (kg)	9.154
SHIPPING	Commodity Code (EU)	8536508000
EDATA	ETIM Class	Fused connection unit (EC004518)

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk


Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

Web URL:

Specification sheet created: 20261110

DG-FAB



**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.