Specification Sheet

SCREWLESS FLATPLATE

Fused Connection Unit

Switched and fused with indicator and flex outlet

FAB53-01









MAIN FEATURES

- 13A Rated
- Easy to install supplied with fixing screws and installation instructions
- Ideal for spur circuits and hard wired power appliances
- Angled colour coded terminals provide easy access for quick installation
- Captive screws prevent screw loss
- Flush power indicator
- Screwless front plate clips on and off easily and has a sleek flat profile
- Flex outlet with removable blanking piece
- Moisture control gasket prevents tarnishing from new plaster
- Certified to BS 1363 Part 4

GENERAL	Warranty (years)	25
DIMENSIONS	Product HxWxD (mm)	86x86x29
	Product Weight (kg)	0.144
	Front Plate Profile Depth (mm)	4.3
	Front Plate Material Thickness (mm)	0.8
CONSTRUCTION	Switched	Yes
	Number of Switches	1
	Switch Style Type	Rocker
	Switch Position	Right of Socket
	Front Plate Type	Screwless FP
	Front Plate Material	Steel
ELECTRICAL	Operating Voltage (V)	250
	Fuse Amperage (A)	13
	Frequency (Hz)	50-60
	Current Rating (A)	13
	Fused	Yes
PROTECTION	Earth Terminal Fitted	Yes
	Number of Earth Terminals	2

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

STYLE	General Colour	Antique Brass
	Front Plate Colour	Antique Brass - RAL1012 (Lemon Yellow)
	Switch Colour	Antique Brass - RAL1012 (Lemon Yellow)
	Switch Indicator Type	LED
	Main Power Indicator	Yes
	Power Indicator Colour	Red
	Fixing Screws Colour	Antique Brass
	Base Colour	Grey
TECHNICAL	Switch State	On/Off
	Switch Type (Ways & Poles)	Double Pole
INSTALLATION	Minimum Box Depth (mm)	35
	Fixing Centres (mm)	W-60.3
	Flex Out Position	Front Face
	Fixing Screws Supplied	Yes
	Terminal Capacity (# x mm^2)	3x2.5
	Terminal Arrangement	Angled
	Backed-out Terminal Screws	Yes
	Terminals with Colour Coding Print	Yes
	Captive Terminal Screws	Yes
	Number of Cable Outlets	1
	Flex Out	Yes
COMPLIANCE	WEEE Group	2. Small household appliances
BARCODE	Package EAN	5050765260992
	Inner EAN	5050765261012
	Outer EAN	5050765261036
PART PACKAGING	Package Pack Type	Eco Blister
	Packed HxWxD (mm)	153x120x32
	Package Hanging	Yes
	Packed Gross Weight (kg)	0.165
INNER PACKAGING	Inner Pack Type	Roll Printed Box
	Inner Quantity	5
	Inner HxWxD (mm)	127x117x207
	Inner Gross Weight (kg)	0.885

**Specification is subject to change without notice. Errors and omissions excluded.*


Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

OUTER PACKAGING	Outer Pack Type	Roll Printed Box
	Outer Quantity	50
	Outer HxWxD (mm)	219x263x598
	Outer CBM (cu.m)	0.03444
	Outer Gross Weight (kg)	9.294
SHIPPING	Commodity Code (EU)	8536508000
EDATA	ETIM Class	Socket outlet (EC000125)

Web URL: https://luceco.click/auh
Specification sheet created: 20261110
DG-FAB



**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.