Specification Sheet

SCREWLESS FLATPLATE

45A Double Pole Switch

45A Double Pole Switch

FAB72-01









MAIN FEATURES

- 45A Rated
- Easy to install, supplied with fixing screws and installation instructions
- Ideal for cookers and ovens
- Double Pole switching for the peace of mind of a safer installation
- Twin earth fitted as standard for high integrity circuits
- Captive screws prevent screw loss
- Flush power indicator
- Screwless front plate clips on and off easily and has a sleek, flat profile, with no visible plastic around the switch.
- Moisture control gasket, prevents tarnishing from new plaster
- Minimum mounting box depth 47mm

GENERAL	Warranty (years)	25
DIMENSIONS	Product HxWxD (mm)	86x86x29.3
	Product Weight (kg)	0.227
	Front Plate Profile Depth (mm)	4.3
	Front Plate Material Thickness (mm)	0.8
CONSTRUCTION	Switched	Yes
	Number of Switches	1
	Switch Style Type	Rocker
	Front Plate Type	Screwless FP
	Front Plate Material	Steel
ELECTRICAL	Operating Voltage (V)	220-240
	Frequency (Hz)	50-60
	Current Rating (A)	45
PROTECTION	Earth Terminal Fitted	Yes
	Number of Earth Terminals	2

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

STYLE	General Colour	Antique Brass
	Front Plate Colour	Antique Brass - RAL1012 (Lemon Yellow)
	Front Plate Marking	Yes
	Switch Colour	Red
	Switch Indicator Type	LED
	Main Power Indicator	Yes
	Power Indicator Colour	Red
	Fixing Screws Colour	Antique Brass
	Printing Colour	Black
TECHNICAL	Switch State	On/Off
	Switch Type (Ways & Poles)	Double Pole
INSTALLATION	Minimum Box Depth (mm)	47
	Fixing Centres (mm)	H-120.6
	Fixing Screws Supplied	Yes
	Terminal Capacity (# x mm^2)	4x4 3x6.0 1x16
	Backed-out Terminal Screws	No
	Terminals with Colour Coding Print	Yes
	Captive Terminal Screws	Yes
COMPLIANCE	WEEE Group	2. Small household appliances
BARCODE	Package EAN	5050765271653
	Inner EAN	5050765324106
	Outer EAN	5050765324144
PART PACKAGING	Packed HxWxD (mm)	x33
	Package Hanging	Yes
	Packed Gross Weight (kg)	0.26
INNER PACKAGING	Inner Quantity	5
	Inner HxWxD (mm)	x205
	Inner Gross Weight (kg)	1.377
OUTER PACKAGING	Outer Quantity	50
	Outer HxWxD (mm)	x385
	Outer CBM (cu.m)	0.0464
	Outer Gross Weight (kg)	14.25
SHIPPING	Commodity Code (EU)	8536508000

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk


Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

Web URL:

Specification sheet created: 20261110

DG-FAB



**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.