
Specification Sheet

SCREWLESS FLATPLATE


Fan Isolator

Triple pole fan isolator

FMW15-01









MAIN FEATURES

- 10A Rated
- Easy to install, supplied with fixing screws and installation instructions
- The Fan Isolator switch has a triple pole switching design, however can be used for double pole applications if required.
- Triple pole switching design, however can be used for double pole applications if required
- Captive, backed out terminal screws for fast installation and to prevent screw loss
- Screwless front plate clips on and off easily and has a sleek, flat profile
- No visible plastic around switch
- Moisture control gasket, prevents tarnishing from new plaster
- Minimum mounting box depth 25mm
- Certified to BS60669-1

GENERAL	Warranty (years)	25
DIMENSIONS	Product HxWxD (mm)	86x86x23.1
	Product Weight (kg)	0.13
	Front Plate Profile Depth (mm)	4.3
	Front Plate Material Thickness (mm)	0.8
CONSTRUCTION	Switched	Yes
	Number of Switches	1
	Switch Style Type	Rocker
	Front Plate Type	Screwless FP
	Front Plate Material	Steel
ELECTRICAL	Operating Voltage (V)	220-240
	Current Rating (A)	10
PROTECTION	Earth Terminal Fitted	Yes
	Number of Earth Terminals	1
STYLE	General Colour	Matt White
	Front Plate Colour	Matt White
	Front Plate Marking	Yes
	Switch Colour	Matt White
	Fixing Screws Colour	Nickel Plated
	Printing Colour	White

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

TECHNICAL	Switch State	On/Off
	Switch Type (Ways & Poles)	3 Pole
INSTALLATION	Minimum Box Depth (mm)	25
	Fixing Centres (mm)	W-60.3
	Fixing Screws Supplied	Yes
	Terminal Capacity (# x mm²)	1x4 2x2.5 4x1.0
	Terminal Arrangement	Angled
	Backed-out Terminal Screws	Yes
	Captive Terminal Screws	Yes
COMPLIANCE	WEEE Group	2. Small household appliances
BARCODE	Package EAN	5050765323390
	Inner EAN	5050765323628
	Outer EAN	5050765323857
PART PACKAGING	Package Pack Type	Eco Blister
	Packed HxWxD (mm)	153x120x32
	Package Hanging	Yes
	Packed Gross Weight (kg)	0.149
INNER PACKAGING	Inner Pack Type	Roll Printed Box
	Inner Quantity	5
	Inner HxWxD (mm)	127x117x207
	Inner Gross Weight (kg)	0.885
OUTER PACKAGING	Outer Pack Type	Roll Printed Box
	Outer Quantity	50
	Outer HxWxD (mm)	219x131.5x598
	Outer CBM (cu.m)	0.03444
	Outer Gross Weight (kg)	8.494
SHIPPING	Commodity Code (EU)	8536508000
EDATA	ETIM Class	Switch (EC001590)


**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

Web URL: https://luceco.click/eof
Specification sheet created: 20261110
DG-FMW



**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.