Specification Sheet

GRIDLITE

GridLite Dimmer Module

Touch LED dimmer secondary

MMWTDM-01









MAIN FEATURES

- Clip-In Switch Module: Push-fit design snaps into BG GridLite front plates with no yoke or screws, reducing components and speeding up installation for a quicker, cleaner workflow.
- Independent Module Replacement: Each module can be swapped without removing adjacent units, making retrofits quicker, easier, and disruption-free. Interchangeable modules across BG GridLite ranges.
- Master Touch Dimmer Module: It is the main dimmer for the lighting circuit. It can be installed alone or paired with BG GridLite secondary touch dimmers for 2-way switching. Fits 35mm back boxes.
- Trailing & Leading Edge Dimmer: With overload protection, soft-start for extended lamp life , smooth and silent operation. Compatible with LED halogen, CFL and incandescent lamps.
- Easy Wiring: Clearly labelled terminals with backed-out retained screws to prevent screw loss. Fit 3 modules on a single square plate footprint freeing up wall space with a compact installation.

GENERAL	Warranty (years)	25
DIMENSIONS	Product HxWxD (mm)	59.5x16.6x34.7
	Product Weight (kg)	0.023
	Front Plate Profile Depth (mm)	4.3
CONSTRUCTION	Switched	Yes
	Number of Switches	1
	Switch Style Type	Touch
ELECTRICAL	Operating Voltage (V)	220-240
	Frequency (Hz)	50-60
	Min Wattage (W)	5
	Max Wattage (W)	100
STYLE	General Colour	Matt White
	Switch Colour	Matt White
TECHNICAL	Operating Temperature (°C)	-5 to +40
	Switch Type (Ways & Poles)	Two Way
INSTALLATION	Minimum Box Depth (mm)	35
	Terminal Capacity (# x mm^2)	2x1.5
	Terminal Arrangement	Inline
	Backed-out Terminal Screws	Yes
	Captive Terminal Screws	Yes

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

COMPLIANCE	Standard(s)	EU EN 60669-1:2018 EU EN 60669-2-1:2004+A12:2010 EU EN 61000-3-3:2013+A2:2021 UK BS EN 60669-1:2018 UK BS EN 60669-2-1:2004+A12:2010 UK BS EN 61000-3-3:2013+A2:2021
	Directive(s)	EU EMC - 2014/30/EU EU GPSR - 2023/988 (EU) EU LVD - 2014/35/EU EU REACH - 1907/2006/EU EU ROHS - 2011/65/EU UK EMC - UK SI 2016 NO. 1091 UK LVD - UK SI 2016 NO. 1101 UK ROHS - UK SI 2012 NO. 3032
	WEEE Group	2. Small household appliances
BARCODE	Package EAN	5050765322201
	Inner EAN	5050765322355
	Outer EAN	5050765322508
PART PACKAGING	Package Pack Type	Printed Bag
	Packed HxWxD (mm)	110x75x37
	Packed Gross Weight (kg)	0.028
INNER PACKAGING	Inner Pack Type	Roll Printed Box
	Inner Quantity	10
	Inner HxWxD (mm)	64x117x167
	Inner Gross Weight (kg)	0.324
OUTER PACKAGING	Outer Pack Type	Roll Printed Box
	Outer Quantity	100
	Outer HxWxD (mm)	185x243x320
	Outer CBM (cu.m)	0.01439
	Outer Gross Weight (kg)	3.457
SHIPPING	Commodity Code (EU)	8536508000
EDATA	ETIM Class	Dimmer (EC000025)

**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk


Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.

Specification Sheet

Web URL: https://luceco.click/gmp0

Specification sheet created: 20261110

DG-FMW



**Specification is subject to change without notice. Errors and omissions excluded.*

Technical Support Helpline
03300 249 279 | technical.support@bgelectrical.co.uk
www.bgelectrical.uk

Luceco plc, Telford, TF3 3BD, UK.
Luceco SE, Barcelona, 08460, ES.