



Technical Data

Co-Axial, Satellite & Triplex Outlets

Brief product description:

The BG Nexus Metal range has a sleek and slim profile with softly rounded edges that portrays a premium look, and is available in a wide range of finishes to cater for all tastes.

Features:

- Sleek and slim profile with softly rounded edges
- Fixed integrated plastic gasket to protect metal edges from moisture
- Colour matched fixing screws

Product Images






Co-Axial, Satellite & Triplex Outlets

Technical Specifications

Standard(s)	BS3041 & BS5733, additionally BS 6312-2 for Nxx68
RoHS Directive	Yes
WEEE Directive	Yes
Mounting Box Depth (Min)	25mm (Nxx60, Nxx61, Nxx62, Nxx63, Nxx64, Nxx65, Nxx66 products)
	35mm (Nxx67, Nxx68, Nxx69 products)
Fixing Centres	60.3mm (Nxx60, Nxx61, Nxx62, Nxx63, Nxx64, Nxx65, Nxx66, Nxx67 products)
	120.6mm (Nxx68, Nxx69 products)



Line Diagrams





Co-Axial, Satellite & Triplex Outlets

Packaging Information

Cat No.	Description	Packaging Type			Pack Quantity			Barcode		
		Product	Inner Box	Outer Box	Each	Inner Box	Outer Box	Individual	Inner Box	Outer Box
NAB60	1G COAX - AB	Eco Blister	Printed Box	Printed Box	1	5	50	5050765044448	5050765166447	5050765168946
NBN60	1G COAX - BN	Eco Blister	Printed Box	Printed Box	1	5	50	5050765023344	5050765023719	5050765024082
NBS60	1G COAX - BS	Eco Blister	Printed Box	Printed Box	1	5	50	5050765019033	5050765019408	5050765019774
NFB60	1G COAX - FB	Eco Blister	Printed Box	Printed Box	1	5	50	5050765239936	5050765240093	5050765240253
NPC60	1G COAX - PC	Eco Blister	Printed Box	Printed Box	1	5	50	5050765020145	5050765020510	5050765020886
NAB61	2G COAX - AB	EM - Bagged	-	-	1	-	-	5050765249102	-	-
NBN61	2G COAX - BN	EM - Bagged	-	-	1	-	-	5050765023351	-	-
NBS61	2G COAX - BS	EM - Bagged	-	-	1	-	-	5050765019040	-	-
NFB61	2G COAX - FB	EM - Bagged	-	-	1	-	-	5050765244817	-	-
NPC61	2G COAX - PC	EM - Bagged	-	-	1	-	-	5050765020152	-	-
NAB62	1G ISO COAX - AB	EM - Bagged	-	-	1	-	-	5050765249096	-	-
NBN62	1G ISO COAX - BN	EM - Bagged	-	-	1	-	-	5050765145046	-	-
NBS62	1G ISO COAX - BS	EM - Bagged	-	-	1	-	-	5015056535517	-	-
NFB62	1G ISO COAX - FB	EM - Bagged	-	-	1	-	-	5050765244824	-	-
NPC62	1G ISO COAX - PC	EM - Bagged	-	-	1	-	-	5015056535548	-	-
NAB63	2G ISO COAX - AB	EM - Bagged	-	-	1	-	-	5050765249126	-	-
NBN63	2G ISO COAX - BN	EM - Bagged	-	-	1	-	-	5050765145107	-	-
NBS63	2G ISO COAX - BS	EM - Bagged	-	-	1	-	-	5050765145060	-	-
NFB63	2G ISO COAX - FB	EM - Bagged	-	-	1	-	-	5050765244831	-	-
NPC63	2G ISO COAX - PC	EM - Bagged	-	-	1	-	-	5050765145084	-	-
NAB64	1G SAT - AB	EM - Bagged	-	-	1	-	-	5050765249133	-	-
NBN64	1G SAT - BN	EM - Bagged	-	-	1	-	-	5050765106580	-	-
NBS64	1G SAT - BS	EM - Bagged	-	-	1	-	-	5050765042888	-	-
NFB64	1G SAT - FB	EM - Bagged	-	-	1	-	-	5050765244848	-	-
NPC64	1G SAT - PC	EM - Bagged	-	-	1	-	-	5050765042901	-	-
NAB65	2G SAT + COAX - AB	EM - Bagged	-	-	1	-	-	5050765249140	-	-
NBN65	2G SAT + COAX - BN	EM - Bagged	-	-	1	-	-	5050765023368	-	-
NBS65	2G SAT + COAX - BS	EM - Bagged	-	-	1	-	-	5050765019057	-	-
NFB65	2G SAT + COAX - FB	EM - Bagged	-	-	1	-	-	5050765244855	-	-
NPC65	2G SAT + COAX - PC	EM - Bagged	-	-	1	-	-	5050765020169	-	-
NAB66	2G DIPLEX TV/FM - AB	EM - Bagged	-	-	1	-	-	5050765249157	-	-
NBN66	2G DIPLEX TV/FM - BN	EM - Bagged	-	-	1	-	-	5050765023375	-	-
NBS66	2G DIPLEX TV/FM - BS	EM - Bagged	-	-	1	-	-	5050765019064	-	-
NFB66	2G DIPLEX TV/FM - FB	EM - Bagged	-	-	1	-	-	5050765244862	-	-
NPC66	2G DIPLEX TV/FM - PC	EM - Bagged	-	-	1	-	-	5050765020176	-	-
NAB67	3G TV/FM/SAT-SCR - AB	EM - Bagged	-	-	1	-	-	5050765249164	-	-
NBN67	3G TV/FM/SAT-SCR - BN	EM - Bagged	-	-	1	-	-	5050765145160	-	-
NBS67	3G TV/FM/SAT-SCR - BS	EM - Bagged	-	-	1	-	-	5050765145121	-	-
NFB67	3G TV/FM/SAT-SCR - FB	EM - Bagged	-	-	1	-	-	5050765244879	-	-
NPC67	3G TV/FM/SAT-SCR - PC	EM - Bagged	-	-	1	-	-	5050765145145	-	-
NAB68	TRIP+BT+COAX RET-SCR - AB	EM - Bagged	-	-	1	-	-	5050765249171	-	-
NBN68	TRIP+BT+COAX RET-SCR - BN	EM - Bagged	-	-	1	-	-	5050765145220	-	-
NBS68	TRIP+BT+COAX RET-SCR - BS	EM - Bagged	-	-	1	-	-	5050765145183	-	-
NFB68	TRIP+BT+COAX RET-SCR - FB	EM - Bagged	-	-	1	-	-	5050765244886	-	-
NPC68	TRIP+BT+COAX RET-SCR - PC	EM - Bagged	-	-	1	-	-	5050765145206	-	-
NAB69	QUAD+BT+COAX RET-SCR - AB	EM - Bagged	-	-	1	-	-	5050765249188	-	-
NBN69	QUAD+BT+COAX RET-SCR - BN	EM - Bagged	-	-	1	-	-	5050765145282	-	-
NBS69	QUAD+BT+COAX RET-SCR - BS	EM - Bagged	-	-	1	-	-	5050765142199	-	-
NFB69	QUAD+BT+COAX RET-SCR - BFB	EM - Bagged	-	-	1	-	-	5050765244893	-	-
NPC69	QUAD+BT+COAX RET-SCR - PC	EM - Bagged	-	-	1	-	-	5050765145260	-	-

Colour Reference:

AB = Antique Brass, BS = Brushed Steel, BN = Black Nickel, FB = Matt Black, PC = Polished Chrome



Co-Axial, Satellite & Triplex Outlets

Weights & Dimensions

Cat No.	Description	Dimensions (H x W x D) cm				Weight (kg)				CBM (m ³)
		Unpacked Product	Packed Product	Inner Box	Outer Box	Unpacked Product	Packed Product	Inner Box	Outer Box	Outer Box
N**60	1G CO-AX	8.6 x 8.6 x 2.0	15.3 x 12.0 x 2.7	20.7 x 12.7 x 9.2	22.6 x 26.3 x 48.3	0.081	0.102	0.57	5.98	0.02871
N**61	2G CO-AX	8.6 x 8.6 x 2.0	17.5 x 11.5 x 2.2	-	-	0.113	0.117	-	-	-
N**62	1G ISO CO-AX	8.6 x 8.6 x 2.0	17.5 x 11.5 x 2.2	-	-	0.102	0.106	-	-	-
N**63	2G ISO CO-AX	8.6 x 8.6 x 2.0	17.5 x 11.5 x 2.2	-	-	0.090	0.094	-	-	-
N**64	1G SAT	8.6 x 8.6 x 2.7	17.5 x 11.5 x 2.9	-	-	0.102	0.106	-	-	-
N**65	2G SAT + CO-AX	8.6 x 8.6 x 2.7	17.5 x 11.5 x 2.9	-	-	0.111	0.115	-	-	-
N**66	2G DIPLEX TV/FM	8.6 x 8.6 x 3.2	17.5 x 11.5 x 3.4	-	-	0.140	0.144	-	-	-
N**67	3G TRIPLEX TV/FM/SAT	8.6 x 8.6 x 3.8	17.5 x 11.5 x 4.0	-	-	0.140	0.144	-	-	-
N**68	TRIP + BT + CO-AX RET	8.6 x 14.6 x 3.8	19.5 x 12.0 x 4.0	-	-	0.250	0.254	-	-	-
N**69	QUAD + BT + CO-AX RET	8.6 x 14.6 x 3.9	19.5 x 12.0 x 4.1	-	-	0.253	0.257	-	-	-