

Nitrile Exam Gloves

■ Powder Free

S/M/L/XL



Facts & Features:

- Latex free formulation, no natural rubber protein.
- Micro textured surface for secure grip.
- Super soft and fatigue free.
- Powder free, no cornstarch.

GLOVE PROFILE

Nitrile Exam Gloves	
Length (mm)	Minimum 240 mm
Thickness (mm)	
Cuff (mm)	Minimum 0.04 mm
Palm (mm)	Minimum 0.06 mm
Finger (mm)	Minimum 0.07 mm
Force at break(N)	
Before aging	Minimum 6N
After aging	Minimum 6N
Width (+/- 10 mm)	S= 80 mm M = 95 mm L= 110 mm XL = 120 mm
Weight (+/- 0.3 gm)	Small = 3.0gm Medium = 3.5gm Large = 4.0gm X-Large = 4.5 gm

GLOVE ATTRIBUTES

Design	Ambidextrous, non sterile, beaded cuff
Meeting Standard	EN455-1/2/3/4 EN374-1:2016/EN374-2:2019/EN374-4:2019/EN374-5:2016/EN16523-1:2015/EN21420:2020/EN421:2010 MDR 2017/745 PPE category class III Food contact EC Regulation 1935/2004 and EC Regulation 2023/2006 Cytotoxicity test(EN455 ISO 10993-5) Cytostatic permeation ASTM D6978 CE
Usage	Single use only