



WITH
iròs[®]
Ceramica

CITY LIGHTS
light up your cities!



WITH



Ceramica

CITY LIGHTS
light up your cities!

CITY LIGHTS

light up your cities!

LIKE AN ETERNAL AND INEXHAUSTIBLE TORCH, CITY LIGHTS SHINES WITH ITS OWN LIGHT TO MELT EVEN THE COLDEST SPIRITS. A CONTEMPORARY, URBAN AND ECLECTIC CHARACTER WILL SHOW YOU THE RIGHT WAY. COME OUT, THE CITY IS ALREADY ON FIRE AND JUST WAITING TO BE LIVED.
A BRIGHT AND LIVELY COLOUR PALETTE CAPABLE OF CREATING SPECIAL GAMES OF LIGHTS AND SHADOWS, DEVISED TO GENERATE SCENIC 3D WALLS, AVAILABLE IN THE 25X75 AND 10X30 SIZE, LEAVING AMPLE ROOM FOR YOUR IMAGINATION TO CLAD GLAMOROUS WALLS.

Come un'eterna ed inesauribile fiaccola, City Lights brilla di luce propria per sciogliere anche gli animi più freddi. Un carattere contemporaneo, urban ed eclettico ti mostrerà la strada giusta. Esci, la città è già in fiamme ed aspetta solo di essere vissuta.
Una paletta brillante e movimentata capace di creare particolari giochi di luci e ombre, studiata per creare scenografiche pareti 3D, disponibile nel formato 25x75 e 10x30 lasciando ampio spazio alla fantasia nel rivestire pareti glamour.

Telle une torches éternelle et inépuisable, City Lights brille de ses propres feux pour faire fondre les mentalités les plus austères. Un caractère contemporain, urbain et éclectique vous indiquera la voie. Sortez, la ville s'allume déjà et n'attend plus que de vous faire rêver.
Une palette brillante et mouvementée capable de créer des jeux d'ombres et de lumières particuliers, étudiée pour façonnner des parois décoratives en 3D, disponible en formats 25x75 et 10x30 afin de laisser une large place à la fantaisie dans le revêtement de parois glamour.

Wie eine ewige und unerschöpfliche Fackel erstrahlt City Lights im eigenen Licht, um auch die kältesten Seelen zum Schmelzen zu bringen. Ein zeitgenössischer, urbaner und eklektischer Charakter wird Ihnen den richtigen Weg weisen. Gehen Sie hinaus, die Stadt steht bereits in Flammen und wartet nur darauf, erlebt zu werden.
Eine brillant lebendige Palette, die besondere Licht- und Schattenspiele erzeugen kann, um spektakuläre 3D-Wände zu gestalten. Die verfügbaren Formate 25x75 und 10x30 sorgen für grenzenlose Freiheit bei der Gestaltung glamouröser Wände.

Como una llama eterna e inagotable, City Lights brilla con luz propia para que arden incluso los temperamentos más fríos. Un carácter contemporáneo, urbano y ecléctico te mostrará el camino correcto. Sal, la ciudad ya está en llamas y solo espera ser vivida.
Una paleta luminosa y alegre capaz de crear juegos especiales de luces y sombras, diseñada para dar forma a espectaculares paredes 3D, disponible en los formatos 25x75 y 10x30, para dar rienda suelta a la imaginación al revestir paredes glamurosas.

City Lights сверкает будто вечный и неугасаемый факел, растапливающий даже самые холодные души. Современный урбанистический и эклектичный характер плитки укажет вам правильный путь. Следуйте ему, устремляясь в объятый пламенем огней город, наполняющийся жизнью.
Яркая и динамичная палитра, специально разработанная для создания впечатляющего трехмерного эффекта на стенах с необыкновенной игрой света и тени. Форматы 25x75 и 10x30 позволяют максимально творчески подойти к созданию изысканной отделки на стенах.

犹如一团永恒之火,City Lights以一己之光,融化冰封之心。摩登时尚且不偏不倚的个性会为你赋予一条光明大道。走上街头,流光溢彩的城市注定生机勃勃。
明亮而活泼的色彩,能够营造特殊的光影效果,打造壮观的3D墙,可提供25x75和10x30尺寸,为迷人的墙壁装饰提供了充足的想象空间。

INDEX

8

CITY LIGHTS SKY, SKY COLOR

pub
living

26

CITY LIGHTS GREY, GREY COLOR

living
bathroom

16

CITY LIGHTS NIGHT, NIGHT COLOR

shop
bathroom

34

CITY LIGHTS AMBER, AMBER COLOR

hotel
living

44

CITY LIGHTS

products





DIFSEI. LIVING with IRIS CERAMICA

CITY LIGHTS

25×75


10×30

CITY
LIGHTS

right wall_CITY LIGHTS SKY COLORS 75x25 cm - 29"x10"
floor_ALUROCK INDIGO 60x60 cm - 24"x24"


LIKE
WINDOWS
ILLUMINATED
IN THE DARK.
SHINE.





left wall and counter_CITY LIGHTS SKY 75x25 cm - 29"x10"
right wall_CITY LIGHTS SKY COLORS 75X25 cm - 29"x10"
floor_ALUROCK INDIGO 60x60 cm - 24"x24"





CITY
LIGHTS

wall and counter_CITY LIGHTS SKY 75x25 cm - 29"x4"
floor_ALUROCK INDIGO 60x60 cm - 24"x24"




A photograph of a modern interior space, likely a living room or lounge area. The room features large floor-to-ceiling windows that offer a panoramic view of a city skyline at night. The interior has a minimalist design with light-colored walls and a polished concrete floor. A small portion of a chair is visible on the left side.

CITY
LIGHTS

CITY
LIGHTS

wall_CITY LIGHTS SKY COLORS SQ. 10x30 cm - 4"×12"

THE THIRD
DIMENSION
OF
REFLECTION.





CITY LIGHTS

City Lights Sky





wall_CITY LIGHTS NIGHT COLORS 75x25 cm - 29"x10"
floor_ LIQUID STONE BLACK 60x60 cm - 24"x24"

CITY
LIGHTS

CITY LIGHTS




left wall_CITY LIGHTS NIGHT COLORS 75x25 cm - 29"x10"
right wall_CITY LIGHTS NIGHT 75X25 cm - 29"x10"
floor_LIQUID STONE BLACK 60x60 cm - 24"x24"



CITY LIGHTS

wall_CITY LIGHTS NIGHT 75x25 cm - 29"x10"
floor_LIQUID STONE BLACK 60x60 cm - 24"x24"



CITY LIGHTS

wall_CITY LIGHTS NIGHT COLORS SQ. 10x30 cm - 4"x12"
floor_ALUROCK BLACK 120x60 cm - 48"x24"

NATURAL...
AND TACTILE
SUGGESTIONS
OF LIGHT
AND DESIGN.









City Lights Night Colors

CITY LIGHTS

CITY LIGHTS

wall_CITY LIGHTS GREY COLORS 75x25 cm - 29"x10"
floor_ LIQUID STONE BRONZE 60x60 cm - 24"x24"

IT SHINES WITH
ITS OWN LIGHT
TO GLEAM
AMONG THE
FORMS OF
THE CITY.





CITY LIGHTS





wall_CITY LIGHTS GREY COLORS 75x25 cm - 29"x10"
LIQUID STONE BRONZE 60x60 cm - 24"x24"
floor LIQUID STONE BRONZE 60x60 cm - 24"x24"



CITY
LIGHTS

wall_CITY LIGHTS GREY COLORS SQ. 10x30 cm - 4"x12"

GIVE SHAPE
TO SPACES
ILLUMINATED
BY THE
WARMTH
OF LIGHT.






CITY LIGHTS

City Lights Grey





CITY
LIGHTS

front wall_CITY LIGHTS AMBER 75x25 cm - 29"x10"
right wall_CITY LIGHTS AMBER COLORS 75X25 cm - 29"x10"
floor_ LIQUID STONE MUD 120x60 cm - 48"x24"

WATCH ME
CHANGE
SHAPE
AND COLOR,
CONTINUOUSLY.



CITY LIGHTS


left wall_CITY LIGHTS AMBER 75x25 cm - 29"x10"
right wall_CITY LIGHTS AMBER COLORS 75X25 cm - 29"x10"
floor_LIQUID STONE MUD 120x60 cm - 48"x24"





CITY LIGHTS

left wall_CITY LIGHTS AMBER 75x25 cm - 29"x10"
front wall_CITY LIGHTS AMBER COLORS 75X25 cm - 29"x10"
floor_LIQUID STONE MUD 120x60 cm - 48"x24"





CITY
LIGHTS


wall_CITY LIGHTS GREY COLORS 75x25 cm - 29"x10"
floor_ LIQUID STONE BRONZE 60x60 cm - 24"x24"

GLEAMING
GLAMOUR ON
NATURALLY
PRECIOUS
SURFACES.









City Lights Amber Colors

CITY
LIGHTS

CITY LIGHTS

RIVESTIMENTI / WALL TILES / REVÊTEMENTS / WANDFLIESEN
REVESTIMIENTOS / ПЛИТКА ДЛЯ СТЕН / 牆面瓷砖



75x25 cm
29"×10"




CITY LIGHTS AMBER

CITY LIGHTS AMBER COLORS


575335

575334

CITY LIGHTS AMBER



CITY LIGHTS AMBER COLORS





75x25 cm
29"×10"




CITY LIGHTS GREY

CITY LIGHTS GREY COLORS


575337

575336

CITY LIGHTS GREY



CITY LIGHTS GREY COLORS



CITY LIGHTS

RIVESTIMENTI / WALL TILES / REVÊTEMENTS / WANDFLIESEN
REVESTIMIENTOS / ПЛИТКА ДЛЯ СТЕН / 牆面瓷砖




75x25 cm
29"×10"




CITY LIGHTS NIGHT
CITY LIGHTS NIGHT COLORS

575331
575330

CITY LIGHTS NIGHT



CITY LIGHTS NIGHT COLORS



CITY LIGHTS SKY
CITY LIGHTS SKY COLORS



75x25 cm
29"x10"

575333
575332


PACKING

SIZE	THICKNESS	KG/MQ	BOX	EUROPALLET
75x25 . 29"x10"	10,5 mm . 0,43"	25,5	6	1,125 24 27,00

CITY LIGHTS SKY



CITY LIGHTS SKY COLORS




10x30 cm
4"x12"
30


CITY LIGHTS AMBER COLORS SQ.
CITY LIGHTS GREY COLORS SQ.

754716
754717

CITY LIGHTS AMBER COLORS



CITY LIGHTS GREY COLORS




CITY LIGHTS NIGHT COLORS SQ.	10x30 cm 4"x12"  754714
CITY LIGHTS SKY COLORS SQ.	754715


PACKING

SIZE	THICKNESS	KG/MQ	BOX	EUROPALLET
10x30 . 4"x12"	8,5 mm . 0,34"	14,83	 30	0,90 80 72

CITY LIGHTS NIGHT COLORS



CITY LIGHTS SKY COLORS



TECHNICAL CHARACTERISTICS

RIVESTIMENTI / WALL TILES / REVÊTEMENTS / WANDFLIESEN / REVESTIMIENTOS / ПЛИТКА ДЛЯ СТЕН . 牆面瓷磚
SEMIGRES

CLASSIFICAZIONE SECONDO NORME EN 14411 - ALLEGATO L - GRUPPO B III / CLASSIFICATION IN ACCORDANCE WITH EN 14411 - ANNEX L - GROUP B III
CLASSIFICATION SELON LES NORMES EN 14411 - ANNEXE L - GROUPE B III / KLAFFISIERUNG GEMÄSS NORMEN EN 14411 - ANLAGE L - GRUPPE B III
CLASIFICACIÓN SEGÚN NORMAS EN 14411 - ADJUNTO L - GRUPO B III / КЛАССИФИКАЦИЯ В СООТВЕТСТВИИ С СТАНДАРТАМИ EN 14411 - ВЛОЖЕННЫХ Л - ГРУППЕ В III
類別遵照 EN 14411 附錄L B III組

PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES PROPRIÉTÉS PHYSICO-CHIMIQUES PHYSIKALISCH-CHEMISCHE EIGENSCHAFTEN-PROPIEDADES FÍSICO-QUÍMICAS-СВОЙСТВА ХИМИЧЕСКИМИ - ФИЗИЧЕСКИМИ 物理-化學性能	TIPO DI PROVA STANDARD OF TEST NORME DU TEST TESTNORM TIPO DE PRUEBAS ВИД КОНТРОЛЯ 測試標準	VALORE PRESCRITTO REQUIRED VALUE VALEUR PRESCRITE VORGESCHRIEBENER WERT VALOR PRESCRITO ПЕКОМЕНДУЕМАЯ СТОИМОСТЬ 要求值	VALORE MEDIO AVERAGE VALUE VALEUR MOYENNE MITTELWERT VALOR MEDIO СРЕДНИЕ ЗНАЧЕНИЯ 均值
 Dimensioni Sizes Dimensions Abmessungen Dimensiones Форматы 尺寸	 ISO 10545.2	Lunghezza e larghezza / Length and width / Longueur et largeur Länge und breite / Largura y anchura / Длина и ширина 長度和寬度 Spessore / Thickness / Epaisseur / Stärke / Espesor / Толщина 厚度 Rettolineare spigoli / Warpage of edges / Rectitude des arêtes Kantengeradheit / Rectiliniedad cantos / Прямолинейность сторон 線性度 Ortogonalità / Wedging / Orthogonalité Rechtwinkligkeit / Ortogonalidad / Ортогональности 楔固固 Planarità / Warpage / Planéité Ebenflächigkeit / Planitud / Плоскостности / 趕曲	± 0,5% ± 0,5% ± 10 % ± 5% ± 0,3% ± 0,3% ± 0,5% ± 0,4% ± 0,5% ± 0,3%
 Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение 吸水性	 ISO 10545.3	E > 10%	~ 16%
 Resistenza alla flessione Bending strength Résistance à la flexion Biegefestigkeit Resistencia a la flexión Прочность на изгиб 抗彎曲性	 ISO 10545.4	Modulo di rottura Moduls of rupture Module de rupture Bruchmodul Módulo de rotura Прочность на изгиб 斷裂模組	22 N/mm ² R ≥ 15 N/mm ²
 Resistenza all'abrasione Resistance to abrasion Résistance à l'abrasion Abriebhärté Resistencia a la abrasión Износостойчивость 抗磨損性	 ISO 10545.7	Secondo i dati del produttore According to the manufacturer's data Selon les données du producteur Gemäß der Angaben des Herstellers De acuerdo con los datos del fabricante В соответствии с данными изготовителя 根据制造商信息	Indicata sul catalogo Indicated in the catalog Indiquée dans le catalogue Im katalog angegeben Indicada en el catálogo Указана в каталоге 在目錄中的指示
 Coefficiente di dilatazione termica lineare Coefficient of linear thermal expansion Coefficient de dilatation thermique linéaire Wärmeausdehnungskoeffizient Coeficiente de dilatación térmica lineal Коэффициент теплового расширения 線性熱膨脹係數	 ISO 10545.8	Metodo disponibile Test method available Méthode disponible Verfügbares Verfahren Método disponible Доступный метод 可以使用的測試方法	8x10 ⁻⁶ °C ⁻¹
 Resistenza agli sbalzi termici Resistance to thermal shock Résistance aux variations thermiques Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura Устойчивость к режиму перепадам температур 抗熱衝擊性	 ISO 10545.9	Metodo disponibile Test method available Méthode disponible Verfügbares Verfahren Método disponible Доступный метод 可以使用的測試方法	Garantita Guaranteed Garantie Garantiert Garantizada Гарантия 保證
 Resistenza al cavillo Crazing resistance Résistance au tressailage Haarrissbeständigkeit Resistencia al grietado Стоікость к образованию трещин 抗裂性	 ISO 10545.11	Metodo disponibile Test method available Méthode disponible Verfügbares Verfahren Método disponible Доступный метод 可以使用的測試方法	Garantita Guaranteed Garantie Garantiert Garantizada Гарантия 保證
 Resistenza ai prodotti chimici Chemical resistance Résistance aux produits chimiques Chemikalienfestigkeit Resistencia a los productos químicos Химическая устойчивость 耐化學性	 ISO 10545.13	GB min.	Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标
 Resistenza alle macchie Stain resistance Resistance aux taches Fleckenbeständigkei Resistencia a las manchas Устойчивость к пятнообразованию 耐玷污性	 ISO 10545.14	CLASSE 3 min.	Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标

SAFE SYSTEM

Grado di variazione cromatica

Degree of colour change . Grad der farbabweichung . Degre de variation chromatique . Grado de variación cromática . СТЕПЕНЬ ИЗМЕНЕНИЯ ЦВЕТА . 变色度

COLLEZIONE
COLLECTION
KOLLEKTION
COLLECTION
COLECCIÓN
КОЛЛЕКЦИЯ
系列


CITY LIGHTS WALL V2

CITY LIGHTS COLORS WALL V4



V1 - LOW .

Prodotto monocromatico . Monochromatic product
Produit monochromatique . Einfarbiges produkt
Producto monocromático . ОДНОЦВЕТНЫЙ ПРОДУКТ
单色产品




V2 - MODERATE .

Prodotto con leggera variazione cromatica . Product with light chromatic variation
Produit à légère variation chromatique . Produkt mit leichter farbnuance
Producto con una ligera variación cromática
ПРОДУКТ С ЛЕГКИМИ ИЗМЕНЕНИЯМИ ОТТЕНКОВ. 轻微变色的产品



V3 - HIGH .

Prodotto con marcata variazione cromatica . Product with high shade chromatic variation
Produit à variation chromatique accentuée . Produkt mit ausgeprägter farbnuance
Producto con una marcada variación cromática . ПРОДУКТ С ВЫРАЖЕННЫМИ ИЗМЕНЕНИЯМИ ЦВЕТА
高度变色的产品



V4 - EXTREME .

Prodotto con forte variazione cromatica . Product with very high shade chromatic variation
Produit à forte variation chromatique . Produkt mit starker farbnuance
Producto con una fuerte variación cromática
ПРОДУКТ С СИЛЬНЫМИ ИЗМЕНЕНИЯМИ ЦВЕТА . 高度变色的产品

Marketing IRIS CERAMICA

Art Direction / Concept
Graphic Design / Copy
ARCHÈ AGENCY

3D Image / Post Production
ARCHÈ AGENCY

SEARCH "Iris Ceramica" ON YOUR APP STORE



Scarica l'app "Iris ceramica" su tutti i tuoi dispositivi
Search "iris ceramica" on your app store
www.irisceramica.com/pdfapp

FOLLOW "Iris Ceramica" SOCIAL NETWORKS



**IRIS CERAMICA**

Via Ghiarola Nuova, 119
Zona Industriale I
41042 Fiorano Modenese (MO) - Italy

T. +39 0536 86 21 11
Fax +39 0536 80 46 02
info@irisceramica.com

irisceramica.com
diesel.com/living