

dordogne compact

una morbida tessitura
fatta di contrasti e calde fusioni cromatiche
interpretata da molteplici formati
accostabili tra loro
in infinite soluzioni di posa

a complex texture
of contrasts and colour blends
coming in several matchable sizes
to create endless layout solutions



dordogne mood

dordogne resembles a timeless material
that suites contemporary spaces as well as classic architectures.
a classy finishing for the most prestigious restoration projects

dordogne evoca una materia senza tempo
adatta a dialogare empaticamente con le ambientazioni più contemporanee
ma anche a valorizzare il recupero dell'architettura più classica





ivoire





10_11

unicomstarker

dordogne collection

cendre





caramel





biscuit





biscuit
rivestimento





ivoire


cendre

caramel

biscuit

mosaico

30.5 x 30.5






ivoire + cendre

caramel + biscuit

mosaico mix

30.5 x 30.5





ivoire


cendre

caramel

biscuit

brick

30 x 30



dordogne
collection spécial



informazioni
tecniche
technical
informations


dordogne

collection *O spécial*

grand décor



cendre



biscuit



caramel



ivoire

formato 45.8X45.8

61


petites dessines



formato 15X15

Oltre 200 combinazioni disponibili. More than 200 combinations available.

77



colori
colours
couleur
farbe



ivoire



cendre



caramel




biscuit

decori
decors
decoration
dekore



ivoire mosaico



cendre mosaico



caramel mosaico



biscuit mosaico



mosaico mix A
caramel+biscuit



mosaico mix B
ivoire+cendre



ivoire brick



cendre brick




caramel brick



biscuit brick


formati
sizes
formate
formats

superficie grip




40.8 x 61.4
16" x 24" **55**

superficie naturale



40.8 x 61.4
16" x 24" **54**



45.8 x 45.8
18" x 18" **50**



30.5 x 30.5
12" x 12" **46**




15 x 15
6" x 6" **55**




7.5 x 15
3" x 6" **60**

brick




30 x 30
12" x 12" **20**

mosaico




30.5 x 30.5
12" x 12" **140**

mosaico mix A




30.5 x 30.5
12" x 12" **48**

mosaico mix B




30.5 x 30.5
12" x 12" **48**


pezzi speciali
special items
pièces especiales
formteile




gradone angolare
costa retta destra **115**
gradone angolare grip
costa retta destra **118**
30.5 x 30.5
12" x 12"




gradone angolare
costa retta sinistra **115**
gradone angolare grip
costa retta sinistra **118**
30.5 x 30.5
12" x 12"




gradone costa retta **65**
gradone grip costa retta **66**
30.5 x 30.5
12" x 12"




gradino **16**
gradino grip **17**
30.5 x 30.5
12" x 12"




battiscopa smaltato **7**
7 x 30.5
2 3/4" x 12"



battiscopa smaltato **14**
7 x 61.4
2 3/4" x 24"




elemento a L **39**
30.5 x 16.5
12" x 6 1/2"



elemento a L grip **39**
elemento a L grip **40**
40 x 16
16" x 6 1/2"

soluzioni di posa

laying solution
propositions pour la pose
verlegungsvorschläge




15 x 15 6" x 6"
4.05 %

30.5 x 30.5 12" x 12"
16.21 %


45.8 x 45.8 18" x 18"
36.48 %

40.8 x 61.4 16" x 24"
43.24 %



45.8 x 45.8 18" x 18"
(1pz.)
75.65 %

15 x 15 6" x 6"
(3pz.)
24.35 %













40.8 x 61.4 16" x 24"
100 %

caratteristiche tecniche

technical features

carateristiques techniques

technische eigenschaften

	assorbimento d'acqua water absorption absorption d'eau wasseraufnahme	<0,5%		durezza di Mohs hardness in Mohs degrees dureté de Mohs Moh'sche härte	UNI EN 101 ≥ 7
	resistenza alla flessione breaking strength résistance a la flexion biegezugfestigkeit	35 N/mm²		spessore thickness épaisseur dicke	10mm
	resistenza agli acidi resistance to acid résistance aux acides säurebeständigkeit	GLA		superficie naturale DIN51097 DIN51130 coefficiente d'attrito (scivolosità) Dynamic coefficient of friction coefficient de friction (glissement) reibungskoeffizient (schlüpfrigkeit)	A+B R11 dry ≥ 0.85 wet ≥ 0.64
	resistenza al gelo frost resistance résistance au gel frostbeständigkeit	resiste frost proof aucune atteration keine änderung		superficie grip DIN51097 DIN51130 coefficiente d'attrito (scivolosità) Dynamic coefficient of friction coefficient de friction (glissement) reibungskoeffi zient (schlüpfrigkeit)	A+B+C R13
	resistenza alle macchie stain resistance résistance aux taches flackenbeständigkeit	5		variazioni cromatiche color shade variations variation de nuance nuance variations	V3 variazione moderata V3 moderate variation V3 variation modérée V3 mäßige variation

imballi

packing

emballages

verpackung

	formato size format format	spessore thickness épaisseur dicke	pezzi/sc pcs./box pcs./ctn stck/kart	mq/sc sqm./box mq/ctn qm/kart.	kg/sc kgs/box kg/ctn kg/kart.	sc/pl box/pal ctn./pal. kart./pal.	mq/pl sqm/pal mq/pal qm/pal	kq/pl kgs/pal kg/pal kg/pal
fondo naturale	40,8x61,4	10	5	1,25	25,20	48	60,14	1209,60
fondo naturale	45,8x45,8	10	6	1,26	25,40	48	60,48	1219,20
fondo naturale	30,5x30,5	10	12	1,12	21,50	48	53,57	1032,00
fondo naturale	15x15	10	44	1,00	19,30	60	60,00	1158,00
fondo naturale	7,5x15	10	88	1,00	19,30	60	60,00	1158,00
fondo grip	40,8x61,4	10	5	1,25	25,20	48	60,14	1209,60
grand décor	45,8x45,8	6	6	1,26	25,40	48	60,48	1219,20
petites dessines	15x15		44	1,00	19,30	60	60,00	1158,00
mosaico	30,5x30,5		11	1,02	19,70	54	55,24	1063,80
mosaico mix A (caramel biscuit)	30,5x30,5		6		10,80			
mosaico mix B (cendre ivoire)	30,5x30,5		6		10,80			
brick	30x30		6		10,68			
gradone angolare costa retta destra	30,5x30,5		2		4,52			
gradone angolare costa retta sinistra	30,5x30,5		2		4,52			
gradone angolare grip costa retta destra	30,5x30,5		2		4,52			
gradone angolare grip costa retta sinistra	30,5x30,5		2		4,52			
gradone costa retta	30,5x30,5		6		13,92			
gradone grip costa retta	30,5x30,5		6		13,92			
gradino	30,5x30,5		12		20,16			
gradino grip	30,5x30,5		12		20,16			
battiscopa smaltato	7x30,5		30		12,51			
battiscopa smaltato	7x61,4		12		13,80			
elemento a L	16,5x30,5		8		10,64			
elemento a L	40x16		3		6,99			
elemento a L grip	40x16		3		6,99			

Il peso riportato è comprensivo del pallet di supporto

The indicated weight includes the supporting pallet

Le poids indiqué est compris de la palette de support

Das angegebene Gewicht versteht sich einschließlich der Palette



unicomstarker[®]

via flumendosa 7
41042 fiorano modenese
modena italy
T + 39 (0) 536 926011
F italy + 39 (0) 536 926038
F world + 39 (0) 536 926033
F europe + 39 (0) 536 926023

unicomstarker.com

